



Hewlett-Packard Company

TPC Benchmark™ C
Full Disclosure Report
for
HP ProLiant DL580 G5
using
Microsoft SQL Server 2005 Enterprise x64 Edition SP2
and
Windows Server 2003 Enterprise x64 Edition R2

**First Edition
Submitted for Review
September 5, 2007**

First Edition –September 2007

Hewlett-Packard Company (HP) believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. HP assumes no responsibility for any errors that may appear in this document. The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, HP provides no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC Benchmark C should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report were obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. HP does not warrant or represent that a user can or will achieve similar performance expressed in transactions per minute (tpmC) or normalized price/performance (\$/tpmC). No warranty of system performance or price/performance is expressed or implied in this report.

Copyright 2007 Hewlett-Packard Company.

All rights reserved. Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text or on the title page of each item reproduced.

Printed in U.S.A., 2007

HP ProLiant DL580 G5 and ProLiant are registered trademarks of Hewlett-Packard Company.

Microsoft, Windows Server 2003, Windows Server 2003 x64 and SQL Server 2005 x64 are registered trademarks of Microsoft Corporation.

Xeon is a registered trademark of Intel.

TPC Benchmark is a trademark of the Transaction Processing Performance Council.

Other product names mentioned in this document may be trademarks and/or registered trademarks of their respective companies.

Table of Contents

TABLE OF CONTENTS	3
PREFACE	5
TPC BENCHMARK C OVERVIEW.....	5
ABSTRACT	6
OVERVIEW.....	6
TPC BENCHMARK C METRICS.....	6
STANDARD AND EXECUTIVE SUMMARY STATEMENTS	6
AUDITOR	6
GENERAL ITEMS.....	10
TEST SPONSOR.....	10
APPLICATION CODE AND DEFINITION STATEMENTS	10
PARAMETER SETTINGS	10
CONFIGURATION ITEMS	10
CLAUSE 1 RELATED ITEMS.....	12
TABLE DEFINITIONS	12
PHYSICAL ORGANIZATION OF DATABASE	12
<i>Benchmarked Configuration:</i>	12
PRICED CONFIGURATION VS. MEASURED CONFIGURATION:.....	15
INSERT AND DELETE OPERATIONS.....	15
PARTITIONING	15
REPLICATION, DUPLICATION OR ADDITIONS	15
CLAUSE 2 RELATED ITEMS.....	16
RANDOM NUMBER GENERATION.....	16
INPUT/OUTPUT SCREEN LAYOUT.....	16
PRICED TERMINAL FEATURE VERIFICATION.....	16
PRESENTATION MANAGER OR INTELLIGENT TERMINAL	16
TRANSACTION STATISTICS	17
QUEUEING MECHANISM	17
CLAUSE 3 RELATED ITEMS.....	18
TRANSACTION SYSTEM PROPERTIES (ACID)	18
ATOMICITY	18
<i>Completed Transactions</i>	18
<i>Aborted Transactions</i>	18
CONSISTENCY.....	18
ISOLATION	18
DURABILITY	19
<i>Durable Media Failure</i>	19
<i>Instantaneous Interruption and Loss of Memory</i>	20
CLAUSE 4 RELATED ITEMS.....	21
INITIAL CARDINALITY OF TABLES	21
DATABASE LAYOUT	21
TYPE OF DATABASE.....	21

DATABASE MAPPING	22
60 DAY SPACE.....	22
CLAUSE 5 RELATED ITEMS	23
THROUGHPUT	23
KEYING AND THINK TIMES.....	23
RESPONSE TIME FREQUENCY DISTRIBUTION CURVES AND OTHER GRAPHS	24
STEADY STATE DETERMINATION	29
WORK PERFORMED DURING STEADY STATE.....	29
MEASUREMENT PERIOD DURATION.....	29
REGULATION OF TRANSACTION MIX	30
TRANSACTION STATISTICS	30
CHECKPOINT COUNT AND LOCATION	31
CHECKPOINT DURATION.....	31
CLAUSE 6 RELATED ITEMS	32
RTE DESCRIPTIONS	32
EMULATED COMPONENTS	32
FUNCTIONAL DIAGRAMS	32
NETWORKS	32
OPERATOR INTERVENTION	32
CLAUSE 7 RELATED ITEMS	33
SYSTEM PRICING	33
AVAILABILITY, THROUGHPUT, AND PRICE PERFORMANCE.....	33
COUNTRY SPECIFIC PRICING.....	33
USAGE PRICING	33
CLAUSE 9 RELATED ITEMS	34
AUDITOR’S REPORT.....	34
AVAILABILITY OF THE FULL DISCLOSURE REPORT.....	34
APPENDIX A: SOURCE CODE	A-1 - A-111
APPENDIX B: DATABASE DESIGN	B-1 – B-52
APPENDIX C: TUNABLE PARAMETERS	C-1 - C-83
APPENDIX D: 60-DAY SPACE	D-1 - D-3
APPENDIX E: THIRD PARTY QUOTES	E-1 - E-4
APPENDIX F: PRICE VERIFFICATION.....	F-1

Preface

The TPC Benchmark C was developed by the Transaction Processing Performance Council (TPC). The TPC was founded to define transaction processing benchmarks and to disseminate objective, verifiable performance data to the industry. This full disclosure report is based on the TPC Benchmark C Standard Specifications Version 5.9.

TPC Benchmark C Overview

The TPC describes this benchmark in Clause 0.1 of the specifications as follows:

TPC Benchmark™ C (TPC-C) is an OLTP workload. It is a mixture of read-only and update intensive transactions that simulate the activities found in complex OLTP application environments. It does so by exercising a breadth of system components associated with such environments, which are characterized by:

- The simultaneous execution of multiple transaction types that span a breadth of complexity
- On-line and deferred transaction execution modes
- Multiple on-line terminal sessions
- Moderate system and application execution time
- Significant disk input/output
- Transaction integrity (ACID properties)
- Non-uniform distribution of data access through primary and secondary keys
- Databases consisting of many tables with a wide variety of sizes, attributes, and relationships
- Contention on data access and update

The performance metric reported by TPC-C is a "business throughput" measuring the number of orders processed per minute. Multiple transactions are used to simulate the business activity of processing an order, and each transaction is subject to a response time constraint. The performance metric for this benchmark is expressed in transactions-per-minute-C (tpmC). To be compliant with the TPC-C standard, all references to tpmC results must include the tpmC rate, the associated price-per-tpmC, and the availability date of the priced configuration.

Although these specifications express implementation in terms of a relational data model with conventional locking scheme, the database may be implemented using any commercially available database management system (DBMS), database server, file system, or other data repository that provides a functionally equivalent implementation. The terms "table", "row", and "column" are used in this document only as examples of logical data structures.

TPC-C uses terminology and metrics that are similar to other benchmarks, originated by the TPC or others. Such similarity in terminology does not in any way imply that TPC-C results are comparable to other benchmarks. The only benchmark results comparable to TPC-C are other TPC-C results conformant with the same revision.

Despite the fact that this benchmark offers a rich environment that emulates many OLTP applications, this benchmark does not reflect the entire range of OLTP requirements. In addition, the extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-C approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-C should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

Abstract

Overview

This report documents the methodology and results of the TPC Benchmark C test conducted on the HP ProLiant DL580 G5. The operating system used for the benchmark was Windows Server 2003, Enterprise x64 Edition R2. The DBMS used was Microsoft SQL Server 2005 Enterprise x64 Edition SP2.

TPC Benchmark C Metrics

The standard TPC Benchmark C metrics, tpmC (transactions per minute), price per tpmC (three year capital cost per measured tpmC), and the availability date are reported as:

407,079tpmC

USD \$1.71 per tpmC

The availability date is September 5, 2007.


Standard and Executive Summary Statements

The following pages contain executive summary of results for this benchmark.

Auditor

The benchmark configuration, environment and methodology were audited by Lorna Livingtree of Performance Metrics, Inc. to verify compliance with the relevant TPC specifications.

Hewlett-Packard		HP ProLiant DL580 G5 2.93GHz 2x4MB L2		TPC-C Rev. 5.9	
Company		C/S with 12 HP ProLiant DL360 G5		Report Date: Sept 5, 2007	
Total System Cost		TPC-C Throughput		Price/Performance	
USD \$694,335		407,079		USD \$1.71	
Availability Date		Database Server Processors /Cores/Threads		Database Manager	
Sept 5, 2007		Operating System		Other Software	
Number of Users		4/16/16		Microsoft SQL Server 2005 Enterprise x64 Edition SP2	
328,320		Intel Xeon 2.93GHz 2x4MB L2 cache QC		Windows Server 2003 Enterprise x64 Edition R2	
		Microsoft Visual C++ Microsoft COM+			



	Server		Each Client	
System Components	Quantity	Description	Quantity	Description
Processors/Cores/Threads	4/16/16	Intel Xeon QC 2.93GHz 2x4MB L2 cache	1/2/2	2.0 GHz Intel Xeon w/ 4MB L2 cache
Memory	128GB	(32x 4GB) GB FBD	1GB	1024 MB
Disk Controllers	1	Smart P400 Controller	1	Integrated Smart Array 200i Controller
	8	Smart P800 Controller		
	3	Smart E500 Controller		
Disk Drives	46	72GB 15K SFF SAS	2	36 GB 10K SFF SAS
	1000	36 GB 15K SFF SAS		
	2	36 GB 10K SFF SAS Drives (internal, os)		
Total Storage		36,977.20 GB		36 GB

Hewlett-Packard		HP ProLiant DL580G5			TPC-C Rev. 5.9		
Company					Report Date	5-Sep-07	
Description	Part Number	Brand	Unit Price	Qty	Extended Price	3 yr. Maint. Price	
Server Hardware							
DL580G5 E7350 2.93 130W 4P 8G (dual port nic, P400 controller)	451993-001	1	20,939	1	20,939		
DL580G5 Memory Board	452179-B21	1	299	1	299		
HP DL580G5 PCI-E IO Option Kit	452181-B21	1	199	1	199		
HP 8GB FBD PC2-5300 2x4GB Kit	397415-B21	1	2,399	16	38,384		
HP Smart Array P800/512MB SAS Controller	381513-B21	1	1,099	8	8,792		
HP Smart Array E500/256 SAS Controller	435129-B21	1	649	3	1,947		
HP s7540 17in. CRT Monitor	PF997AA#ABA	1	139	1	139		
HP PS/2 Keyboard And Mouse Bundle	RC464AA#ABA	1	39	1	39		
HP 5642 Pallet Unassembled Rack	358254-B21	1	865	3	2,595		
HP R1.5 kVA 1U NA UPS	AF419A	1	738	1	738		
HP 36GB 15k 2.5 Single Port HP SAS Drive	431933-B21	1	369	1000	369,000		
HP 36GB 15k 2.5 Single Port HP SAS Drive (10% Spares)	431933-B21	1	369	100		36,900	
HP 72GB 15k 2.5 Single Port HP SAS Drive	431935-B21	1	499	46	22,954		
HP 72GB 15k 2.5 Single Port HP SAS Drive (10% Spares)	431935-B21	1	499	5		2,495	
HP 36GB 10K SAS 2.5 Hot Plug Hard Drive	375859-B21	1	269	2	538		
HP StorageWorks MSA-70 Storage	418800-B21	1	3,199	42	134,358		
HP StorageWorks MSA-70 Storage (10% Spares)	418408-B21	1	3,199	5		15,995	
HP 3y 4h 24x7 ProLiant D58x HW Support ,ProLiant Server DL58x	U4608E	1	1,575	1		1,575	
					Subtotal	600,921	56,965
Server Software							
Microsoft SQL Server 2005 Enterprise X64 Edition(per processor)	810-03134	2	23,432	4	93,728	Incl Below	
Microsoft Visual Studio Standard 2005	127-00012	2	250	1	250	Incl Below	
Microsoft Windows 2003 Server, Enterprise Edition X64 R2	P73-02509	2	2,334	1	2,334	Incl Below	
Microsoft Problem Resolution Services		2	245	1		245	
					Subtotal	96,312	245
Client Hardware							
HP DL360G5 5130 1G Entry US Svr	416561-001	1	2,239	12	26,868		
Dual Integrated Gigabit NIC, HP Smart Array E200i/64MB Controller							
HP 36GB 10K SAS 2.5 Hot Plug Hard Drive	375859-B21	1	269	24	6,456		
HP CP 3Y 4H 24x7 HW Entry300 4-Hour 24 Hour x 7 Day Coverage 3 Years	U4497E	1	550	12		6,600	
					Subtotal	33,324	6,600
Client Software							
Windows Server 2003, Standard Edition R2	P73-01664	2	719	12	8,628	Incl. Above	
					Subtotal	8,628	0
User Connectivity							
HP ProCurve Switch 2824	J4903A#ABA	1	2,499	1	2,499		
HP CP for HP ProCurve Networking products 3 Yr 4 hr/24x7	U2856E	1	1,000	1		1,000	
7 foot Cat5E molded Patch Cables	415-5007	3	2	26	46		
7 foot Cat5E molded Patch Cables	415-5007	3	2	3		5	
					Subtotal	2,545	1,005
Large Purchase and Net 30 discount (See Note 1)	16.0%	1				(\$101,879)	(\$10,330)
					Total	\$639,850	\$54,485
Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark pricing specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.					Three-Year Cost of Ownership: USD		\$694,335
					tpmC Rating:		407,079
					\$ / tpmC: USD		\$1.71
Pricing: 1=HP Direct 800-203-6748 2= Microsoft 3= graycables.com							
Note 1 = Discount based on HP Direct guidance applies to all lines where pricing = 1							
* = These components are not immediately orderable. See the FDR for more information.							
Note 2 = The benchmark results were audited by Lorna Livingtree of Performance Metrics							

Numerical Quantities Summary

MQTH, Computed Maximum Qualified Throughput

407,079 tpmC

Response Times (in seconds)	Average	90%	Maximum
New-Order	0.57	1.30	10.00
Payment	0.54	1.27	9.95
Order-Status	0.55	1.29	9.95
Delivery (interactive portion)	0.13	0.13	8.61
Delivery (deferred portion)	0.11	0.14	4.97
Stock-Level	0.59	1.34	10.02
Menu	0.13	0.14	8.74

Transaction Mix, in percent of total transaction

New-Order	44.93%
Payment	43.03%
Order-Status	4.01%
Delivery	4.01%
Stock-Level	4.01%

Emulation Delay (in seconds)

Resp.Time Menu

New-Order	0.10	0.10
Payment	0.10	0.10
Order-Status	0.10	0.10
Delivery (interactive)	0.10	0.10
Stock-Level	0.10	0.10

Keying/Think Times (in seconds)

Min. Average Max.

New-Order	18.01/0.00	18.03/12.06	19.15/120.53
Payment	3.02/0.00	3.03/12.06	4.16/120.53
Order-Status	2.02/0.00	2.03/10.07	2.83/100.53
Delivery (interactive)	2.02/0.00	2.03/5.07	2.85/50.53
Stock-Level	2.02/0.00	2.03/5.06	2.82/50.53

Test Duration

Ramp-up time	35 minutes
Measurement interval	120 minutes
Transactions (all types) completed during measurement interval	113,076,590
Ramp down time	10 minutes

Checkpointing

Number of checkpoints	4
Checkpoint interval	30 minutes

General Items

Test Sponsor

A statement identifying the benchmark sponsor(s) and other participating companies must be provided.

This benchmark was sponsored by Hewlett-Packard Company. The benchmark was developed and engineered by Hewlett-Packard Company. Testing took place at HP benchmarking laboratories in Houston, Texas.

Application Code and Definition Statements

The application program (as defined in clause 2.1.7) must be disclosed. This includes, but is not limited to, the code implementing the five transactions and the terminal input output functions.

Appendix A contains all source code implemented in this benchmark.

Parameter Settings

Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including by not limited to:

- *Database options*
- *Recover/commit options*
- *Consistency locking options*
- *Operating system and application configuration parameters*

This requirement can be satisfied by providing a full list of all parameters.

Appendix C contains the tunable parameters to for the database, the operating system, and the transaction monitor.

Configuration Items

Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.

The configuration diagram for both the tested and priced systems are included on the following page.

Figure 1. Benchmarked Configuration





Figure 2. Priced Configuration



Clause 1 Related Items

Table Definitions

Listing must be provided for all table definition statements and all other statements used to set up the database.

Appendix B contains the code used to define and load the database tables.

Physical Organization of Database

The physical organization of tables and indices within the database must be disclosed.

The tested configuration consisted of 1000 drives at 36GB for database data, two 36GB drives for the operating system, and 46 drives at 72GB for database log. There were 1000 X 36GB drives for database data on eight SMART P800 controllers and two SMART E500 controllers, 46 X 72 GB drives on one SMART E500 controller for database log, and 2 X 36GB drives on the SMART P400 controller for the operating system.

Benchmarked Configuration:

SMART-P400 Controller, Slot 0, Array A

LOGICAL DRIVE C: Total Capacity = 33.91 GB RAID 0+1
Microsoft Windows Server 2003 Enterprise X64 Edition R2

SMART-E500 Controller, Slot 11, Array A

LOGICAL DRIVE E: Total Capacity = 1571.70 GB RAID 0+1
MSSQL_tpcc_log

SMART-P800 Controller, Slot 1, Array A

LOGICAL DRIVE C:\stk\stk2: Total Capacity = 137.69GB RAID 0
Stk_fg

LOGICAL DRIVE C:\cust\cust2: Total Capacity = 99.61GB RAID 0
Cust_fg

LOGICAL DRIVE C:\ol\ol2: Total Capacity = 97.65 GB RAID 0
ol_fg

LOGICAL DRIVE C:\misc\misc2: Total Capacity = 21.48GB RAID 0
Misc_fg

LOGICAL DRIVE Z: Total Capacity = 1516.14GB RAID 0+1
Tpcback4

SMART-P800 Controller, Slot 2, Array A

LOGICAL DRIVE C:\stk\stk3: Total Capacity = 137.69GB RAID 0
Stk_fg

LOGICAL DRIVE C:\cust\cust3: Total Capacity = 99.61GB RAID 0
Cust_fg

LOGICAL DRIVE C:\ol\ol3: Total Capacity = 97.65 GB RAID 0
ol_fg

LOGICAL DRIVE C:\misc\misc3: Total Capacity = 21.48GB RAID 0
Misc_fg

LOGICAL DRIVE X: Total Capacity = 1516.14GB RAID 0+1
Tpcback2

SMART-P800 Controller, Slot 3, Array A

<u>LOGICAL DRIVE C:\stk\stk1:</u> Stk_fg	<u>Total Capacity = 137.69GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\cust\cust1:</u> Cust_fg	<u>Total Capacity = 99.61GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\ol\ol1:</u> ol_fg	<u>Total Capacity = 97.65 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\misc\misc1:</u> Misc_fg	<u>Total Capacity = 21.48GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE W:</u> Tpcback1	<u>Total Capacity = 1516.14GB</u>	<u>RAID 0+1</u>

SMART-P800 Controller, Slot 4, Array A

<u>LOGICAL DRIVE C:\stk\stk5:</u> Stk_fg	<u>Total Capacity = 137.69GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\cust\cust5:</u> Cust_fg	<u>Total Capacity = 99.61GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\ol\ol5:</u> ol_fg	<u>Total Capacity = 97.65 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\misc\misc5:</u> Misc_fg	<u>Total Capacity = 21.48GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE Y:</u> Tpcback3	<u>Total Capacity = 1516.14GB</u>	<u>RAID 0+1</u>

SMART-P800 Controller, Slot 5, Array A

<u>LOGICAL DRIVE C:\stk\stk7:</u> Stk_fg	<u>Total Capacity = 137.69GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\cust\cust7:</u> Cust_fg	<u>Total Capacity = 99.61GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\ol\ol7:</u> ol_fg	<u>Total Capacity = 97.65 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\misc\misc7:</u> Misc_fg	<u>Total Capacity = 21.48GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE S:</u> Tpcback5	<u>Total Capacity = 1516.14GB</u>	<u>RAID 0+1</u>

SMART-P800 Controller, Slot 6, Array A

<u>LOGICAL DRIVE C:\stk\stk9:</u> Stk_fg	<u>Total Capacity = 137.69GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\cust\cust9:</u> Cust_fg	<u>Total Capacity = 99.61GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\ol\ol9:</u> ol_fg	<u>Total Capacity = 97.65 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\misc\misc9:</u> Misc_fg	<u>Total Capacity = 21.48GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE T:</u> Tpcback6	<u>Total Capacity = 1516.14GB</u>	<u>RAID 0+1</u>

SMART-P800 Controller, Slot 7, Array A

<u>LOGICAL DRIVE C:\stk\stk6:</u> Stk_fg	<u>Total Capacity = 137.69GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\cust\cust6:</u> Cust_fg	<u>Total Capacity = 99.61GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\ol\ol6:</u> ol_fg	<u>Total Capacity = 97.65 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\misc\misc6:</u> Misc_fg	<u>Total Capacity = 21.48GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE U:</u> Tpcback7	<u>Total Capacity = 1516.14GB</u>	<u>RAID 0+1</u>

SMART-P800 Controller, Slot 8, Array A

<u>LOGICAL DRIVE C:\stk\stk8:</u> Stk_fg	<u>Total Capacity = 137.69GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\cust\cust8:</u> Cust_fg	<u>Total Capacity = 99.61GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\ol\ol8:</u> ol_fg	<u>Total Capacity = 97.65 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\misc\misc8:</u> Misc_fg	<u>Total Capacity = 21.48GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE V:</u> Tpcback8	<u>Total Capacity = 1516.14GB</u>	<u>RAID 0+1</u>

SMART-E500 Controller, Slot 9, Array A

<u>LOGICAL DRIVE C:\stk\stk10:</u> Stk_fg	<u>Total Capacity = 137.69GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\cust\cust10:</u> Cust_fg	<u>Total Capacity = 99.61GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\ol\ol10:</u> ol_fg	<u>Total Capacity = 97.65 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\misc\misc10:</u> Misc_fg	<u>Total Capacity = 21.48GB</u>	<u>RAID 0</u>

SMART-E500 Controller, Slot 10, Array A

<u>LOGICAL DRIVE C:\stk\stk4:</u> Stk_fg	<u>Total Capacity = 137.69GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\cust\cust4:</u> Cust_fg	<u>Total Capacity = 99.61GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\ol\ol4:</u> ol_fg	<u>Total Capacity = 97.65 GB</u>	<u>RAID 0</u>
<u>LOGICAL DRIVE C:\misc\misc4:</u> Misc_fg	<u>Total Capacity = 21.48GB</u>	<u>RAID 0</u>

Priced Configuration vs. Measured Configuration:

The priced configuration used 12 DL360G5 servers for clients. The benchmarked configuration used (11) DL360G4P servers and (1) DL360G5 server as client systems.

Insert and Delete Operations

It must be ascertained that insert and/or delete operations to any of the tables can occur concurrently with the TPC-C transaction mix. Furthermore, any restrictions in the SUT database implementation that precludes inserts beyond the limits defined in Clause 1.4.11 must be disclosed. This includes the maximum number of rows that can be inserted and the minimum key value for these new rows.

All insert and delete functions were fully operational during the entire benchmark.

Partitioning

While there are a few restrictions placed upon horizontal or vertical partitioning of tables and rows in the TPC-C benchmark, any such partitioning must be disclosed.

No partitioning was used in this benchmark.

Replication, Duplication or Additions

Replication of tables, if used, must be disclosed. Additional and/or duplicated attributes in any table must be disclosed along with a statement on the impact on performance.

No replications, duplications or additional attributes were used in this benchmark.

Clause 2 Related Items

Random Number Generation

The method of verification for the random number generation must be described.

In the Benchcraft RTE from Microsoft, each driver engine uses an independent random number sequence. All of the users within a given driver draw from the same sequence.

The Benchcraft RTE computes random integers as described in "Random Numbers Generators: Good Ones Are Hard to Find." Communications of the ACM - October 1988 Volume 31 Number 10.

The seeds for each user were captured and verified by the auditor to be unique. In addition, the contents of the database were systematically searched, and randomly sampled by the auditor for patterns that would indicate the random number generator had affected any kind of a discernible pattern; none was found.

Input/Output Screen Layout

The actual layout of the terminal input/output screens must be disclosed.

All screen layouts followed the specifications exactly.

Priced Terminal Feature Verification

The method used to verify that the emulated terminals provide all the features described in Clause 2.2.2.4 must be explained. Although not specifically priced, the type and model of the terminals used for the demonstration in 8.1.3.3 must be disclosed and commercially available (including supporting software and maintenance).

The terminal attributes were verified by the auditor. The auditor manually exercised each specification on a representative HP ProLiant web server.

Presentation Manager or Intelligent Terminal

Any usage of presentation managers or intelligent terminals must be explained.

Application code running on the client machines implemented the TPC-C user interface. No presentation manager software or intelligent terminal features were used. The source code for the forms applications is listed in Appendix A.

Transaction Statistics

Table 2.1 lists the numerical quantities that Clauses 8.1.3.5 to 8.1.3.11 require.

Table 2.1 Transaction Statistics

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.00%
	Remote warehouse payments	15.00%
	Accessed by last name	60.00%
Order Status	Accessed by last name	60.05%
Transaction Mix	New Order	44.93%
	Payment	43.03%
	Order status	4.01%
	Delivery	4.01%
	Stock level	4.01%

Queuing Mechanism

The queuing mechanism used to defer the execution of the Delivery transaction must be disclosed.

Microsoft COM+ on each client machine served as the queuing mechanism to the database. Each delivery request was submitted to Microsoft COM+ asynchronously with control being returned to the client process immediately and the deferred delivery part completing asynchronously.

The source code is listed in Appendix A.

Clause 3 Related Items

Transaction System Properties (ACID)

The results of the ACID tests must be disclosed along with a description of how the ACID requirements were met. This includes disclosing which case was followed for the execution of Isolation Test 7.

All ACID property tests were successful. The executions are described below.

Atomicity

The system under test must guarantee that the database transactions are atomic; the system will either perform all individual operations on the data or will assure that no partially completed operations leave any effects on the data.

Completed Transactions

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was committed and the rows were verified to contain correctly updated balances.

Aborted Transactions

A row was selected in a script from the warehouse, district and customer tables, and the balances noted. A payment transaction was started with the same warehouse, district and customer identifiers and a known amount. The payment transaction was rolled back and the rows were verified to contain the original balances.

Consistency

Consistency is the property of the application that requires any execution of a database transaction to take the database from one consistent state to another, assuming that the database is initially in a consistent state.

Consistency conditions one through four were tested using a script to issue queries to the database. The results of the queries verified that the database was consistent for all four tests.

A run was executed under full load lasting over two hours and included a checkpoint.

The script was executed again. The result of the same queries verified that the database remained consistent after the run.

Isolation

Sufficient conditions must be enabled at either the system or application level to ensure the required isolation defined above (clause 3.4.1) is obtained.

Isolation tests one through nine were executed using shell scripts to issue queries to the database. Each script included timestamps to demonstrate the concurrency of operations. The results of the queries were captured to files. The captured files were verified by the auditor to demonstrate the required isolation had been met.

In addition, the phantom tests and the stock level tests were executed and verified.

For Isolation test seven, case A was followed.

Durability

The tested system must guarantee durability: the ability to preserve the effects of committed transaction and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3.

Durable Media Failure

Loss of Data and Log

To demonstrate recovery from a permanent failure of durable medium containing DBMS logs and TPC-C tables, the following steps were executed. This test was executed on a fully scaled database of 32832 warehouses of which 3288 were used under a load of 32880 users.

- The total number of New Orders was determined by the sum of D_NEXT_O_ID of all rows in the DISTRICT table giving the beginning count.
- The RTEs were started with 32880 users.
- The test was allowed to run for a minimum of 10 minutes.
- One disk was removed from one of the MSA 70 cabinets containing the log disks.
- Since the disk was mirrored, processing was not interrupted. This was verified by checking the user's status on the RTE.
- One of the data disks was removed from one MSA 70 data drive cabinet.
- When Microsoft SQL Server recorded errors about not being able to access the database, the RTE was shut down, and a database transaction log dump was taken.
- Microsoft SQL Server was shutdown, and the system rebooted after replacing the pulled drives with new drives.
- After the RAID recovery process finished Microsoft SQL Server was started.
- The database was restored from backup and the transaction log dump was applied.
- Consistency condition #3 was executed and verified.
- Step 2 was repeated and the difference between the first and second counts was noted.
- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.
- The counts in steps 12 and 13 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

Instantaneous Interruption and Loss of Memory

Because loss of power erases the contents of memory, the instantaneous interruption and the loss of memory tests were combined into a single test. This test was executed on a fully scaled database of 32832 warehouses under a full load of 328320 users. The following steps were executed:

- The total number of New Orders was determined by the sum of D_NEXT_O_ID of all rows in the DISTRICT table giving the beginning count.
- The RTE was started with 328320 users.
- The test was allowed to run for a minimum of 10 minutes.
- Pulling the power cords from the SUT induced system crash and loss of memory. No battery backup or Uninterruptible Power Supply (UPS) were used to preserve the contents of memory.
- The RTE was paused then stopped.
- Power was restored and the system restarted.
- Microsoft SQL Server was restarted and performed an automatic recovery.
- Consistency condition #3 was executed and verified.
- Step 1 was repeated and the difference between the first and second counts was noted.
- An RTE report was generated for the entire run time giving the number of NEW-ORDERS successfully returned to the RTE.
- The counts in step 9 and 10 were compared and the results verified that all committed transactions had been successfully recovered.
- Samples were taken from the RTE files and used to query the database to demonstrate successful transactions had corresponding rows in the ORDER table.

Clause 4 Related Items

Initial Cardinality of Tables

The cardinality (e.g. number of rows) of each table, as it existed at the start of the benchmark run, must be disclosed. If the database was over-scaled and inactive rows of the WAREHOUSE table were deleted, the cardinality of the WAREHOUSE table as initially configured and the number of rows deleted must be disclosed.

Table 4.1 Number of Rows for Server

Table	Cardinality as built
Warehouse	32,832
District	328,320
Customer	984,960,000
History	984,960,000
Orders	984,960,000
New Order	295,488,000
Order Line	9,849,566,207
Stock	3,283,200,000
Item	100,000
Unused Warehouses	0

Database Layout

The distribution of tables and logs across all media must be explicitly depicted for tested and priced systems.

The benchmarked configuration used 1000 SAS drives at 36GB for database data, two 36GB SAS drives for the operating system, and 46 SAS drives at 72GB for database log. Eight SMART P800 controllers along with two SMART E500 controllers connected to 2 MSA70 drive boxes per port for each of two ports. Each MSA70 contained (25) 36GB SAS drives. Each controller was configured in an array. Each array had four RAID 0 logical drives for data, and on the eight P800 controllers a RAID 0+1 logical drive for database backup files. One SMART E500 controller was connected to (2) MSA 70's configured as an array with one RAID 0+1 logical drive for the database log. The SMART P400 controller was connected to the internal drive cage which contained 2 X 36GB SAS drives configured as a RAID 0+1 logical drive. The Array Accelerators on the data controllers were configured as 100% write cache and were enabled for all logical drives. The SMART E500 controller used for transaction log had cache disabled. All RAID volumes used hardware RAID.

Section 1.2 of this report details the distribution of database tables across all disks. The code that creates the file groups and tables is included in Appendix B.

Type of Database

A statement must be provided that describes:

- The data model implemented by DBMS used (e.g. relational, network, hierarchical).

- *The database interface (e.g. embedded, call level) and access language (e.g. SQL, DL/I, COBOL read/write used to implement the TPC-C transaction. If more than one interface/access language is used to implement TPC-C, each interface/access language must be described and a list of which interface/access language is used with which transaction type must be disclosed.*

Microsoft SQL Server 2005 Enterprise x64 Edition is a relational DBMS.

The interface used was Microsoft SQL Server stored procedures accessed with Remote Procedure Calls embedded in C code.

Database Mapping

The mapping of database partitions/replications must be explicitly described.

The database was not replicated.

60 Day Space

Details of the 60-day space computations along with proof that the database is configured to sustain 8 hours of growth for the dynamic tables (Order, Order-Line, and History) must be disclosed.

To calculate the space required to sustain the database log for 8 hours of growth at steady state, the following steps were followed:

- The free space on the log file was queried using *dbcc sqlperf(logspace)*.
- Transactions were run against the database with a full load of users.
- The free space was again queried using *dbcc sqlperf(logspace)*.
- The space used was calculated as the difference between the first and second query.
- The number of NEW-ORDERS was verified from the difference in the sum(d_next_o_id) taken from before and after the run.
- The space used was divided by the number of NEW-ORDERS giving a space used per NEW-ORDER transaction.
- The space used per transaction was multiplied by the measured tpmC rate times 480 minutes.

The same methodology was used to compute growth requirements for dynamic tables Order, Order-Line and History.

Details of both the 8-hour transaction log space requirements and the 60-day space requirements are shown in Appendix D.

Clause 5 Related Items

Throughput

Measured tpmC must be reported

Measured tpmC 407,079 tpmC
Price per tpmC USD \$1.71

Response Times

Ninetieth percentile, maximum and average response times must be reported for all transaction types as well as for the menu response time.

Table 5.2: Response Times

Type	Average	90 th %	Maximum
New-Order	0.57	1.30	10.00
Payment	0.54	1.27	9.95
Order-Status	0.55	1.29	9.95
Interactive Delivery	0.13	0.13	8.61
Deferred Delivery	0.11	0.14	4.97
Stock-Level	0.59	1.34	10.02
Menu	0.13	0.14	8.74

Keying and Think Times

The minimum, the average, and the maximum keying and think times must be reported for each transaction type.

Table 5.3: Keying Times

Type	Minimum	Average	Maximum
New-Order	18.01	18.03	19.15
Payment	3.02	3.03	4.16
Order-Status	2.02	2.03	2.83
Interactive Delivery	2.02	2.03	2.85
Stock-Level	2.02	2.03	2.82

Table 5.4: Think Times

Type	Minimum	Average	Maximum
New-Order	0.00	12.06	120.53
Payment	0.00	12.06	120.53
Order-Status	0.00	10.07	100.53
Interactive Delivery	0.00	5.07	50.53
Stock-Level	0.00	5.06	50.53

Response Time Frequency Distribution Curves and Other Graphs

Response Time frequency distribution curves (see Clause 5.6.1) must be reported for each transaction type.

The performance curve for response times versus throughput (see Clause 5.6.2) must be reported for the New-Order transaction.

Think Time frequency distribution curves (see Clause 5.6.3) must be reported for each transaction type.

Keying Time frequency distribution curves (see Clause 5.6.4) must be reported for each transaction type.

A graph of throughput versus elapsed time (see Clause 5.6.5) must be reported for the New-Order transaction.

Figure 3. New Order Response Time Distribution




Figure 4. Payment Response Time Distribution




Figure 5. Order Status Response Time Distribution




Figure 6. Delivery Response Time Distribution




Figure 7. Stock Level Response Time Distribution




Figure 8. Response Time vs. Throughput





Figure 9. New Order Think Time Distribution



Figure 10. Throughput vs. Time Distribution



Steady State Determination

The method used to determine that the SUT had reached a steady state prior to commencing the measurement interval must be disclosed.

Steady state was determined using real time monitor utilities from the RTE. Steady state was further confirmed by the throughput data collected during the run and graphed in Figure 10.

Work Performed During Steady State

A description of how the work normally performed during a sustained test (for example checkpointing, writing redo/undo log records, etc.), actually occurred during the measurement interval must be reported.

The RTE generated the required input data to choose a transaction from the menu. This data was time stamped. The input screen for the requested transaction was returned and time stamped. The difference between these two timestamps was the menu response time. The RTE writes to the log file once per transaction on selective fields such as order id. There is one log file per driver engine.

The RTE generated the required input data for the chosen transaction. It waited to complete the minimum required key time before transmitting the input screen. The transmission was time stamped. The return of the screen with the required response data was time stamped. The difference between these two timestamps was the response time for that transaction.

The RTE then waited the required think time interval before repeating the process starting at selecting a transaction from the menu.

The RTE transmissions were sent to application processes running on the client machines through Ethernet LANs. These client application processes handled all screen I/O as well as all requests to the database on the server. The applications communicated with the database server over gigabit Ethernet LANs using ODBC and RPC calls.

To perform checkpoints at specific intervals, the SQL Server *recovery interval* was set to 32767 and a script was written to schedule multiple checkpoints at specific intervals. The script included a wait time between each checkpoint equal to 30 minutes. The measurement interval was 120 minutes. The checkpoint script was started manually after the RTE had all users logged in and the database had achieved steady state.

At each checkpoint, Microsoft SQL Server wrote to disk all memory pages that had been updated but not yet physically written to disk. The positioning of the measurement interval is depicted on the graph in Figure 9.

Measurement Period Duration

A statement of the duration of the measurement interval for the reported Maximum Qualified Throughput (tpmC) must be included.

The reported measured interval was exactly 120 minutes long.

Regulation of Transaction Mix

The method of regulation of the transaction mix (e.g., card decks or weighted random distribution) must be described. If weighted distribution is used and the RTE adjusts the weights associated with each transaction type, the maximum adjustments to the weight from the initial value must be disclosed.

The RTE was given a weighted random distribution, which was not adjusted during the run.

Transaction Statistics

The percentage of the total mix for each transaction type must be disclosed. The percentage of New-Order transactions rolled back as a result of invalid item number must be disclosed. The average number of order-lines entered per New-Order transaction must be disclosed. The percentage of remote order lines per New-Order transaction must be disclosed. The percentage of remote Payment transactions must be disclosed. The percentage of customer selections by customer last name in the Payment and Order-Status transactions must be disclosed. The percentage of Delivery transactions skipped due to there being fewer than necessary orders in the New-Order table must be disclosed.

Table 5.5: Transaction Statistics

Statistic		Value
New Order	Home warehouse order lines	99.00%
	Remote warehouse order lines	1.00%
	Rolled back transactions	1.00%
	Average items per order	10.00
Payment	Home warehouse payments	85.00%
	Remote warehouse payments	15.00%
	Accessed by last name	60.00%
Delivery	Skipped transactions (interactive)	0
	Skipped transactions (deferred)	0
Order Status	Accessed by last name	60.05%
Transaction Mix	New Order	44.93%
	Payment	43.03%
	Order status	4.01%
	Delivery	4.01%
	Stock level	4.01%

Checkpoint Count and Location

The number of checkpoints in the Measurement Interval, the time in seconds from the start of the Measurement Interval to the first checkpoint, and the Checkpoint Interval must be disclosed.

The initial checkpoint was started 43 minutes after the start of the ramp-up. Subsequent checkpoints occurred every 30 minutes. Each checkpoint in the measurement interval lasted 28 minutes and 20 seconds. The measurement interval contains four checkpoints.

Checkpoint Duration

The start time and duration in seconds of at least the four longest checkpoints during the Measurement Interval must be disclosed.

Checkpoint Start Time	Duration
16:23:05.57pm	28 minutes, 20 seconds
16:53:02.60pm	28 minutes, 20 seconds
17:22:59.59pm	28 minutes, 20 seconds
17:52:56.60pm	28 minutes, 20 seconds

Clause 6 Related Items

RTE Descriptions

If the RTE is commercially available, then its inputs must be specified. Otherwise, a description must be supplied of what inputs (e.g., scripts) to the RTE had been used.

The RTE used was Microsoft Benchcraft RTE. Benchcraft is a proprietary tool provided by Microsoft and is not commercially available. The RTE's input is listed in Appendix A.

Emulated Components

It must be demonstrated that the functionality and performance of the components being emulated in the Driver System are equivalent to the priced system. The results of the test described in Clause 6.6.3.4 must be disclosed.

The driver system consisted of 12 HP ProLiant servers. These driver machines emulated the users' web browsers.

Functional Diagrams

A complete functional diagram of both the benchmark configuration and the configuration of the proposed (target) system must be disclosed. A detailed list of all hardware and software functionality being performed on the Driver System and its interface to the SUT must be disclosed.

The driver system performed the data generation and input functions of the priced display device. It also captured the input and output data and timestamps for post-processing of the reported metrics. No other functionality was included on the driver system.

Section 1.4 of this report contains detailed diagrams of both the benchmark configuration and the priced configuration.

Networks

The network configuration of both the tested services and proposed (target) services that are being represented and a thorough explanation of exactly which parts of the proposed configuration are being replaced with the Driver System must be disclosed.

The bandwidth of the networks used in the tested/priced configuration must be disclosed.

In the tested configuration, 12 driver (RTE) machines were connected through a gigabit Ethernet switch to the client machines at 1Gbps, thus providing the path from the RTEs to the clients. The server (SUT) was connected to the clients through a gigabit Ethernet switch on a separate LAN.

The priced configuration was connected in the same manner as the tested configuration.

Operator Intervention

If the configuration requires operator intervention (see Clause 6.6.6), the mechanism and the frequency of this intervention must be disclosed.

This configuration does not require any operator intervention to sustain eight hours of the reported throughput.

Clause 7 Related Items

System Pricing

A detailed list of hardware and software used in the priced system must be reported. Each separately orderable item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery data. If package-pricing is used, vendor part number of the package and a description uniquely identifying each of the components of the package must be disclosed. Pricing source and effective date(s) of price(s) must also be reported.

The total 3 year price of the entire configuration must be reported, including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.

The details of the hardware and software are reported in the front of this report as part of the executive summary. All third party quotations are included at the end of this report as Appendix E.

Availability, Throughput, and Price Performance

The committed delivery date for general availability (availability date) of products used in the price calculation must be reported. When the priced system included products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available.

A statement of the measured tpmC as well as the respective calculations for the 5-year pricing, price/performance (price/tpmC), and the availability date must be included.

- **Maximum Qualified Throughput** **407,079tpmC**
- **Price per tpmC** **USD \$1.71 per tpmC**
- **Availability** **September 5, 2007**

Country Specific Pricing

Additional Clause 7 related items may be included in the Full Disclosure Report for each country specific priced configuration. Country specific pricing is subject to Clause 7.1.7

This system is being priced for the United States of America.

Usage Pricing

For any usage pricing, the sponsor must disclose:

- *Usage level at which the component was priced.*
- *A statement of the company policy allowing such pricing.*

The component pricing based on usage is shown below:

- 12 Microsoft Windows Server 2003 Standard Edition R2
- 1 Microsoft Windows Server 2003 Enterprise x64 Edition R2
- 1 Microsoft SQL Server 2005 Enterprise x64 Edition (per processor) SP2
- 1 Microsoft Visual Studio Standard 2005
- HP Servers include 3 years of support.

Clause 9 Related Items

Auditor's Report

The auditor's name, address, phone number, and a copy of the auditor's attestation letter indicating compliance must be included in the Full Disclosure Report.

This implementation of the TPC Benchmark C was audited by Lorna Livingtree of Performance Metrics, Inc.

Performance Metrics, Inc.
PO Box 984
Klamath CA 95548
(phone) 707-482-0523
(fax) 707-482-0575
e-mail: lornaL@perfmetrics.com

Availability of the Full Disclosure Report

The Full Disclosure Report must be readily available to the public at a reasonable charge, similar to the charges for similar documents by the test sponsor. The report must be made available when results are made public. In order to use the phrase "TPC Benchmark™ C", the Full Disclosure Report must have been submitted to the TPC Administrator as well as written permission obtained to distribute same.

Requests for this TPC Benchmark C Full Disclosure Report should be sent to:

TPC
Presidio of San Francisco
Building 572B Ruger St. (surface)
P.O. Box 29920 (mail)
San Francisco, CA 94129-0920

or

Hewlett-Packard Company
Database Performance Engineering
P.O. Box 692000
Houston, TX 77269-2000



PERFORMANCE METRICS INC.
TPC Certified Auditors

August 21, 2007

Mr. David Adams
Database Performance Engineer
Hewlett-Packard Company
20555 SH 249
Houston, TX 77070

I have verified by remote the TPC Benchmark™ C for the following configuration:

Platform: HP ProLiant DL580 G5
Database Manager: Microsoft SQL Server 2005 Enterprise X64 Edition
Operating System: Microsoft Windows Server R2 2003 Enterprise X64 Edition
Transaction Monitor: Microsoft COM+

System Under Test:				
CPU's	Memory	Disks (total)	90% Response	TpmC
4 Intel Xeon @ 2.93 GHz	Main: 128 GB	1002 @ 36 GB 46 @ 72 GB	1.30	407,079

In my opinion, these performance results were produced in compliance with the TPC requirements for the benchmark. The following attributes of the benchmark were given special attention:

- The transactions were correctly implemented.
- The database files were properly sized.
- The database was properly scaled with 32,832 warehouses, all of which were active during the measured interval.
- The ACID properties were successfully demonstrated.
- Input data was generated according to the specified percentages.
- Eight hours of mirrored log space was present on the tested system.
- Eight hours of growth space for the dynamic tables was present on the tested system.
- The data for the 60 days space calculation was verified.
- The steady state portion of the test was 120 minutes.
- There was one complete checkpoint in steady state before the measured interval.
- There were 4 checkpoints started and completed inside the measured interval.
- The system pricing was checked for major components and maintenance.
- Third party quotes were verified for compliance.

Auditor Notes: None

Sincerely,

Lorna Livingtree, Certified Auditor

Appendix A: Source Code

The client source code is listed below.

dlldata.c

```
/*
*****
DllData file -- generated by MIDL compiler

DO NOT ALTER THIS FILE

This file is regenerated by MIDL on every IDL file
compile.

To completely reconstruct this file, delete it and
rerun MIDL
on all the IDL files in this DLL, specifying this
file for the
/dlldata command line option
*****/

#include <rpcproxy.h>

#ifdef __cplusplus
extern "C" {
#endif

EXTERN_PROXY_FILE( tpcc_com_ps )

PROXYFILE_LIST_START
/* Start of list */
REFERENCE_PROXY_FILE( tpcc_com_ps ),
/* End of list */
PROXYFILE_LIST_END

DLLDATA_ROUTINES( aProxyFileList, GET_DLL_CLSID )

#ifdef __cplusplus
} /*extern "C" */
#endif

/* end of generated dlldata file */
```

error.h

```
/* FILE: ERROR.H Microsoft
* TPC-C Kit Ver. 4.20.000 Copyright
* Microsoft, 1999
* All Rights Reserved
*
* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE: Header file for error exception
classes.
*
* Change history:
* 4.20.000 - updated rev number to
match kit
* 4.21.000 - fixed bug: ~CBaseErr
needed to be declared virtual
*/

#pragma once

#ifndef _INC_STRING
#include <string.h>
#endif

const int m_szMsg_size = 512;
const int m_szApp_size = 64;
const int m_szLoc_size = 64;

//error message structure used in ErrorText routines
typedef struct _SERRORMSG
{
    int iError; //error id of message
    char szMsg[256]; //message to sent to browser
} SERRORMSG;

typedef enum _ErrorLevel
{
    ERR_FATAL_LEVEL = 1,
    ERR_WARNING_LEVEL = 2,
    ERR_INFORMATION_LEVEL = 3
} ErrorLevel;

#define ERR_TYPE_LOGIC -1 //logic error in program; internal error
#define ERR_SUCCESS 0 //success (a non-error error)
#define ERR_BAD_ITEM_ID 1 //expected abort record in txnRecord
```

```
#define ERR_TYPE_DELIVERY_POST 2 //expected delivery post failed
#define ERR_TYPE_WEBDDL 3 //tpcc web generated error
#define ERR_TYPE_SQL 4 //sql server generated error
#define ERR_TYPE_DBLIB 5 //dblib generated error
#define ERR_TYPE_ODBC 6 //odbc generated error
#define ERR_TYPE_SOCKET 7 //error on communication socket client rte
only
#define ERR_TYPE_DEADLOCK 8 //dblib and odbc only deadlock condition
#define ERR_TYPE_COM 9 //error from COM call
#define ERR_TYPE_TUXEDO 10 //tuxedo error
#define ERR_TYPE_OS 11 //operating system error
#define ERR_TYPE_MEMORY 12 //memory allocation error
#define ERR_TYPE_TPCC_ODBC 13 //error from tpcc odbc txn module
#define ERR_TYPE_TPCC_DBLIB 14 //error from tpcc dblib txn module
#define ERR_TYPE_DBLISRV 15 //delivery server error
#define ERR_TYPE_TXNLOG 16 //txn log error
#define ERR_TYPE_BCCONN 17 //Benchcraft connection class
#define ERR_TYPE_TPCC_CONN 18 //Benchcraft connection class
#define ERR_TYPE_ENCINA 19 //Encina error
#define ERR_TYPE_COMPONENT 20 //error from COM component
#define ERR_TYPE_RTE 21 //Benchcraft rte
```

```

#define ERR_TYPE_AUTOMATION
                22
                //Benchcraft automation errors
#define ERR_TYPE_DRIVER
                23
                //Driver engine errors
#define ERR_TYPE_RTE_BASE
                24
                //Framework errors
#define ERR_BUF_OVERFLOW
                25
                //Buffer overflow during receive
#define ERR_TYPE_SOAP_HTTP
                26
                //HTTP/SOAP dll generated error
#define ERR_TYPE_OLEDB
                27
                //OLE-DB generated error
#define ERR_TYPE_TPCC_OLEDB
                28
                //error from tpcc ole-db txn module
// TPC-W error types
#define ERR_TYPE_TPCW_CONN
                50
                //Benchcraft connection class
#define ERR_TYPE_TPCW_HTML
                51
                //error from TpcwHtml dll
#define ERR_TYPE_TPCW_USER
                52
                //error from TPC-W user class
#define ERR_TYPE_TPCW_ENG_BASE
                53
#define ERR_TYPE_TPCW_ENG_OS
                54
#define ERR_TYPE_HTML_RESP
                55
#define ERR_TYPE_TPCW_ODBC
                56
#define ERR_TYPE_SCHANNEL
                57
#define ERR_TYPE_THINK_LIST
                58
//----- end TPC-W -----
#define ERR_TYPE_XML_PROFILE
                59
// TPC-E error types
#define ERR_TYPE_TPCE_CONN
                60
                //TPC-E pipe connection errors
#define ERR_TYPE_TPCE_RTE
                61
                //TPC-E Rte errors
#define ERR_TYPE_TPCE_ENG_BASE
                62
                //Tpce Driver engine errors
#define ERR_TYPE_TPCE_ENG_OS
                63
                //Tpce Driver
engine system errors
//#define ERR_TYPE_TPCE_MEE_ENG_BASE
                64
                //Tpce MEE
Driver engine errors

```

```

//#define ERR_TYPE_TPCE_MEE_ENG_OS
                65
                //Tpce MEE
Driver engine system errors

#define ERR_INS_MEMORY
                "Insufficient Memory to continue."
#define ERR_UNKNOWN
                "Unknown error."
#define ERR_MSG_BUF_SIZE
                512
#define INV_ERROR_CODE
                -1
#define ERR_INS_BUF_OVERFLOW
                "Insufficient Buffer
size to receive HTML pages."

class CBaseErr
{
public:
    enum Action
    {
        eNone = 0
    };

    CBaseErr(LPCTSTR szLoc = NULL)
    {
        m_idMsg =
GetLastError(); //take the error code
immediately before it is reset by other functions

        if (szLoc)
        {
            m_szLoc = new
char[strlen(szLoc)+1/*m_szLoc_size*/];
            strcpy(m_szLoc, szLoc);
        }
        else
            m_szLoc = NULL;

        m_szApp = new
char[m_szApp_size];

        GetModuleFileName(GetModuleHandle(NULL),
m_szApp, m_szApp_size);
    }

    CBaseErr(int idMsg, LPCTSTR szLoc = NULL)
    {
        m_idMsg = idMsg;

        if (szLoc)
        {
            m_szLoc = new
char[strlen(szLoc)+1/*m_szLoc_size*/];
            strcpy(m_szLoc, szLoc);
        }
        else
            m_szLoc = NULL;
    }
}

```

```

        m_szApp = new
char[m_szApp_size];

        GetModuleFileName(GetModuleHandle(NULL),
m_szApp, m_szApp_size);
    }

    virtual ~CBaseErr(void)
    {
        if (m_szApp)
            delete [] m_szApp;
        if (m_szLoc)
            delete [] m_szLoc;
    };

    virtual void Draw(HWND hwnd, LPCTSTR szStr
= NULL)
    {
        int j = 0;
        char szTmp[512];

        if (szStr)
            j = wsprintf(szTmp,
"%s\n",szStr);
        if (ErrorNum() != INV_ERROR_CODE)
            j += wsprintf(szTmp+j,
"Error = %d\n", ErrorNum());
        if (m_szLoc)
            j += wsprintf(szTmp+j,
"Location = %s\n", GetLocation());
        j += wsprintf(szTmp+j, "%s\n",
ErrorText());
        MessageBox(hwnd, szTmp, m_szApp,
MB_OK);
    }

    char *GetApp(void) { return m_szApp; }
    char *GetLocation(void) { return m_szLoc; }
    virtual int ErrorNum() { return m_idMsg; }

    virtual int ErrorType() = 0; // a value
which distinguishes the kind of error that occurred
    virtual char *ErrorTypeStr() = 0; // text
representation of the error type
    virtual char *ErrorText() = 0; // a string
(i.e., human readable) representation of the error
    virtual int ErrorAction() { return eNone; }
    // the function call that caused the error

protected:
    char *m_szApp;
    char *m_szLoc; // code location where
the error
occurred
    int m_idMsg;

    //short m_errType;
};

```

```

class CSocketErr : public CBaseErr
{
public:
    enum Action
    {
        eNone = 0,
        eSend,
        eSocket,
        eBind,
        eConnect,
        eListen,
        eHost,
        eRecv,
        eGetHostByName,
        eWSACreateEvent,
        eWSASend,
        eWSAGetOverlappedResult,
        eWSARecv,
        eWSAWaitForMultipleEvents,
        eWSAStartup,
        eWSAResetEvent,
        eWSAEnumNetworkEvents,
        eWSAEventSelect,
        eSelect,
        eAccept,
        eNonRetryable
    };

    CSocketErr(Action eAction, LPCTSTR
szLocation = NULL);

    ~CSocketErr()
    {
        if (m_szErrorText != NULL)
            delete []
m_szErrorText;
    };

    Action m_eAction;
    char *m_szErrorText;

    int
ERR_TYPE_SOCKET;};

    char*
ErrorTypeStr() { return "SOCKET"; }

    char*
ErrorText(void);

    int
ErrorAction() { return
(int)m_eAction; }
};

class CSystemErr : public CBaseErr
{
public:
    enum Action
    {
        eNone = 0,
        eTransactNamedPipe,
        eWaitNamedPipe,
        eSetNamedPipeHandleState,
        eCreateFile,
        eCreateProcess,
        eCallNamedPipe,

```

```

        eCreateEvent,
        eCreateThread,
        eVirtualAlloc,
        eReadFile = 10,
        eWriteFile,
        eMapViewOfFile,
        eCreateFileMapping,
        eInitializeSecurityDescriptor,
        eSetSecurityDescriptorDacl,
        eCreateNamedPipe,
        eConnectNamedPipe,
        eWaitForSingleObject,
        eRegOpenKeyEx,
        eRegQueryValueEx = 20,
        ebeginthread,
        eRegEnumValue,
        eRegSetValueEx,
        eRegCreateKeyEx,
        eWaitForMultipleObjects,
        eRegisterClassEx,
        eCreateWindow,
        eCreateSemaphore,
        eReleaseSemaphore,
        eFSeek,
        eFRead,
        eFWrite,
        eTmpFile,
        eSetFilePointer,
        eNew,
        eCloseHandle,
        eGetOverlappedResult
    };

    CSystemErr(Action
eAction, LPCTSTR szLocation);

    CSystemErr(int iError,
Action eAction, LPCTSTR szLocation);

    int
ERR_TYPE_OS;};

    char*
ErrorTypeStr() { return "SYSTEM"; }

    char
*ErrorText(void);

    int
ErrorAction() { return
(int)m_eAction; }

    void
Draw(HWND hwnd, LPCTSTR szStr =
NULL);

    Action m_eAction;

private:
    char m_szMsg[ERR_MSG_BUF_SIZE];
};

class CMemoryErr : public CBaseErr
{
public:
    CMemoryErr();

    int
ERR_TYPE_MEMORY;};

    char*
ErrorTypeStr() { return "OUT OF
MEMORY"; }

```

```

    char*
ErrorText() {return
ERR_INS_MEMORY; }
};

class CBufferOverflowErr : public CBaseErr
{
public:
    CBufferOverflowErr(int,LPTSTR);

    int
ErrorType() {return
ERR_BUF_OVERFLOW;};

    char*
ErrorTypeStr() { return "BUFFER
OVERFLOW"; }

    char*
ErrorText() {return
ERR_INS_BUF_OVERFLOW; }
};

// Exception type for XML profiles
class CXMLProfileErr : public CBaseErr
{
public:
    enum Action
    {
        LoadProfile = 1,
        LoadSchema,
        ValidateProfile,
        SaveProfile,
        LoadFromXML,
        SaveToXML,
        ApplyProcessingInstruction,
        ApplyAttribute,
        ApplyNode
    };

    CXMLProfileErr(Action eAction,
int eCode, LPCTSTR szLocation)
    {
        m_eAction = eAction;
        m_eCode = eCode;
        m_bOverload = true;
    };

    CXMLProfileErr(Action eAction,
int eCode, LPCTSTR szLocation, char * szMsg)
    {
        m_eAction = eAction;
        m_eCode = eCode;
        strcpy(m_szMsg, szMsg);
        m_bOverload = false;
    };

    virtual int
ErrorType() { return
ERR_TYPE_XML_PROFILE;};

    virtual char
*ErrorTypeStr() { return "XML PROFILE"; };

    virtual char
*ErrorText();

    virtual int
ErrorCode() { return m_eCode; };

    int
ErrorAction() { return (int)m_eAction; }

```

```

        //virtual void Draw(HWND
hwnd, LPCTSTR szStr = NULL)
    //{
    //    ::MessageBox(hwnd,
szStr, m_szLoc, MB_OK);
    //};

private:
    char
    m_szMsg[ERR_MSG_BUF_SIZE];
    LPCTSTR m_szLoc;
    int m_eCode;
    bool m_bOverload;
    Action m_eAction;
};

```

install.c

```

/* FILE: INSTALL.C
 * Microsoft
TPC-C Kit Ver. 4.51.000
 * Copyright
Microsoft, 2003
 * All Rights Reserved
 * not audited
 * PURPOSE: Automated installation
application for TPC-C Web Kit
 * Contact: Charles Levine
(clevine@microsoft.com)
 * Change history:
 * 4.20.000 - added COM installation
steps
 * 4.50.000 - added IIS6 configuration options
 * 4.51.000 - added routines to copy
Visual Studio runtime module (MSVCR70.DLL)
 * to
SystemRoot\System32
 */

#include <windows.h>
#include <direct.h>
#include <io.h>
#include <stdlib.h>
#include <tchar.h>
#include <stdio.h>
#include <commctrl.h>
#include "..\..\common\src\ReadRegistry.h"
#include <process.h>

#include "resource.h"

#define WM_INITTEXT WM_USER+100

HICON hIcon;
HINSTANCE hInst;

DWORD versionExeMS;
DWORD versionExeLS;

```

```

DWORD versionExeMM;
DWORD versionDllMS;
DWORD versionDllLS;

// TPC-C registry settings
TPCCREGISTRYDATA Reg;

static int iPoolThreadLimit;
static int iMaxPoolThreads;
static int iThreadTimeout;
static int iListenBackLog;
static int iAcceptExOutstanding;
static int iUriEnableCache;
static int iUriScavengerPeriod;
static int iMaxConnections;

static int iIISMajorVersion;
static int iNumberOfProcessors;

static int iMaxPhysicalMemory;
//max physical memory in MB
static char szLastFileName[64]; //
last file we worked on (for error reporting)

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT
uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT
uMsg, WPARAM wParam, LPARAM lParam);
BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam);
static void ProcessOK(HWND hwnd,
char *szDllPath, char *szWindowsPath);
static void
ReadRegistrySettings(void);
static void
WriteRegistrySettings(char *szDllPath);
static BOOL RegisterDLL(char
*szFileName);
static int
CopyFiles(HWND hDlg, char *szDllPath, char
*szWindowsPath);
static BOOL GetInstallPath(char
*szDllPath);
static BOOL
GetWindowsInstallPath(char *szWindowsPath);
static void GetVersionInfo(char
*szDLLPath, char *szExePath);
static BOOL
CheckWWWWebService(void);
static BOOL
StartWWWWebService(void);
static BOOL StopWWWWebService(void);
static void UpdateDialog(HWND
hDlg);
static void ConfigureIIS6(HWND
hwnd, HWND hDlg);

SYSTEM_INFO siSysInfo;

BOOL install_com(char *szDllPath);

```

```

#include "..\..\common\src\ReadRegistry.cpp"

int WINAPI WinMain( HINSTANCE hInstance, HINSTANCE
hPrevInstance, LPSTR lpCmdLine, int nCmdShow )
{
    int iRc;

    hInst = hInstance;

    InitCommonControls();

    hIcon = LoadIcon(hInstance,
MAKEINTRESOURCE(IDI_ICON1));

    iRc = DialogBox(hInstance,
MAKEINTRESOURCE(IDD_DIALOG4), GetDesktopWindow(),
LicenseDlgProc);
    if ( iRc )
    {
        iRc = DialogBox(hInstance,
MAKEINTRESOURCE(IDD_DIALOG1), GetDesktopWindow(),
MainDlgProc);
        if ( iRc )
        {
            DialogBoxParam(hInstance,
MAKEINTRESOURCE(IDD_DIALOG2), GetDesktopWindow(),
UpdatedDlgProc, (LPARAM)iRc);
        }
    }

    DestroyIcon(hIcon);
    return 0;
}

BOOL CALLBACK LicenseDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    HGLOBAL hRes;
    HRSRC hResInfo;
    BYTE *pSrc, *pDst;
    DWORD dwSize;
    static HFONT hFont;

    switch(uMsg)
    {
        case WM_INITDIALOG:
            hFont = CreateFont(-12,
0, 0, 0, 400, 0, 0, 0, 0, 0, 0, 0, 0, "Arial");
            SendMessage(
GetDlgItem(hwnd, IDR_LICENSE1), WM_SETFONT,
(WPARAM)hFont, MAKELPARAM(0, 0) );
            PostMessage(hwnd,
WM_INITITEXT, (WPARAM)0, (LPARAM)0);
            return TRUE;
        case WM_INITTEXT:
            hResInfo =
FindResource(hInst, MAKEINTRESOURCE(IDR_LICENSE1),
"LICENSE");
            dwSize =
SizeofResource(hInst, hResInfo);

```

```

LoadResource(hInst, hResInfo );
pSrc = (BYTE
*)LockResource(hRes);
pDst = (unsigned char
*)malloc(dwSize+1);
if ( pDst )
{
memcpy(pDst,
pSrc, dwSize);
pDst[dwSize]
= 0;
SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pSrc);
free(pDst);
}
else
SetDlgItemText(hwnd, IDC_LICENSE, (const
char *)pSrc);
return TRUE;
case WM_DESTROY:
DeleteObject(hFont);
return TRUE;
case WM_COMMAND:
if ( wParam == IDOK )
EndDialog(hwnd, TRUE);
if ( wParam == IDCANCEL )
EndDialog(hwnd, FALSE);
default:
break;
}
return FALSE;
}
BOOL CALLBACK UpdatedDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
switch(uMsg)
{
case WM_INITDIALOG:
switch(lParam)
{
case 1:
SetDlgItemText(hwnd, IDC_RESULTS, "TPC-C
Web Client Installed");
break;
}
return TRUE;
case WM_COMMAND:
if ( wParam == IDOK )
EndDialog(hwnd, TRUE);
break;
default:
break;
}
}

```

```

}
return FALSE;
}
BOOL CALLBACK MainDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
PAINTSTRUCT ps;
MEMORYSTATUS memoryStatus;
OSVERSIONINFO VI;
char szTmp[256];
static char
szDllPath[256];
static char
szWindowsPath[256];
static char
szExePath[256];
switch(uMsg)
{
case WM_INITDIALOG:
GlobalMemoryStatus(&memoryStatus);
iMaxPhysicalMemory =
(memoryStatus.dwTotalPhys/ 1048576);
if (
GetWindowsInstallPath(szWindowsPath) )
MessageBox(hwnd, "Error: Cannot determine
Windows System Root.", NULL, MB_ICONSTOP | MB_OK);
EndDialog(hwnd, FALSE);
return TRUE;
}
if (
GetInstallPath(szDllPath) )
MessageBox(hwnd, "Error internet service
inetsrv is not installed.", NULL, MB_ICONSTOP |
MB_OK);
EndDialog(hwnd, FALSE);
return TRUE;
}
// set default values
ZeroMemory( &Reg,
sizeof(Reg) );
Reg.dwNumberOfDeliveryThreads = 4;
Reg.dwMaxConnections =
100;
Reg.dwMaxPendingDeliveries = 100;
Reg.eDB_Protocol =
ODBC;
Reg.eTxnMon = None;
strcpy(Reg.szDbServer,
"");
}
}

```

```

strcpy(Reg.szDbName,
"tpcc");
strcpy(Reg.szDbUser,
"sa");
strcpy(Reg.szDbPassword,
"");
iPoolThreadLimit =
iMaxPhysicalMemory * 2;
iThreadTimeout = 86400;
iListenBackLog = 15;
iAcceptExOutstanding =
40;
ReadTPCCRegistrySettings( &Reg );
ReadRegistrySettings();
// copy the hardware
information to the SYSTEM_INFO structure
GetSystemInfo(&siSysInfo);
// store the number of
processors on this system
iNumberOfProcessors =
siSysInfo.dwNumberOfProcessors;
GetModuleFileName(hInst, szExePath,
sizeof(szExePath));
GetVersionInfo(szDllPath, szExePath);
wsprintf(szTmp,
"Version %d.%2d.%3d", versionExeMS, versionExeMM,
versionExeLS);
SetDlgItemText(hwnd,
IDC_VERSION, szTmp);
SetDlgItemText(hwnd,
IDC_PATH, szDllPath);
SetDlgItemText(hwnd,
ED_DB_SERVER, Reg.szDbServer);
SetDlgItemText(hwnd,
ED_DB_USER_ID, Reg.szDbUser);
SetDlgItemText(hwnd,
ED_DB_PASSWORD, Reg.szDbPassword);
SetDlgItemText(hwnd,
ED_DB_NAME, Reg.szDbName);
SetDlgItemInt(hwnd,
ED_THREADS, Reg.dwNumberOfDeliveryThreads, FALSE);
SetDlgItemInt(hwnd,
ED_MAXCONNECTION, Reg.dwMaxConnections, FALSE);
SetDlgItemInt(hwnd,
ED_MAXDELIVERIES, Reg.dwMaxPendingDeliveries, FALSE);
SetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, iPoolThreadLimit,
FALSE);
SetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, iThreadTimeout, FALSE);
}
}

```



```

        SetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, iListenBackLog, FALSE);
        SetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE,
iAcceptExOutstanding, FALSE);

        // check OS version
level for COM. Must be at least Windows 2000
        VI.dwOSVersionInfoSize
= sizeof(VI);
        GetVersionEx( &VI );
        if (VI.dwMajorVersion <
5)
        {
                HWND hDlg =
GetDlgItem( hwnd, IDC_TM_MTS );
                EnableWindow(
hDlg, 0 ); // disable COM option
                if
(Reg.eTxnMon == COM)
                        Reg.eTxnMon = None;
        }
        CheckDlgButton(hwnd,
IDC_TM_NONE, 0);
        CheckDlgButton(hwnd,
IDC_TM_MTS, 0);
        switch (Reg.eTxnMon)
        case None:
                CheckDlgButton(hwnd, IDC_TM_NONE, 1);
                break;
        case COM:
                CheckDlgButton(hwnd, IDC_TM_MTS, 1);
                break;
        }
        return TRUE;
        case WM_PAINT:
                if ( IsIconic(hwnd) )
                {
                        BeginPaint(hwnd, &ps);
                        DrawIcon(ps.hdc, 0, 0, hIcon);
                        EndPaint(hwnd, &ps);
                }
                return TRUE;
        case WM_COMMAND:
                if ( HIWORD(wParam) ==
BN_CLICKED )
                {
                        switch(
LOWORD(wParam) )
                        {
                                case IDOK:

```

```

ProcessOK(hwnd, szDllPath, szWindowsPath);
return TRUE;
case IDCANCEL:
EndDialog(hwnd, FALSE);
return TRUE;
default:
return FALSE;
}
}
static void ProcessOK(HWND hwnd, char *szDllPath,
char *szWindowsPath)
{
        int d;
        HWND hDlg;
        int rc;
        BOOL bSvcRunning;
        char szFullName[256];
        char szErrTxt[128];
        // Check whether Service Pack 1 has been
installed if
        // running on Windows Server 2003. The RTM
version has
        // a limitation on the number of concurrent
HTTP connections.
        //
        OSVERSIONINFOEX VersionInfo;
        VersionInfo.dwOSVersionInfoSize =
sizeof(OSVERSIONINFOEX);
        if
(GetVersionEx((LPOSVERSIONINFO)&VersionInfo))
        {
                if (VersionInfo.dwMajorVersion ==
5 && // Windows 2000/2003 Server?
                VersionInfo.dwMinorVersion == 2 && //
Windows 2003 Server?
                VersionInfo.wServicePackMajor == 0) //
Service Pack installed?
                {
                        TCHAR szMsg[256];
                        _sntprintf(szMsg,
sizeof(szMsg),

```

```

"Warning:
running on Windows Server 2003 without at least
Service Pack 1\n"
"limits the
number of concurrent HTTP connections to around
8000.");
        MessageBox(hwnd, szMsg,
_T("Service Pack not Installed"), MB_ICONEXCLAMATION
| MB_OK);
}
}
// read settings from dialog
Reg.dwNumberOfDeliveryThreads =
GetDlgItemInt(hwnd, ED_THREADS, &d, FALSE);
Reg.dwMaxConnections = GetDlgItemInt(hwnd,
ED_MAXCONNECTION, &d, FALSE);
Reg.dwMaxPendingDeliveries =
GetDlgItemInt(hwnd, ED_MAXDELIVERIES, &d, FALSE);
        GetDlgItemText(hwnd, ED_DB_SERVER,
Reg.szDbServer, sizeof(Reg.szDbServer));
        GetDlgItemText(hwnd, ED_DB_USER_ID,
Reg.szDbUser, sizeof(Reg.szDbUser));
        GetDlgItemText(hwnd, ED_DB_PASSWORD,
Reg.szDbPassword, sizeof(Reg.szDbPassword));
        GetDlgItemText(hwnd, ED_DB_NAME,
Reg.szDbName, sizeof(Reg.szDbName));
        if ( IsDlgButtonChecked(hwnd, IDC_TM_NONE)
)
                Reg.eTxnMon = None;
        else if ( IsDlgButtonChecked(hwnd,
IDC_TM_MTS) )
                Reg.eTxnMon = COM;
        iPoolThreadLimit = GetDlgItemInt(hwnd,
ED_IIS_MAX_THREAD_POOL_LIMIT, &d, FALSE);
        iThreadTimeout = GetDlgItemInt(hwnd,
ED_IIS_THREAD_TIMEOUT, &d, FALSE);
        iListenBackLog = GetDlgItemInt(hwnd,
ED_IIS_LISTEN_BACKLOG, &d, FALSE);
        iAcceptExOutstanding = GetDlgItemInt(hwnd,
ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, &d, FALSE);
        ShowWindow(hwnd, SW_HIDE);
        hDlg = CreateDialog(hInst,
MAKEINTRESOURCE(IDD_DIALOG3), hwnd, CopyDlgProc);
        ShowWindow(hDlg, SW_SHOWNA);
        UpdateDialog(hDlg);
        // check to see if the web services are
running
        bSvcRunning = CheckWWWService();
        if ( bSvcRunning )
        {
                SetDlgItemText(hDlg, IDC_STATUS,
"Stopping Web Service.");
                SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
                UpdateDialog(hDlg);

```

```

        StopWWWService();
        SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
    }

    // write binaries to inetpub\wwwroot
    rc = CopyFiles(hDlg, szDllPath,
szWindowsPath);
    if (!rc)
    {
        ShowWindow(hwnd, SW_SHOWNA);
        DestroyWindow(hDlg);
        strcpy( szErrTxt, "Error(s)
occured when creating " );
        strcat( szErrTxt, szLastFileName
);
        MessageBox(hwnd, szErrTxt, NULL,
MB_ICONSTOP | MB_OK);
        EndDialog(hwnd, 0);
        return;
    }

    // while we have the web services shutdown,
check to see if this
    // is IIS6. If it is, then call
ConfigureIIS6
    if ( iIISMajorVersion == 6)
    {
        ConfigureIIS6(hwnd, hDlg);
    }

    //if we stopped service restart it.
    if ( bSvcRunning )
    {
        SetDlgItemText(hDlg, IDC_STATUS,
"Starting Web Service.");
        SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);
        StartWWWService();
    }

    // update registry
    SetDlgItemText(hDlg, IDC_STATUS, "Updating
Registry.");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);
    WriteRegistrySettings(szDllPath);

    // register com proxy stub
    strcpy(szFullName, szDllPath);
    strcat(szFullName, "tpcc_com.ps.dll");
    if (!RegisterDLL(szFullName))
    {
        ShowWindow(hwnd, SW_SHOWNA);
        DestroyWindow(hDlg);
        strcpy( szErrTxt, "Error occured
when registering " );
        strcat( szErrTxt, szFullName );
        MessageBox(hwnd, szErrTxt, NULL,
MB_ICONSTOP | MB_OK);

```

```

        EndDialog(hwnd, 0);
        return;
    }

    // if using COM
    if (Reg.eTxnMon == COM)
    {
        SetDlgItemText(hDlg, IDC_STATUS,
"Configuring COM.");
        SendDlgItemMessage(hDlg,
IDC_PROGRESS1, PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        if (install_com(szDllPath))
        {
            ShowWindow(hwnd,
SW_SHOWNA);
            DestroyWindow(hDlg);
            strcpy( szErrTxt,
"Error occured when configuring COM settings." );
            MessageBox(hwnd,
szErrTxt, NULL, MB_ICONSTOP |
MB_OK);
            EndDialog(hwnd, 0);
            return;
        }
    }

    Sleep(100);

    ShowWindow(hwnd, SW_SHOWNA);
    DestroyWindow(hDlg);

    EndDialog(hwnd, rc);
    return;
}

static void ReadRegistrySettings(void)
{
    HKEY    hKey;
    DWORD  size;
    DWORD  type;

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\InetStp", 0, KEY_READ, &hKey)
== ERROR_SUCCESS )
    {
        size = sizeof(iIISMajorVersion);
        if ( RegQueryValueEx(hKey,
"MajorVersion", 0, &type, (char *)&iIISMajorVersion,
&size) == ERROR_SUCCESS )
            if ( !iIISMajorVersion
)
                iIISMajorVersion = 5;
        else
            if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Param
eters", 0, KEY_READ, &hKey) == ERROR_SUCCESS )
            {
                if ( iIISMajorVersion == 6)
                {

```

```

// since IIS6 handles
the pool thread parameters differently, we need to
fill in the dialog

// with the
MaxPoolThreads rather than PoolThreadLimit
// for ease of coding,
we are just going to stuff the value into
iPoolThreadLimit
    size = sizeof(iPoolThreadLimit);
    if (
RegQueryValueEx(hKey, "MaxPoolThreads", 0, &type,
(char *)&iPoolThreadLimit, &size) == ERROR_SUCCESS )
        if ( !iPoolThreadLimit
)
            iPoolThreadLimit = iMaxPhysicalMemory * 2;
        else
            {
                size =
sizeof(iPoolThreadLimit);
                if (
RegQueryValueEx(hKey, "MaxPoolThreads", 0, &type,
(char *)&iPoolThreadLimit, &size) == ERROR_SUCCESS )
                    if ( !iPoolThreadLimit
)
                        iPoolThreadLimit = iMaxPhysicalMemory * 2;
            }

    size = sizeof(iThreadTimeout);
    if ( RegQueryValueEx(hKey,
"ThreadTimeout", 0, &type, (char *)&iThreadTimeout,
&size) == ERROR_SUCCESS )
        if ( !iThreadTimeout )
            iThreadTimeout = 86400;

    size = sizeof(iListenBackLog);
    if ( RegQueryValueEx(hKey,
"ListenBackLog", 0, &type, (char *)&iListenBackLog,
&size) == ERROR_SUCCESS )
        if ( !iListenBackLog )
            iListenBackLog = 15;

    RegCloseKey(hKey);

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Paramete
rs", 0, KEY_READ, &hKey) == ERROR_SUCCESS )
    {
        size =
sizeof(iAcceptExOutstanding);
        if ( RegQueryValueEx(hKey,
"AcceptExOutstanding", 0, &type, (char
*)&iAcceptExOutstanding, &size) == ERROR_SUCCESS )
            if (
!iAcceptExOutstanding )
                iAcceptExOutstanding = 40;

```

```

        RegCloseKey(hKey);
    }
    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\HTTP\\Parameter
s", 0, KEY_READ, &hKey) == ERROR_SUCCESS )
    {
        size = sizeof(iUriEnableCache);
        if ( RegQueryValueEx(hKey,
"UriEnableCache", 0, &type, (char *)&iUriEnableCache,
&size) == ERROR_SUCCESS )
            if ( !iUriEnableCache )

                iUriEnableCache = 0;

        size =
sizeof(iUriScavengerPeriod);
        if ( RegQueryValueEx(hKey,
"UriScavengerPeriod", 0, &type, (char
*)&iUriScavengerPeriod, &size) == ERROR_SUCCESS )
            if (
!iUriScavengerPeriod )

                iUriScavengerPeriod = 10800;

        size = sizeof(iMaxConnections);
        if ( RegQueryValueEx(hKey,
"MaxConnections", 0, &type, (char *)&iMaxConnections,
&size) == ERROR_SUCCESS )
            if ( !iMaxConnections )

                iMaxConnections = 100000;

        RegCloseKey(hKey);
    }
}

static void WriteRegistrySettings(char *szDllPath)
{
    HKEY    hKey;
    DWORD   dwDisposition;
    char    szTmp[256];
    char    *ptr;
    int     iRc;

    if ( RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, NULL,
REG_OPTION_NON_VOLATILE, KEY_ALL_ACCESS, NULL, &hKey,
&dwDisposition) == ERROR_SUCCESS )
    {
        strcpy(szTmp, szDllPath);
        ptr = strstr(szTmp, "tpcc");
        if ( ptr )
            *ptr = 0;

        RegSetValueEx(hKey, "Path", 0,
REG_SZ, szTmp, strlen(szTmp)+1);

        RegSetValueEx(hKey,
"NumberOfDeliveryThreads", 0, REG_DWORD, (char
*)&Reg.dwNumberOfDeliveryThreads,
sizeof(Reg.dwNumberOfDeliveryThreads));
    }
}

```

```

        RegSetValueEx(hKey,
"MaxConnections", 0, REG_DWORD, (char
*)&Reg.dwMaxConnections,
sizeof(Reg.dwMaxConnections));

        RegSetValueEx(hKey,
"MaxPendingDeliveries", 0, REG_DWORD, (char
*)&Reg.dwMaxPendingDeliveries,
sizeof(Reg.dwMaxPendingDeliveries));

        RegSetValueEx(hKey,
"DB_Protocol", 0, REG_SZ,
szDBNames[Reg.eDB_Protocol],
strlen(szDBNames[Reg.eDB_Protocol])+1);

        RegSetValueEx(hKey, "TxnMonitor",
0, REG_SZ, szTxnMonNames[Reg.eTxnMon],
strlen(szTxnMonNames[Reg.eTxnMon])+1);

        RegSetValueEx(hKey, "DbServer",
0, REG_SZ, Reg.szDbServer, strlen(Reg.szDbServer)+1);
        RegSetValueEx(hKey, "DbName", 0,
REG_SZ, Reg.szDbName, strlen(Reg.szDbName)+1);
        RegSetValueEx(hKey, "DbUser", 0,
REG_SZ, Reg.szDbUser, strlen(Reg.szDbUser)+1);
        RegSetValueEx(hKey, "DbPassword",
0, REG_SZ, Reg.szDbPassword,
strlen(Reg.szDbPassword)+1);

        strcpy(szTmp, "YES");
        RegSetValueEx(hKey,
"COM_SinglePool", 0, REG_SZ, szTmp, strlen(szTmp)+1);

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    if (
(iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\Inetinfo\\Param
eters", 0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        // if this is IIS6, then we need
to treat the PoolThreadLimit differently
        // if IIS6, then PoolThreadLimit
is the maximum number of threads for the entire
system.
        // IIS6 added MaxPoolThreads
which controls the number of threads per processor.
For IIS6
        // we will set MaxPoolThreads to
the value the user provided in the dialog and then
set
        // PoolThreadLimit to
MaxPoolThreads * number of processors on this system
        if ( !iISMajorVersion == 6 )
        {
            iMaxPoolThreads =

iPoolThreadLimit;
            iPoolThreadLimit =
iMaxPoolThreads * iNumberOfProcessors;
        }
    }
}

```

```

        RegSetValueEx(hKey,
"PoolThreadLimit", 0, REG_DWORD, (char
*)&iPoolThreadLimit, sizeof(iPoolThreadLimit));

        RegSetValueEx(hKey,
"MaxPoolThreads", 0, REG_DWORD, (char
*)&iMaxPoolThreads, sizeof(iMaxPoolThreads));
    }
    else
    {
        RegSetValueEx(hKey,
"PoolThreadLimit", 0, REG_DWORD, (char
*)&iPoolThreadLimit, sizeof(iPoolThreadLimit));
    }

    RegSetValueEx(hKey,
"ThreadTimeout", 0, REG_DWORD, (char
*)&iThreadTimeout, sizeof(iThreadTimeout));

    RegSetValueEx(hKey,
"ListenBackLog", 0, REG_DWORD, (char
*)&iListenBackLog, sizeof(iListenBackLog));

    RegFlushKey(hKey);
    RegCloseKey(hKey);
}

    if (
(iRc=RegCreateKeyEx(HKEY_LOCAL_MACHINE,
"SYSTEM\\CurrentControlSet\\Services\\W3SVC\\Paramete
rs", 0, NULL, REG_OPTION_NON_VOLATILE,
KEY_ALL_ACCESS, NULL, &hKey, &dwDisposition)) ==
ERROR_SUCCESS )
    {
        RegSetValueEx(hKey,
"AcceptExOutstanding", 0, REG_DWORD, (char
*)&iAcceptExOutstanding,
sizeof(iAcceptExOutstanding));

        RegFlushKey(hKey);
        RegCloseKey(hKey);
    }

    return;
}

BOOL CALLBACK CopyDlgProc(HWND hwnd, UINT uMsg,
WPARAM wParam, LPARAM lParam)
{
    if ( uMsg == WM_INITDIALOG )
    {
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETRANGE, 0, MAKELPARAM(0, 13));
        SendDlgItemMessage(hwnd,
IDC_PROGRESS1, PBM_SETSTEP, (WPARAM)1, 0);
        return TRUE;
    }
    return FALSE;
}

BOOL RegisterDLL(char *szFileName)
{
    HINSTANCE hLib;
    FARPROC   lpDllEntryPoint;
}

```

```

        hLib = LoadLibrary(szFileName);
        if ( hLib == NULL )
            return FALSE;
        // Find the entry point.
        lpDllEntryPoint = GetProcAddress(hLib,
"DllRegisterServer");
        if (lpDllEntryPoint != NULL)
        {
            return ((*lpDllEntryPoint)() ==
S_OK);
        }
        else
            return FALSE; //unable to
locate entry point
}

BOOL FileFromResource( char *szResourceName, int
iResourceId, char *szDllPath, char *szFileName )
{
    HGLOBAL          hDLL;
    HRSRC            hResInfo;
    HANDLE           hFile;
    DWORD            dwSize;
    BYTE             *pSrc;
    DWORD            d;
    char             szFullName[256];

    hResInfo = FindResource(hInst,
MAKEINTRESOURCE(iResourceId), szResourceName);

    strcpy(szFullName, szDllPath);
    strcat(szFullName, szFileName);

    dwSize = SizeofResource(hInst, hResInfo);
    hDLL = LoadResource(hInst, hResInfo );
    pSrc = (BYTE *)LockResource(hDLL);
    remove(szFullName);

    if ( !(hFile = CreateFile(szFullName,
GENERIC_WRITE, 0, NULL, CREATE_ALWAYS,
FILE_ATTRIBUTE_NORMAL, NULL)) )
        return FALSE;

    if ( !WriteFile(hFile, pSrc, dwSize, &d,
NULL) )
        return FALSE;

    CloseHandle(hFile);

    UnlockResource(hDLL);
    FreeResource(hDLL);
    return TRUE;
}

static int CopyFiles(HWND hDlg, char *szDllPath, char
*szWindowsPath)
{
    SetDlgItemText(hDlg, IDC_STATUS, "Copying
Files...");
    SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

```

```

        // install TPCC.DLL
        strcpy( szLastFileName, "tpcc.dll" );
        if (!FileFromResource( "TPCCDLL",
IDR_TPCCDLL, szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        // install MSVCR71.DLL
        strcpy( szLastFileName, "msvcr71.dll" );
        if (!FileFromResource( "MSVCR71",
IDR_MSVCR71, szWindowsPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        // install tpcc_odbc.dll
        strcpy( szLastFileName, "tpcc_odbc.dll" );
        if (!FileFromResource( "ODBC_DLL",
IDR_ODBC_DLL, szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        // install tpcc_com.dll
        strcpy( szLastFileName, "tpcc_com.dll" );
        if (!FileFromResource( "COM_DLL",
IDR_COM_DLL, szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        // install tpcc_com_all.tlb
        strcpy( szLastFileName, "tpcc_com_all.tlb"
);
        if (!FileFromResource( "COM_TYPLIB",
IDR_COMTYPLIB_DLL, szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        // install tpcc_com_ps.dll
        strcpy( szLastFileName, "tpcc_com_ps.dll"
);
        if (!FileFromResource( "COM_PS_DLL",
IDR_COMPS_DLL, szDllPath, szLastFileName ))
            return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        // install tpcc_com_all.dll
        strcpy( szLastFileName, "tpcc_com_all.dll"
);
        if (!FileFromResource( "COM_ALL_DLL",
IDR_COMALL_DLL, szDllPath, szLastFileName ))

```

```

        return 0;
        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        SendDlgItemMessage(hDlg, IDC_PROGRESS1,
PBM_STEPIT, 0, 0);
        UpdateDialog(hDlg);

        return 1;
    }

static BOOL GetInstallPath(char *szDllPath)
{
    HKEY    hKey;
    BYTE    szData[256];
    DWORD   sv;
    BOOL    bRc;
    int     len;
    int     iRc;

    // Registry key
    HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\InetStp\PathWWW
Root is used to find the
    // IIS default web site directory and
determine that IIS is installed.

    szDllPath[0] = 0;
    bRc = TRUE;
    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\Microsoft\InetStp", 0, KEY_ALL_ACCESS,
&hKey) == ERROR_SUCCESS )
    {
        sv = sizeof(szData);
        iRc = RegQueryValueEx( hKey,
"PathWWWRoot", NULL, NULL, szData, &sv ); // used by
IIS 5.0 & 6.0

        if (iRc == ERROR_SUCCESS)
        {
            bRc = FALSE;
            strcpy(szDllPath,
szData);

            len =
strlen(szDllPath);
            if ( szDllPath[len-1]
!= '\\' )
            {
                szDllPath[len] = '\\';
                szDllPath[len+1] = 0;
            }
            RegCloseKey(hKey);
        }

        return bRc;
    }

static BOOL GetWindowsInstallPath(char
*szWindowsPath)

```

```

{
    HKEY hKey;
    BYTE szData[256];
    DWORD sv;
    BOOL bRc;
    int len;
    int iRc;

    // Registry key
    HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows
    NT\CurrentVersion\SystemRoot is used to find the
    // system root to install the VC70 DLL.

    szWindowsPath[0] = 0;
    bRc = TRUE;
    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\Microsoft\Windows NT\CurrentVersion", 0,
KEY_ALL_ACCESS, &hKey) == ERROR_SUCCESS )
    {
        sv = sizeof(szData);
        iRc = RegQueryValueEx( hKey,
"SystemRoot", NULL, NULL, szData, &sv );
        if (iRc == ERROR_SUCCESS)
        {
            bRc = FALSE;
            strcpy(szWindowsPath,
szData);
            len =
strlen(szWindowsPath);
            if ( szWindowsPath[len-
1] != '\\' )
            {
                szWindowsPath[len] = '\\';
                szWindowsPath[len+1] = 0;
            }
            // now append the path
            strcat(szWindowsPath,
"SYSTEM32\");
        }

        RegCloseKey(hKey);
    }

    return bRc;
}

static void GetVersionInfo(char *szDLLPath, char
*szExePath)
{
    DWORD d;
    DWORD dwSize;
    DWORD dwBytes;
    char *ptr;
    VS_FIXEDFILEINFO *vs;

    versionDllMS = 0;
    versionDllLS = 0;

```

```

    if ( _access(szDLLPath, 0) == 0 )
    {
        dwSize =
GetFileVersionInfoSize(szDLLPath, &d);
        if ( dwSize )
        {
            ptr = (char
*)malloc(dwSize);

            GetFileVersionInfo(szDLLPath, 0, dwSize,
ptr);
            VerQueryValue(ptr,
"\\",&vs, &dwBytes);
            >dwProductVersionMS;
            versionDllMS = vs-
            >dwProductVersionLS;
            versionDllLS = vs-
            free(ptr);
        }
    }

    versionExeMS = 0x7FFF;
    versionExeLS = 0x7FFF;
    dwSize = GetFileVersionInfoSize(szExePath,
&d);
    if ( dwSize )
    {
        ptr = (char *)malloc(dwSize);
        GetFileVersionInfo(szExePath, 0,
dwSize, ptr);
        VerQueryValue(ptr, "\\",&vs,
&dwBytes);
        versionExeMS = vs-
        >dwProductVersionMS;
        versionExeLS = LOWORD(vs-
        >dwProductVersionLS);
        versionExeMM = HIWORD(vs-
        >dwProductVersionLS);
        free(ptr);
    }
    return;
}

static BOOL CheckWWWService(void)
{
    SC_HANDLE schSCManager;
    SC_HANDLE schService;
    SERVICE_STATUS ssStatus;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto ServiceNotRunning;

    if ( !ControlService(schService,
SERVICE_CONTROL_STOP, &ssStatus) )

```

```

        goto ServiceNotRunning;
        //start Service pending, Check the status
        until the service is running.
        if (! QueryServiceStatus(schService,
&ssStatus) )
            goto ServiceNotRunning;

        CloseServiceHandle(schService);
        return TRUE;

ServiceNotRunning:
    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StartWWWService(void)
{
    SC_HANDLE schSCManager;
    SC_HANDLE schService;
    SERVICE_STATUS ssStatus;
    DWORD dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL,
SC_MANAGER_ALL_ACCESS);
    schService = OpenService(schSCManager,
TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! StartService(schService, 0, NULL) )
        goto StartWWWWebErr;
    //start Service pending, Check the status
    until the service is running.
    if (! QueryServiceStatus(schService,
&ssStatus) )
        goto StartWWWWebErr;
    while( ssStatus.dwCurrentState !=
SERVICE_RUNNING)
    {
        dwOldCheckPoint =
ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);

        //Wait for the specified interval.
        if (
!QueryServiceStatus(schService, &ssStatus) )
            //Check the status again.
            break;
        if (dwOldCheckPoint >=
ssStatus.dwCheckPoint) //Break if
        the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState ==
SERVICE_RUNNING)
        goto StartWWWWebErr;

    CloseServiceHandle(schService);

```

```

        return TRUE;
StartWWWebErr:
    CloseServiceHandle(schService);
    return FALSE;
}

static BOOL StopWWWebService(void)
{
    SC_HANDLE          schSCManager;
    SC_HANDLE          schService;
    SERVICE_STATUS     ssStatus;
    DWORD              dwOldCheckPoint;

    schSCManager = OpenSCManager(NULL, NULL,
    SC_MANAGER_ALL_ACCESS);
    //schService = OpenService(schSCManager,
    TEXT("W3SVC"), SERVICE_ALL_ACCESS);
    schService = OpenService(schSCManager,
    TEXT("IISADMIN"), SERVICE_ALL_ACCESS);
    if (schService == NULL)
        return FALSE;

    if (! QueryServiceStatus(schService,
    &ssStatus) )
        goto StopWWWebErr;

    if ( !ControlService(schService,
    SERVICE_CONTROL_STOP, &ssStatus) )
        goto StopWWWebErr;
    //start Service pending, Check the status
    until the service is running.
    if (! QueryServiceStatus(schService,
    &ssStatus) )
        goto StopWWWebErr;
    while( ssStatus.dwCurrentState ==
    SERVICE_RUNNING)
    {
        dwOldCheckPoint =
    ssStatus.dwCheckPoint;
        //Save the current checkpoint.
        Sleep(ssStatus.dwWaitHint);

        //Wait for the specified interval.
        if (
    !QueryServiceStatus(schService, &ssStatus) )
            //Check the status again.
            break;
        if (dwOldCheckPoint >=
    ssStatus.dwCheckPoint) //Break if
    the checkpoint has not been incremented.
            break;
    }

    if (ssStatus.dwCurrentState ==
    SERVICE_RUNNING)
        goto StopWWWebErr;

    CloseServiceHandle(schService);
    return TRUE;
}

```

```

StopWWWebErr:
    CloseServiceHandle(schService);
    return FALSE;
}

static void UpdateDialog(HWND hDlg)
{
    MSG msg;

    UpdateWindow(hDlg);
    while( PeekMessage(&msg, hDlg, 0, 0,
    PM_REMOVE) )
    {
        TranslateMessage(&msg);
        DispatchMessage(&msg);
    }
    Sleep(250);
    return;
}

static void ConfigureIIS6(HWND hwnd, HWND hDlg)
{
    int         irc;
    char        szErrTxt[128];
    FILE        *fErrorFile;

    SetDlgItemText(hDlg, IDC_STATUS,
    "Configuring IIS6...");
    //SendDlgItemMessage(hDlg, IDC_PROGRESS1,
    PBM_STEPIT, 0, 0);
    UpdateDialog(hDlg);

    irc = system("IIS6_CONFIG.CMD");

    // since the return code from the command
    file is always 1,
    // check to see if the file iis6_config.err
    exists
    // if it does, then something hosed
    fErrorFile = fopen("IIS6_CONFIG.err","r");
    if ( fErrorFile != NULL )
    {
        ShowWindow(hwnd, SW_SHOWNA);
        DestroyWindow(hDlg);
        strcpy( szErrTxt, "IIS6
    configuration error." );
        strcat( szErrTxt, "Check
    iis6_config.err" );
        MessageBox(hwnd, szErrTxt, NULL,
    MB_ICONSTOP | MB_OK);
        EndDialog(hwnd, 0);
        return;
    }
}

install.h
//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by install.rc
//

```

```

#define IDD_DIALOG1          101
#define IDI_ICON1           102
#define IDR_TPCCDLL         103
#define IDD_DIALOG2         105
#define IDI_ICON2           106
#define IDR_DELIVERY        107
#define IDD_DIALOG3         108

#define BN_LOG               1001
#define ED_KEEP              1002
#define ED_THREADS           1003
#define ED_THREADS2         1004
#define IDC_PATH             1007
#define IDC_VERSION          1009
#define IDC_RESULTS         1010
#define IDC_PROGRESS1       1011
#define IDC_STATUS          1012
#define IDC_BUTTON1         1013
#define ED_MAXCONNECTION    1014
#define ED_IIS_MAX_THREAD_POOL_LIMIT 1015
#define ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE 1017
#define ED_IIS_THREAD_TIMEOUT 1018
#define ED_IIS_LISTEN_BACKLOG 1019
#define IDC_ODBC            1022
#define IDC_CONNECT_POOL    1023
#define ED_USER_CONNECT_DELAY_TIME 1024

// Next default values for new objects
//
install.rc
// Microsoft Visual C++ generated resource script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"

```

```

////////////////////////////////////
////////////////////////////////////
// English (U.S.) resources

#if !defined(AFX_RESOURCE_DLL) ||
defined(AFX_TARG_ENU)
#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

////////////////////////////////////
////////////////////////////////////
//
// Dialog
//

IDD_DIALOG1 DIALOGEX 0, 0, 219, 324
STYLE DS_SETFONT | DS_MODALFRAME | DS_CENTER |
WS_MINIMIZEBOX | WS_POPUP |
WS_CAPTION | WS_SYSMENU
CAPTION "TPC-C Web Client Installation Utility"
FONT 8, "MS Sans Serif", 0, 0, 0x1
BEGIN
    EDITTEXT        ED_THREADS,164,45,34,12,ES_RIGHT
    | ES_NUMBER,
    WS_EX_RTLREADING

    EDITTEXT        ED_MAXDELIVERIES,164,59,34,12,ES_RIGHT | ES_NUMBER,
    WS_EX_RTLREADING

    EDITTEXT        ED_MAXCONNECTION,164,73,34,12,ES_RIGHT | ES_NUMBER,
    WS_EX_RTLREADING

    CONTROL
    "None", IDC_TM_NONE, "Button", BS_AUTORADIOBUTTON |
    WS_GROUP |
    WS_TABSTOP, 43, 104, 33, 10

    CONTROL
    "COM", IDC_TM_MTS, "Button", BS_AUTORADIOBUTTON |
    WS_TABSTOP, 94, 104, 32, 10

    EDITTEXT
    ED_DB_SERVER, 131, 145, 67, 12, ES_AUTOHSCROLL
    EDITTEXT
    ED_DB_USER_ID, 131, 158, 67, 12, ES_AUTOHSCROLL
    EDITTEXT
    ED_DB_PASSWORD, 131, 171, 67, 12, ES_AUTOHSCROLL
    EDITTEXT
    ED_DB_NAME, 131, 184, 67, 12, ES_AUTOHSCROLL
    EDITTEXT
    ED_IIS_MAX_THREAD_POOL_LIMIT, 164, 226, 34, 12, ES_RIGHT |
    ES_NUMBER, WS_EX_RTLREADING

    EDITTEXT
    ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE, 164, 240, 34, 12, ES_RIGHT
    |
    ES_NUMBER, WS_EX_RTLREADING

    EDITTEXT
    ED_IIS_THREAD_TIMEOUT, 164, 254, 34, 12, ES_RIGHT |
    ES_NUMBER,
    WS_EX_RTLREADING

```

```

EDITTEXT
ED_IIS_LISTEN_BACKLOG, 164, 268, 34, 12, ES_RIGHT |
ES_NUMBER,
WS_EX_RTLREADING

DEFPUSHBUTTON    "OK", IDOK, 53, 296, 50, 14
PUSHBUTTON       "Cancel", IDCANCEL, 119, 296, 50, 14
EDITTEXT
IDC_PATH, 106, 26, 91, 13, ES_AUTOHSCROLL | ES_READONLY
LTEXT            "Number of Delivery
Threads:", IDC_STATIC, 35, 45, 115, 12
LTEXT            "Max Number of
Connections:", IDC_STATIC, 35, 73, 115, 12
RTEXT            "Version
4.11", IDC_VERSION, 120, 4, 89, 9
LTEXT            "IIS Max Thread Pool
Limit:", IDC_STATIC, 36, 226, 115, 12
LTEXT            "Web Service Backlog Queue
Size:", IDC_STATIC, 36, 240, 115,
12
LTEXT            "IIS Thread Timeout
(seconds):", IDC_STATIC, 36, 254, 115, 12
LTEXT            "IIS Listen
Backlog:", IDC_STATIC, 36, 270, 115, 10
LTEXT            "Installation
directory:", IDC_STATIC, 35, 29, 71, 10
GROUPBOX        "Transaction
Monitor", IDC_STATIC, 33, 90, 165, 33
LTEXT            "Server
Name:", IDC_STATIC, 35, 148, 56, 8
LTEXT            "User ID:", IDC_STATIC, 35, 161, 60, 8
LTEXT            "User
Password:", IDC_STATIC, 35, 174, 83, 8
LTEXT            "Database
Name:", IDC_STATIC, 35, 187, 54, 8
GROUPBOX        "SQL Server Connection
Properties", IDC_STATIC, 22, 132, 187,
74
GROUPBOX        "Web Client
Properties", IDC_STATIC, 22, 15, 187, 113
GROUPBOX        "IIS
Settings", IDC_STATIC, 22, 210, 187, 79
LTEXT            "Max Pending
Deliveries:", IDC_STATIC, 35, 59, 115, 12
END

IDD_DIALOG2 DIALOGEX 0, 0, 117, 62
STYLE DS_SETFONT | DS_SETFOREGROUND | DS_3DLOOK |
DS_CENTER | WS_POPUP |
WS_BORDER
EXSTYLE WS_EX_STATICEDGE
FONT 12, "MS Sans Serif", 0, 0, 0x1
BEGIN
    DEFPUSHBUTTON    "OK", IDOK, 33, 45, 50, 9
    CTEXT            "HTML TPC-C Installation
Successful", IDC_RESULTS, 7, 22,
102, 18, 0, WS_EX_CLIENTEDGE

    ICON
    IDI_ICON2, IDC_STATIC, 50, 7, 18, 20, SS_REALSIZEIMAGE,
    WS_EX_TRANSPARENT
END

IDD_DIALOG3 DIALOG 0, 0, 91, 40

```

```

STYLE DS_SYSMODAL | DS_SETFONT | DS_MODALFRAME |
DS_3DLOOK | DS_CENTER |
WS_CAPTION
CAPTION "Installing TPC-C Web Client"
FONT 12, "Arial Black"
BEGIN
    CONTROL
    "Progress1", IDC_PROGRESS1, "msctls_progress32", WS_BORD
ER,
7, 20, 77, 13

    CTEXT
    "Static", IDC_STATUS, 7, 7, 77, 12, SS_SUNKEN
END

IDD_DIALOG4 DIALOG 0, 0, 291, 202
STYLE DS_SETFONT | DS_MODALFRAME | DS_CENTER |
WS_POPUP | WS_CAPTION |
WS_SYSMENU
CAPTION "Client End User License"
FONT 8, "MS Sans Serif"
BEGIN
    EDITTEXT
    IDC_LICENSE, 7, 7, 271, 167, ES_MULTILINE | ES_AUTOVSCROLL
|
ES_AUTOHSCROLL | ES_READONLY |
WS_VSCROLL | WS_HSCROLL
DEFPUSHBUTTON    "I &Agree", IDOK, 87, 181, 50, 14
PUSHBUTTON       "&Cancel", IDCANCEL, 153, 181, 50, 14
END

////////////////////////////////////
////////////////////////////////////
//
// DESIGNINFO
//

#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 22
        RIGHTMARGIN, 209
        VERTGUIDE, 35
        VERTGUIDE, 198
        TOPMARGIN, 4
        BOTTOMMARGIN, 318
    END

    IDD_DIALOG2, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 109
        TOPMARGIN, 7
        BOTTOMMARGIN, 54
    END

    IDD_DIALOG3, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 84
        TOPMARGIN, 7
    END

```

```

        BOTTOMMARGIN, 33
    END

    IDD_DIALOG4, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 278
        TOPMARGIN, 7
        BOTTOMMARGIN, 195
    END
END
#endif // APSTUDIO_INVOKED

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// TEXTINCLUDE
//
1 TEXTINCLUDE
BEGIN
    "resource.h\0"
END

2 TEXTINCLUDE
BEGIN
    "#include \"afxres.h\"\\r\\n"
    "\\0"
END

3 TEXTINCLUDE
BEGIN
    "\\r\\n"
    "\\0"
END

#endif // APSTUDIO_INVOKED

////////////////////////////////////
////////////////////////////////////
//
// Icon
//

// Icon with lowest ID value placed first to ensure
// application icon
// remains consistent on all systems.
IDI_ICON1            ICON
"icon1.ico"
IDI_ICON2            ICON
"icon2.ico"

////////////////////////////////////
////////////////////////////////////
//
// TPCCDLL
//

IDR_TPCCDLL          TPCCDLL
"..\\..\\isapi_dll\\bin\\tpcc.dll"

```

```

////////////////////////////////////
////////////////////////////////////
//
// Version
//

VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,50,0
PRODUCTVERSION 0,4,50,0
FILEFLAGSMASK 0x3fL
#ifdef _DEBUG
    FILEFLAGS 0x1L
#else
    FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x1L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C Web Client"
        END
    END
    Installer
        VALUE "CompanyName", "Microsoft"
        VALUE "FileDescription", "install"
        VALUE "FileVersion", "0, 4, 20, 0"
        VALUE "InternalName", "install"
        VALUE "LegalCopyright", "Copyright ©
1999"
        VALUE "OriginalFilename", "install.exe"
        VALUE "ProductName", "Microsoft install"
        VALUE "ProductVersion", "0, 4, 20, 0"
    END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200
    END
END

////////////////////////////////////
////////////////////////////////////
//
// LICENSE
//

IDR_LICENSE1        LICENSE
"license.txt"

////////////////////////////////////
////////////////////////////////////
//
// ODBC_DLL
//

IDR_ODBC_DLL        ODBC_DLL
"..\\..\\db_odbc_dll\\bin\\Release\\tpcc_odbc.dll"

```

```

////////////////////////////////////
////////////////////////////////////
//
// COM_DLL
//

IDR_COM_DLL          COM_DLL
"..\\..\\tm_com_dll\\bin\\tpcc_com.dll"

////////////////////////////////////
////////////////////////////////////
//
// COM_PS_DLL
//

IDR_COMPS_DLL        COM_PS_DLL
"..\\..\\tpcc_com_ps\\bin\\tpcc_com_ps.dll"

////////////////////////////////////
////////////////////////////////////
//
// COM_ALL_DLL
//

IDR_COMALL_DLL       COM_ALL_DLL
"..\\..\\tpcc_com_all\\bin\\tpcc_com_all.dll"

////////////////////////////////////
////////////////////////////////////
//
// COM_TYPLIB
//

IDR_COMTYPLIB_DLL    COM_TYPLIB
"..\\..\\tpcc_com_all\\src\\tpcc_com_all.tlb"

////////////////////////////////////
////////////////////////////////////
//
// MSVCRT71
//

IDR_MSVCRT71         MSVCRT71
"C:\\WINDOWS\\system32\\msvcr71.dll"
#endif // English (U.S.) resources
////////////////////////////////////
////////////////////////////////////

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//

////////////////////////////////////
////////////////////////////////////
#endif // not APSTUDIO_INVOKED

```


install_com.cpp

```
/* FILE: INSTALL_COM.CPP
 * Microsoft
 * TPC-C Kit Ver. 4.51.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 *
 * not audited
 *
 * PURPOSE: installation code for COM
 * application for TPC-C Web Kit
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - first version
 */

#define WIN32_WINNT 0x0500

#include <comdef.h>
#include <comadmin.h>
#include <stdio.h>
#include <tchar.h>

extern "C"
{
    BOOL install_com(char *szDllPath);
}

BOOL install_com(char *szDllPath)
{
    ICOMAdminCatalog* pCOMAdminCat = NULL;
    ICatalogCollection* pCatalogCollectionApp
= NULL;
    ICatalogCollection* pCatalogCollectionCo
= NULL;
    ICatalogCollection* pCatalogCollectionItf
= NULL;
    ICatalogCollection*
pCatalogCollectionMethod = NULL;

    ICatalogObject*
pCatalogObjectApp = NULL;
    ICatalogObject*
pCatalogObjectCo = NULL;
    ICatalogObject*
pCatalogObjectItf = NULL;
    ICatalogObject*
pCatalogObjectMethod = NULL;

    _bstr_t
bstrTemp, bstrTemp2, bstrTemp3, bstrTemp4;
    _bstr_t
bstrDllPath = szDllPath;
    _variant_t
vTmp, vKey;
    long
lActProp, lCount, lCountCo, lCountItf,
lCountMethod;
```

```
bool
bTmp;

    CoInitializeEx(NULL, COINIT_MULTITHREADED);

    HRESULT hr =
CoCreateInstance(CLSID_COMAdminCatalog,
                NULL,
                CLSCTX_INPROC_SERVER,
                IID_ICOMAdminCatalog,
                (void**)
&pCOMAdminCat);

    if (!SUCCEEDED(hr)) goto Error;

    bstrTemp = "Applications";

    // Attempt to connect to "Applications" in
the Catalog
    hr = pCOMAdminCat->GetCollection(bstrTemp,
                (IDispatch**)
&pCatalogCollectionApp);
    if (!SUCCEEDED(hr)) goto Error;

    // Attempt to load the "Applications"
collection
    hr = pCatalogCollectionApp->Populate();
    if (!SUCCEEDED(hr)) goto Error;

    hr = pCatalogCollectionApp-
>get_Count(&lCount);
    if (!SUCCEEDED(hr)) goto Error;

    // iterate through applications to delete
existing "TPC-C" application (if any)
    while (lCount > 0)
    {
        hr = pCatalogCollectionApp-
>get_Item(lCount - 1, (IDispatch**)
&pCatalogObjectApp);
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogObjectApp-
>get_Name(&vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        if (wcsncmp(vTmp.bstrVal, L"TPC-
C"))
        {
            lCount--;
            continue;
        }
        else
        {
```

```
                hr =
pCatalogCollectionApp->Remove(lCount - 1);
                if (!SUCCEEDED(hr))
goto Error;
                break;
            }
        }

        hr = pCatalogCollectionApp-
>SaveChanges(&lActProp);
        if (!SUCCEEDED(hr)) goto Error;

        // add the new application
        hr = pCatalogCollectionApp-
>Add((IDispatch**) &pCatalogObjectApp);
        if (!SUCCEEDED(hr)) goto Error;

        // set properties
        bstrTemp = "Name";
        vTmp = "TPC-C";
        hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        // set as a library (in process)
application
        bstrTemp = "Activation";
        lActProp = COMAdminActivationInproc;
        vTmp = lActProp;
        hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        // set security level to process
        bstrTemp = "AccessChecksLevel";
        lActProp =
COMAdminAccessChecksApplicationLevel;
        vTmp = lActProp;
        hr = pCatalogObjectApp->put_Value(bstrTemp,
vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        // save key to get the Components
collection later
        hr = pCatalogObjectApp->get_Key(&vKey);
        if (!SUCCEEDED(hr)) goto Error;

        // save changes (app creation) so component
installation will work
        hr = pCatalogCollectionApp-
>SaveChanges(&lActProp);
        if (!SUCCEEDED(hr)) goto Error;

        pCatalogObjectApp->Release();
        pCatalogObjectApp = NULL;

        bstrTemp = "TPC-C";
        // app name
        bstrTemp2 = bstrDllPath +
"tpcc_com_all.dll";
        // DLL
        bstrTemp3 = bstrDllPath +
"tpcc_com_all.tlb";
        // type library (TLB)
```

```

        bstrTemp4 =      bstrDllPath +
"tpcc_com_ps.dll";    // proxy/stub dll

        hr = pCOMAdminCat-
>InstallComponent(bstrTemp,

        bstrTemp2,

        bstrTemp3,

        bstrTemp4);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp = "Components";
        hr = pCatalogCollectionApp-
>GetCollection(bstrTemp, vKey, (IDispatch**)
&pCatalogCollectionCo);
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionCo->Populate();
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionCo-
>get_Count(&lCountCo);
        if (!SUCCEEDED(hr)) goto Error;

        // iterate through components in
application and set the properties
        while (lCountCo > 0)
        {
                hr = pCatalogCollectionCo-
>get_Item(lCountCo - 1, (IDispatch**)
&pCatalogObjectCo);
                if (!SUCCEEDED(hr)) goto Error;

                // used for debugging (view the
name)
                hr = pCatalogObjectCo-
>get_Name(&vTmp);
                if (!SUCCEEDED(hr)) goto Error;

                bstrTemp = "ConstructionEnabled";
                bTmp = TRUE;
                vTmp = bTmp;
                hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
                if (!SUCCEEDED(hr)) goto Error;

                bstrTemp = "ConstructorString";
                bstrTemp2 = "dummy string (do not
remove)";

                vTmp = bstrTemp2;
                hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
                if (!SUCCEEDED(hr)) goto Error;

                bstrTemp =
"JustInTimeActivation";
                bTmp = TRUE;

```

```

        vTmp = bTmp;
        hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp = "MaxPoolSize";
        vTmp.Clear(); // clear
variant so it isn't stored as a bool (_variant_t
feature)

        vTmp = (long)30;
        hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp =
"ObjectPoolingEnabled";
        bTmp = TRUE;
        vTmp = bTmp;
        hr = pCatalogObjectCo-
>put_Value(bstrTemp, vTmp);
        if (!SUCCEEDED(hr)) goto Error;

        // save key to get the
InterfacesForComponent collection
        hr = pCatalogObjectCo-
>get_Key(&vKey);
        if (!SUCCEEDED(hr)) goto Error;

        bstrTemp =
"InterfacesForComponent";
        hr = pCatalogCollectionCo-
>GetCollection(bstrTemp, vKey, (IDispatch**)
&pCatalogCollectionItf);
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionItf-
>Populate();
        if (!SUCCEEDED(hr)) goto Error;

        hr = pCatalogCollectionItf-
>get_Count(&lCountItf);
        if (!SUCCEEDED(hr)) goto Error;

        // iterate through interfaces in
component
        while (lCountItf > 0)
        {
                hr =
pCatalogCollectionItf->get_Item(lCountItf - 1,
(IDispatch**) &pCatalogObjectItf);
                if (!SUCCEEDED(hr))
                goto Error;

                // save key to get the
MethodsForInterface collection
                hr = pCatalogObjectItf-
>get_Key(&vKey);
                if (!SUCCEEDED(hr))
                goto Error;

```

```

        bstrTemp =
"MethodsForInterface";
        hr =
pCatalogCollectionItf->GetCollection(bstrTemp, vKey,
(IDispatch**) &pCatalogCollectionMethod);
        if (!SUCCEEDED(hr))
        goto Error;

        hr =
pCatalogCollectionMethod->Populate();
        if (!SUCCEEDED(hr))
        goto Error;

        hr =
pCatalogCollectionMethod->get_Count(&lCountMethod);
        if (!SUCCEEDED(hr))
        goto Error;

        // iterate through
methods of interface
        while (lCountMethod >
0)
        {
                hr =
pCatalogCollectionMethod->get_Item(lCountMethod - 1,
(IDispatch**) &pCatalogObjectMethod);
                if
                (!SUCCEEDED(hr)) goto Error;

                bstrTemp =
"AutoComplete";
                bTmp = TRUE;
                vTmp = bTmp;
                hr =
pCatalogObjectMethod->put_Value(bstrTemp, vTmp);
                if
                (!SUCCEEDED(hr)) goto Error;

                pCatalogObjectMethod->Release();
                pCatalogObjectMethod = NULL;

                lCountMethod-
                }

                // save changes
                hr =
pCatalogCollectionMethod->SaveChanges(&lActProp);
                if (!SUCCEEDED(hr))
                goto Error;

                pCatalogObjectItf-
>Release();
                pCatalogObjectItf =
                NULL;

                lCountItf--;
        }

```

```

        pCatalogObjectCo->Release();
        pCatalogObjectCo = NULL;

        lCountCo--;
    }

    // save changes
    hr = pCatalogCollectionCo-
>SaveChanges(&lActProp);
    if (!SUCCEEDED(hr)) goto Error;

    pCatalogCollectionApp->Release();
    pCatalogCollectionApp = NULL;

    pCatalogCollectionCo->Release();
    pCatalogCollectionCo = NULL;

    pCatalogCollectionItf->Release();
    pCatalogCollectionItf = NULL;

    pCatalogCollectionMethod->Release();
    pCatalogCollectionMethod = NULL;

Error:
    CoUninitialize();

    if (!SUCCEEDED(hr))
    {
        LPTSTR lpBuf;
        DWORD dwRes =
FormatMessage(FORMAT_MESSAGE_ALLOCATE_BUFFER |
FORMAT_MESSAGE_FROM_SYSTEM,

                NULL,

                hr,

                MAKELANGID(LANG_NEUTRAL, SUBLANG_DEFAULT),

                (LPTSTR)
&lpBuf,

                0,

                NULL);
//      _tprintf(__T("Error adding
components. HRESULT: 0x%x\n%s"), hr, lpBuf);
        return TRUE;
    }
    else
        return FALSE;
}

```

license.txt

END-USER LICENSE AGREEMENT FOR
MICROSOFT TPC-C BENCHMARK KIT

IMPORTANT READ CAREFULLY: This Microsoft End-

User License Agreement (EULA) is a legal agreement between you (either an individual or a single entity) and Microsoft Corporation for the Microsoft software product identified above, which includes computer software and may include associated media, printed materials, and online or electronic documentation (SOFTWARE PRODUCT). By installing, copying, or otherwise using the SOFTWARE PRODUCT, you agree to be bound by the terms of this EULA.

If you do not agree to the terms of this Agreement, you are not authorized to use the SOFTWARE PRODUCT.

The SOFTWARE PRODUCT is protected by copyright laws and international copyright treaties, as well as other intellectual property laws and treaties. The SOFTWARE PRODUCT is licensed, not sold.

1. GRANT OF LICENSE. This EULA grants you the following rights:

Use. Microsoft grants to you the right to install and use copies of the SOFTWARE PRODUCT only in conjunction with validly licensed copies of Microsoft SQL Server and/or Microsoft Windows NT Server software. You may also make copies of the SOFTWARE PRODUCT for backup and archival purposes.

2. RESTRICTIONS.

--You must maintain all copyright notices on all copies of the SOFTWARE PRODUCT.

--You may not distribute copies of the SOFTWARE PRODUCT to third parties.

--You may not rent, lease or lend the SOFTWARE PRODUCT.

--You may not use the SOFTWARE PRODUCT or any derivative works thereof to internally test database management system software other than Microsoft SQL Server and/or operating system software other than Microsoft Windows NT.

-- You may not disclose the results of any benchmark tests using the SOFTWARE PRODUCT to any third party without Microsoft's prior written approval.

-- You may not disclose or provide the SOFTWARE PRODUCT or any derivative works thereof, or any information relating to the SOFTWARE PRODUCT (including the existence of the SOFTWARE PRODUCT or the results of use and testing or benchmark testing), to any third party without Microsoft's written permission.

3. TERMINATION. Without prejudice to any other rights,

Microsoft may terminate this EULA if you fail to comply with the terms and conditions of this EULA. In such event, you must destroy all copies of the SOFTWARE PRODUCT.

4. COPYRIGHT. All title and copyrights in and to the SOFTWARE PRODUCT and any copies thereof are owned by Microsoft or its suppliers. All title and intellectual property rights in and to the content which may be accessed through use of the SOFTWARE PRODUCT is the property of the respective content owner and may be protected by applicable copyright or other intellectual property laws and treaties. This EULA grants you no rights to use such content.

5. UPGRADES. If the SOFTWARE PRODUCT is labeled as an upgrade, you must be properly licensed to use a product identified by Microsoft as being eligible for the upgrade in order to use the SOFTWARE PRODUCT. A SOFTWARE PRODUCT labeled as an upgrade replaces and/or supplements the product that formed the basis for your eligibility for the upgrade. You may use the resulting upgraded product only in accordance with the terms of this EULA.

6. U.S. GOVERNMENT RESTRICTED RIGHTS. The SOFTWARE PRODUCT is provided with RESTRICTED RIGHTS. Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.227-7013 or subparagraphs (c)(1) and (2) of the Commercial Computer Software Restricted Rights at 48 CFR 52.227-19, as applicable. Manufacturer is Microsoft Corporation/One Microsoft Way/Redmond, WA 98052-6399.

7. EXPORT RESTRICTIONS. You agree that you will not export or re-export the SOFTWARE PRODUCT to any country, person, entity or end user subject to U.S.A. export restrictions. Restricted countries currently include, but are not necessarily limited to Cuba, Iran, Iraq, Libya, North Korea, Syria, and the Federal Republic of Yugoslavia (Serbia and Montenegro, U.N. Protected Areas and areas of Republic of Bosnia and Herzegovina under the

control of Bosnian Serb forces). You warrant and represent that neither the U.S.A. Bureau of Export Administration nor any other federal agency has suspended, revoked or denied your export privileges.

8. NO WARRANTY. ANY USE OF THE SOFTWARE PRODUCT IS AT YOUR OWN RISK. THE SOFTWARE PRODUCT IS PROVIDED FOR USE ONLY WITH MICROSOFT SQL SERVER AND/OR MICROSOFT WINDOWS NT SERVER SOFTWARE. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, MICROSOFT AND ITS SUPPLIERS DISCLAIM ALL WARRANTIES AND CONDITIONS, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT.

9. NO LIABILITY FOR CONSEQUENTIAL DAMAGES. TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, IN NO EVENT SHALL MICROSOFT OR ITS SUPPLIERS BE LIABLE FOR ANY SPECIAL, INCIDENTAL, INDIRECT, OR CONSEQUENTIAL DAMAGES WHATSOEVER (INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, LOSS OF BUSINESS INFORMATION, OR ANY OTHER PECUNIARY LOSS) ARISING OUT OF THE USE OF OR INABILITY TO USE THE SOFTWARE PRODUCT, EVEN IF MICROSOFT HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. BECAUSE SOME STATES AND JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, THE ABOVE LIMITATION MAY NOT APPLY TO YOU.

10. LIMITATION OF LIABILITY. MICROSOFT'S ENTIRE LIABILITY AND YOUR EXCLUSIVE REMEDY UNDER THIS EULA SHALL NOT EXCEED FIVE DOLLARS (US\$5.00).

11. MISCELLANEOUS
This EULA is governed by the laws of the State of Washington, U.S.A.
Should you have any questions concerning this EULA, or if you desire to contact Microsoft for any reason, please contact the Microsoft subsidiary serving your country, or write:
Microsoft Sales Information Center/One Microsoft Way/Redmond, WA 98052-6399.

Si vous avez acquis votre produit Microsoft au CANADA, la garantie limit, e suivante vous concerne:

EXCLUSION DE GARANTIES. Microsoft renonce entiřrement ... toute garantie pour le LOGICIEL. Le

LOGICIEL et toute autre documentation s'y rapportant sont fournis @ comme tels ` sans aucune garantie quelle qu'elle soit, expresse ou implicite, y compris, mais ne se limitant pas aux garanties implicites de la qualit, marchande ou un usage particulier. Le risque total d, coulant de l'utilisation ou de la performance du LOGICIEL est entre vos mains.

RESPONSABILIT LIMIT E. La seule obligation de Microsoft et votre recours exclusif concernant ce contrat n'exc\$deront pas cinq dollare (US\$5.00).

ABSENCE DE RESPONSABILIT POUR LES DOMMAGES INDIRECTS.
Microsoft ou ses fournisseurs ne pourront ^tre tenus responsables en aucune circonstance de tout dommage quel qu'il soit (y compris mais non de faon limitative les dommages directs ou indirects caus, s par la perte de b,n,fices commerciaux, l'interruption des affaires, la perte d'information commerciale ou toute autre perte p,cuniaire) r,sultant de l'utilisation ou de l'impossibilit, d'utilisation de ce produit, et ce, m'me si la soci,t, Microsoft a ,t, avis,e de l',ventualit, de tels dommages. Certains ,tats/juridictions ne permettent pas l'exclusion ou la limitation de responsabilit, relative aux dommages indirects ou cons,cutifs, et la limitation ci-dessus peut ne pas s'appliquer ... votre ,gard. La pr,sente Convention est r,gie par les lois de la province d'Ontario, Canada.
Chacune des parties ... la pr,sente reconnait irr,vocablement la comp,tence des tribunaux de la province d'Ontario et consent ... instituer tout litige qui pourrait d,couler de la pr,sente aupr\$ des tribunaux situ, s dans le district judiciaire de York, province d'Ontario. Au cas o- vous auriez des questions concernant cette licence ou que vous d,siriez vous mettre en rapport avec Microsoft pour quelque raison que ce soit, veuillez contacter la succursale Microsoft desservant votre pays, dont l'adresse est fournie dans ce produit, ou ,crire ...:

Microsoft Customer Sales and Service, One Microsoft Way, Redmond, Washington 98052 6399.

Methods.h

```
/* FILE: METHODS.H
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * not yet
 * audited
 * PURPOSE: Header file for COM components.
 * Change history:
 * 4.20.000 - first version
 */

enum COMPONENT_ERROR
{
    ERR_MISSING_REGISTRY_ENTRIES = 1,
    ERR_LOADDLL_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_UNKNOWN_DB_PROTOCOL,
    ERR_MEM_ALLOC_FAILED
};

class CCOMPONENT_ERR : public CBaseErr
{
public:
    CCOMPONENT_ERR(COMPONENT_ERROR
Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CCOMPONENT_ERR(COMPONENT_ERROR
Err, char *szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new
char[strlen(szTextDetail)+1];
strcpy( m_szTextDetail,
szTextDetail );
        m_SystemErr =
dwSystemErr;
        m_szErrorText = NULL;
    };

    ~CCOMPONENT_ERR()
    {
        if (m_szTextDetail !=
NULL)
```

```

delete []
m_szTextDetail;
        if (m_szErrorText !=
NULL)
m_szErrorText;
        delete []
        );
        COMPONENT_ERROR    m_Error;
        char
        *m_szTextDetail;
        char
        *m_szErrorText;
        DWORD
        m_SystemErr;

        int ErrorType() {return
ERR_TYPE_COMPONENT;};
        char *ErrorTypeStr() { return
"COMPONENT"; }
        int ErrorNum() {return m_Error;};
        char *ErrorText();
};

static void WriteMessageToEventLog(LPTSTR lpszMsg);

////////////////////////////////////
////////////////////////////////////
// CTPCC_Common
class CTPCC_Common :
public ITPCC,
public IObjectControl,
public IObjectConstruct,
public
CComObjectRootEx<CComSingleThreadModel>
{
public:
BEGIN_COM_MAP(CTPCC_Common)
    COM_INTERFACE_ENTRY(ITPCC)
    COM_INTERFACE_ENTRY(IObjectControl)
    COM_INTERFACE_ENTRY(IObjectConstruct)
END_COM_MAP()

    CTPCC_Common();
    ~CTPCC_Common();

// ITPCC
public:
    HRESULT __stdcall NewOrder(
        VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall Payment(
        VARIANT txn_in, VARIANT* txn_out);
    HRESULT __stdcall Delivery(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out);
    HRESULT __stdcall OrderStatus(
        VARIANT txn_in, VARIANT* txn_out);

    HRESULT __stdcall CallSetComplete();

```

```

// IObjectControl
    STDMETHODCALLTYPE CanBePooled() { return
m_bCanBePooled; }
    STDMETHODCALLTYPE Activate() { return S_OK; }
    // we don't support COM Services
    transactions (no enlistment)
    STDMETHODCALLTYPE Deactivate() { /*
nothing to do */ }

// IObjectConstruct
    STDMETHODCALLTYPE Construct(IDispatch * pUnk);

// helper methods

private:
    BOOL                m_bCanBePooled;
    CTPCC_BASE         *m_pTxn;

    struct COM_DATA
    {
        int retval;
        int error;
        union
        {
            NEW_ORDER_DATA
            PAYMENT_DATA
            DELIVERY_DATA
            STOCK_LEVEL_DATA
            ORDER_STATUS_DATA
        } u;
    };
};

////////////////////////////////////
////////////////////////////////////
// CTPCC
class CTPCC :
public CTPCC_Common,
public CComCoClass<CTPCC, &CLSID_TPCC>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_TPCC)

BEGIN_COM_MAP(CTPCC)
    //COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx<CComSingleThreadModel>)
    COM_INTERFACE_ENTRY2(IUnknown, ITPCC)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()
};

////////////////////////////////////
////////////////////////////////////
// CNewOrder
class CNewOrder :

```

```

public CTPCC_Common,
public CComCoClass<CNewOrder,
&CLSID_NewOrder>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_NEWORDER)

BEGIN_COM_MAP(CNewOrder)
    // COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY2(IUnknown, ITPCC)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
// HRESULT __stdcall NewOrder(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
    HRESULT __stdcall Payment(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;};
    HRESULT __stdcall OrderStatus(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
};

////////////////////////////////////
////////////////////////////////////
// COrderStatus
class COrderStatus :
public CTPCC_Common,
public CComCoClass<COrderStatus,
&CLSID_OrderStatus>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_ORDERSTATUS)

BEGIN_COM_MAP(COrderStatus)
    // COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
    COM_INTERFACE_ENTRY2(IUnknown, ITPCC)
    COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
    HRESULT __stdcall NewOrder(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
    HRESULT __stdcall Payment(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
    HRESULT __stdcall StockLevel( VARIANT
txn_in, VARIANT* txn_out) {return E_NOTIMPL;};
    // HRESULT __stdcall OrderStatus(
        VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;};
};

```

```

////////////////////////////////////
////////////////////////////////////
// CPayment
class CPayment :
    public CTPCC_Common,
    public CComCoClass<CPayment,
    &CLSID_Payment>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_PAYMENT)

BEGIN_COM_MAP(CPayment)
// COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
COM_INTERFACE_ENTRY2(IUnknown, ITPCC)
COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
HRESULT __stdcall NewOrder(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
// HRESULT __stdcall Payment(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
// HRESULT __stdcall StockLevel( VARIANT
    txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
// HRESULT __stdcall OrderStatus(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

////////////////////////////////////
////////////////////////////////////
// CStockLevel
class CStockLevel :
    public CTPCC_Common,
    public CComCoClass<CStockLevel,
    &CLSID_StockLevel>
{
public:
DECLARE_REGISTRY_RESOURCEID(IDR_STOCKLEVEL)

BEGIN_COM_MAP(CStockLevel)
// COM_INTERFACE_ENTRY2(IUnknown,
CComObjectRootEx)
COM_INTERFACE_ENTRY2(IUnknown, ITPCC)
COM_INTERFACE_ENTRY_CHAIN(CTPCC_Common)
END_COM_MAP()

// ITPCC
public:
HRESULT __stdcall NewOrder(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
// HRESULT __stdcall Payment(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
// HRESULT __stdcall StockLevel( VARIANT
    txn_in, VARIANT* txn_out) {return E_NOTIMPL;}
}

```

```

HRESULT __stdcall OrderStatus(
    VARIANT txn_in, VARIANT* txn_out) {return
E_NOTIMPL;}
};

```

ReadRegistry. cpp

```

/* FILE: READREGISTRY.CPP
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
*
* not yet
audited
*
* PURPOSE: Implementation for TPC-C class.
* Contact: Charles Levine
(clevine@microsoft.com)
*
* Change history:
* 4.20.000 - first version
*/

/* FUNCTION: ReadTPCCRegistrySettings
*
* PURPOSE: This function reads the NT
registry for startup parameters. There parameters are
under the TPCC key.
*
* RETURNS FALSE = no errors
TRUE = error reading
registry
*/
BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
)
{
    HKEY hKey;
    DWORD size;
    DWORD type;
    DWORD dwTmp;
    char szTmp[256];

    if ( RegOpenKeyEx(HKEY_LOCAL_MACHINE,
"SOFTWARE\\Microsoft\\TPCC", 0, KEY_READ, &hKey) !=
ERROR_SUCCESS )
        return TRUE;

    // determine database protocol to use;
always has to be ODBC
    pReg->eDB_Protocol = ODBC;
    size = sizeof(szTmp);
    //if ( RegQueryValueEx(hKey, "DB_Protocol",
0, &type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
    //{
        //if ( !strcmp(szTmp,
szDBNames[ODBC]) )

```

```

// pReg->eDB_Protocol =
ODBC;
//}

pReg->eTxnMon = None;
// determine txn monitor to use; may be
either COM, or blank
size = sizeof(szTmp);
if ( RegQueryValueEx(hKey, "TxnMonitor", 0,
&type, (BYTE *)&szTmp, &size) == ERROR_SUCCESS )
{
    if ( !strcmp(szTmp,
szTxnMonNames[COM]) )
        pReg->eTxnMon = COM;
}

pReg->bCOM_SinglePool = FALSE;
size = sizeof(szTmp);
if ( RegQueryValueEx(hKey,
"COM_SinglePool", 0, &type, (BYTE *)&szTmp, &size) ==
ERROR_SUCCESS )
{
    if ( !strcmp(szTmp, "YES") )
        pReg->bCOM_SinglePool =
TRUE;
}

pReg->dwMaxConnections = 0;
size = sizeof(dwTmp);
if ( ( RegQueryValueEx(hKey,
"MaxConnections", 0, &type, (LPBYTE)&dwTmp, &size) ==
ERROR_SUCCESS )
    && (type == REG_DWORD) )
    pReg->dwMaxConnections = dwTmp;

pReg->dwMaxPendingDeliveries = 0;
size = sizeof(dwTmp);
if ( ( RegQueryValueEx(hKey,
"MaxPendingDeliveries", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
    && (type == REG_DWORD) )
    pReg->dwMaxPendingDeliveries =
dwTmp;

pReg->dwNumberOfDeliveryThreads = 0;
size = sizeof(dwTmp);
if ( ( RegQueryValueEx(hKey,
"NumberOfDeliveryThreads", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )
    && (type == REG_DWORD) )
    pReg->dwNumberOfDeliveryThreads =
dwTmp;

size = sizeof( pReg->szPath );
if ( RegQueryValueEx(hKey, "Path", 0,
&type, (BYTE *)&pReg->szPath, &size) != ERROR_SUCCESS
)
    pReg->szPath[0] = 0;

size = sizeof( pReg->szDbServer );
if ( RegQueryValueEx(hKey, "DbServer", 0,
&type, (BYTE *)&pReg->szDbServer, &size) !=
ERROR_SUCCESS )

```

```

        pReg->szDbServer[0] = 0;

        size = sizeof( pReg->szDbName );
        if ( RegQueryValueEx(hKey, "DbName", 0,
&type, (BYTE *)&pReg->szDbName, &size) !=
ERROR_SUCCESS )

        pReg->szDbName[0] = 0;

        size = sizeof( pReg->szDbUser );
        if ( RegQueryValueEx(hKey, "DbUser", 0,
&type, (BYTE *)&pReg->szDbUser, &size) !=
ERROR_SUCCESS )

        pReg->szDbUser[0] = 0;

        size = sizeof( pReg->szDbPassword );
        if ( RegQueryValueEx(hKey, "DbPassword", 0,
&type, (BYTE *)&pReg->szDbPassword, &size) !=
ERROR_SUCCESS )

        pReg->szDbPassword[0] = 0;

        size = sizeof( pReg->szSPPrefix );
        if ( RegQueryValueEx(hKey, "SPPrefix", 0,
&type, (BYTE *)&pReg->szSPPrefix, &size) !=
ERROR_SUCCESS )

        pReg->szSPPrefix[0] = L'\0';

        pReg->dwConnectDelay = 0;
        size = sizeof(dwTmp);
        if ( ( RegQueryValueEx(hKey,
"ConnectDelay", 0, &type, (LPBYTE)&dwTmp, &size) ==
ERROR_SUCCESS )

                && (type == REG_DWORD) )
                pReg->dwConnectDelay = dwTmp;

        pReg->bCallNoDuplicatesNewOrder = FALSE;
        size = sizeof(dwTmp);
        if ( ( RegQueryValueEx(hKey,
"CallNoDuplicatesNewOrder", 0, &type, (LPBYTE)&dwTmp,
&size) == ERROR_SUCCESS )

                && (type == REG_DWORD) )
                pReg->bCallNoDuplicatesNewOrder =

dwTmp;

        RegCloseKey(hKey);

        return FALSE;
}

```

ReadRegistry.h

```

/* FILE: ReadRegistry.h
* Microsoft
TPC-C Kit Ver. 4.20.000 Copyright
Microsoft, 1999 All Rights Reserved
*
* not audited
*
* PURPOSE: Header for registry related code.
*
* Change history:

```

```

* 4.20.000 - first version
*/

enum DBPROTOCOL { Unspecified, ODBC };
const char *szDBNames[] = { "Unspecified", "ODBC" };

enum TXNMON { None, COM };
const char *szTxnMonNames[] = { "NONE", "COM" };

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _TPCCREGISTRYDATA
{
        enum DBPROTOCOL eDB_Protocol;
        enum TXNMON eTxnMon;
        BOOL bCOM_SinglePool;
        DWORD dwMaxConnections;
        DWORD dwMaxPendingDeliveries;
        DWORD dwNumberOfDeliveryThreads;
        char szPath[128];
        char szDbServer[32];
        char szDbName[32];
        char szDbUser[32];
        char szDbPassword[32];
        wchar_t szSPPrefix[32];
        //tpcc_odbc.dll stored procedures prefix
        DWORD dwConnectDelay; // delay in
ms to use in pacing connection open and close
        BOOL bCallNoDuplicatesNewOrder; //
whether to check for non-duplicate item ids and call
a different New Order SP
} TPCCREGISTRYDATA, *PTPCCREGISTRYDATA;

BOOL ReadTPCCRegistrySettings( TPCCREGISTRYDATA *pReg
);

```

RESOURCE.H

```

//{{NO_DEPENDENCIES}}
// Microsoft Visual C++ generated include file.
// Used by install.rc
//
#define IDD_DIALOG1 101
#define IDI_ICON1 102
#define IDR_TPCCDLL 103
#define IDD_DIALOG2 105
#define IDI_ICON2 106
#define IDR_DELIVERY 107
#define IDD_DIALOG3 108
#define IDR_LICENSES1 112
#define IDD_DIALOG4 113
#define IDR_TPCCOBJ1 117
#define IDR_TPCCSTUB1 118
#define IDR_ODBC_DLL 123
#define IDR_COM_DLL 126
#define IDR_COMPS_DLL 127
#define IDR_COMALL_DLL 128
#define IDR_COMTYPLIB_DLL 129
#define IDR_MSVC71 130
#define ED_BN_LOG 1001
#define ED_KEEP 1002
#define ED_THREADS 1003

```

```

#define ED_THREADS2 1004
#define IDC_PATH 1007
#define IDC_VERSION 1009
#define IDC_RESULTS 1010
#define IDC_PROGRESS1 1011
#define IDC_STATUS 1012
#define IDC_BUTTON1 1013
#define ED_MAXCONNECTION 1014
#define ED_IIS_MAX_THREAD_POOL_LIMIT 1015
#define ED_MAXDELIVERIES 1016
#define ED_WEB_SERVICE_BACKLOG_QUEUE_SIZE 1017
#define ED_IIS_THREAD_TIMEOUT 1018
#define ED_IIS_LISTEN_BACKLOG 1019
#define IDC_DBLIB 1021
#define IDC_LICENSE 1022
#define IDC_ODBC 1022
#define IDC_CONNECT_POOL 1023
#define ED_DB_SERVER 1023
#define ED_USER_CONNECT_DELAY_TIME 1024
#define ED_DB_USER_ID 1024
#define IDC_MTS 1025
#define IDC_TM_MTS 1025
#define IDC_TM_TUXEDO 1026
#define IDC_TM_NONE 1027
#define ED_DB_PASSWORD 1028
#define ED_DB_NAME 1029
#define IDC_TM_ENCINA 1030

```

// Next default values for new objects

```

//
#ifdef APSTUDIO_INVOKED
#ifndef APSTUDIO_READONLY_SYMBOLS
#define _APS_NEXT_RESOURCE_VALUE 131
#define _APS_NEXT_COMMAND_VALUE 40001
#define _APS_NEXT_CONTROL_VALUE 1031
#define _APS_NEXT_SYMED_VALUE 101
#endif
#endif

```

tpcc.cpp

```

/* FILE: TPCC.C
* Microsoft
TPC-C Kit Ver. 4.20.000 Copyright
Microsoft, 1999 All Rights Reserved
*
* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
* PURPOSE: Main module for TPCC.DLL which is
an ISAPI service dll.
* Contact: Charles Levine
(clevine@microsoft.com)
*
* Change history:
* 4.20.000 - reworked error
handling; added options for COM and Encina txn
monitors
*/

```

```

#include <windows.h>
#include <process.h>
#include <tchar.h>
#include <stdio.h>
#include <stdarg.h>
#include <malloc.h>
#include <stdlib.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <io.h>
#include <assert.h>

#include <sqltypes.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\ReadRegistry.h"

#include "..\..\common\txnlog\include\rtetime.h"
#include "..\..\common\txnlog\include\spinlock.h"
#include "..\..\common\txnlog\include\txnlog.h"

// Database layer includes
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

// Txn monitor layer includes
#include "..\..\tm_com_dll\src\tpcc_com.h"
// COM Services implementation on
TPC-C txns

#include "httpext.h"
//ISAPI DLL information header
#include "tpcc.h"
//this dlls specific structure, value e.t.
header.

#define LEN_ERR_STRING 256

// defines for Make<Txn>Form calls to distinguish
input and output flavors
#define OUTPUT_FORM 0
#define INPUT_FORM 1

char
szMyComputerName[MAX_COMPUTERNAME_LENGTH+1]
;

//Terminal client id structure
TERM Term = { 0, 0, 0, NULL };

// The WEBCLIENT_VERSION string specifies the version
level of this web client interface.

```

```

// The RTE must be synchronized with the interface
level on login, otherwise the login
// will fail. This is a sanity check to catch
problems resulting from mismatched versions
// of the RTE and web client.
#define WEBCLIENT_VERSION "420"

static CRITICAL_SECTION
TermCriticalSection;

static HINSTANCE hLibInstanceTm = NULL;
static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_ODBC *pCTPCC_ODBC_new;
TYPE_CTPCC_COM *pCTPCC_COM_new;

// For deferred Delivery txns:
CTxnLog
*txnDelilog = NULL;
//used to log delivery transaction
information

HANDLE hWorkerSemaphore = INVALID_HANDLE_VALUE;
HANDLE hDoneEvent =
INVALID_HANDLE_VALUE;
HANDLE *pDeliHandles = NULL;

// configuration settings from registry
TPCCREGISTRYDATA Reg;

DWORD dwNumDeliveryThreads = 4;
CRITICAL_SECTION DelBuffCriticalSection;
//critical section for delivery
transactions cache
DELIVERY_TRANSACTION *pDelBuff
= NULL;

DWORD dwDelBuffSize = 100;
// size of circular buffer for delivery

txns
DWORD dwDelBuffFreeCount;
// number of buffers free

DWORD dwDelBuffBusyIndex = 0; //
index position of entry waiting to be delivered
DWORD dwDelBuffFreeIndex = 0; //
index position of unused entry

// Critical section to synchronize connection open
and close.
//
CRITICAL_SECTION hConnectCriticalSection;

#include "..\..\common\src\ReadRegistry.cpp"

```

```

/* FUNCTION: DllMain
*
* PURPOSE: This function is the entry point
for the DLL. This implementation is based on the
* fact that
DLL_PROCESS_ATTACH is only called from the inet
service once.
*
* ARGUMENTS: HANDLE hModule
module handle
*
* ul_reason_for_call reason for call
DWORD LPVOID
*
lpReserved
reserved for future use
*
* RETURNS: BOOL FALSE
errors occurred in
initialization
*
TRUE DLL
successfully initialized
*/

BOOL APIENTRY DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
DWORD i;
char szEvent[LEN_ERR_STRING] = "\0";
char szLogFile[128];
char szDllName[128];

// debugging...
// DebugBreak();

try
{
switch( ul_reason_for_call )
{
case
DLL_PROCESS_ATTACH:
{
DWORD dwSize = MAX_COMPUTERNAME_LENGTH+1;
GetComputerName(szMyComputerName, &dwSize);
szMyComputerName[dwSize] = 0;
}
DisableThreadLibraryCalls((HMODULE)hModule)
;
InitializeCriticalSection(&TermCriticalSection);
if (
ReadTPCCRegistrySettings( &Reg ) )
throw new CWEBCLNT_ERR(
ERR_MISSING_REGISTRY_ENTRIES );
}
}
}

```



```

        dwDelBuffSize
= min( Reg.dwMaxPendingDeliveries, 10000 ); // min
with 10000 as a sanity constraint

        dwNumDeliveryThreads = min(
Reg.dwNumberOfDeliveryThreads, 100 ); // min with
100 as a sanity constraint

        TermInit();

        if
(Reg.eTxnMon == COM)
        {
            strcpy( szDllName, Reg.szPath );
            strcat( szDllName, "tpcc_com.dll");

            hLibInstanceTm = LoadLibrary( szDllName );
            if
(hLibInstanceTm == NULL)
                throw new CWBCLNT_ERR( ERR_LOADDLL_FAILED,
szDllName, GetLastError() );

            //
get function pointer to wrapper for class constructor
            pCTPCC_COM_new = (TYPE_CTPCC_COM*)
GetProcAddress(hLibInstanceTm, "CTPCC_COM_new");
            if
(pCTPCC_COM_new == NULL)
                throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );

            // load DLL
            if
((Reg.eTxnMon == None) || (dwNumDeliveryThreads > 0))
            {
                if
(Reg.eDB_Protocol == ODBC)
                {
                    strcpy( szDllName, Reg.szPath );
                    strcat( szDllName, "tpcc_odbc.dll");

                    hLibInstanceDb = LoadLibrary( szDllName );
                    if (hLibInstanceDb == NULL)
                        throw new CWBCLNT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                    // get function pointer to wrapper for
class constructor
                    pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");

```

```

        if (pCTPCC_ODBC_new == NULL)
            throw new CWBCLNT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );
        }
    }

    // Check
whether Service Pack 1 has been installed if
// running on
Windows Server 2003. The RTM version has
// a
limitation on concurrent HTTP connections.
//
    OSVERSIONINFOEX VersionInfo;

    VersionInfo.dwOSVersionInfoSize =
sizeof(OSVERSIONINFOEX);
    if
(GetVersionEx((LPOSVERSIONINFO)&VersionInfo))
    {
        if
(VersionInfo.dwMajorVersion == 5 && // Windows
2000/2003 Server?
        VersionInfo.dwMinorVersion == 2 && //
Windows 2003 Server?
        VersionInfo.wServicePackMajor == 0) //
Service Pack installed?
        {
            TCHAR szMsg[256];

            _sntprintf(szMsg, sizeof(szMsg),
                    "\nRunning on
Windows Server 2003 without at least Service Pack
1\n"
                    "limits the
number of concurrent HTTP connections to around
8000");

            // Use event logging to log the error.
            //
            HANDLE hEventSource =
RegisterEventSource(NULL, TEXT("TPCC.DLL"));

            LPTSTR lpszStrings[1] = { szMsg };

            if (hEventSource != NULL)

```

```

        {
            ReportEvent(hEventSource, //
handle of event source
            EVENTLOG_WARNING_TYPE,
            // event type
            0,
            // event category
            0,
            // event ID
            NULL,
            // current user's SID
            1,
            // strings in lpszStrings
            0,
            // no bytes of raw data
            (LPCTSTR *)lpszStrings,
            // array of error strings
            NULL);
            // no raw data
            (VOID)
DeregisterEventSource(hEventSource);
        }
    }

    if
(dwNumDeliveryThreads)
    {
        Initialize delivery delay critical section
        //
        InitializeCriticalSection(&hConnectCritical
Section);
        //
for deferred delivery txns:
        //
        hDoneEvent = CreateEvent( NULL, TRUE /*
manual reset */, FALSE /* initially not signalled */,
NULL );
        InitializeCriticalSection(&DelBuffCriticalS
ection);
        hWorkerSemaphore = CreateSemaphore( NULL,
0, dwDelBuffSize, NULL );
    }
}

```

```

dwDelBuffFreeCount = dwDelBuffSize;

InitJulianTime(NULL);

create unique log file name based on delilog-yyymmdd-
hhmm.log
SYSTEMTIME Time;
GetLocalTime( &Time );

wsprintf( szLogFile, "%sdelivery-
%2.2d%2.2d%2.2d-%2.2d%2.2d-%2.2ds%2.2dms.log",
Reg.szPath, Time.wYear % 100, Time.wMonth,
Time.wDay, Time.wHour, Time.wMinute, Time.wSecond,
Time.wMilliseconds );

txxDelilog = new CTxnLog(szLogFile,
TXN_LOG_WRITE);

//write event into txn log for START
txxDelilog-
>WriteCtrlRecToLog(TXN_EVENT_START, szMyComputerName,
sizeof(szMyComputerName));

allocate structures for delivery buffers and thread
mgmt
pDeliHandles = new
HANDLE[dwNumDeliveryThreads];

pDelBuff = new
DELIVERY_TRANSACTION[dwDelBuffSize];

launch DeliveryWorkerThread to perform actual
delivery txns
for(i=0; i<dwNumDeliveryThreads; i++)
{
pDeliHandles[i] = (HANDLE) _beginthread(
DeliveryWorkerThread, 0, NULL );

if (pDeliHandles[i] ==
INVALID_HANDLE_VALUE)
throw new CWEBCLNT_ERR(
ERR_DELIVERY_THREAD_FAILED );
}

break;

case
DLL_PROCESS_DETACH:

```

```

(dwNumDeliveryThreads)
{
if
{
txxDelilog != NULL)
{
//write event into txn log for STOP
txxDelilog-
>WriteCtrlRecToLog(TXN_EVENT_STOP, szMyComputerName,
sizeof(szMyComputerName));

// This will do a clean shutdown of the
delivery log file
CTxnLog *txxDelilogLocal = txxDelilog;
txxDelilog= NULL;
delete txxDelilogLocal;
}

delete [] pDeliHandles;
delete [] pDelBuff;

CloseHandle( hWorkerSemaphore );
CloseHandle( hDoneEvent );
DeleteCriticalSection(&DelBuffCriticalSection);

Delete delivery delay critical section //
DeleteCriticalSection(&hConnectCriticalSection); //
DeleteCriticalSection(&TermCriticalSection)
;

if
(hLibInstanceTm != NULL)
FreeLibrary( hLibInstanceTm );
hLibInstanceTm = NULL;

if
(hLibInstanceDb != NULL)
FreeLibrary( hLibInstanceDb );
hLibInstanceDb = NULL;

```

```

Sleep(500);
break;

default: /* nothing
*/;
}
}
catch (CBaseErr *e)
{
TCHAR szMsg[256];
_sntprintf(szMsg, sizeof(szMsg),
"%s error, code %d: %s",
e-
>ErrorTypeStr(), e->ErrorNum(), e->ErrorText());
WriteMessageToEventLog( szMsg );
delete e;
TerminateExtension(0);
return FALSE;
}
catch (...)
{
WriteMessageToEventLog(TEXT("Unhandled
exception. DLL could not load.));
TerminateExtension(0);
return FALSE;
}

return TRUE;

/* FUNCTION: GetExtensionVersion
*
* PURPOSE: This function is called by the
inet service when the DLL is first loaded.
*
* ARGUMENTS: HSE_VERSION_INFO *pVer
passed in structure in which to place
expected version number.
*
* RETURNS: TRUE inet service
expected return value.
*/

BOOL WINAPI GetExtensionVersion(HSE_VERSION_INFO
*pVer)
{
pVer->dwExtensionVersion =
MAKELONG(HSE_VERSION_MINOR, HSE_VERSION_MAJOR);
lstrcpy(pVer->lpszExtensionDesc, "TPC-C
Server.", HSE_MAX_EXT_DLL_NAME_LEN);

return TRUE;

/* FUNCTION: TerminateExtension
*
* PURPOSE: This function is called by the
inet service when the DLL is about to be unloaded.

```

```

*           Release all resources
in anticipation of being unloaded.
*
* RETURNS:   TRUE      inet service
expected return value.
*/

BOOL WINAPI TerminateExtension( DWORD dwFlags )
{
    if (pDeliHandles)
    {
        SetEvent( hDoneEvent );
        for( DWORD i=0;
i<dwNumDeliveryThreads; i++)
            WaitForSingleObject(
pDeliHandles[i], INFINITE );
    }

    TermDeleteAll();
    return TRUE;
}

/* FUNCTION: HttpExtensionProc
*
* PURPOSE:   This function is the main entry
point for the TPCC DLL. The internet service
*           calls this function
passing in the http string.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB      structure pointer to passed in
internet
*
*           service information.
*
* RETURNS:   DWORD
HSE_STATUS_SUCCESS
connection can be dropped if
error
*
HSE_STATUS_SUCCESS_AND_KEEP_CONN
keep connect valid comment sent
*
* COMMENTS:   None
*/

DWORD WINAPI
HttpExtensionProc(EXTENSION_CONTROL_BLOCK *pECB)
{
    int          TermId,
iSyncId;
    char         szBuffer[4096];

    int          lpbSize;
    static char  szHeader[] = "200 Ok";
    DWORD        dwSize = 6;
    // initial value is strlen(szHeader)
    char         szHeader1[4096];
    DWORD        dwAddr; // used to
store Win32 exception address

```

```

LPEXCEPTION_POINTERS
pExceptionInfo; // pointer to Win32
exception info

#ifdef ICECAP
    StartCAP();
#endif

// Use structured exception handling for
Win32 exceptions
//
// try
{
    ProcessCommand(pECB, szBuffer,
TermId, iSyncId);
}
except ( pExceptionInfo =
GetExceptionInformation(), // can call
GetExceptionInformation only in filter (not handler)
dwAddr =
(DWORD)pExceptionInfo->ExceptionRecord-
>ExceptionAddress, // save the address

EXCEPTION_EXECUTE_HANDLER) // handle all
exceptions
{
    char
szMsg[512];
    int
iLen;

    MEMORY_BASIC_INFORMATION mbi ;
    VirtualQuery( (void*)dwAddr,
&mbi, sizeof( mbi ) );
    DWORD hInstance =
(DWORD)mbi.AllocationBase ;

    iLen = wsprintf(szMsg,
TEXT("Unhandled exception (%%x) in Web Client's
HttpExtensionProc. "
"Occured at
address %%x, base %%x, tpcc_com.dll at %%x, tpcc.dll
at %%x, tpcc_com_all.dll at %%x"),
GetExceptionCode(), dwAddr, hInstance,
GetModuleHandle("tpcc_com.dll"),
GetModuleHandle("tpcc.dll"),
GetModuleHandle("tpcc_com_all.dll"));

    if (txnDelilog != NULL)
    {
        txnDelilog-
>WriteCtrlRecToLog(TXN_EVENT_WARNING, szMsg, iLen +
1);
    }
    ErrorForm( pECB, ERR_TYPE_WEBDLL,
GetExceptionCode(), TermId, iSyncId, szMsg, szBuffer
);
}

```

```

#ifdef ICECAP
    StopCAP();
#endif

    lpbSize = strlen(szBuffer);
    dwSize += lpbSize;
    dwSize += wsprintf(szHeader1,
"Content-Type:
text/html\r\n"
"Content-Length:
&d\r\n"
"Connection: Keep-
Alive\r\n\r\n", lpbSize);
    strcat( szHeader1, szBuffer );

    (*pECB->ServerSupportFunction)(pECB-
>ConnID, HSE_REQ_SEND_RESPONSE_HEADER, szHeader,
(LPDWORD) &dwSize, (LPDWORD)szHeader1);

    //finish up and keep connection
pECB->dwHttpStatusCode = 200;
    return HSE_STATUS_SUCCESS_AND_KEEP_CONN;
}

/* FUNCTION: ProcessCommand
*
* PURPOSE:   This function parses the commands
from the driver and executes corresponding
transactions.
*
* ARGUMENTS: EXTENSION_CONTROL_BLOCK
*pECB      structure pointer to passed in
internet
*
*           service information.
*
* RETURNS:   None (outputs into the
szBuffer parameter).
*
* COMMENTS:   Separated from HttpExtensionProc
to be able to use structured exception handling in
*
HttpExtensionProc (cannot mix C++ and Win32
exceptions in one functions).
*/
void ProcessCommand(EXTENSION_CONTROL_BLOCK *pECB,
char* szBuffer, int& TermId, int& iSyncId)
{
    int          iCmd, FormId;

    try
    {
        //process http query
        ProcessQueryString(pECB, &iCmd,
&FormId, &TermId, &iSyncId);

        if (TermId != 0)
        {
            if ( TermId < 0 ||
TermId >= Term.iNumEntries ||
Term.pClientData[TermId].iNextFree != -1 )

```

```

        {
            //
            debugging...
            char
            szTmp[128];
            wsprintf(
            szTmp, "Invalid term ID; TermId = %d", TermId );
            WriteMessageToEventLog( szTmp );
            throw new
            CWEBCLNT_ERR( ERR_INVALID_TERMID );
        }
        //must have a valid
        syncid here since termid is valid
        if (iSyncId !=
        Term.pClientData[TermId].iSyncId)
            throw new
            CWEBCLNT_ERR( ERR_INVALID_SYNC_CONNECTION );
        //set use time
        Term.pClientData[TermId].iTickCount =
        GetTickCount();
    }
    switch(iCmd)
    {
    case 0:
        WelcomeForm(pECB,
        szBuffer);
        break;
    case 1:
        switch( FormId )
        {
        case WELCOME_FORM:
        case MAIN_MENU_FORM:
            break;
        case NEW_ORDER_FORM:
            ProcessNewOrderForm(pECB, TermId,
            szBuffer);
            break;
        case PAYMENT_FORM:
            ProcessPaymentForm(pECB, TermId, szBuffer);
            break;
        case DELIVERY_FORM:
            ProcessDeliveryForm(pECB, TermId,
            szBuffer);
            break;
        case ORDER_STATUS_FORM:
            ProcessOrderStatusForm(pECB, TermId,
            szBuffer);
            break;
        case STOCK_LEVEL_FORM:
            ProcessStockLevelForm(pECB, TermId,
            szBuffer);
        }
    }
}

```

```

        break;
    }
    case 2:
        // new-order selected
        from menu; display new-order input form
        MakeNewOrderForm(TermId, NULL, INPUT_FORM,
        szBuffer);
        break;
    case 3:
        // payment selected
        from menu; display payment input form
        MakePaymentForm(TermId,
        NULL, INPUT_FORM, szBuffer);
        break;
    case 4:
        // delivery selected
        from menu; display delivery input form
        MakeDeliveryForm(TermId, NULL, INPUT_FORM,
        szBuffer);
        break;
    case 5:
        // order-status
        selected from menu; display order-status input form
        MakeOrderStatusForm(TermId, NULL,
        INPUT_FORM, szBuffer);
        break;
    case 6:
        // stock-level selected
        from menu; display stock-level input form
        MakeStockLevelForm(TermId, NULL,
        INPUT_FORM, szBuffer);
        break;
    case 7:
        // ExitCmd
        TermDelete(TermId);
        WelcomeForm(pECB,
        szBuffer);
        break;
    case 8:
        SubmitCmd(pECB,
        szBuffer);
        break;
    case 9:
        // menu
        MakeMainMenuForm(TermId,
        Term.pClientData[TermId].iSyncId, szBuffer);
        break;
    case 10:
        // CMD=Clear
        // resets all
        connections; should only be used when no other
        connections are active
        TermDeleteAll();
        TermInit();
        WelcomeForm(pECB,
        szBuffer);
        break;
}

```

```

        case 11: // CMD=Stats
            StatsCmd(pECB,
            szBuffer);
            break;
        }
    }
    catch (CBaseErr *e)
    {
        ErrorForm( pECB, e->ErrorType(),
        e->ErrorNum(), TermId, iSyncId, e->ErrorText(),
        szBuffer );
        delete e;
    }
}
void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR szMsg[256];
    HANDLE hEventSource;
    LPTSTR lpszStrings[2];
    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL,
    TEXT("TPCC.DLL"));
    _stprintf(szMsg, TEXT("Error in TPCC.DLL: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;
    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
        source
            EVENTLOG_ERROR_TYPE, // event type
            0, // event category
            0, // event ID
            NULL, // current user's
            SID
            2, // strings in
            lpszStrings
            0, // no bytes of raw
            data
            (LPCTSTR *)lpszStrings, // array of
            error strings
            NULL); // no raw data
        (VOID) DeregisterEventSource(hEventSource);
    }
}
/* FUNCTION: DeliveryWorkerThread
 *
 * PURPOSE: This function processes deferred
            delivery txns. There are typically several
            threads running this
            routine. The number of threads is determined by an
            entry
            * read from the registry.
            The thread waits for work by waiting on semaphore.
            * When a delivery txn is
            posted, the semaphore is released. After processing

```

```

*           the delivery txn,
information is logged to record the txn status and
execution
*           time.
*/

/*static*/ void DeliveryWorkerThread(void *ptr)
{
    CTPCC_BASE          *pTxn = NULL;

    DELIVERY_TRANSACTION
    delivery;
    PDELIVERY_DATA
    pDeliveryData;
    TXN_RECORD_TPCC_DELIV_DEF    txnDeliRec;

    DWORD
    index;
    HANDLE
    handles[2];

    SYSTEMTIME          trans_end;
    //delivery transaction finished
time
    SYSTEMTIME          trans_start;
    //delivery transaction start time

    assert(txnDeliLog != NULL);

    try
    {
        if (Reg.eDB_Protocol == ODBC)
        {
            if (Reg.dwConnectDelay
                > 0)
            {
                //
                Synchronize connect (for VIA)
                //
                EnterCriticalSection(&hConnectCriticalSection);

                Sleep(Reg.dwConnectDelay);

                LeaveCriticalSection(&hConnectCriticalSection);
            }

            pTxn = pCTPCC_ODBC_new(
            Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
                szMyComputerName, Reg.szDbName,
                Reg.szSPPrefix,
            Reg.bCallNoDuplicatesNewOrder );
            pDeliveryData = pTxn-
            >BuffAddr_Delivery();
        }
    }

```

```

        catch (CBaseErr *e)
        {
            char szTmp[1024];
            wsprintf( szTmp, "Error in
            Delivery Txn thread. Could not connect to database.
            "
                "%s.
            Server=%s, User=%s, Password=%s, Database=%s",
                e-
                >ErrorText(), Reg.szDbServer, Reg.szDbUser,
            Reg.szDbPassword, Reg.szDbName );
            WriteMessageToEventLog( szTmp );
            delete e;
            goto ErrorExit;
        }
        catch (...)
        {
            WriteMessageToEventLog(TEXT("Unhandled
            exception caught in DeliveryWorkerThread.));
            goto ErrorExit;
        }

        while (TRUE)
        {
            try
            {
                //while delivery thread
                running, i.e. user has not requested termination
                while (TRUE)
                {
                    // need to
                    wait for multiple objects: program exit or worker
                    semaphore;
                    hDoneEvent;
                    handles[0] =
                    hWorkerSemaphore;
                    handles[1] =
                    index =
                    WaitForMultipleObjects( 2, &handles[0], FALSE,
                    INFINITE );
                    if (index ==
                    WAIT_OBJECT_0)
                    goto ErrorExit;

                    ZeroMemory(&txnDeliRec,
                    sizeof(txnDeliRec));
                    txnDeliRec.TxnType =
                    TXN_REC_TYPE_TPCC_DELIV_DEF;

                    // make a
                    local copy of current entry from delivery buffer and
                    increment buffer index
                    EnterCriticalSection(&DelBuffCriticalSection);
                    delivery =
                    *(pDelBuff+dwDelBuffBusyIndex);
                    dwDelBuffFreeCount++;
                }
            }
        }

```

```

            dwDelBuffBusyIndex++;
            if
            (dwDelBuffBusyIndex == dwDelBuffSize) // wrap-
            around if at end of buffer
            dwDelBuffBusyIndex = 0;

            LeaveCriticalSection(&DelBuffCriticalSection);
        n);

        pDeliveryData->w_id = delivery.w_id;

        pDeliveryData->o_carrier_id =
        delivery.o_carrier_id;

        txnDeliRec.w_id = pDeliveryData->w_id;

        txnDeliRec.o_carrier_id = pDeliveryData-
        >o_carrier_id;

        txnDeliRec.TxnStartT0 =
        Get64BitTime(&delivery.queue);

        &trans_start );
        GetLocalTime(
        pTxn-
        >Delivery();
        GetLocalTime(
        &trans_end );

        //log txn
        txnDeliRec.TxnStatus = ERR_SUCCESS;
        for (int i=0;
        i<10; i++)
        {
            txnDeliRec.o_id[i] = pDeliveryData-
            >o_id[i];

            txnDeliRec.DeltaT4 =
            (int)(Get64BitTime(&trans_end) -
            txnDeliRec.TxnStartT0);

            txnDeliRec.DeltaTxnExec =
            (int)(Get64BitTime(&trans_end) -
            Get64BitTime(&trans_start));

            if
            (txnDeliLog != NULL)
            {
                txnDeliLog->WriteToLog(&txnDeliRec);
            }
        }
        catch (CBaseErr *e)
        {
            char szTmp[1024];
            wsprintf( szTmp, "%s
            Error (code %d) in Delivery Txn thread. %s",

```

```

e->ErrorTypeStr(), e->ErrorNum(), e->ErrorText() );
WriteMessageToEventLog(
szTmp );

// log the error txn
txnDeliRec.TxnStatus =
e->ErrorType();
if (txnDeliLog != NULL)
txnDeliLog->WriteToLog(&txnDeliRec);
delete e;
}
catch (...)
{
// unhandled exception;
shouldn't happen; not much we can do...
WriteMessageToEventLog(TEXT("Unhandled
exception caught in DeliveryWorkerThread.));
}
}
ErrorExit:
if (Reg.dwConnectDelay > 0)
{
// Synchronize disconnect (for
VIA)
//
EnterCriticalSection(&hConnectCriticalSecti
on);
Sleep(Reg.dwConnectDelay);
}
delete pTxn;
if (Reg.dwConnectDelay > 0)
{
// Synchronize disconnect (for
VIA)
//
LeaveCriticalSection(&hConnectCriticalSecti
on);
}
_endthread();
}
/* FUNCTION: PostDeliveryInfo
*
* PURPOSE: This function enters the delivery
txn into the deferred delivery buffer.
*
* RETURNS: BOOL FALSE
delivery information posted successfully
*
TRUE error cannot post delivery info
*/

```

```

BOOL PostDeliveryInfo(long w_id, short o_carrier_id)
{
BOOL bError;
EnterCriticalSection(&DelBuffCriticalSectio
n);
if (dwDelBuffFreeCount > 0)
{
bError = FALSE;
(pDelBuff+dwDelBuffFreeIndex)-
= w_id;
(pDelBuff+dwDelBuffFreeIndex)-
= o_carrier_id;
GetLocalTime(&(pDelBuff+dwDelBuffFreeIndex)
->queue);
dwDelBuffFreeCount--;
dwDelBuffFreeIndex++;
if (dwDelBuffFreeIndex ==
dwDelBuffSize)
dwDelBuffFreeIndex = 0;
// wrap-around if at end of
buffer
}
else
// No free buffers. Return an
error, which indicates that the delivery buffer is
full.
// Most likely, the number of
delivery worker threads needs to be increased to keep
up
// with the txn rate.
bError = TRUE;
LeaveCriticalSection(&DelBuffCriticalSectio
n);
if (!bError)
// increment worker semaphore to
wake up a worker thread
ReleaseSemaphore(
hWorkerSemaphore, 1, NULL );
}
return bError;
}
/* FUNCTION: ProcessQueryString
*
* PURPOSE: This function extracts the
relevant information out of the http command passed
in from
the browser.
*
* COMMENTS: If this is the initial connection
i.e. client is at welcome screen then
there will
not be a terminal id or current form id. If this is
the case
then the
pTermid and pFormid return values are undefined.
*/

```

```

void ProcessQueryString(EXTENSION_CONTROL_BLOCK
*pECB, int *pCmd, int *pFormId, int *pTermId, int
*pSyncId)
{
char *ptr = pECB->lpszQueryString;
char szBuffer[25];
int i;
//allowable client command strings i.e.
CMD=command
static char *szCmds[] =
{
"Process", "..NewOrder..",
"..Payment..", "..Delivery..", "..Order-Status..",
"..Stock-Level..",
"..Exit..", "Submit", "Menu",
"Clear", "Stats", ""
};
*pCmd = 0; // default is
the login screen
*pTermId = 0;
// if no params (i.e., empty query string),
then return login screen
if (strlen(pECB->lpszQueryString) == 0)
return;
// parse FORMID, TERMID, and SYNCID
*pFormId = GetIntKeyValue(&ptr, "FORMID",
NO_ERR, NO_ERR);
*pTermId = GetIntKeyValue(&ptr, "TERMID",
NO_ERR, NO_ERR);
*pSyncId = GetIntKeyValue(&ptr, "SYNCID",
NO_ERR, NO_ERR);
// parse CMD
GetKeyValue(&ptr, "CMD", szBuffer,
sizeof(szBuffer), ERR_COMMAND_UNDEFINED);
// see which command it matches
for(i=0; i++)
{
if (szCmds[i][0] == 0)
// no more; no match;
return error
throw new CWEBCLNT_ERR(
ERR_COMMAND_UNDEFINED );
if (!strcmp(szCmds[i], szBuffer)
)
{
*pCmd = i+1;
break;
}
}
}
/* FUNCTION: void WelcomeForm
*
*/
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)

```

```

{
    char szTmp[1024];

    //welcome to tpc-c html form buffer, this
    is first form client sees.
    strcpy( szBuffer,
        "<HTML><HEAD><TITLE>TPC-C Web
Client</TITLE></HEAD><BODY>"

        "<B><BIG>Microsoft TPC-C Web Client (ver
4.20)</BIG></B> <BR> <BR>"

        "<font face=\"Courier New\"><PRE>"

        "Compiled:  __DATE__ ,  __TIME__  <BR>"

        "Source:   __FILE__  (  __TIMESTAMP__  )"
    <BR>"

        "</PRE></font>"

        "<FORM ACTION=\"tpcc.dll\" METHOD=\"GET\""
        "<INPUT TYPE=\"hidden\" NAME=\"STATUSID\"
VALUE=\"0\"">"

        "<INPUT TYPE=\"hidden\" NAME=\"ERROR\"
VALUE=\"0\"">"

        "<INPUT TYPE=\"hidden\" NAME=\"FORMID\"
VALUE=\"1\"">"

        "<INPUT TYPE=\"hidden\" NAME=\"TERMID\"
VALUE=\"0\"">"

        "<INPUT TYPE=\"hidden\" NAME=\"SYNCID\"
VALUE=\"0\"">"

        "<INPUT TYPE=\"hidden\" NAME=\"VERSION\"
VALUE=\"" WEBCLIENT_VERSION  "\"">"
        );

    sprintf( szTmp,
        "Configuration
Settings: <BR><font face=\"Courier New\"
color=\"blue\"><PRE>"

        "Txn Monitor           = <B>%s</B><BR>"

        "Database protocol       = <B>%s</B><BR>"

        "Max Connections         = <B>%d</B><BR>"
        "#
of Delivery Threads = <B>%d</B><BR>"

        "Max Pending Deliveries = <B>%d</B><BR>"

        ,
        szTxnMonNames[Reg.eTxnMon],
        szDBNames[Reg.eDB_Protocol],
        Reg.dwMaxConnections,
        dwNumDeliveryThreads, dwDelBuffSize );
    strcat( szBuffer, szTmp);

    if (Reg.eTxnMon == COM)

```

```

{
    sprintf( szTmp,
        "COM Single
Pool           = <B>%s</B><BR>",
        Reg.bCOM_SinglePool ?
        "YES" : "NO" );
    strcat( szBuffer, szTmp);
}
strcat( szBuffer, "</PRE></font>");

    if (Reg.eTxnMon == None)
        // connection options may be
        specified when not using a txn monitor
        sprintf( szTmp,
            "Please enter
your database options for this connection:<BR>"

            "<font face=\"Courier New\"
color=\"blue\"><PRE>"

            "DB Server   = <INPUT NAME=\"db_server\"
SIZE=20 VALUE=\"%s\"><BR>"

            "DB User ID   = <INPUT NAME=\"db_user\"
SIZE=20 VALUE=\"%s\"><BR>"

            "DB Password = <INPUT NAME=\"db_passwd\"
SIZE=20 VALUE=\"%s\"><BR>"

            "DB Name       = <INPUT NAME=\"db_name\"
SIZE=20 VALUE=\"%s\"><BR>"

            "</PRE></font>"

            ,
            Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
            Reg.szDbName );
        else
            // if using a txn monitor,
            connection options are determined from registry;
            can't
            // set per user. show options
            fyi
            sprintf( szTmp,
                "Database
options which will be used by the transaction
monitor:<BR>"

                "<font face=\"Courier New\"
color=\"blue\"><PRE>"

                "DB Server           = <B>%s</B><BR>"

                "DB User ID         = <B>%s</B><BR>"

                "DB Password       = <B>%s</B><BR>"

                "DB Name           = <B>%s</B><BR>"

                "</PRE></font>"

                ,
                Reg.szDbServer, Reg.szDbUser, Reg.szDbPassword,
                Reg.szDbName );
        strcat( szBuffer, szTmp);

        sprintf( szTmp,
            "Please enter your
Warehouse and District for this session:<BR>"

```

```

        "<font face=\"Courier New\"
color=\"blue\"><PRE>" );
    strcat( szBuffer, szTmp);
    strcat( szBuffer,
        "Warehouse ID = <INPUT
NAME=\"w_id\" SIZE=6><BR>"

        "District ID = <INPUT NAME=\"d_id\"
SIZE=2><BR>"

        "</PRE></font><HR>"

        "<INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"Submit\""

        "</FORM></BODY></HTML>");
}

/* FUNCTION: SubmitCmd
 *
 * PURPOSE:      This function allocated a new
terminal id in the Term structure array.
 *
 */

void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    int          iNewTerm;
    char         *ptr = pECB->lpszQueryString;

    char         szVersion[32]   = { 0 };
    char         szServer[32]    = { 0 };
    char         szUser[32]      =
    "sa";
    char         szPassword[32]  = { 0 };
    char         szDatabase[32]  = "tpcc";

    // validate version field; the version
    field ensures that the RTE is synchronized with the
    web client
    GetKeyValue(&ptr, "VERSION", szVersion,
    sizeof(szVersion), ERR_VERSION_MISMATCH);
    if ( strcmp( szVersion, WEBCLIENT_VERSION )
)
        throw new CWBCLNT_ERR(
        ERR_VERSION_MISMATCH );

    if (Reg.eTxnMon == None)
    {
        // parse Server name
        GetKeyValue(&ptr, "db_server",
        szServer, sizeof(szServer), ERR_NO_SERVER_SPECIFIED);
        // parse User name
        GetKeyValue(&ptr, "db_user",
        szUser, sizeof(szUser), NO_ERR);
        // parse Password
        GetKeyValue(&ptr, "db_passwd",
        szPassword, sizeof(szPassword), NO_ERR);
        // parse Database name
        GetKeyValue(&ptr, "db_name",
        szDatabase, sizeof(szDatabase), NO_ERR);
    }
}

```

```

// parse warehouse ID
int w_id = GetIntKeyValue(&ptr, "w_id",
ERR_HTML_ILL_FORMED, ERR_W_ID_INVALID);
if ( w_id < 1 )
    throw new CWEBCLNT_ERR(
ERR_W_ID_INVALID );

// parse district ID
int d_id = GetIntKeyValue(&ptr, "d_id",
ERR_HTML_ILL_FORMED, ERR_D_ID_INVALID);
if ( d_id < 1 || d_id > 10 )
    throw new CWEBCLNT_ERR(
ERR_D_ID_INVALID );

iNewTerm = TermAdd();

Term.pClientData[iNewTerm].w_id = w_id;
Term.pClientData[iNewTerm].d_id = d_id;

try
{
    if (Reg.eTxnMon == COM)

        Term.pClientData[iNewTerm].pTxn =
pCTPCC_COM_new( Reg.bCOM_SinglePool );
    else if (Reg.eDB_Protocol ==
ODBC)

        Term.pClientData[iNewTerm].pTxn =
pCTPCC_ODBC_new( szServer, szUser, szPassword,
szMyComputerName,

szDatabase, Reg.szSPPrefix,

Reg.bCallNoDuplicatesNewOrder );
}
catch (...)
{
    TermDelete(iNewTerm);
    throw; // pass
exception upward
}

MakeMainMenuForm(iNewTerm,
Term.pClientData[iNewTerm].iSyncId, szBuffer);
}

/* FUNCTION: StatsCmd
*
* PURPOSE: This function returns to the
browser the total number of active terminal ids.
* This routine is for
development/debugging purposes.
*/

```

```

void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer)
{
    int i;
    int iTTotal;

    EnterCriticalSection(&TermCriticalSection);

    iTTotal = 0;
    for(i=0; i<Term.iNumEntries; i++)
    {
        if (Term.pClientData[i].iNextFree
== -1)

            iTTotal++;

    }

    LeaveCriticalSection(&TermCriticalSection);

    wsprintf( szBuffer,

    "<HTML><HEAD><TITLE>TPC-C Web Client
Stats</TITLE></HEAD>"

    "<BODY><B><BIG> Total
Active Connections: %d </B><BR></BODY></HTML>"
    , iTTotal );

}

char *CWEBCLNT_ERR::ErrorText()
{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_COMMAND_UNDEFINED,
"Command undefined."
},
        { ERR_D_ID_INVALID,
"Invalid District ID Must be 1 to 10."
},
        { ERR_DELIVERY_CARRIER_ID_RANGE,
"Delivery Carrier ID out of range
must be 1 - 10."
},
        { ERR_DELIVERY_CARRIER_INVALID,
"Delivery Carrier ID invalid must be
numeric 1 - 10."
},
        { ERR_DELIVERY_MISSING_OCD_KEY,
"Delivery missing Carrier ID key \"OCD*\"."
},
        { ERR_DELIVERY_THREAD_FAILED,
"Could not start delivery worker
thread."
},
        { ERR_GETPROCADDR_FAILED,

```

```

"Could not map proc in DLL. GetProcAddr
error. DLL="
    { ERR_HTML_ILL_FORMED,
},
    "Required key field is missing from HTML
string."
    {
        ERR_INVALID_SYNC_CONNECTION,
        "Invalid Terminal Sync ID."
    },
    {
        ERR_INVALID_TERMINID,
        "Invalid Terminal ID."
    },
    {
        ERR_LOADDLL_FAILED,
        "Load of DLL failed. DLL="
    },
    {
        ERR_MAX_CONNECTIONS_EXCEEDED,
        "No connections available. Max Connections
is probably too low."
    },
    {
        ERR_MISSING_REGISTRY_ENTRIES,
        "Required registry entries are missing.
Rerun INSTALL to correct."
    },
    {
        ERR_NEWORDER_CUSTOMER_INVALID,
        "New Order customer id invalid
data type, range = 1 to 3000."
    },
    {
        ERR_NEWORDER_CUSTOMER_KEY,
        "New Order missing Customer key
\"CID*\"."
    },
    {
        ERR_NEWORDER_DISTRICT_INVALID,
        "New Order District ID Invalid
range 1 - 10."
    },
    {
        ERR_NEWORDER_FORM_MISSING_DID,
        "New Order missing District key
\"DID*\"."
    },
    {
        ERR_NEWORDER_ITEMID_INVALID,
        "New Order Item Id is wrong data type, must
be numeric."
    },
    {
        ERR_NEWORDER_ITEMID_RANGE,
        "New Order Item Id is out of
range. Range = 1 to 99999."
    },
    {
        ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
        "New Order Item_Id field entered without a
corresponding Supp_W."
    },
    {
        ERR_NEWORDER_MISSING_IID_KEY,
        "New Order missing Item Id key \"IID*\"."
    }

```



```

    },
    {
        ERR_NEWORDER_MISSING_QTY_KEY,
        "New Order Missing Qty key \"Qty##*\"."
    },
    {
        ERR_NEWORDER_MISSING_SUPPW_KEY,
        "New Order missing Supp_W key
        \"SP##*\"."
    },
    {
        ERR_NEWORDER_NOITEMS_ENTERED,
        "New Order No order lines entered."
    },
    {
        ERR_NEWORDER_QTY_INVALID,
        "New Order Qty invalid must be
        numeric range 1 - 99."
    },
    {
        ERR_NEWORDER_QTY_RANGE,
        "New Order Qty is out of range. Range = 1
        to 99."
    },
    {
        ERR_NEWORDER_QTY_WITHOUT_SUPPW,
        "New Order Qty field entered
        without a corresponding Supp_W."
    },
    {
        ERR_NEWORDER_SUPPW_INVALID,
        "New Order Supp_W invalid data
        type must be numeric."
    },
    {
        ERR_NO_SERVER_SPECIFIED,
        "No Server name specified."
    },
    {
        ERR_ORDERSTATUS_CID_AND_CLT,
        "Order Status Only Customer ID or Last Name
        may be entered, not both."
    },
    {
        ERR_ORDERSTATUS_CID_INVALID,
        "Order Status Customer ID invalid, range
        must be numeric 1 - 3000."
    },
    {
        ERR_ORDERSTATUS_CLT_RANGE,
        "Order Status Customer last name
        longer than 16 characters."
    },
    {
        ERR_ORDERSTATUS_DID_INVALID,
        "Order Status District invalid, value must
        be numeric 1 - 10."
    },
    {
        ERR_ORDERSTATUS_MISSING_CID_CLT,
        "Order Status Either Customer ID or Last
        Name must be entered."
    },
    {
        ERR_ORDERSTATUS_MISSING_CID_KEY,
        "Order Status missing Customer key

```

```

        \"CID*\"."
    },
    {
        ERR_ORDERSTATUS_MISSING_CLT_KEY,
        "Order Status missing Customer Last Name
        key \"CLT*\"."
    },
    {
        ERR_ORDERSTATUS_MISSING_DID_KEY,
        "Order Status missing District key
        \"DID*\"."
    },
    {
        ERR_PAYMENT_CDI_INVALID,
        "Payment Customer district
        invalid must be numeric."
    },
    {
        ERR_PAYMENT_CID_AND_CLT,
        "Payment Only Customer ID or Last
        Name may be entered, not both."
    },
    {
        ERR_PAYMENT_CUSTOMER_INVALID,
        "Payment Customer data type invalid, must
        be numeric."
    },
    {
        ERR_PAYMENT_CWI_INVALID,
        "Payment Customer Warehouse
        invalid, must be numeric."
    },
    {
        ERR_PAYMENT_DISTRICT_INVALID,
        "Payment District ID is invalid, must be 1
        - 10."
    },
    {
        ERR_PAYMENT_HAM_INVALID,
        "Payment Amount invalid data type
        must be numeric."
    },
    {
        ERR_PAYMENT_HAM_RANGE,
        "Payment Amount out of range, 0 - 9999.99."
    },
    {
        ERR_PAYMENT_LAST_NAME_TO_LONG,
        "Payment Customer last name
        longer than 16 characters."
    },
    {
        ERR_PAYMENT_MISSING_CDI_KEY,
        "Payment missing Customer district key
        \"CDI*\"."
    },
    {
        ERR_PAYMENT_MISSING_CID_CLT,
        "Payment Either Customer ID or Last Name
        must be entered."
    },
    {
        ERR_PAYMENT_MISSING_CID_KEY,
        "Payment missing Customer Key \"CID*\"."
    },

```

```

    {
        ERR_PAYMENT_MISSING_CLT_KEY,
        "Payment missing Customer Last Name key
        \"CLT*\"."
    },
    {
        ERR_PAYMENT_MISSING_CWI_KEY,
        "Payment missing Customer Warehouse key
        \"CWI*\"."
    },
    {
        ERR_PAYMENT_MISSING_DID_KEY,
        "Payment missing District Key \"DID*\"."
    },
    {
        ERR_PAYMENT_MISSING_HAM_KEY,
        "Payment missing Amount key \"HAM*\"."
    },
    {
        ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
        "Stock Level; missing Threshold key
        \"TT*\"."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_INVALID,
        "Stock Level; Threshold value must be in
        the range = 1 - 99."
    },
    {
        ERR_STOCKLEVEL_THRESHOLD_RANGE,
        "Stock Level Threshold out of
        range, range must be 1 - 99."
    },
    {
        ERR_VERSION_MISMATCH,
        "Invalid version field. RTE and Web Client
        are probably out of sync."
    },
    {
        ERR_W_ID_INVALID,
        "Invalid Warehouse ID."
    },
    {
        0,
        ""
    },
};
char szTmp[256];
int i = 0;
while (TRUE)
{
    if (errorMsgs[i].szMsg[0] == 0)
    {
        strcpy( szTmp, "Unknown
        error number." );
        break;
    }
    if (m_Error ==
    errorMsgs[i].iError)
    {

```

```

        strcpy( szTmp,
errorMsgs[i].szMsg );
        break;
    }
    i++;
}
if (m_szTextDetail)
    strcat( szTmp, m_szTextDetail );
if (m_SystemErr)
    sprintf( szTmp+strlen(szTmp), "
Error=%d", m_SystemErr );

m_szErrorText = new char[strlen(szTmp)+1];
strcpy( m_szErrorText, szTmp );
return m_szErrorText;
}

/* FUNCTION: GetKeyValue
 *
 * PURPOSE:      This function parses a http
formatted string for specific key values.
 *
 * ARGUMENTS:   char
                *pQueryString      http string from client
browser
                char
                *pKey              key
value to look for
                char
                *pValue            character array into which to place key's
value
                int
                iMax              maximum length of key value array.
                WEBERROR
                err               error value to throw
 *
 * RETURNS:     nothing.
 *
 * ERROR:       if (the pKey value is not found)
then
                if
(err == 0)
                return (empty string)
                else
                throw CWEBCLNT_ERR(err)
 *
 * COMMENTS:    http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
                TPC-C input
fields in such a manner that the keys can be
extracted in the
                above manner.
 */

```

```

void GetKeyValue(char **pQueryString, char *pKey,
char *pValue, int iMax, WEBERROR err)
{
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorExit;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorExit;
    ptr++;

    iMax--; // one position is for terminating
null
while( *ptr && *ptr != '&' && iMax)
{
    *pValue++ = *ptr++;
    iMax--;
}
*pValue = 0; // terminating null
*pQueryString = ptr;
return;

ErrorExit:
if (err != NO_ERR)
    throw new CWEBCLNT_ERR( err );
*pValue = 0; // return empty result string
}

/* FUNCTION: GetIntKeyValue
 *
 * PURPOSE:      This function parses a http
formatted string for a specific key value.
 *
 * ARGUMENTS:   char
                *pQueryString      http string from client
browser
                char
                *pKey              key
value to look for
                WEBERROR
                NoKeyErr          error value to throw if
key not found
                WEBERROR
                NotIntErr        error value to throw if
value not numeric
 *
 * RETURNS:     integer
 *
 * ERROR:       if (the pKey value is not found)
then
                if
(NoKeyErr != NO_ERR)
                throw CWEBCLNT_ERR(err)
                else
                return 0
                else if (non-
numeric char found) then

```

```

 *
 * (NotIntErr != NO_ERR) then
 *
 *     throw CWEBCLNT_ERR(err)
 *
 *     else
 *
 *     return 0
 *
 * COMMENTS:    http keys are formatted either
KEY=value& or KEY=value\0. This DLL formats
                TPC-C input
fields in such a manner that the keys can be
extracted in the
                above manner.
 */

int GetIntKeyValue(char **pQueryString, char *pKey,
WEBERROR NoKeyErr, WEBERROR NotIntErr)
{
    char *ptr0;
    char *ptr;

    if ( !(ptr=strstr(*pQueryString, pKey)) )
        goto ErrorNoKey;
    ptr += strlen(pKey);
    if ( *ptr != '=' )
        goto ErrorNoKey;
    ptr++;

    ptr0 = ptr; // remember
starting point
// scan string until a terminator (null or
&) or a non-digit
while( *ptr && *ptr != '&' && isdigit(*ptr)
)
    ptr++;

// make sure we stopped scanning for the
right reason
if ((ptr0 == ptr) || (*ptr && *ptr != '&'))
{
    if (NotIntErr != NO_ERR)
        throw new CWEBCLNT_ERR(
NoKeyErr );
    return 0;
}

*pQueryString = ptr;
return atoi(ptr0);

ErrorNoKey:
if (NoKeyErr != NO_ERR)
    throw new CWEBCLNT_ERR( NoKeyErr
);
return 0;
}

/* FUNCTION: TermInit
 *
 * PURPOSE:      This function initializes the
client terminal structure; it is called when the
TPCC.DLL

```

```

*                               is first loaded by the
inet service.
*
*/
void TermInit(void)
{
    EnterCriticalSection(&TermCriticalSection);

    Term.iMasterSyncId = 1;
    Term.iNumEntries =
Reg.dwMaxConnections+1;

    Term.pClientData = NULL;
    Term.pClientData =
(PCLIENTDATA)malloc(Term.iNumEntries *
sizeof(CLIENTDATA));
    if (Term.pClientData == NULL)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR(
ERR_MEM_ALLOC_FAILED );
    }

    ZeroMemory( Term.pClientData,
Term.iNumEntries * sizeof(CLIENTDATA) );

    Term.iFreeList =
Term.iNumEntries-1;
    // build free list
    // note: Term.pClientData[0].iNextFree gets
set to -1, which marks it as "in use".
    // This is intentional, as the zero
entry is used as an anchor and never
    // allocated as an actual
terminal.
    for(int i=0; i<Term.iNumEntries; i++)
        Term.pClientData[i].iNextFree =
i-1;

    LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermDeleteAll
*
* PURPOSE: This function frees allocated
resources associated with the terminal structure.
*
* ARGUMENTS: none
*
* RETURNS: None
*
* COMMENTS: This function is called only when
the inet service unloads the TPCC.DLL
*
*/
void TermDeleteAll(void)
{
    EnterCriticalSection(&TermCriticalSection);

    for(int i=1; i<Term.iNumEntries; i++)

```

```

{
    if (Term.pClientData[i].iNextFree
== -1)
        delete
Term.pClientData[i].pTxn;
}

    Term.iFreeList = 0;
    Term.iNumEntries = 0;
    if ( Term.pClientData )
        free(Term.pClientData);
    Term.pClientData = NULL;

    LeaveCriticalSection(&TermCriticalSection);
}

/* FUNCTION: TermAdd
*
* PURPOSE: This function assigns a terminal
id which is used to identify a client browser.
*
* RETURNS: int
          assigned terminal id
*
*/
int TermAdd(void)
{
    DWORD i;
    int iNewTerm, iTickCount;

    if (Term.iNumEntries == 0)
        return -1;

    EnterCriticalSection(&TermCriticalSection);
    if (Term.iFreeList != 0)
    {
        // position is available
        iNewTerm = Term.iFreeList;
        Term.iFreeList =
Term.pClientData[iNewTerm].iNextFree;

        Term.pClientData[iNewTerm].iNextFree = -1;
        // indicates this position is in use
    }
    else
    {
        // no open slots, so find the
slot that hasn't been used in the longest time and
reuse it
        for(iNewTerm=1, i=1,
iTickCount=0x7FFFFFFF; i<Reg.dwMaxConnections; i++)
        {
            if (iTickCount >
Term.pClientData[i].iTickCount)
            {
                iTickCount =
Term.pClientData[i].iTickCount;
                iNewTerm = i;
            }
        }
        // if oldest term is less than
one minute old, it probably means that more
connections

```

```

// are being attempted than were
specified as "Max Connections" at install. In this
case,
// do not bump existing
connection; instead, return error to requester.
    if ((GetTickCount() - iTickCount)
< 60000)
    {
        LeaveCriticalSection(&TermCriticalSection);
        throw new CWEBCLNT_ERR(
ERR_MAX_CONNECTIONS_EXCEEDED );
    }

    Term.pClientData[iNewTerm].iTickCount =
GetTickCount();
    Term.pClientData[iNewTerm].iSyncId =
Term.iMasterSyncId++;
    Term.pClientData[iNewTerm].pTxn = NULL;

    LeaveCriticalSection(&TermCriticalSection);
    return iNewTerm;
}

/* FUNCTION: TermDelete
*
* PURPOSE: This function makes a terminal
entry in the Term array available for reuse.
*
* ARGUMENTS: int id
            Terminal id of client exiting
*
*/
void TermDelete(int id)
{
    if ( id > 0 && id < Term.iNumEntries )
    {
        delete Term.pClientData[id].pTxn;
        // put onto free list

        EnterCriticalSection(&TermCriticalSection);
        Term.pClientData[id].iNextFree =
Term.iFreeList;
        Term.iFreeList = id;

        LeaveCriticalSection(&TermCriticalSection);
    }
}

/* FUNCTION: MakeErrorForm
*
*/
void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer )
{

```

```

wsprintf(szBuffer,
"HTML><HEAD><TITLE>TPC-C
Error</TITLE></HEAD><BODY>
"FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">
"INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">
"INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"%d\">
"INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">
"INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">
"INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">
<BOLD>An Error
Occurred</BOLD><BR><BR>
"\"s
<BR><BR><HR>
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">
</FORM></BODY></HTML>
, iType, iErrorNum,
MAIN_MENU_FORM, iTermId, iSyncId, szErrorText );
}

/* FUNCTION: MakeMainMenuForm
*/

void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm)
{
wsprintf(szForm,
"HTML><HEAD><TITLE>TPC-C Main
Menu</TITLE></HEAD><BODY>
\"Select Desired
Transaction.<BR><HR>
\"FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">
"INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">
"INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">
"INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">
"INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">
"INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">

```

```

"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">
</FORM></BODY></HTML>
, MAIN_MENU_FORM, iTermId,
iSyncId);
}

/* FUNCTION: MakeStockLevelForm
*
* PURPOSE: This function constructs the
Stock Level HTML page.
*
* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
* be freed
except when the client terminal id is no longer
needed.
*/

void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm)
{
int c;

c = wsprintf(szForm,
"HTML><HEAD><TITLE>TPC-C Stock
Level</TITLE></HEAD><FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">
"INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">
"INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">
"INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">
"INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">
"INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">
<PRE><font face=\"Courier\">
Stock-Level<BR>
\"Warehouse: %6.6d District:
%2.2d<BR> <BR>,
STOCK_LEVEL_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id,
Term.pClientData[iTermId].d_id);

if ( bInput )
{
strcpy(szForm+c,
\"Stock Level Threshold:
<INPUT NAME=\"TT*\" SIZE=2><BR> <BR>
\"low stock:
</font><BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR>

```

```

<BR> <BR> <BR> <BR> <BR>
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">
</FORM></HTML>
);
else
{
wsprintf(szForm+c,
\"Stock Level Threshold:
%2.2d<BR> <BR>
\"low stock:
%3.3d</font> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR></PRE><HR>
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">
"INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">
</FORM></HTML>
, pStockLevelData-
>threshold, pStockLevelData->low_stock);
}

/* FUNCTION: MakeNewOrderForm
*
* COMMENTS: The internal client buffer is
created when the terminal id is assigned and should
not
* be freed
except when the client terminal id is no longer
needed.
*/

void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm)
{
int i, c;
BOOL bValid;
static char szBR[] = \" <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR> <BR>";

if (!bInput)
assert( pNewOrderData-
>exec_status_code == eOK || pNewOrderData-
>exec_status_code == eInvalidItem );

bValid = (bInput || (pNewOrderData-
>exec_status_code == eOK));

```

```

        c = sprintf(szForm,
            " <HTML><HEAD><TITLE>TPC-C New
Order</TITLE></HEAD><BODY>"
            " <FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
            " <INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">"
            " <INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
            " <INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
            " <INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
            " <INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">"
            " <PRE><font face=\"Courier\">
New Order<BR>"
            " , bValid ? 0 : ERR_BAD_ITEM_ID,
NEW_ORDER_FORM, iTermId,
Term.pClientData[iTermId].iSyncId);

        if ( bInput )
        {
            c += sprintf(szForm+c,
"Warehouse: %6.6d ", Term.pClientData[iTermId].w_id
);

            strcpy( szForm+c,
                "District: <INPUT
NAME=\"DID*\" SIZE=1>
Date:<BR>"
                "Customer: <INPUT
NAME=\"CID*\" SIZE=4> Name:
Credit: %8.2f Disc:<BR>"
                "Order Number:
Number of Lines: W_tax: D_tax:<BR>
<BR>"
                " Supp_W Item_Id Item
Name Qty Stock B/G Price
Amount<BR>"
                " <INPUT
NAME=\"SP00*\" SIZE=4> <INPUT NAME=\"IID00*\"
SIZE=6> <INPUT
NAME=\"Qty00*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP01*\" SIZE=4> <INPUT NAME=\"IID01*\"
SIZE=6> <INPUT
NAME=\"Qty01*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP02*\" SIZE=4> <INPUT NAME=\"IID02*\"
SIZE=6> <INPUT
NAME=\"Qty02*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP03*\" SIZE=4> <INPUT NAME=\"IID03*\"
SIZE=6> <INPUT
NAME=\"Qty03*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP04*\" SIZE=4> <INPUT NAME=\"IID04*\"
SIZE=6> <INPUT
NAME=\"Qty04*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP05*\" SIZE=4> <INPUT NAME=\"IID05*\"

```

```

SIZE=6> <INPUT
NAME=\"Qty05*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP06*\" SIZE=4> <INPUT NAME=\"IID06*\"
SIZE=6> <INPUT
NAME=\"Qty06*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP07*\" SIZE=4> <INPUT NAME=\"IID07*\"
SIZE=6> <INPUT
NAME=\"Qty07*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP08*\" SIZE=4> <INPUT NAME=\"IID08*\"
SIZE=6> <INPUT
NAME=\"Qty08*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP09*\" SIZE=4> <INPUT NAME=\"IID09*\"
SIZE=6> <INPUT
NAME=\"Qty09*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP10*\" SIZE=4> <INPUT NAME=\"IID10*\"
SIZE=6> <INPUT
NAME=\"Qty10*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP11*\" SIZE=4> <INPUT NAME=\"IID11*\"
SIZE=6> <INPUT
NAME=\"Qty11*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP12*\" SIZE=4> <INPUT NAME=\"IID12*\"
SIZE=6> <INPUT
NAME=\"Qty12*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP13*\" SIZE=4> <INPUT NAME=\"IID13*\"
SIZE=6> <INPUT
NAME=\"Qty13*\" SIZE=1><BR>"
                " <INPUT
NAME=\"SP14*\" SIZE=4> <INPUT NAME=\"IID14*\"
SIZE=6> <INPUT
NAME=\"Qty14*\" SIZE=1><BR>"
                "Execution Status:
Total:<BR>"
                " </font></PRE><HR>"
                " <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">"
                " <INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
                " </FORM></HTML>"
            );
        }
        else
        {
            c += sprintf(szForm+c,
"Warehouse: %6.6d District: %2.2d
Date: ",
                pNewOrderData->w_id,
                pNewOrderData->d_id);

            if ( bValid )
            {
                c += sprintf(szForm+c,
"%2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
                pNewOrderData->o_entry_d.day,

```

```

                pNewOrderData->o_entry_d.month,
                pNewOrderData->o_entry_d.year,
                pNewOrderData->o_entry_d.hour,
                pNewOrderData->o_entry_d.minute,
                pNewOrderData->o_entry_d.second);
            }
            c += sprintf(szForm+c,
"<BR>Customer: %4.4d Name: %-16s Credit: %-2s
",
                pNewOrderData->c_id,
                pNewOrderData->c_last, pNewOrderData->c_credit);
            if ( bValid )
            {
                c += sprintf(szForm+c,
                "%Disc: %5.2f <BR>"
                "Order Number: %8.8d Number of Lines:
                W_tax: %5.2f D_tax: %5.2f <BR> <BR>"
                " Supp_W Item_Id Item Name
                B/G Price Amount<BR>",
                100.0*pNewOrderData->c_discount,
                pNewOrderData->o_id,
                pNewOrderData->o_ol_cnt,
                100.0 *
                pNewOrderData->w_tax,
                100.0 *
                pNewOrderData->d_tax);
            for(i=0;
            i<pNewOrderData->o_ol_cnt; i++)
            {
                c +=
                sprintf(szForm+c, "%6.6d %6.6d %-24s %2.2d
                %3.3d %1.1s %$6.2f %$7.2f <BR>",
                pNewOrderData->OL[i].ol_supply_w_id,
                pNewOrderData->OL[i].ol_i_id,
                pNewOrderData->OL[i].ol_i_name,
                pNewOrderData->OL[i].ol_quantity,
                pNewOrderData->OL[i].ol_stock,
                pNewOrderData->OL[i].ol_brand_generic,
                pNewOrderData->OL[i].ol_i_price,
                pNewOrderData->OL[i].ol_amount );
            }

```

```

    }
    else
    {
        c += sprintf(szForm+c,
                    "%Disc:<BR>"
                    "Order
Number: %8.8d Number of Lines:      W_tax:
D_tax:<BR> <BR>"
                    " Supp_W
Item_Id Item Name      Qty Stock B/G
Price  Amount<BR>"
                    ,
                    pNewOrderData->o_id);

        i = 0;
    }
    strncpy( szForm+c, szBR, (15-i)*5
);
    c += (15-i)*5;

    if ( bValid )
        c += sprintf(szForm+c,
                    "Execution Status: Transaction committed.
Total:  $%8.2f  ",
                    pNewOrderData->total_amount);
    else
        c += sprintf(szForm+c,
                    "Execution Status: Item number is not valid.
Total:");

    strcpy(szForm+c,
          "
<BR></font></PRE><HR>"
          "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">"
          "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">"
          "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">"
          "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">"
          "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">"
          "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">"
          "</FORM></HTML>"
          );
}

/* FUNCTION: MakePaymentForm
*
* COMMENTS:      The internal client buffer is
created when the terminal id is assigned and should
not
*                be freed
except when the client terminal id is no longer
needed.
*/

```

```

void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm)
{
    int c;

    c = sprintf(szForm,
                "<HTML><HEAD><TITLE>TPC-C
Payment</TITLE></HEAD><BODY>"
                "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"TERMIN\" VALUE=\"%d\">"
                "<INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
                "<PRE><font face=\"Courier\">"
                "Payment<BR>"
                "Date: "
                , PAYMENT_FORM, iTermId,
                Term.pClientData[iTermId].iSyncId);

    if ( !bInput )
    {
        c += sprintf(szForm+c, "%2.2d-
%2.2d-%4.4d %2.2d:%2.2d:%2.2d",
                    pPaymentData-
>h_date.day,
                    pPaymentData-
>h_date.month,
                    pPaymentData-
>h_date.year,
                    pPaymentData-
>h_date.hour,
                    pPaymentData-
>h_date.minute,
                    pPaymentData-
>h_date.second);

        if ( bInput )
        {
            c += sprintf(szForm+c,
                        "<BR> <BR>Warehouse:
%6.6d"
                        "
District: <INPUT NAME=\"DID\" SIZE=1><BR> <BR> <BR>
<BR> <BR>"
                        "Customer: <INPUT
NAME=\"CID\" SIZE=4>"
                        "Cust-Warehouse: <INPUT
NAME=\"CWI\" SIZE=4> "
                        "Cust-District: <INPUT
NAME=\"CDI\" SIZE=1><BR>"
                        "Name:
<INPUT NAME=\"CLT\" SIZE=16>
Since:<BR>"
                        "
Credit:<BR>"

```

```

"
Disc:<BR>"
"
Phone:<BR> <BR>"
"Amount Paid:
$<INPUT NAME=\"HAM\" SIZE=7>      New Cust-
Balance:<BR>"
"Credit Limit:<BR>
<BR>Cust-Data: <BR> <BR> <BR>
<BR></font></PRE><HR>"
"
"
NAME=\"CMD\" VALUE=\"Process\"><INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">"
"</BODY></FORM></HTML>"

Term.pClientData[iTermId].w_id);
}
else
{
    c += sprintf(szForm+c,
                "<BR> <BR>Warehouse:
%6.6d      District: %2.2d<BR>"
                "%-20s      %-20s
%-20s<BR>"
                "%-20s      %-20s
%-20s %-2s %5.5s-%4.4s<BR> <BR>"
                "Customer: %4.4d Cust-
Warehouse: %6.6d Cust-District: %2.2d<BR>"
                "Name: %-16s %-2s %-
16s Since: %2.2d-%2.2d-%4.4d<BR>"
                "      %-20s
Credit: %-2s<BR>"
                ,
                Term.pClientData[iTermId].w_id, pPaymentData->d_id
                , pPaymentData-
>w_street_1, pPaymentData->d_street_1
                , pPaymentData-
>w_street_2, pPaymentData->d_street_2
                , pPaymentData->w_city,
                pPaymentData->w_state, pPaymentData->w_zip,
                pPaymentData->w_zip+5
                , pPaymentData->d_city,
                pPaymentData->d_state, pPaymentData->d_zip,
                pPaymentData->d_zip+5
                , pPaymentData->c_id,
                pPaymentData->c_id
                , pPaymentData-
>c_first, pPaymentData->c_middle, pPaymentData-
>c_last
                , pPaymentData-
>c_since.day, pPaymentData->c_since.month,
                pPaymentData->c_since.year
                , pPaymentData-
>c_street_1, pPaymentData->c_credit
                );

    c += sprintf(szForm+c,
                "      %-20s
%%Disc:  %5.2f<BR>",

```

```

        pPaymentData-
>c_street_2, 100.0*pPaymentData->c_discount);
        c += sprintf(szForm+c,
                    "          %-20s %-2s
%5.5s-%4.4s      Phone: %6.6s-%3.3s-%3.3s-%4.4s<BR>
<BR>",
                    pPaymentData->c_city,
pPaymentData->c_state, pPaymentData->c_zip,
pPaymentData->c_zip+5,
                    pPaymentData->c_phone,
pPaymentData->c_phone+6, pPaymentData->c_phone+9,
pPaymentData->c_phone+12 );
        c += sprintf(szForm+c,
                    "Amount Paid:
$$$7.2f      New Cust-Balance: $$$14.2f<BR>"
                    "Credit Limit:
$$$13.2f<BR> <BR>"
                    , pPaymentData-
>h_amount, pPaymentData->c_balance
                    , pPaymentData-
>c_credit_lim
                    );
        if ( pPaymentData->c_credit[0] ==
'B' && pPaymentData->c_credit[1] == 'C' )
            c += sprintf(szForm+c,
                "Cust-Data: %5.50s<BR>          %-
50.50s<BR>          %5.50s<BR>          %-
50.50s<BR>",
                pPaymentData->c_data, pPaymentData-
>c_data+50, pPaymentData->c_data+100, pPaymentData-
>c_data+150 );
            else
                strcpy(szForm+c, "Cust-
Data: <BR> <BR> <BR> <BR>");
                strcat(szForm,
                    "
<BR></font></PRE><HR>"
                    " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..NewOrder..\">"
                    " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Payment..\">"
                    " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Delivery..\">"
                    " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Order-Status..\">"
                    " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Stock-Level..\">"
                    " <INPUT TYPE=\"submit\" NAME=\"CMD\"
VALUE=\"..Exit..\">"
                    " </BODY></FORM></HTML>");
            }

```

```

}
/* FUNCTION: MakeOrderStatusForm
 *
 * COMMENTS:      The internal client buffer is
created when the terminal id is assigned and should
not
 *
 *                be freed
except when the client terminal id is no longer
needed.
 */
void MakeOrderStatusForm(int iTermId,
ORDER_STATUS_DATA *pOrderStatusData, BOOL bInput,
char *szForm)
{
    int i, c;
    static char szBR[] = " <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR> <BR>
<BR>";
    c = sprintf(szForm,
                " <HTML><HEAD><TITLE>TPC-C Order-
Status</TITLE></HEAD><BODY>"
                " <FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">"
                " <INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"0\">"
                " <INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">"
                " <INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">"
                " <INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">"
                " <INPUT TYPE=\"hidden\"
NAME=\"SYCID\" VALUE=\"%d\">"
                " <PRE><font face=\"Courier\">
Order-Status<BR>"
                " Warehouse: %6.6d ",
                ORDER_STATUS_FORM, iTermId,
                Term.pClientData[iTermId].iSyncId,
                Term.pClientData[iTermId].w_id);
    if ( bInput )
    {
        strcpy(szForm+c,
            "District: <INPUT
NAME=\"DID*\" SIZE=1><BR>"
            "Customer: <INPUT
NAME=\"CID*\" SIZE=4> Name:
<INPUT NAME=\"CLT*\" SIZE=23><BR>"
            "Cust-Balance:<BR>
"
            "Order-Number:
Carrier-
"
            "Supply-W      Item-Id
Entry-Date:      Delivery-Date<BR> <BR> <BR>
Number:<BR>
Qty      Amount      Delivery-Date<BR> <BR> <BR>
"
            " <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> <BR> <BR></font></PRE>"
        );
    }
}

```

```

" <HR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Process\"><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"Menu\">"
" </BODY></FORM></HTML>"
);
}
else
{
    c += sprintf(szForm+c,
                "District: %2.2d<BR>"
                "Customer: %4.4d
Name: %16s %-2s %-16s<BR>",
                pOrderStatusData->d_id,
pOrderStatusData->c_id,
                pOrderStatusData-
>c_first, pOrderStatusData->c_middle,
pOrderStatusData->c_last);
    c += sprintf(szForm+c, "Cust-
Balance: $$$9.2f<BR> <BR>",
                pOrderStatusData-
>c_balance);
    c += sprintf(szForm+c,
                "Order-Number: %8.8d
Entry-Date: %2.2d-%2.2d-%4.4d %2.2d:%2.2d:%2.2d
Carrier-Number: %2.2d<BR>"
                "Supply-W      Item-Id
Qty      Amount      Delivery-Date<BR> ",
                pOrderStatusData->o_id,
pOrderStatusData-
>o_entry_d.day,
                pOrderStatusData-
>o_entry_d.month,
                pOrderStatusData-
>o_entry_d.year,
                pOrderStatusData-
>o_entry_d.hour,
                pOrderStatusData-
>o_entry_d.minute,
                pOrderStatusData-
>o_entry_d.second,
                pOrderStatusData-
>o_carrier_id);
    for(i=0; i< pOrderStatusData-
>o_ol_cnt; i++)
    {
        c += sprintf(szForm+c,
            " %6.6d %6.6d %2.2d %8.2f %2.2d-
%2.2d-%4.4d<BR>",
            pOrderStatusData->OL[i].ol_supply_w_id,
            pOrderStatusData->OL[i].ol_i_id,
            pOrderStatusData->OL[i].ol_quantity,
            pOrderStatusData->OL[i].ol_amount,
            pOrderStatusData->OL[i].ol_delivery_d.day,
        );
    }
}

```

```

        pOrderStatusData-
>OL[i].ol_delivery_d.month,
        pOrderStatusData-
>OL[i].ol_delivery_d.year);
    }
    strncpy( szForm+c, szBR, (15-i)*5
);
    c += (15-i)*5;
    strcpy(szForm+c,
        "</font></PRE><HR><INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..NewOrder..\">\"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">\"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">\"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">\"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">\"
        "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">\"
        "</BODY></FORM></HTML>\"
);
    }
}
/* FUNCTION: MakeDeliveryForm
*
* COMMENTS:      The internal client buffer is
created when the terminal id is assigned and should
not
*                be freed
except when the client terminal id is no longer
needed.
*/
void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm)
{
    int    c;
    c = sprintf(szForm,
        "<HTML><HEAD><TITLE>TPC-C
Delivery</TITLE></HEAD><BODY>\"
        "<FORM ACTION=\"tpcc.dll\"
METHOD=\"GET\">\"
        "<INPUT TYPE=\"hidden\"
NAME=\"STATUSID\" VALUE=\"%d\">\"
        "<INPUT TYPE=\"hidden\"
NAME=\"ERROR\" VALUE=\"0\">\"
        "<INPUT TYPE=\"hidden\"
NAME=\"FORMID\" VALUE=\"%d\">\"
        "<INPUT TYPE=\"hidden\"
NAME=\"TERMINID\" VALUE=\"%d\">\"
        "<INPUT TYPE=\"hidden\"
NAME=\"SYNCID\" VALUE=\"%d\">\"
        "<PRE><font face=\"Courier\">
Delivery<BR>\"

```

```

        "Warehouse: %6.6d<BR> <BR>\",
        (!bInput && (pDeliveryData-
>exec_status_code != eOK)) ? ERR_TYPE_DELIVERY_POST :
0,
        DELIVERY_FORM, iTermId,
Term.pClientData[iTermId].iSyncId,
Term.pClientData[iTermId].w_id);
    if ( bInput )
    {
        strcpy( szForm+c,
            "Carrier Number: <INPUT
NAME=\"OCD*\" SIZE=1<><BR> <BR>\"
            "Execution Status: <BR>
<BR> <BR> <BR> <BR> <BR> <BR>\"
            " <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> </font></PRE><HR>\"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Process\">\"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"Menu\">\"
            "</BODY></FORM></HTML>\"
        );
    }
    else
    {
        sprintf( szForm+c,
            "Carrier Number:
%2.2d<BR> <BR>\"
            "Execution Status: %s
<BR> <BR> <BR> <BR> <BR> <BR>\"
            " <BR> <BR> <BR> <BR>
<BR> <BR> <BR> <BR> </font></PRE>\"
            "<CHR><INPUT
TYPE=\"submit\" NAME=\"CMD\" VALUE=\"..NewOrder..\">\"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Payment..\">\"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Delivery..\">\"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Order-Status..\">\"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Stock-Level..\">\"
            "<INPUT TYPE=\"submit\"
NAME=\"CMD\" VALUE=\"..Exit..\">\"
            "</BODY></FORM></HTML>\"
        ), pDeliveryData-
>o_carrier_id,
        (pDeliveryData-
>exec_status_code == eOK) ? "Delivery has been
queued." : "Delivery Post Failed
";
    }
}
/* FUNCTION: ProcessNewOrderForm
*
* PURPOSE:      This function gets and validates
the input data from the new order form
*                filling in the required
input variables. it then calls the SQLNewOrder

```

```

*                transaction, constructs
the output form and writes it back to client
*                browser.
*/
void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    PNEW_ORDER_DATA    pNewOrder;
    pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();
    ZeroMemory(pNewOrder,
sizeof(NEW_ORDER_DATA));
    pNewOrder->w_id =
Term.pClientData[iTermId].w_id;
    GetNewOrderData(pECB->lpszQueryString,
pNewOrder);
    Term.pClientData[iTermId].pTxn->NewOrder();
    pNewOrder = Term.pClientData[iTermId].pTxn-
>BuffAddr_NewOrder();
    MakeNewOrderForm(iTermId, pNewOrder,
OUTPUT_FORM, szBuffer );
}
/* FUNCTION: void ProcessPaymentForm
*
* PURPOSE:      This function gets and validates
the input data from the payment form
*                filling in the required
input variables. It then calls the SQLPayment
transaction, constructs
the output form and writes it back to client
browser.
*
* ARGUMENTS:    EXTENSION_CONTROL_BLOCK
                *pECB    passed in structure pointer from
inetsrv.
                int
                iTermId  client browser terminal id
*/
void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    PPAYMENT_DATA    pPayment;
    pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
    ZeroMemory(pPayment, sizeof(PAYMENT_DATA));
    pPayment->w_id =
Term.pClientData[iTermId].w_id;
    GetPaymentData(pECB->lpszQueryString,
pPayment);
    Term.pClientData[iTermId].pTxn->Payment();

```



```

        pPayment = Term.pClientData[iTermId].pTxn-
>BuffAddr_Payment();
        MakePaymentForm(iTermId, pPayment,
OUTPUT_FORM, szBuffer);
    }

/* FUNCTION: ProcessOrderStatusForm
 *
 * PURPOSE:      This function gets and validates
the input data from the Order Status
 *              form filling in the
required input variables. It then calls the
 *              SQLOrderStatus
transaction, constructs the output form and writes it
 *              back to client browser.
 *
 * ARGUMENTS:    EXTENSION_CONTROL_BLOCK
 *pECB          passed in structure pointer from
inetsrv.
 *              int
 *              iTermId  client browser terminal id
 */

void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    PORDER_STATUS_DATA  pOrderStatus;

    pOrderStatus =
Term.pClientData[iTermId].pTxn-
>BuffAddr_OrderStatus();
    ZeroMemory(pOrderStatus,
sizeof(ORDER_STATUS_DATA));
    pOrderStatus->w_id =
Term.pClientData[iTermId].w_id;
    GetOrderStatusData(pECB->lpszQueryString,
pOrderStatus);

    Term.pClientData[iTermId].pTxn-
>OrderStatus();

    pOrderStatus =
Term.pClientData[iTermId].pTxn-
>BuffAddr_OrderStatus();
    MakeOrderStatusForm(iTermId, pOrderStatus,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessDeliveryForm
 *
 * PURPOSE:      This function gets and validates
the input data from the delivery form
 *              filling in the required
input variables. It then calls the PostDeliveryInfo
 *              Api, The client is then
informed that the transaction has been posted.
 *
 * ARGUMENTS:    EXTENSION_CONTROL_BLOCK
 *pECB          passed in structure pointer from
inetsrv.

```

```

 *              int
 *              iTermId  client browser terminal id
 */

void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    char          *ptr = pECB->lpszQueryString;
    PDELIVERY_DATA  pDelivery;

    pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
    ZeroMemory(pDelivery,
sizeof(DELIVERY_DATA));
    pDelivery->w_id =
Term.pClientData[iTermId].w_id;

    pDelivery->o_carrier_id =
GetIntKeyValue(&ptr, "OCD*",
ERR_DELIVERY_MISSING_OCD_KEY,
ERR_DELIVERY_CARRIER_INVALID);
    if ( pDelivery->o_carrier_id > 10 ||
pDelivery->o_carrier_id < 1 )
        throw new CWBCLNT_ERR(
ERR_DELIVERY_CARRIER_ID_RANGE );

    if (dwNumDeliveryThreads)
    {
        //post delivery info
        if ( PostDeliveryInfo(pDelivery-
>w_id, pDelivery->o_carrier_id ) )
            pDelivery-
>exec_status_code = eDeliveryFailed;
        else
            pDelivery-
>exec_status_code = eOK;
    }
    else // delivery is done synchronously if
no delivery threads configured
        Term.pClientData[iTermId].pTxn-
>Delivery();

    pDelivery = Term.pClientData[iTermId].pTxn-
>BuffAddr_Delivery();
    MakeDeliveryForm(iTermId, pDelivery,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: ProcessStockLevelForm
 *
 * PURPOSE:      This function gets and validates
the input data from the Stock Level
 *              form filling in the
required input variables. It then calls the
 *              SQLStockLevel
transaction, constructs the output form and writes it
 *              back to client browser.
 *

```

```

 * ARGUMENTS:    EXTENSION_CONTROL_BLOCK
 *pECB          passed in structure pointer from
inetsrv.
 *              int
 *              iTermId  client browser terminal id
 */

void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer)
{
    char          *ptr = pECB-
>lpszQueryString;
    PSTOCK_LEVEL_DATA  pStockLevel;

    pStockLevel =
Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
    ZeroMemory( pStockLevel,
sizeof(STOCK_LEVEL_DATA) );

    pStockLevel->w_id =
Term.pClientData[iTermId].w_id;
    pStockLevel->d_id =
Term.pClientData[iTermId].d_id;

    pStockLevel->threshold =
GetIntKeyValue(&ptr, "TT*",
ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID);
    if ( pStockLevel->threshold >= 100 ||
pStockLevel->threshold < 0 )
        throw new CWBCLNT_ERR(
ERR_STOCKLEVEL_THRESHOLD_RANGE );

    Term.pClientData[iTermId].pTxn-
>StockLevel();

    pStockLevel =
Term.pClientData[iTermId].pTxn-
>BuffAddr_StockLevel();
    MakeStockLevelForm(iTermId, pStockLevel,
OUTPUT_FORM, szBuffer);
}

/* FUNCTION: GetNewOrderData
 *
 * PURPOSE:      This function extracts and
validates the new order form data from an http
command string.
 *
 * ARGUMENTS:    LPSTR
 *lpszQueryString  client
browser http command string
 *
 *              NEW_ORDER_DATA  *pNewOrderData
 *              pointer to new order data structure
 */

```

```

void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData)
{
    char        szTmp[26];
    int         i;
    short      items;
    int         ol_i_id, ol_quantity;
    char        *ptr = lpszQueryString;

    static char szSP[MAX_OL_NEW_ORDER_ITEMS][6]
=
    { "SP00*", "SP01*", "SP02*",
"SP03*", "SP04*",
"SP05*", "SP06*", "SP07*",
"SP08*", "SP09*",
"SP10*", "SP11*", "SP12*",
"SP13*", "SP14*" };
    static char
szIID[MAX_OL_NEW_ORDER_ITEMS][7] =
    { "IID00*", "IID01*", "IID02*",
"IID03*", "IID04*",
"IID05*", "IID06*", "IID07*",
"IID08*", "IID09*",
"IID10*", "IID11*", "IID12*",
"IID13*", "IID14*" };
    static char
szQty[MAX_OL_NEW_ORDER_ITEMS][7] =
    { "Qty00*", "Qty01*", "Qty02*",
"Qty03*", "Qty04*",
"Qty05*", "Qty06*", "Qty07*",
"Qty08*", "Qty09*",
"Qty10*", "Qty11*", "Qty12*",
"Qty13*", "Qty14*" };

    pNewOrderData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_NEWORDER_FORM_MISSING_DID,
ERR_NEWORDER_DISTRICT_INVALID);
    pNewOrderData->c_id = GetIntKeyValue(&ptr,
"CID*", ERR_NEWORDER_CUSTOMER_KEY,
ERR_NEWORDER_CUSTOMER_INVALID);

    for(i=0, items=0; i<MAX_OL_NEW_ORDER_ITEMS;
i++)
    {
        GetKeyValue(&ptr, szSP[i], szTmp,
sizeof(szTmp), ERR_NEWORDER_MISSING_SUPPW_KEY);
        if ( szTmp[0] )
            if ( !IsNumeric(szTmp) )
                throw new
CWEBCLNT_ERR( ERR_NEWORDER_SUPPW_INVALID );
        pNewOrderData-
>OL[items].ol_supply_w_id = atoi(szTmp);

        ol_i_id =
pNewOrderData->OL[items].ol_i_id =
        GetIntKeyValue(&ptr, szIID[i],
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_ITEMID_INVALID);
        if ( ol_i_id > 999999
|| ol_i_id < 1 )

```

```

throw new
CWEBCLNT_ERR( ERR_NEWORDER_ITEMID_RANGE );

        ol_quantity =
pNewOrderData->OL[items].ol_quantity =
        GetIntKeyValue(&ptr, szQty[i],
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_QTY_INVALID);
        if ( ol_quantity > 99
|| ol_quantity < 1 )
            throw new
CWEBCLNT_ERR( ERR_NEWORDER_QTY_RANGE );

        items++;
    }
    else
    {
        // nothing entered for
supply warehouse, so item id and qty must also be
blank
        GetKeyValue(&ptr,
szIID[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_IID_KEY);
        if ( szTmp[0] )
            throw new
CWEBCLNT_ERR( ERR_NEWORDER_ITEMID_WITHOUT_SUPPW );

        GetKeyValue(&ptr,
szQty[i], szTmp, sizeof(szTmp),
ERR_NEWORDER_MISSING_QTY_KEY);
        if ( szTmp[0] )
            throw new
CWEBCLNT_ERR( ERR_NEWORDER_QTY_WITHOUT_SUPPW );
    }
    if ( items == 0 )
        throw new CWEBCLNT_ERR(
ERR_NEWORDER_NOITEMS_ENTERED );

    pNewOrderData->o_ol_cnt = items;
}

/* FUNCTION: GetPaymentData
*
* PURPOSE:      This function extracts and
validates the payment form data from an http command
string.
*
* ARGUMENTS:   LPSTR
                lpszQueryString      client
                browser http command string
                *pPaymentData        PAYMENT_DATA
                payment data structure pointer to
*/

void GetPaymentData(LPSTR lpszQueryString,
PAYMENT_DATA *pPaymentData)
{
    char        szTmp[26];
    char        *ptr = lpszQueryString;
    BOOL        bCustIdBlank;
    int         iLen;

```

```

        pPaymentData->d_id = GetIntKeyValue(&ptr,
"DID*", ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_DISTRICT_INVALID);

        GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CID_KEY);
        if ( szTmp[0] == 0 )
            {
                bCustIdBlank = TRUE;
                pPaymentData->c_id = 0;
            }
        else
            // parse customer id and verify
that last name was NOT entered
            bCustIdBlank = FALSE;
            if ( !IsNumeric(szTmp) )
                throw new CWEBCLNT_ERR(
ERR_PAYMENT_CUSTOMER_INVALID );
            pPaymentData->c_id = atoi(szTmp);
        }

        pPaymentData->c_w_id = GetIntKeyValue(&ptr,
"CWI*", ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_CWI_INVALID);
        pPaymentData->c_d_id = GetIntKeyValue(&ptr,
"CDI*", ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_CDI_INVALID);

        if ( bCustIdBlank )
            // customer id is blank, so last
name must be entered
            GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
            if ( szTmp[0] == 0 )
                throw new CWEBCLNT_ERR(
ERR_PAYMENT_MISSING_CID_CLT );

            _strupr( szTmp );
            if ( strlen(szTmp) >
LAST_NAME_LEN )
                throw new CWEBCLNT_ERR(
ERR_PAYMENT_LAST_NAME_TO_LONG );

            strcpy(pPaymentData->c_last,
szTmp);
            // pad with spaces so that the
client layer doesn't have to do it
            // before passing parameters to
stored procedure
            iLen = strlen(pPaymentData-
>c_last);
            memset(pPaymentData->c_last +
iLen, ' ', LAST_NAME_LEN - iLen);
            pPaymentData-
>c_last[LAST_NAME_LEN] = 0;
        }
        else
            // parse customer id and verify
that last name was NOT entered
            GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_CLT_KEY);
            if ( szTmp[0] != 0 )

```

```

throw new CWBCLNT_ERR(
ERR_PAYMENT_CID_AND_CLT );
}

GetKeyValue(&ptr, "HAM*", szTmp,
sizeof(szTmp), ERR_PAYMENT_MISSING_HAM_KEY);
if (!IsDecimal(szTmp))
throw new CWBCLNT_ERR(
ERR_PAYMENT_HAM_INVALID );
pPaymentData->h_amount = atof(szTmp);
if ( pPaymentData->h_amount >= 10000.00 ||
pPaymentData->h_amount < 0 )
throw new CWBCLNT_ERR(
ERR_PAYMENT_HAM_RANGE );
}

/* FUNCTION: GetOrderStatusData
*
* PURPOSE: This function extracts and
validates the payment form data from an http command
string.
*/
void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData)
{
char szTmp[26];
char *ptr = lpszQueryString;
int iLen;

pOrderStatusData->d_id =
GetIntKeyValue(&ptr, "DID*",
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_ORDERSTATUS_DID_INVALID);

GetKeyValue(&ptr, "CID*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CID_KEY);
if ( szTmp[0] == 0 )
{
// customer id is blank, so last
name must be entered
pOrderStatusData->c_id = 0;
GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
if ( szTmp[0] == 0 )
throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_MISSING_CID_CLT );

_strupr( szTmp );
if ( strlen(szTmp) >
LAST_NAME_LEN )
throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_CLT_RANGE );

strcpy(pOrderStatusData->c_last,
szTmp);
// pad with spaces so that the
client layer doesn't have to do it
// before passing parameters to
stored procedure
iLen = strlen(pOrderStatusData-
>c_last);
memset(pOrderStatusData->c_last +
iLen, ' ', LAST_NAME_LEN - iLen);

```

```

pOrderStatusData-
>c_last[LAST_NAME_LEN] = 0;
}
else
{
// parse customer id and verify
that last name was NOT entered
if ( !IsNumeric(szTmp) )
throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_CID_INVALID );
pOrderStatusData->c_id =
atoi(szTmp);
GetKeyValue(&ptr, "CLT*", szTmp,
sizeof(szTmp), ERR_ORDERSTATUS_MISSING_CLT_KEY);
if ( szTmp[0] != 0 )
throw new CWBCLNT_ERR(
ERR_ORDERSTATUS_CID_AND_CLT );
}
}

/* FUNCTION: BOOL IsNumeric(char *ptr)
*
* PURPOSE: This function determines if a
string is numeric. It fails if any characters other
than numeric and null
terminator are present.
*
* ARGUMENTS: char
*ptr pointer to string to check.
*
* RETURNS: BOOL FALSE if
string is not all numeric
TRUE if string contains only numeric
characters i.e. '0' - '9'
*/
BOOL IsNumeric(char *ptr)
{
if ( *ptr == 0 )
return FALSE;

while( *ptr && isdigit(*ptr) )
ptr++;
return ( !*ptr );
}

/* FUNCTION: BOOL IsDecimal(char *ptr)
*
* PURPOSE: This function determines if a
string is a non-negative decimal value.
*
* It fails if any characters other than a
series of numbers followed by
a decimal point,
another series of numbers, and a null terminator are
present.
*
* ARGUMENTS: char
*ptr pointer to string to check.
*
* RETURNS: BOOL FALSE if
string is not a valid non-negative decimal value

```

```

*
TRUE if string is OK
*/
BOOL IsDecimal(char *ptr)
{
char *dotp;
BOOL bValid;

if ( *ptr == 0 )
return FALSE;

// find decimal point
dotp = strchr( ptr, '.' );
if (dotp == NULL)
// no decimal point, so just
check for numeric
return IsNumeric(ptr);
*dotp = 0; // temporarily replace
decimal with a terminator

if ( *ptr != 0 )
bValid = IsNumeric(ptr);
// string starts with decimal point
else if (*(dotp+1) == 0)
return FALSE; // nothing but a
decimal point is bad
else
bValid = TRUE;

if (*(dotp+1) != 0)
// check text after decimal point
bValid &= IsNumeric(dotp+1);

*dotp = '.'; // replace decimal point
return bValid;
}

```

tpcc.def

LIBRARY TPCC.DLL

EXPORTS

```

GetExtensionVersion @1
HttpExtensionProc @2
TerminateExtension @3

```

tpcc.h

```

/* FILE: TPCC.H
*
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
*
* Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99

```

```

*
* PURPOSE: Header file for ISAPI TPCC.DLL,
defines structures and functions used in the isapi
tpcc.dll.
*/

//VERSION RESOURCE DEFINES
#define _APS_NEXT_RESOURCE_VALUE
    101
#define _APS_NEXT_COMMAND_VALUE
    40001
#define _APS_NEXT_CONTROL_VALUE
    1000
#define _APS_NEXT_SYMED_VALUE
    101

#define TP_MAX_RETRIES
    50

//note that the welcome form must be processed first
as terminal ids assigned here, once the
//terminal id is assigned then the forms can be
processed in any order.
#define WELCOME_FORM
    1
    //beginning form no term id assigned, form
id
#define MAIN_MENU_FORM
    2
    //term id assigned main menu form id
#define NEW_ORDER_FORM
    3
    //new order form id
#define PAYMENT_FORM
    4
    //payment form id
#define DELIVERY_FORM
    5
    //delivery form id
#define ORDER_STATUS_FORM
    6
    //order
status id
#define STOCK_LEVEL_FORM
    7
    //stock level
form id

//This macro is used to prevent the compiler error
unused formal parameter
#define UNUSEDPARAM(x) (x = x)

//This structure defines the data necessary to keep
distinct for each terminal or client connection.
typedef struct _CLIENTDATA
{
    int iNextFree;
    //index of
next free element or -1 if this entry in use.
    int w_id;
    //warehouse
id assigned at welcome form

```

```

    int d_id;
    //district id
assigned at welcome form

    int iSyncId;
    //synchronization id

    int iTickCount;
    //time of
last access;

    CTPCC_BASE *pTxn;

} CLIENTDATA, *PCLIENTDATA;

//This structure is used to define the operational
interface for terminal id support
typedef struct _TERM
{
    int iNumEntries;

    //total allocated terminal array entries
    int iFreeList;

    //next available terminal array element or
-1 if none
    int iMasterSyncId;
    //synchronization id
    CLIENTDATA *pClientData;
    //pointer to
allocated client data
} TERM;

typedef TERM *PTERM;
//pointer to
terminal structure type

enum WEBERROR
{
    NO_ERR,
    ERR_COMMAND_UNDEFINED,
    ERR_D_ID_INVALID,
    ERR_DELIVERY_CARRIER_ID_RANGE,
    ERR_DELIVERY_CARRIER_INVALID,
    ERR_DELIVERY_MISSING_OCD_KEY,
    ERR_DELIVERY_THREAD_FAILED,
    ERR_GETPROCADDR_FAILED,
    ERR_HTML_ILL_FORMED,
    ERR_INVALID_SYNC_CONNECTION,
    ERR_INVALID_TERMID,
    ERR_LOADDLL_FAILED,
    ERR_MAX_CONNECTIONS_EXCEEDED,
    ERR_MEM_ALLOC_FAILED,
    ERR_MISSING_REGISTRY_ENTRIES,
    ERR_NEWORDER_CUSTOMER_INVALID,
    ERR_NEWORDER_CUSTOMER_KEY,
    ERR_NEWORDER_DISTRICT_INVALID,
    ERR_NEWORDER_FORM_MISSING_DID,
    ERR_NEWORDER_ITEMID_INVALID,
    ERR_NEWORDER_ITEMID_RANGE,

```

```

ERR_NEWORDER_ITEMID_WITHOUT_SUPPW,
ERR_NEWORDER_MISSING_IID_KEY,
ERR_NEWORDER_MISSING_QTY_KEY,
ERR_NEWORDER_MISSING_SUPPW_KEY,
ERR_NEWORDER_NOITEMS_ENTERED,
ERR_NEWORDER_QTY_INVALID,
ERR_NEWORDER_QTY_RANGE,
ERR_NEWORDER_QTY_WITHOUT_SUPPW,
ERR_NEWORDER_SUPPW_INVALID,
ERR_NO_SERVER_SPECIFIED,
ERR_ORDERSTATUS_CID_AND_CLT,
ERR_ORDERSTATUS_CID_INVALID,
ERR_ORDERSTATUS_CLT_RANGE,
ERR_ORDERSTATUS_DID_INVALID,
ERR_ORDERSTATUS_MISSING_CID_CLT,
ERR_ORDERSTATUS_MISSING_CID_KEY,
ERR_ORDERSTATUS_MISSING_CLT_KEY,
ERR_ORDERSTATUS_MISSING_DID_KEY,
ERR_PAYMENT_CDI_INVALID,
ERR_PAYMENT_CID_AND_CLT,
ERR_PAYMENT_CUSTOMER_INVALID,
ERR_PAYMENT_CWI_INVALID,
ERR_PAYMENT_DISTRICT_INVALID,
ERR_PAYMENT_HAM_INVALID,
ERR_PAYMENT_HAM_RANGE,
ERR_PAYMENT_LAST_NAME_TO_LONG,
ERR_PAYMENT_MISSING_CDI_KEY,
ERR_PAYMENT_MISSING_CID_CLT,
ERR_PAYMENT_MISSING_CID_KEY,
ERR_PAYMENT_MISSING_CLT,
ERR_PAYMENT_MISSING_CLT_KEY,
ERR_PAYMENT_MISSING_CWI_KEY,
ERR_PAYMENT_MISSING_DID_KEY,
ERR_PAYMENT_MISSING_HAM_KEY,

ERR_STOCKLEVEL_MISSING_THRESHOLD_KEY,
ERR_STOCKLEVEL_THRESHOLD_INVALID,
ERR_STOCKLEVEL_THRESHOLD_RANGE,
ERR_VERSION_MISMATCH,
ERR_W_ID_INVALID
};

class CWEBCLNT_ERR : public CBaseErr
{
public:
    CWEBCLNT_ERR(WEBERROR Err)
    {
        m_Error = Err;
        m_szTextDetail = NULL;
        m_SystemErr = 0;
        m_szErrorText = NULL;
    };

    CWEBCLNT_ERR(WEBERROR Err, char
*szTextDetail, DWORD dwSystemErr)
    {
        m_Error = Err;
        m_szTextDetail = new
char[strlen(szTextDetail)+1];
        strcpy( m_szTextDetail,
szTextDetail );
    };
};

```

```

        m_SystemErr =
dwSystemErr;
        m_szErrorText = NULL;
    };
    ~CWEBCLNT_ERR()
    {
        if (m_szTextDetail !=
NULL)
            delete []
m_szTextDetail;
        if (m_szErrorText !=
NULL)
            delete []
m_szErrorText;
    };
    WEBERROR m_Error;
    char
*m_szTextDetail; //
    char
*m_szErrorText;
    DWORD
m_SystemErr;

    int ErrorType() {return
ERR_TYPE_WEBDLL;};
    char *ErrorTypeStr() { return
"WEBCLIENT"; }

    int ErrorNum() {return m_Error;};
    char *ErrorText();
};

//These constants have already been defined in
engstut.h, but since we do
//not want to include it in the delisrv executable
#define TXN_EVENT_START 2
#define TXN_EVENT_STOP 4
#define TXN_EVENT_WARNING 6
//used to record a warning into the log

//function prototypes

BOOL WINAPI DllMain(HANDLE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved);
void WriteMessageToEventLog(LPCTSTR lpszMsg);
void ProcessQueryString(EXTENSION_CONTROL_BLOCK
*pECB, int *pCmd, int *pFormId, int *pTermId, int
*pSyncId);
void WelcomeForm(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void SubmitCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void BeginCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void ProcessCmd(EXTENSION_CONTROL_BLOCK *pECB, int
iFormId, int iTermId);
void StatsCmd(EXTENSION_CONTROL_BLOCK *pECB, char
*szBuffer);
void ErrorMessage(EXTENSION_CONTROL_BLOCK *pECB, int
iError, int iErrorType, char *szMsg, int iTermId);
void GetKeyValue(char **pQueryString, char *pKey,
char *pValue, int iMax, WEBERROR err);

```

```

    int GetIntKeyValue(char **pQueryString, char *pKey,
WEBERROR NoKeyErr, WEBERROR NotIntErr);
    void TermInit(void);
    void TermDeleteAll(void);
    int TermAdd(void);
    void TermDelete(int id);
    void ErrorForm(EXTENSION_CONTROL_BLOCK *pECB, int
iType, int iErrorNum, int iTermId, int iSyncId, char
*szErrorText, char *szBuffer );
    void MakeMainMenuForm(int iTermId, int iSyncId, char
*szForm);
    void MakeStockLevelForm(int iTermId, STOCK_LEVEL_DATA
*pStockLevelData, BOOL bInput, char *szForm);
    void MakeNewOrderForm(int iTermId, NEW_ORDER_DATA
*pNewOrderData, BOOL bInput, char *szForm);
    void MakePaymentForm(int iTermId, PAYMENT_DATA
*pPaymentData, BOOL bInput, char *szForm);
    void MakeOrderStatusForm(int iTermId,
ORDER_STATUS_DATA *pOrderStatusData, BOOL bInput,
char *szForm);
    void MakeDeliveryForm(int iTermId, DELIVERY_DATA
*pDeliveryData, BOOL bInput, char *szForm);
    void ProcessNewOrderForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
    void ProcessPaymentForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
    void ProcessOrderStatusForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
    void ProcessDeliveryForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
    void ProcessStockLevelForm(EXTENSION_CONTROL_BLOCK
*pECB, int iTermId, char *szBuffer);
    void GetNewOrderData(LPSTR lpszQueryString,
NEW_ORDER_DATA *pNewOrderData);
    void GetPaymentData(LPSTR lpszQueryString,
PAYMENT_DATA *pPaymentData);
    void GetOrderStatusData(LPSTR lpszQueryString,
ORDER_STATUS_DATA *pOrderStatusData);
    BOOL PostDeliveryInfo(long w_id, short o_carrier_id);
    BOOL IsNumeric(char *ptr);
    BOOL IsDecimal(char *ptr);
    void DeliveryWorkerThread(void *ptr);
// Separate function to be able to use Win32
exception handling in
// HttpExtensionProc.
void ProcessCommand(EXTENSION_CONTROL_BLOCK *pECB,
char* szBuffer, int& TermId, int& iSyncId);

```

tpcc.rc

```

//Microsoft Developer Studio generated resource
script.
//
#include "resource.h"

#define APSTUDIO_READONLY_SYMBOLS
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 2 resource.
//
#include "afxres.h"

```

```

////////////////////////////////////
////////////////////////////////////
#undef APSTUDIO_READONLY_SYMBOLS

////////////////////////////////////
////////////////////////////////////
// English (U.S.) resources

#ifdef _WIN32
#define _AFX_RESOURCE_DLL
#define _AFX_TARG_ENU
#endif

#ifdef _WIN32
LANGUAGE LANG_ENGLISH, SUBLANG_ENGLISH_US
#pragma code_page(1252)
#endif // _WIN32

#ifdef _MAC
////////////////////////////////////
////////////////////////////////////
//
// Version
//
VS_VERSION_INFO VERSIONINFO
FILEVERSION 0,4,0,0
PRODUCTVERSION 0,4,0,0
FILEFLAGS 0x3fL
#ifdef _DEBUG
FILEFLAGS 0x1L
#else
FILEFLAGS 0x0L
#endif
FILEOS 0x40004L
FILETYPE 0x2L
FILESUBTYPE 0x0L
BEGIN
    BLOCK "StringFileInfo"
    BEGIN
        BLOCK "040904b0"
        BEGIN
            VALUE "Comments", "TPC-C HTML DLL"
Server\0"
            VALUE "CompanyName", "Microsoft\0"
            VALUE "FileDescription", "TPC-C HTML DLL"
Server\0"
            VALUE "FileVersion", "0, 4, 0, 0\0"
            VALUE "InternalName", "tpcc\0"
            VALUE "LegalCopyright", "Copyright ©
1997\0"
            VALUE "OriginalFilename", "tpcc.dll\0"
            VALUE "ProductName", "Microsoft tpcc\0"
            VALUE "ProductVersion", "0, 4, 0, 0\0"
        END
    END
    BLOCK "VarFileInfo"
    BEGIN
        VALUE "Translation", 0x409, 1200
    END
END
#endif // !_MAC

```

```

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
//
// TEXTINCLUDE
//
1 TEXTINCLUDE DISCARDABLE
BEGIN
    "resource.h\0"
END
2 TEXTINCLUDE DISCARDABLE
BEGIN
    "#include \"afxres.h\"\r\n"
    "\0"
END
3 TEXTINCLUDE DISCARDABLE
BEGIN
    "\r\n"
    "\0"
END
#endif // APSTUDIO_INVOKED

////////////////////////////////////
////////////////////////////////////
//
// Dialog
//
IDD_DIALOG1 DIALOG DISCARDABLE 0, 0, 186, 95
STYLE DS_MODALFRAME | WS_POPUP | WS_CAPTION |
WS_SYSMENU
CAPTION "Dialog"
FONT 8, "MS Sans Serif"
BEGIN
    DEFPUSHBUTTON   "OK",IDOK,129,7,50,14
    PUSHBUTTON     "Cancel",IDCANCEL,129,24,50,14
END

////////////////////////////////////
////////////////////////////////////
//
// DESIGNINFO
//
#ifdef APSTUDIO_INVOKED
GUIDELINES DESIGNINFO DISCARDABLE
BEGIN
    IDD_DIALOG1, DIALOG
    BEGIN
        LEFTMARGIN, 7
        RIGHTMARGIN, 179
        TOPMARGIN, 7
        BOTTOMMARGIN, 88
    END
END
#endif // APSTUDIO_INVOKED

```

```

#ifdef // English (U.S.) resources
////////////////////////////////////
////////////////////////////////////

#ifdef APSTUDIO_INVOKED
////////////////////////////////////
////////////////////////////////////
//
// Generated from the TEXTINCLUDE 3 resource.
//

////////////////////////////////////
////////////////////////////////////
#endif // not APSTUDIO_INVOKED


```

tpcc_com.cpp

```

/* FILE: TPC_C_COM.CPP
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * not yet
 * audited
 *
 * PURPOSE: Source file for TPC-C COM+ class
 * implementation.
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - first version
 */

// needed for CoInitializeEx
#define _WIN32_WINNT 0x0400

#include <windows.h>

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\trans.h"
//tpckit transaction header contains
definitions of structures specific to TPC-C
#include "..\..\common\src\error.h"
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\tpcc_com_errorcode.h"
#include "tpcc_com.h"

#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\tpcc_com_all\src\tpcc_com_all_i.c"

// wrapper routine for class constructor
__declspec( dllexport ) CTPCC_COM* CTPCC_COM_new(BOOL
bSinglePool)

```

```

{
    return new CTPCC_COM(bSinglePool);
}

CTPCC_COM::CTPCC_COM(BOOL bSinglePool)
{
    HRESULT hr = NULL;
    long lRet = 0;
    ULONG ulTmpSize = 0;

    m_pTxn = NULL;
    m_pNewOrder = NULL;
    m_pPayment = NULL;
    m_pStockLevel = NULL;
    m_pOrderStatus = NULL;

    m_bSinglePool = bSinglePool;

    ulTmpSize = (ULONG) sizeof(COM_DATA);
    VariantInit(&m_vTxn);
    m_vTxn.vt = VT_SAFEARRAY;

    m_vTxn.parray =
    SafeArrayCreateVector(VT_UI1, ulTmpSize, ulTmpSize);
    if (!m_vTxn.parray)
        throw new CCOMERR( E_FAIL );

    memset((void*)m_vTxn.parray-
    >pvData,0,ulTmpSize);
    m_pTxn = (COM_DATA*)m_vTxn.parray->pvData;

    hr = CoInitializeEx(NULL,
    COINIT_MULTITHREADED);
    if (FAILED(hr))
    {
        throw new CCOMERR( hr );
    }

    // create components
    if (m_bSinglePool)
    {
        hr = CoCreateInstance(CLSID_TPCC,
        NULL, CLSCTX_SERVER, IID_ITPCC, (void
        **)&m_pNewOrder);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        // all txns will use same
        component
        {
            m_pPayment = m_pNewOrder;
            m_pStockLevel = m_pNewOrder;
            m_pOrderStatus = m_pNewOrder;
        }
        else
        {
            // use different components for
            each txn
            {
                hr =
                CoCreateInstance(CLSID_NewOrder, NULL, CLSCTX_SERVER,
                IID_ITPCC, (void **)&m_pNewOrder);
                if (FAILED(hr))
                    throw new CCOMERR(hr);
            }
        }
    }
}

```

```

        hr =
CoCreateInstance(CLSID_Payment, NULL, CLSCTX_SERVER,
IID_ITPCC, (void **)&m_pPayment);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_StockLevel, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pStockLevel);
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr =
CoCreateInstance(CLSID_OrderStatus, NULL,
CLSCTX_SERVER, IID_ITPCC, (void **)&m_pOrderStatus);
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }

    // call setcomplete to release each
component back into pool
    hr = m_pNewOrder->CallSetComplete();
    if (FAILED(hr))
        throw new CCOMERR(hr);

    if (!m_bSinglePool)
    {
        hr = m_pPayment->
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pStockLevel->
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);

        hr = m_pOrderStatus->
>CallSetComplete();
        if (FAILED(hr))
            throw new CCOMERR(hr);
    }
}

CTPCC_COM::~CTPCC_COM()
{
    if (m_pTxn)
        SafeArrayDestroy(m_vTxn.parray);

    ReleaseInterface(m_pNewOrder);
    if (!m_bSinglePool)
    {
        ReleaseInterface(m_pPayment);
        ReleaseInterface(m_pStockLevel);
        ReleaseInterface(m_pOrderStatus);
    }
    CoUninitialize();
}

void CTPCC_COM::NewOrder()
{
    VARIANT                vTxn_out;

```

```

        HRESULT hr = m_pNewOrder->NewOrder(m_vTxn,
&vTxn_out);

        if (FAILED(hr) && hr != E_TPCCCOM)
            throw new CCOMERR( hr ); //
COM call didn't succeed and there is no output
structure

        memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
        hr = SafeArrayDestroy(vTxn_out.parray);
        if (hr != S_OK)
            throw new CCOMERR( hr );

        if ( m_pTxn->ErrorType != ERR_SUCCESS )
            throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
    }

void CTPCC_COM::Payment()
{
    VARIANT                vTxn_out;

    HRESULT hr = m_pPayment->Payment(m_vTxn,
&vTxn_out);

    if (FAILED(hr) && hr != E_TPCCCOM)
        throw new CCOMERR( hr ); //
COM call didn't succeed and there is no output
structure

        memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
        hr = SafeArrayDestroy(vTxn_out.parray);
        if (hr != S_OK)
            throw new CCOMERR( hr );

        if ( m_pTxn->ErrorType != ERR_SUCCESS )
            throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
    }

void CTPCC_COM::StockLevel()
{
    VARIANT                vTxn_out;

    HRESULT hr = m_pStockLevel-
>StockLevel(m_vTxn, &vTxn_out);

    if (FAILED(hr) && hr != E_TPCCCOM)
        throw new CCOMERR( hr ); //
COM call didn't succeed and there is no output
structure

        memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
        hr = SafeArrayDestroy(vTxn_out.parray);
        if (hr != S_OK)
            throw new CCOMERR( hr );

        if ( m_pTxn->ErrorType != ERR_SUCCESS )

```

```

            throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
    }

void CTPCC_COM::OrderStatus()
{
    VARIANT                vTxn_out;

    HRESULT hr = m_pOrderStatus-
>OrderStatus(m_vTxn, &vTxn_out);

    if (FAILED(hr) && hr != E_TPCCCOM)
        throw new CCOMERR( hr ); //
COM call didn't succeed and there is no output
structure

        memcpy(m_pTxn, (void *)vTxn_out.parray-
>pvData, vTxn_out.parray->rgsabound[0].cElements);
        hr = SafeArrayDestroy(vTxn_out.parray);
        if (hr != S_OK)
            throw new CCOMERR( hr );

        if ( m_pTxn->ErrorType != ERR_SUCCESS )
            throw new CCOMERR( m_pTxn-
>ErrorType, m_pTxn->error );
    }
}

tpcc_com.h
/*      FILE:      TPCC_COM.H
*      Microsoft
TPC-C Kit Ver. 4.20.000
*      Copyright
Microsoft, 1999
*      All Rights Reserved
*
*      not yet
audited
*
*      PURPOSE:  Header file for TPC-C COM+ class
implementation.
*
*      Change history:
*      4.20.000 - first version
*/

#pragma once

#include <stdio.h>
#include "..\..\tpcc_com_ps\src\tpcc_com_ps.h"

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class CCOMERR : public CBaseErr
{
private:
    char m_szErrorText[64];

```

```

public:
    // use this interface for genuine
    COM errors
    CCOMERR( HRESULT hr )
    {
        m_hr = hr;
        m_iErrorType = 0;
        m_iError = 0;
    }

    // use this interface to
    impersonate a non-COM error type
    CCOMERR( int iErrorType, int
    iError )
    {
        m_iErrorType =
    iErrorType;
        m_iError = iError;
        m_hr = S_OK;
    }

    int m_hr;
    int m_iErrorType;
    int m_iError;

    // A CCOMERR class can
    impersonate another class, which happens if the error
    // was not actually a COM
    Services error, but was simply transmitted back via
    COM.
    int ErrorType()
    {
        if (m_iErrorType == 0)
            return
    ERR_TYPE_COM;
        else
            return
    m_iErrorType;
    }

    char *ErrorTypeStr() { return
    "COM*"; }

    int ErrorNum()
    {
        if (m_iErrorType == 0)
            return m_hr;
        // return COM error
        else
            return
    m_iError; // return impersonated error
    }

    char *ErrorText()
    {
        if (m_hr == S_OK)
            sprintf(
    m_szErrorText, "Error: Class %d, error # %d",
    m_iErrorType, m_iError );
        else
            sprintf(
    m_szErrorText, "Error: COM HRESULT %x", m_hr );
    }

```

```

        return m_szErrorText;
    }
};

class DllDecl CTPCC_COM : public CTPCC_BASE
{
private:
    BOOL m_bSinglePool;

    // COM Interface pointers
    ITPCC*
    m_pNewOrder;
    ITPCC*
    m_pPayment;
    ITPCC*
    m_pStockLevel;
    ITPCC*
    m_pOrderStatus;

    struct COM_DATA
    {
        int ErrorType;
        int error;
        union
        {
            NEW_ORDER_DATA NewOrder;
            PAYMENT_DATA Payment;
            DELIVERY_DATA Delivery;
            STOCK_LEVEL_DATA StockLevel;
            ORDER_STATUS_DATA OrderStatus;
        } *m_pTxn;
        VARIANT m_vTxn;
    };

public:
    CTPCC_COM(BOOL bSinglePool);
    ~CTPCC_COM(void);

    inline PNEW_ORDER_DATA
    BuffAddr_NewOrder() { return
    &m_pTxn->u.NewOrder; };
    inline PPAYMENT_DATA
    BuffAddr_Payment() { return
    &m_pTxn->u.Payment; };
    inline PDELIVERY_DATA
    BuffAddr_Delivery() { return
    &m_pTxn->u.Delivery; };
    inline PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() { return
    &m_pTxn->u.StockLevel; };
    inline PORDER_STATUS_DATA
    BuffAddr_OrderStatus() { return
    &m_pTxn->u.OrderStatus; };

    void NewOrder ();
    void Payment ();
    void StockLevel ();
    void OrderStatus ();
}

```

```

void Delivery ();
{ throw new CCOMERR(E_NOTIMPL); } // not supported
};

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

// wrapper routine for class constructor
extern "C" __declspec(dllexport) CTPCC_COM*
CTPCC_COM_new(BOOL);

typedef CTPCC_COM* (TYPE_CTPCC_COM)(BOOL);

tpcc_com_all.
cpp
/* FILE: TPCC_COM_ALL.CPP
 * Microsoft
TPC-C Kit Ver. 4.20.000
 * Copyright
Microsoft, 1999
 * All Rights Reserved
 * Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
 *
 * PURPOSE: Implementation for TPC-C class.
 * Contact: Charles Levine
(clevine@microsoft.com)
 *
 * Change history:
 * 4.20.000 - updated rev number to
match kit
 */

#define STRICT
#define WIN32_WINNT 0x0400
#define ATL_APARTMENT_THREADED

#include <stdio.h>
#include <atlbase.h>
//You may derive a class from CComModule and use it
if you want to override
//something, but do not change the name of _Module
extern CComModule _Module;

#include <atlcom.h>
#include <initguid.h>
#include <transact.h>

```



```

// #include <atlimpl.cpp>
#include <comsvcs.h>

#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>

#include "tpcc_com_ps.h"
#include "..\..\common\src\trans.h"
// tpckit transaction
header contains definations of structures specific to
TPC-C
#include "..\..\common\src\txn_base.h"
#include "..\..\common\src\error.h"
#include "..\..\common\src\ReadRegistry.h"
#include "..\..\common\src\tpcc_com_errorcode.h"
#include "..\..\db_odbc_dll\src\tpcc_odbc.h"
// ODBC implementation of TPC-C txns

#include "resource.h"
#include "tpcc_com_all.h"
#include "tpcc_com_all_i.c"
#include "Methods.h"
#include "..\..\tpcc_com_ps\src\tpcc_com_ps_i.c"
#include "..\..\common\src\ReadRegistry.cpp"

CComModule _Module;

BEGIN_OBJECT_MAP(ObjectMap)
OBJECT_ENTRY(CLSID_TPCC, CTPCC)
OBJECT_ENTRY(CLSID_NewOrder, CNewOrder)
OBJECT_ENTRY(CLSID_OrderStatus,
COrderStatus)
OBJECT_ENTRY(CLSID_Payment, CPayment)
OBJECT_ENTRY(CLSID_StockLevel, CStockLevel)
END_OBJECT_MAP()

// configuration settings from registry
TPCCREGISTRYDATA Reg;
char
    szMyComputerName[MAX_COMPUTERNAME_LENGTH+1];

static HINSTANCE hLibInstanceDb = NULL;

TYPE_CTPCC_ODBC          *pCTPCC_ODBC_new;

// Critical section to synchronize connection open
and close.
//
CRITICAL_SECTION hConnectCriticalSection;

////////////////////////////////////
// DLL Entry Point
extern "C"
BOOL WINAPI DllMain(HINSTANCE hInstance, DWORD
dwReason, LPVOID /*lpReserved*/)
{
    char szDllName[128];

```

```

        try
        {
            if (dwReason ==
DLL_PROCESS_ATTACH)
            {
                _Module.Init(ObjectMap,
hInstance);

                DisableThreadLibraryCalls(hInstance);

                DWORD dwSize =
MAX_COMPUTERNAME_LENGTH+1;

                GetComputerName(szMyComputerName, &dwSize);

                szMyComputerName[dwSize] = 0;

                if (
ReadTPCCRegistrySettings( &Reg ))
                    throw new
CCOMPONENT_ERR( ERR_MISSING_REGISTRY_ENTRIES );

                if (Reg.eDB_Protocol ==
ODBC)
                {
                    strcpy(
szDllName, Reg.szPath );

                    strcat(
szDllName, "tpcc_odbc.dll");

                    hLibInstanceDb = LoadLibrary( szDllName );

                    if
(hLibInstanceDb == NULL)

                        throw new CCOMPONENT_ERR(
ERR_LOADDLL_FAILED, szDllName, GetLastError() );

                    // get
function pointer to wrapper for class constructor

                    pCTPCC_ODBC_new = (TYPE_CTPCC_ODBC*)
GetProcAddress(hLibInstanceDb, "CTPCC_ODBC_new");

                    if
(pCTPCC_ODBC_new == NULL)

                        throw new CCOMPONENT_ERR(
ERR_GETPROCADDR_FAILED, szDllName, GetLastError() );

                    else
                        throw new
CCOMPONENT_ERR( ERR_UNKNOWN_DB_PROTOCOL );

                    if (Reg.dwConnectDelay
> 0)
                    {
                        InitializeCriticalSection(&hConnectCritical
Section);
                    }

                }
            }
            else if (dwReason ==
DLL_PROCESS_DETACH)

```

```

                _Module.Term();
            }
        }
        catch (CBaseErr *e)
        {
            TCHAR szMsg[256];

            _sntprintf(szMsg, sizeof(szMsg),
"%s error, code %d: %s",
e-
>ErrorTypeStr(), e->ErrorNum(), e->ErrorText());
            WriteMessageToEventLog( szMsg );

            delete e;
            return FALSE;
        }
        catch (...)
        {
            WriteMessageToEventLog(TEXT("Unhandled
exception in object DllMain"));
            return FALSE;
        }

        return TRUE; // OK
    }

    //////////////////////////////////////
    //////////////////////////////////////
    // Used to determine whether the DLL can be unloaded
    by OLE
    STDAPI DllCanUnloadNow(void)
    {
        return (_Module.GetLockCount()==0) ? S_OK :
S_FALSE;
    }

    //////////////////////////////////////
    //////////////////////////////////////
    // Returns a class factory to create an object of the
    requested type
    STDAPI DllGetClassObject(REFCLSID rclsid, REFIID
riid, LPVOID* ppv)
    {
        return _Module.GetClassObject(rclsid, riid,
ppv);
    }

    //////////////////////////////////////
    //////////////////////////////////////
    // DllRegisterServer - Adds entries to the system
    registry
    STDAPI DllRegisterServer(void)
    {
        // registers object, typelib and all
        interfaces in typelib
        return _Module.RegisterServer(TRUE);
    }

```

```

////////////////////////////////////
////////////////////////////////////
// DllUnregisterServer - Removes entries from the
system registry

STDAPI DllUnregisterServer(void)
{
    _Module.UnregisterServer();
    return S_OK;
}

static void WriteMessageToEventLog(LPTSTR lpszMsg)
{
    TCHAR szMsg[256];
    HANDLE hEventSource;
    LPTSTR lpszStrings[2];

    // Use event logging to log the error.
    //
    hEventSource = RegisterEventSource(NULL,
TEXT("tpcc_com_all.dll"));

    _stprintf(szMsg, TEXT("Error in COM+ TPC-C
Component: "));
    lpszStrings[0] = szMsg;
    lpszStrings[1] = lpszMsg;

    if (hEventSource != NULL)
    {
        ReportEvent(hEventSource, // handle of event
source
        EVENTLOG_ERROR_TYPE, // event type
        0, // event category
        0, // event ID
        NULL, // current user's
SID
        2, // strings in
lpszStrings
        0, // no bytes of raw
data
        (LPCTSTR *)lpszStrings, // array of
error strings
        NULL); // no raw data

        (VOID) DeregisterEventSource(hEventSource);
    }
}

inline void ReleaseInterface(IUnknown *pUnk)
{
    if (pUnk)
    {
        pUnk->Release();
        pUnk = NULL;
    }
}

/* FUNCTION: CCOMPONENT_ERR::ErrorText
*/
char* CCOMPONENT_ERR::ErrorText(void)

```

```

{
    static SERRORMSG errorMsgs[] =
    {
        { ERR_MISSING_REGISTRY_ENTRIES,
"Required entries missing from registry."
        },
        { ERR_LOADDLL_FAILED,
"Load of DLL failed. DLL="
        },
        { ERR_GETPROCADDR_FAILED,
"Could not map proc in DLL. GetProcAddress
error. DLL="
        },
        { ERR_UNKNOWN_DB_PROTOCOL,
"Unknown database protocol specified in
registry."
        },
        { 0, ""
        }
    };

    char szTmp[256];
    int i = 0;
    while (TRUE)
    {
        if (errorMsgs[i].szMsg[0] == 0)
        {
            strcpy( szTmp, "Unknown
error number." );
            break;
        }
        if (m_Error ==
errorMsgs[i].iError)
        {
            strcpy( szTmp,
errorMsgs[i].szMsg );
            break;
        }
        i++;
    }

    if (m_szTextDetail)
        strcat( szTmp, m_szTextDetail );
    if (m_SystemErr)
        wsprintf( szTmp+strlen(szTmp), "
Error=%d", m_SystemErr );

    m_szErrorText = new char[strlen(szTmp)+1];
    strcpy( m_szErrorText, szTmp );
    return m_szErrorText;
}

CTPCC_Common::CTPCC_Common()
{
    m_pTxn = NULL;
    m_bCanBePooled = TRUE;
}

CTPCC_Common::~CTPCC_Common()
{

```

```

// Pace connection close for VIA.
//
if (Reg.dwConnectDelay > 0)
{
    EnterCriticalSection(&hConnectCriticalSecti
on);

    Sleep(Reg.dwConnectDelay);

    LeaveCriticalSection(&hConnectCriticalSecti
on);
}

if (m_pTxn)
{
    delete m_pTxn;
}

HRESULT CTPCC_Common::CallSetComplete()
{
    IObjectContext* pObjectContext = NULL;

    // get our object context
    HRESULT hr = CoGetObjectContext(
IID_IObjectContext, (void **)&pObjectContext );
    pObjectContext->SetComplete();
    ReleaseInterface(pObjectContext);
    return hr;
}

//
// called by the ctor activator
//
STDMETHODIMP CTPCC_Common::Construct(IDispatch *
pUnk)
{
    // Code to access construction string, if
needed later...
    //
    if (!pUnk)
        return E_UNEXPECTED;
    //
    IObjectConstructString * pString
= NULL;
    //
    HRESULT hr = pUnk-
>QueryInterface(IID_IObjectConstructString, (void
**)&pString);
    //
    pString->Release();

    try
    {
        // Pace connection creation for
VIA.
        //
        if (Reg.dwConnectDelay > 0)
        {
            EnterCriticalSection(&hConnectCriticalSecti
on);

            Sleep(Reg.dwConnectDelay);

```

```

        LeaveCriticalSection(&hConnectCriticalSection);
    }

    if (Reg.eDB_Protocol == ODBC)
        m_pTxn =
pCTPCC_ODBC_new(    Reg.szDbServer, Reg.szDbUser,
Reg.szDbPassword,

                    szMyComputerName, Reg.szDbName,

                    Reg.szSPPrefix,
Reg.bCallNoDuplicatesNewOrder );
    }
    catch (CBaseErr *e)
    {
        TCHAR szMsg[256];

        _sntprintf(szMsg, sizeof(szMsg),
"%s error in CTPCC_Common::Construct, code %d: %s",
e-
>ErrorTypeStr(), e->ErrorNum(), e->ErrorText());
        WriteMessageToEventLog( szMsg );
        delete e;
        return E_FAIL;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception in object ::Construct"));
        return E_FAIL;
    }

    return S_OK;
}

HRESULT CTPCC_Common::NewOrder(VARIANT txn_in,
VARIANT* txn_out)
{
    PNEW_ORDER_DATA    pNewOrder;
    COM_DATA            *pData;
    COM_DATA            *pOutData;

    try
    {
        // Allocate output structure
        first because it is also used in the catch clauses.
        //
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,

                        txn_in.parray->rgsabound-
>cElements,

                        txn_in.parray->rgsabound-
>cElements);
    }
    if (txn_out->parray == NULL) //
sanity error checking - for very rare case, but to be
sure
    {
        return E_OUTOFMEMORY;
    }

    pOutData = (COM_DATA*)txn_out-
>parray->pvData;

    pData = (COM_DATA*)txn_in.parray-
>pvData;

    pNewOrder = m_pTxn-
>BuffAddr_NewOrder();

    memcpy(pNewOrder, &pData-
>u.NewOrder, sizeof(NEW_ORDER_DATA));

    m_pTxn->NewOrder(); //
do the actual txn

    memcpy( &pOutData->u.NewOrder,
pNewOrder, sizeof(NEW_ORDER_DATA));

    pOutData->retval = ERR_SUCCESS;
    pOutData->error = 0;
    return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
        connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054) ) )
            m_bCanBePooled = FALSE;

        pOutData->retval = e-
>ErrorType();

        pOutData->error = e->ErrorNum();
        delete e;
        return E_TPCCCOM;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception in CTPCC_Common::NewOrder."));
        pOutData->retval =
ERR_TYPE_LOGIC;

        pOutData->error = 0;
        m_bCanBePooled = FALSE;
        return E_TPCCCOM;
    }
}

HRESULT CTPCC_Common::Payment(VARIANT txn_in,
VARIANT* txn_out)
{
    PPAYMENT_DATA      pPayment;
    COM_DATA            *pData;
    COM_DATA            *pOutData;

    try

```

```

    {
        // Allocate output structure
        first because it is also used in the catch clauses.
        //
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
SafeArrayCreateVector( VT_UI1,

                        txn_in.parray->rgsabound-
>cElements,

                        txn_in.parray->rgsabound-
>cElements);
    }
    if (txn_out->parray == NULL) //
sanity error checking - for very rare case, but to be
sure
    {
        return E_OUTOFMEMORY;
    }

    pOutData = (COM_DATA*)txn_out-
>parray->pvData;

    pData = (COM_DATA*)txn_in.parray-
>pvData;

    pPayment = m_pTxn-
>BuffAddr_Payment();

    memcpy(pPayment, &pData-
>u.Payment, sizeof(PAYMENT_DATA));

    m_pTxn->Payment(); //
do the actual txn

    memcpy( &pOutData->u.Payment,
pPayment, sizeof(PAYMENT_DATA));

    pOutData->retval = ERR_SUCCESS;
    pOutData->error = 0;
    return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
        connection; if yes, component is toast
        if ( ((e->ErrorType() ==
ERR_TYPE_ODBC) && (e->ErrorNum() == 10054) ) )
            m_bCanBePooled = FALSE;

        pOutData->retval = e-
>ErrorType();

        pOutData->error = e->ErrorNum();
        delete e;
        return E_TPCCCOM;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception in CTPCC_Common::Payment."));
        pOutData->retval =
ERR_TYPE_LOGIC;

        pOutData->error = e->ErrorNum();
        delete e;
        return E_TPCCCOM;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception in CTPCC_Common::Payment."));
        pOutData->retval =
ERR_TYPE_LOGIC;

```

```

    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
exception in CTPCC_Common::Payment."));
        pOutData->retval =
ERR_TYPE_LOGIC;

```

```

        pOutData->error = 0;
        m_bCanBePooled = FALSE;
        return E_TPCCCOM;
    }
}

HRESULT CTPCC_Common::StockLevel(VARIANT txn_in,
VARIANT* txn_out)
{
    PSTOCK_LEVEL_DATA pStockLevel;
    COM_DATA *pData;
    COM_DATA *pOutData;

    try
    {
        // Allocate output structure
        first because it is also used in the catch clauses.
        //
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
        SafeArrayCreateVector( VT_UI1,

            txn_in.parray->rgsabound-
            >cElements,
            txn_in.parray->rgsabound-
            >cElements);
        if (txn_out->parray == NULL) //
        sanity error checking - for very rare case, but to be
        sure
        {
            return E_OUTOFMEMORY;
        }

        pOutData = (COM_DATA*)txn_out-
        >parray->pvData;

        pData = (COM_DATA*)txn_in.parray-
        >pvData;
        pStockLevel = m_pTxn-
        >BuffAddr_StockLevel();

        memcpy(pStockLevel, &pData-
        >u.StockLevel, sizeof(STOCK_LEVEL_DATA));

        m_pTxn->StockLevel();

        memcpy( &pOutData->u.StockLevel,
        pStockLevel, sizeof(STOCK_LEVEL_DATA));

        pOutData->retval = ERR_SUCCESS;
        pOutData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
        connection; if yes, component is toast
        if ( ((e->ErrorType() ==
        ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;
    }
}

```

```

        pOutData->retval = e-
        >ErrorType();
        pOutData->error = e->ErrorNum();
        delete e;
        return E_TPCCCOM;
    }
    catch (...)
    {
        WriteMessageToEventLog(TEXT("Unhandled
        exception in CTPCC_Common::StockLevel."););
        pOutData->retval =
        ERR_TYPE_LOGIC;
        pOutData->error = 0;
        m_bCanBePooled = FALSE;
        return E_TPCCCOM;
    }
}

HRESULT CTPCC_Common::OrderStatus(VARIANT txn_in,
VARIANT* txn_out)
{
    PORDER_STATUS_DATA pOrderStatus;
    COM_DATA *pData;
    COM_DATA *pOutData;
    try
    {
        // Allocate output structure
        first because it is also used in the catch clauses.
        //
        VariantInit(txn_out);
        txn_out->vt = VT_SAFEARRAY;
        txn_out->parray =
        SafeArrayCreateVector( VT_UI1,

            txn_in.parray->rgsabound-
            >cElements,
            txn_in.parray->rgsabound-
            >cElements);
        if (txn_out->parray == NULL) //
        sanity error checking - for very rare case, but to be
        sure
        {
            return E_OUTOFMEMORY;
        }

        pOutData = (COM_DATA*)txn_out-
        >parray->pvData;

        pData = (COM_DATA*)txn_in.parray-
        >pvData;
        pOrderStatus = m_pTxn-
        >BuffAddr_OrderStatus();

        memcpy(pOrderStatus, &pData-
        >u.OrderStatus, sizeof(ORDER_STATUS_DATA));

        m_pTxn->OrderStatus();

        memcpy( &pOutData->u.OrderStatus,
        pOrderStatus, sizeof(ORDER_STATUS_DATA));
    }
}

```

```

        pOutData->retval = ERR_SUCCESS;
        pOutData->error = 0;
        return S_OK;
    }
    catch (CBaseErr *e)
    {
        // check for lost database
        connection; if yes, component is toast
        if ( ((e->ErrorType() ==
        ERR_TYPE_ODBC) && (e->ErrorNum() == 10054)) )
            m_bCanBePooled = FALSE;
    }

    pOutData->retval = e-
    >ErrorType();
    pOutData->error = e->ErrorNum();
    delete e;
    return E_TPCCCOM;
}
catch (...)
{
    WriteMessageToEventLog(TEXT("Unhandled
    exception in CTPCC_Common::OrderStatus."););
    pOutData->retval =
    ERR_TYPE_LOGIC;
    pOutData->error = 0;
    m_bCanBePooled = FALSE;
    return E_TPCCCOM;
}
}

```

tpcc_com_all. def

; tpcc_com_all.def : Declares the module parameters.

```

LIBRARY      "tpcc_com_all.dll"

EXPORTS
    DllCanUnloadNow      PRIVATE
    DllGetClassObject    PRIVATE
    DllRegisterServer    PRIVATE
    DllUnregisterServer  PRIVATE

```

tpcc_com_all.h

/* this ALWAYS GENERATED file contains the definitions for the interfaces */

```

/* File created by MIDL compiler version 6.00.0361
*/
/* at Thu Mar 16 18:21:15 2006
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
    Oicf, W1, Zp8, env=Win32 (32b run)
    protocol : dce , ms_ext, c_ext, robust

```

```

    error checks: allocation ref bounds_check enum
stub_data
    VC __declspec() decoration level:
    __declspec(uuid()), __declspec(selectany),
    __declspec(novtable)
    DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* verify that the <rpcndr.h> version is high enough
to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 475
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __RPCNDR_H_VERSION__
#error this stub requires an updated version of
<rpcndr.h>
#endif // __RPCNDR_H_VERSION__

#ifndef __tpcc_com_all_h__
#define __tpcc_com_all_h__

#if defined(_MSC_VER) && (_MSC_VER >= 1020)
#pragma once
#endif

/* Forward Declarations */

#ifndef __TPCC_FWD_DEFINED__
#define __TPCC_FWD_DEFINED__

#ifdef __cplusplus
typedef class TPCC TPCC;
#else
typedef struct TPCC TPCC;
#endif /* __cplusplus */

#endif /* __TPCC_FWD_DEFINED__ */

#ifndef __NewOrder_FWD_DEFINED__
#define __NewOrder_FWD_DEFINED__

#ifdef __cplusplus
typedef class NewOrder NewOrder;
#else
typedef struct NewOrder NewOrder;
#endif /* __cplusplus */

#endif /* __NewOrder_FWD_DEFINED__ */

#ifndef __OrderStatus_FWD_DEFINED__
#define __OrderStatus_FWD_DEFINED__

```

```

#ifdef __cplusplus
typedef class OrderStatus OrderStatus;
#else
typedef struct OrderStatus OrderStatus;
#endif /* __cplusplus */

#endif /* __OrderStatus_FWD_DEFINED__ */

#ifndef __Payment_FWD_DEFINED__
#define __Payment_FWD_DEFINED__

#ifdef __cplusplus
typedef class Payment Payment;
#else
typedef struct Payment Payment;
#endif /* __cplusplus */

#endif /* __Payment_FWD_DEFINED__ */

#ifndef __StockLevel_FWD_DEFINED__
#define __StockLevel_FWD_DEFINED__

#ifdef __cplusplus
typedef class StockLevel StockLevel;
#else
typedef struct StockLevel StockLevel;
#endif /* __cplusplus */

#endif /* __StockLevel_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"
#include "tpcc_com_ps.h"

#ifdef __cplusplus
extern "C"{
#endif

void * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void * );

/* interface __MIDL_itf_tpcc_com_all_0000 */
/* [local] */

extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpcc_com_all_0000_v0_0_s_ifspec;

#endif /* __TPCCLib_LIBRARY_DEFINED__

```

```

#define __TPCCLib_LIBRARY_DEFINED__

/* library TPCCLib */
/* [helpstring][version][uuid] */

EXTERN_C const IID LIBID_TPCCLib;

EXTERN_C const CLSID CLSID_TPCC;

#ifdef __cplusplus

class DECLSPEC_UUID("122A3128-2520-11D3-BA71-
00C04FBFE08B")
TPCC;
#endif

EXTERN_C const CLSID CLSID_NewOrder;

#ifdef __cplusplus

class DECLSPEC_UUID("975BAABF-84A7-11D2-BA47-
00C04FBFE08B")
NewOrder;
#endif

EXTERN_C const CLSID CLSID_OrderStatus;

#ifdef __cplusplus

class DECLSPEC_UUID("266836AD-A50D-11D2-BA4E-
00C04FBFE08B")
OrderStatus;
#endif

EXTERN_C const CLSID CLSID_Payment;

#ifdef __cplusplus

class DECLSPEC_UUID("CD02F7EF-A4FA-11D2-BA4E-
00C04FBFE08B")
Payment;
#endif

EXTERN_C const CLSID CLSID_StockLevel;

#ifdef __cplusplus

class DECLSPEC_UUID("2668369E-A50D-11D2-BA4E-
00C04FBFE08B")
StockLevel;
#endif /* __TPCCLib_LIBRARY_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif
#endif

```

tpcc_com_all_i. C

```
/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 6.00.0361
*/
/* at Thu Mar 16 18:21:15 2006
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf, Wl, Zp8, env=Win32 (32b run)
protocol : dce , ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AMD64)

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
```

```
DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00,
0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0x
C0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder,0x975BAABF,0x84A7,0x11D2,0xBA,0x47,0x0
0,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus,0x266836AD,0xA50D,0x11D2,0xBA,0x4E,
0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment,0xCD02F7FE,0xA4FA,0x11D2,0xBA,0x4E,0x00
,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel,0x2668369E,0xA50D,0x11D2,0xBA,0x4E,0
x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
```

```
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AMD64)*/

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 6.00.0361
*/
/* at Thu Mar 16 18:21:15 2006
*/
/* Compiler settings for .\src\tpcc_com_all.idl:
Oicf, Wl, Zp8, env=Win64 (32b run,appending)
protocol : dce , ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AMD64)

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \

DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)
```

```

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
LIBID_TPCCLib,0x122A3117,0x2520,0x11D3,0xBA,0x71,0x00,
0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_TPCC,0x122A3128,0x2520,0x11D3,0xBA,0x71,0x00,0x
C0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_NewOrder,0x975BAABF,0x84A7,0x11D2,0xBA,0x47,0x0
0,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_OrderStatus,0x266836AD,0xA50D,0x11D2,0xBA,0x4E,
0x00,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_Payment,0xCD02F7EF,0xA4FA,0x11D2,0xBA,0x4E,0x00
,0xC0,0x4F,0xBF,0xE0,0x8B);

MIDL_DEFINE_GUID(CLSID,
CLSID_StockLevel,0x2668369E,0xA50D,0x11D2,0xBA,0x4E,0
x00,0xC0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

```

```

#endif /* defined(_M_IA64) || defined(_M_AMD64)*/

```

tpcc_com_errorcode.h

```

/* FILE: TPCCOM_ERRORCODE.H
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
*
* not yet
audited
*
* PURPOSE: Header file defining the error
code returned from ITPCC COM interface.
*
* Change history:
* 4.20.000 - first version
*/

// Error return value for methods in ITPCC interface.
//
// Define as 0x80042345 (decimal -2147212475 ).
//
const HRESULT E_TPCCOM = MAKE_HRESULT
(SEVERITY_ERROR, FACILITY_ITP, 0x2345);

```

tpcc_com_ps.def

```

LIBRARY "tpcc_com_ps"

EXPORTS
    DllGetClassObject PRIVATE
    DllCanUnloadNow PRIVATE
    GetProxyDllInfo PRIVATE
    DllRegisterServer PRIVATE
    DllUnregisterServer PRIVATE

```

tpcc_com_ps.h

```

/* this ALWAYS GENERATED file contains the
definitions for the interfaces */

/* File created by MIDL compiler version 6.00.0361
*/
/* at Thu Mar 16 18:21:12 2006

```

```

*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf, Wl, Zp8, env=Win32 (32b run)
protocol : dce , ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

/* verify that the <rpcndr.h> version is high enough
to compile this file*/
#ifndef __REQUIRED_RPCNDR_H_VERSION__
#define __REQUIRED_RPCNDR_H_VERSION__ 440
#endif

#include "rpc.h"
#include "rpcndr.h"

#ifndef __RPCNDR_H_VERSION__
#error this stub requires an updated version of
<rpcndr.h>
#endif // __RPCNDR_H_VERSION__

#ifndef COM_NO_WINDOWS_H
#include "windows.h"
#include "ole2.h"
#endif /*COM_NO_WINDOWS_H*/

#ifndef __tpcc_com_ps_h__
#define __tpcc_com_ps_h__

#if defined(_MSC_VER) && (_MSC_VER >= 1020)
#pragma once
#endif

/* Forward Declarations */

#ifndef __ITPCC_FWD_DEFINED__
#define __ITPCC_FWD_DEFINED__
typedef interface ITPCC ITPCC;
#endif /* __ITPCC_FWD_DEFINED__ */

/* header files for imported files */
#include "oaidl.h"
#include "ocidl.h"

#ifndef __cplusplus
extern "C"{
#endif

void * __RPC_USER MIDL_user_allocate(size_t);
void __RPC_USER MIDL_user_free( void * );

/* interface __MIDL_itf_tpcc_com_ps_0000 */

```

```

/* [local] */

extern RPC_IF_HANDLE
__MIDL_itf_tpc_com_ps_0000_v0_0_c_ifspec;
extern RPC_IF_HANDLE
__MIDL_itf_tpc_com_ps_0000_v0_0_s_ifspec;

#ifdef __ITPCC_INTERFACE_DEFINED__
#define __ITPCC_INTERFACE_DEFINED__

/* interface ITPCC */
/* [unique][helpstring][uuid][oleautomation][object] */

EXTERN_C const IID IID_ITPCC;

#ifdef __cplusplus && !defined(CINTERFACE)

    MIDL_INTERFACE("FEEB6AA2-84B1-11d2-BA47-00C04FBFE08B")
    ITPCC : public IUnknown
    {
    public:
        virtual HRESULT STDMETHODCALLTYPE NewOrder(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out) = 0;

        virtual HRESULT STDMETHODCALLTYPE Payment(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out) = 0;

        virtual HRESULT STDMETHODCALLTYPE Delivery(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out) = 0;

        virtual HRESULT STDMETHODCALLTYPE StockLevel(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out) = 0;

        virtual HRESULT STDMETHODCALLTYPE OrderStatus(
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out) = 0;

        virtual HRESULT STDMETHODCALLTYPE CallSetComplete(
            void) = 0;
    };

#else /* C style interface */

    typedef struct ITPCCVtbl
    {
        BEGIN_INTERFACE

        HRESULT ( STDMETHODCALLTYPE *QueryInterface
        )(
            ITPCC * This,
            /* [in] */ REFIID riid,
            /* [iid_is][out] */ void **ppvObject);

```

```

        ULONG ( STDMETHODCALLTYPE *AddRef )(
            ITPCC * This);

        ULONG ( STDMETHODCALLTYPE *Release )(
            ITPCC * This);

        HRESULT ( STDMETHODCALLTYPE *NewOrder )(
            ITPCC * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out);

        HRESULT ( STDMETHODCALLTYPE *Payment )(
            ITPCC * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out);

        HRESULT ( STDMETHODCALLTYPE *Delivery )(
            ITPCC * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out);

        HRESULT ( STDMETHODCALLTYPE *StockLevel )(
            ITPCC * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out);

        HRESULT ( STDMETHODCALLTYPE *OrderStatus )(
            ITPCC * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out);

        HRESULT ( STDMETHODCALLTYPE *CallSetComplete )(
            ITPCC * This);

        END_INTERFACE
    } ITPCCVtbl;

    interface ITPCC
    {
        CONST_VTBL struct ITPCCVtbl *lpVtbl;
    };

#ifdef COBJMACROS

#define ITPCC_QueryInterface(This,riid,ppvObject) \
    (This)->lpVtbl->QueryInterface(This,riid,ppvObject)

#define ITPCC_AddRef(This) \
    (This)->lpVtbl->AddRef(This)

#define ITPCC_Release(This) \
    (This)->lpVtbl->Release(This)

#define ITPCC_NewOrder(This,txn_in,txn_out) \
    (This)->lpVtbl->NewOrder(This,txn_in,txn_out)

#define ITPCC_Payment(This,txn_in,txn_out) \

```

```

        (This)->lpVtbl->Payment(This,txn_in,txn_out)

#define ITPCC_Delivery(This,txn_in,txn_out) \
    (This)->lpVtbl->Delivery(This,txn_in,txn_out)

#define ITPCC_StockLevel(This,txn_in,txn_out) \
    (This)->lpVtbl->StockLevel(This,txn_in,txn_out)

#define ITPCC_OrderStatus(This,txn_in,txn_out) \
    (This)->lpVtbl->OrderStatus(This,txn_in,txn_out)

#define ITPCC_CallSetComplete(This) \
    (This)->lpVtbl->CallSetComplete(This)

#endif /* COBJMACROS */

#ifdef /* C style interface */

        HRESULT STDMETHODCALLTYPE ITPCC_NewOrder_Proxy(
            ITPCC * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out);

        void __RPC_STUB ITPCC_NewOrder_Stub(
            IrpcStubBuffer *This,
            IrpcChannelBuffer *pRpcChannelBuffer,
            PRPC_MESSAGE _pRpcMessage,
            DWORD *_pdwStubPhase);

        HRESULT STDMETHODCALLTYPE ITPCC_Payment_Proxy(
            ITPCC * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out);

        void __RPC_STUB ITPCC_Payment_Stub(
            IrpcStubBuffer *This,
            IrpcChannelBuffer *pRpcChannelBuffer,
            PRPC_MESSAGE _pRpcMessage,
            DWORD *_pdwStubPhase);

        HRESULT STDMETHODCALLTYPE ITPCC_Delivery_Proxy(
            ITPCC * This,
            /* [in] */ VARIANT txn_in,
            /* [out] */ VARIANT *txn_out);

        void __RPC_STUB ITPCC_Delivery_Stub(
            IrpcStubBuffer *This,
            IrpcChannelBuffer *pRpcChannelBuffer,
            PRPC_MESSAGE _pRpcMessage,
            DWORD *_pdwStubPhase);

        HRESULT STDMETHODCALLTYPE ITPCC_StockLevel_Proxy(
            ITPCC * This,

```



```

/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);

void __RPC_STUB ITPCC_StockLevel_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_OrderStatus_Proxy(
ITPCC * This,
/* [in] */ VARIANT txn_in,
/* [out] */ VARIANT *txn_out);

void __RPC_STUB ITPCC_OrderStatus_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

HRESULT __stdcall ITPCC_CallSetComplete_Proxy(
ITPCC * This);

void __RPC_STUB ITPCC_CallSetComplete_Stub(
IRpcStubBuffer *This,
IRpcChannelBuffer *_pRpcChannelBuffer,
PRPC_MESSAGE _pRpcMessage,
DWORD *_pdwStubPhase);

#endif /* __ITPCC_INTERFACE_DEFINED__ */

/* Additional Prototypes for ALL interfaces */

unsigned long             __RPC_USER
VARIANT_UserSize(        unsigned long *, unsigned long
, VARIANT * );
unsigned char * __RPC_USER VARIANT_UserMarshal(
unsigned long *, unsigned char *, VARIANT * );
unsigned char * __RPC_USER
VARIANT_UserUnmarshal(unsigned long *, unsigned char
*, VARIANT * );
void                    __RPC_USER
VARIANT_UserFree(        unsigned long *, VARIANT * );

/* end of Additional Prototypes */

#ifdef __cplusplus
}
#endif
#endif

```

tpcc_com_ps. idl

```

/* FILE: ITPCC.IDL
* Microsoft
TPC-C Kit Ver. 4.20.000
* Copyright
Microsoft, 1999
* All Rights Reserved
*
* not yet
audited
*
* PURPOSE: Defines the interface used by
TPCC. This interface can be implemented by C++
components.
*
* Change history:
* 4.20.000 - first version
*/

// Forward declare all types defined
interface ITPCC;
import "oaidl.idl";
import "ocidl.idl";

[
    object,
    oleautomation,
    uuid(FEED6AA2-84B1-11d2-BA47-
00C04FBFE08B),
    helpstring("ITPCC Interface"),
    pointer_default(unique)
]
interface ITPCC : IUnknown
{
    HRESULT __stdcall NewOrder
    (
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );
    HRESULT __stdcall Payment
    (
        [in] VARIANT txn_in,
        [out] VARIANT *txn_out
    );
    HRESULT __stdcall Delivery
    (

```

```

[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
HRESULT __stdcall StockLevel
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
HRESULT __stdcall OrderStatus
(
[in] VARIANT txn_in,
[out] VARIANT *txn_out
);
HRESULT __stdcall CallSetComplete
(
); // interface ITPCC
};

```

tpcc_com_ps_i .c

```

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 6.00.0361
*/
/* at Thu Mar 16 18:21:12 2006
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf, W1, Zp8, env=Win32 (32b run)
protocol : dce , ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:

```

```

    __declspec(uuid()), __declspec(selectany),
__declspec(novtable)
    DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AMD64)

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else
#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

```

```

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xc
0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* !defined(_M_IA64) && !defined(_M_AMD64)*/

/* this ALWAYS GENERATED file contains the IIDs and
CLSIDs */

/* link this file in with the server and any clients
*/

/* File created by MIDL compiler version 6.00.0361
*/
/* at Thu Mar 16 18:21:12 2006
*/
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf, W1, Zp8, env=Win64 (32b run,appending)
protocol : dce , ms_ext, c_ext, robust
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
//@@MIDL_FILE_HEADING( )

#if defined(_M_IA64) || defined(_M_AMD64)

#pragma warning( disable: 4049 ) /* more than 64k
source lines */

#ifdef __cplusplus
extern "C"{
#endif

#include <rpc.h>
#include <rpcndr.h>

#ifdef _MIDL_USE_GUIDDEF_

#ifndef INITGUID
#define INITGUID
#include <guiddef.h>
#undef INITGUID
#else

```

```

#include <guiddef.h>
#endif

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
DEFINE_GUID(name,l,w1,w2,b1,b2,b3,b4,b5,b6,b7,b8)

#else // !_MIDL_USE_GUIDDEF_

#ifndef __IID_DEFINED__
#define __IID_DEFINED__

typedef struct _IID
{
    unsigned long x;
    unsigned short s1;
    unsigned short s2;
    unsigned char c[8];
} IID;

#endif // __IID_DEFINED__

#ifndef CLSID_DEFINED
#define CLSID_DEFINED
typedef IID CLSID;
#endif // CLSID_DEFINED

#define
MIDL_DEFINE_GUID(type,name,l,w1,w2,b1,b2,b3,b4,b5,b6,
b7,b8) \
    const type name =
{1,w1,w2,{b1,b2,b3,b4,b5,b6,b7,b8}}

#endif !_MIDL_USE_GUIDDEF_

MIDL_DEFINE_GUID(IID,
IID_ITPCC,0xFEEE6AA2,0x84B1,0x11d2,0xBA,0x47,0x00,0xc
0,0x4F,0xBF,0xE0,0x8B);

#undef MIDL_DEFINE_GUID

#ifdef __cplusplus
}
#endif

#endif /* defined(_M_IA64) || defined(_M_AMD64)*/



---



tpcc_com_ps_  
p.c



---



```

/* this ALWAYS GENERATED file contains the proxy stub
code */

```


```

```

/* File created by MIDL compiler version 6.00.0361
*/
/* at Thu Mar 16 18:21:12 2006
*/
/*
/* Compiler settings for .\src\tpcc_com_ps.idl:
Oicf, Wl, Zp8, env=Win32 (32b run)
protocol : dce , ms_ext, c_ext
error checks: allocation ref bounds_check enum
stub_data
VC __declspec() decoration level:
__declspec(uuid()), __declspec(selectany),
__declspec(novtable)
DECLSPEC_UUID(), MIDL_INTERFACE()
*/
/**@MIDL_FILE_HEADING( )

#if !defined(_M_IA64) && !defined(_M_AMD64)

#pragma warning( disable: 4049 ) /* more than 64k
source lines */
#if _MSC_VER >= 1200
#pragma warning(push)
#endif
#pragma warning( disable: 4100 ) /* unreferenced
arguments in x86 call */
#pragma warning( disable: 4211 ) /* redefine extent
to static */
#pragma warning( disable: 4232 ) /* dllimport
identity*/
#define USE_STUBLESS_PROXY

/* verify that the <rpcproxy.h> version is high
enough to compile this file*/
#ifndef __REDQ_RPCPROXY_H_VERSION__
#define __REQUIRED_RPCPROXY_H_VERSION__ 440
#endif

#include "rpcproxy.h"
#ifndef __RPCPROXY_H_VERSION__
#error this stub requires an updated version of
<rpcproxy.h>
#endif // __RPCPROXY_H_VERSION__

#include "tpcc_com_ps.h"

#define TYPE_FORMAT_STRING_SIZE 1023
#define PROC_FORMAT_STRING_SIZE 193
#define TRANSMIT_AS_TABLE_SIZE 0
#define WIRE_MARSHAL_TABLE_SIZE 1

typedef struct _MIDL_TYPE_FORMAT_STRING
{
short Pad;
unsigned char Format[ TYPE_FORMAT_STRING_SIZE ];
} MIDL_TYPE_FORMAT_STRING;

typedef struct _MIDL_PROC_FORMAT_STRING
{

```

```

short Pad;
unsigned char Format[ PROC_FORMAT_STRING_SIZE ];
} MIDL_PROC_FORMAT_STRING;

static RPC_SYNTAX_IDENTIFIER _RpcTransferSyntax =
{{0x8A885D04,0x1CEB,0x11C9,{0x9F,0xE8,0x08,0x00,0x2B,
0x10,0x48,0x60}},{2,0}};

extern const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString;
extern const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString;

extern const MIDL_STUB_DESC Object_StubDesc;

extern const MIDL_SERVER_INFO ITPCC_ServerInfo;
extern const MIDL_STUBLESS_PROXY_INFO
ITPCC_ProxyInfo;

extern const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ];

#if !defined(__RPC_WIN32__)
#error Invalid build platform for this stub.
#endif

#if !(TARGET_IS_NT40_OR_LATER)
#error You need a Windows NT 4.0 or later to run this
stub because it uses these features:
#error -Oif or -Oicf, [wire_marshal] or
[user_marshal] attribute.
#error However, your C/C++ compilation flags indicate
you intend to run this app on earlier systems.
#error This app will die there with the
RPC_X_WRONG_STUB_VERSION error.
#endif

static const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString =
{
0,
{
/* Procedure NewOrder */

FC_AUTO_HANDLE */
0x33, /*
Old Flags: object, Oi2 */
/* 2 */ NdrFcLong( 0x0 ), /* 0 */
/* 6 */ NdrFcShort( 0x3 ), /* 3 */
/* 8 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
/* 10 */ NdrFcShort( 0x0 ), /* 0 */
/* 12 */ NdrFcShort( 0x8 ), /* 8 */
/* 14 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */

```

```

0x3, /*
3 */
/* Parameter txn_in */
/* 16 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
/* 18 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
/* 20 */ NdrFcShort( 0x3e2 ), /* Type
Offset=994 */
/* Parameter txn_out */
/* 22 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
/* 24 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
/* 26 */ NdrFcShort( 0x3f4 ), /* Type
Offset=1012 */
/* Return value */
/* 28 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 30 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
/* 32 */ 0x8, /* FC_LONG */
0x0, /*
0 */
/* Procedure Payment */
/* 34 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 36 */ NdrFcLong( 0x0 ), /* 0 */
/* 40 */ NdrFcShort( 0x4 ), /* 4 */
/* 42 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
/* 44 */ NdrFcShort( 0x0 ), /* 0 */
/* 46 */ NdrFcShort( 0x8 ), /* 8 */
/* 48 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
0x3, /*
3 */
/* Parameter txn_in */
/* 50 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
/* 52 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
/* 54 */ NdrFcShort( 0x3e2 ), /* Type
Offset=994 */
/* Parameter txn_out */
/* 56 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */

```

```

/* 58 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
/* 60 */ NdrFcShort( 0x3f4 ), /* Type
Offset=1012 */

/* Return value */

/* 62 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 64 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
/* 66 */ 0x8, /* FC_LONG */
/* 0x0, /*
0 */

/* Procedure Delivery */

/* 68 */ 0x33, /* FC_AUTO_HANDLE */
/* 0x6c, /*
Old Flags: object, Oi2 */
/* 70 */ NdrFcLong( 0x0 ), /* 0 */
/* 74 */ NdrFcShort( 0x5 ), /* 5 */
/* 76 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
/* 78 */ NdrFcShort( 0x0 ), /* 0 */
/* 80 */ NdrFcShort( 0x8 ), /* 8 */
/* 82 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
/* 0x3, /*
3 */

/* Parameter txn_in */

/* 84 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
/* 86 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
/* 88 */ NdrFcShort( 0x3e2 ), /* Type
Offset=994 */

/* Parameter txn_out */

/* 90 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
/* 92 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
/* 94 */ NdrFcShort( 0x3f4 ), /* Type
Offset=1012 */

/* Return value */

/* 96 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 98 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
/* 100 */ 0x8, /* FC_LONG */
/* 0x0, /*
0 */

/* Procedure StockLevel */

/* 102 */ 0x33, /* FC_AUTO_HANDLE */

```

```

0x6c, /*
Old Flags: object, Oi2 */
/* 104 */ NdrFcLong( 0x0 ), /* 0 */
/* 108 */ NdrFcShort( 0x6 ), /* 6 */
/* 110 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
/* 112 */ NdrFcShort( 0x0 ), /* 0 */
/* 114 */ NdrFcShort( 0x8 ), /* 8 */
/* 116 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
/* 0x3, /*
3 */

/* Parameter txn_in */

/* 118 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
/* 120 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
/* 122 */ NdrFcShort( 0x3e2 ), /* Type
Offset=994 */

/* Parameter txn_out */

/* 124 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
/* 126 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
/* 128 */ NdrFcShort( 0x3f4 ), /* Type
Offset=1012 */

/* Return value */

/* 130 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 132 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
/* 134 */ 0x8, /* FC_LONG */
/* 0x0, /*
0 */

/* Procedure OrderStatus */

/* 136 */ 0x33, /* FC_AUTO_HANDLE */
/* 0x6c, /*
Old Flags: object, Oi2 */
/* 138 */ NdrFcLong( 0x0 ), /* 0 */
/* 142 */ NdrFcShort( 0x7 ), /* 7 */
/* 144 */ NdrFcShort( 0x1c ), /* x86 Stack
size/offset = 28 */
/* 146 */ NdrFcShort( 0x0 ), /* 0 */
/* 148 */ NdrFcShort( 0x8 ), /* 8 */
/* 150 */ 0x7, /* Oi2 Flags: srv must
size, clt must size, has return, */
/* 0x3, /*
3 */

/* Parameter txn_in */

/* 152 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */

```

```

/* 154 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
/* 156 */ NdrFcShort( 0x3e2 ), /* Type
Offset=994 */

/* Parameter txn_out */

/* 158 */ NdrFcShort( 0x4113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=16 */
/* 160 */ NdrFcShort( 0x14 ), /* x86 Stack
size/offset = 20 */
/* 162 */ NdrFcShort( 0x3f4 ), /* Type
Offset=1012 */

/* Return value */

/* 164 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 166 */ NdrFcShort( 0x18 ), /* x86 Stack
size/offset = 24 */
/* 168 */ 0x8, /* FC_LONG */
/* 0x0, /*
0 */

/* Procedure CallSetComplete */

/* 170 */ 0x33, /* FC_AUTO_HANDLE */
/* 0x6c, /*
Old Flags: object, Oi2 */
/* 172 */ NdrFcLong( 0x0 ), /* 0 */
/* 176 */ NdrFcShort( 0x8 ), /* 8 */
/* 178 */ NdrFcShort( 0x8 ), /* x86 Stack
size/offset = 8 */
/* 180 */ NdrFcShort( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x8 ), /* 8 */
/* 184 */ 0x4, /* Oi2 Flags: has
return, */
/* 0x1, /*
1 */

/* Return value */

/* 186 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 188 */ NdrFcShort( 0x4 ), /* x86 Stack
size/offset = 4 */
/* 190 */ 0x8, /* FC_LONG */
/* 0x0, /*
0 */

0x0
};

static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
    0,
    {
        NdrFcShort( 0x0 ), /*
0 */
/* 2 */

```

```

                                0x12, 0x0, /*
FC_UP */
/* 4 */ NdrFcShort( 0x3ca ), /* Offset=
970 (974) */
/* 6 */
                                0x2b, /*
FC_NON_ENCAPSULATED_UNION */
                                0x9, /*
FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT
*/
                                0x0, /*
*/
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x2 ), /* Offset= 2 (14) */
/* 14 */ NdrFcShort( 0x10 ), /* 16 */
/* 16 */ NdrFcShort( 0x2f ), /* 47 */
/* 18 */ NdrFcLong( 0x14 ), /* 20 */
/* 22 */ NdrFcShort( 0x800b ), /* Simple arm
type: FC_HYPER */
/* 24 */ NdrFcLong( 0x3 ), /* 3 */
/* 28 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 30 */ NdrFcLong( 0x11 ), /* 17 */
/* 34 */ NdrFcShort( 0x8001 ), /* Simple arm
type: FC_BYTE */
/* 36 */ NdrFcLong( 0x2 ), /* 2 */
/* 40 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 42 */ NdrFcLong( 0x4 ), /* 4 */
/* 46 */ NdrFcShort( 0x800a ), /* Simple arm
type: FC_FLOAT */
/* 48 */ NdrFcLong( 0x5 ), /* 5 */
/* 52 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 54 */ NdrFcLong( 0xb ), /* 11 */
/* 58 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 60 */ NdrFcLong( 0xa ), /* 10 */
/* 64 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 66 */ NdrFcLong( 0x6 ), /* 6 */
/* 70 */ NdrFcShort( 0xe8 ), /* Offset= 232 (302) */
/* 72 */ NdrFcLong( 0x7 ), /* 7 */
/* 76 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 78 */ NdrFcLong( 0x8 ), /* 8 */
/* 82 */ NdrFcShort( 0xe2 ), /* Offset= 226 (308) */
/* 84 */ NdrFcLong( 0xd ), /* 13 */
/* 88 */ NdrFcShort( 0xf4 ), /* Offset= 244 (332) */
/* 90 */ NdrFcLong( 0x9 ), /* 9 */
/* 94 */ NdrFcShort( 0x100 ), /* Offset=
256 (350) */
/* 96 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 100 */ NdrFcShort( 0x10c ), /* Offset=
268 (368) */
/* 102 */ NdrFcLong( 0x24 ), /* 36 */
/* 106 */ NdrFcShort( 0x31a ), /* Offset=
794 (900) */
/* 108 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 112 */ NdrFcShort( 0x314 ), /* Offset=
788 (900) */
/* 114 */ NdrFcLong( 0x4011 ), /* 16401 */

```

```

/* 118 */ NdrFcShort( 0x312 ), /* Offset=
786 (904) */
/* 120 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 124 */ NdrFcShort( 0x310 ), /* Offset=
784 (908) */
/* 126 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 130 */ NdrFcShort( 0x30e ), /* Offset=
782 (912) */
/* 132 */ NdrFcLong( 0x4014 ), /* 16404 */
/* 136 */ NdrFcShort( 0x30c ), /* Offset=
780 (916) */
/* 138 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 142 */ NdrFcShort( 0x30a ), /* Offset=
778 (920) */
/* 144 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 148 */ NdrFcShort( 0x308 ), /* Offset=
776 (924) */
/* 150 */ NdrFcLong( 0x400b ), /* 16395 */
/* 154 */ NdrFcShort( 0x2f2 ), /* Offset=
754 (908) */
/* 156 */ NdrFcLong( 0x400a ), /* 16394 */
/* 160 */ NdrFcShort( 0x2f0 ), /* Offset=
752 (912) */
/* 162 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 166 */ NdrFcShort( 0x2fa ), /* Offset=
762 (928) */
/* 168 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 172 */ NdrFcShort( 0x2f0 ), /* Offset=
752 (924) */
/* 174 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 178 */ NdrFcShort( 0x2f2 ), /* Offset=
754 (932) */
/* 180 */ NdrFcLong( 0x400d ), /* 16397 */
/* 184 */ NdrFcShort( 0x2f0 ), /* Offset=
752 (936) */
/* 186 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 190 */ NdrFcShort( 0x2ee ), /* Offset=
750 (940) */
/* 192 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 196 */ NdrFcShort( 0x2ec ), /* Offset=
748 (944) */
/* 198 */ NdrFcLong( 0x400c ), /* 16396 */
/* 202 */ NdrFcShort( 0x2ea ), /* Offset=
746 (948) */
/* 204 */ NdrFcLong( 0x10 ), /* 16 */
/* 208 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 210 */ NdrFcLong( 0x12 ), /* 18 */
/* 214 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 216 */ NdrFcLong( 0x13 ), /* 19 */
/* 220 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 222 */ NdrFcLong( 0x15 ), /* 21 */
/* 226 */ NdrFcShort( 0x800b ), /* Simple arm
type: FC_HYPER */
/* 228 */ NdrFcLong( 0x16 ), /* 22 */
/* 232 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 234 */ NdrFcLong( 0x17 ), /* 23 */
/* 238 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 240 */ NdrFcLong( 0xe ), /* 14 */

```

```

/* 244 */ NdrFcShort( 0x2c8 ), /* Offset=
712 (956) */
/* 246 */ NdrFcLong( 0x400e ), /* 16398 */
/* 250 */ NdrFcShort( 0x2cc ), /* Offset=
716 (966) */
/* 252 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 256 */ NdrFcShort( 0x2ca ), /* Offset=
714 (970) */
/* 258 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 262 */ NdrFcShort( 0x286 ), /* Offset=
646 (908) */
/* 264 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 268 */ NdrFcShort( 0x284 ), /* Offset=
644 (912) */
/* 270 */ NdrFcLong( 0x4015 ), /* 16405 */
/* 274 */ NdrFcShort( 0x282 ), /* Offset=
642 (916) */
/* 276 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 280 */ NdrFcShort( 0x278 ), /* Offset=
632 (912) */
/* 282 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 286 */ NdrFcShort( 0x272 ), /* Offset=
626 (912) */
/* 288 */ NdrFcLong( 0x0 ), /* 0 */
/* 292 */ NdrFcShort( 0x0 ), /* Offset= 0 (292) */
/* 294 */ NdrFcLong( 0x1 ), /* 1 */
/* 298 */ NdrFcShort( 0x0 ), /* Offset= 0 (298) */
/* 300 */ NdrFcShort( 0xffff ), /* Offset= -1
(299) */
/* 302 */
                                0x15, /*
FC_STRUCT */
                                0x7, /*
7 */
/* 304 */ NdrFcShort( 0x8 ), /* 8 */
/* 306 */ 0xb, /* FC_HYPER */
                                0x5b, /*
FC_END */
/* 308 */
                                0x12, 0x0, /*
FC_UP */
/* 310 */ NdrFcShort( 0xc ), /* Offset= 12 (322) */
/* 312 */
                                0x1b, /*
FC_CARRAY */
                                0x1, /*
1 */
/* 314 */ NdrFcShort( 0x2 ), /* 2 */
/* 316 */ 0x9, /* Corr desc: FC_ULONG
*/
                                0x0, /*
*/
/* 318 */ NdrFcShort( 0xffffc ), /* -4 */
/* 320 */ 0x6, /* FC_SHORT */
                                0x5b, /*
FC_END */
/* 322 */
                                0x17, /*
FC_CSTRUCT */
                                0x3, /*
3 */
/* 324 */ NdrFcShort( 0x8 ), /* 8 */

```

```

/* 326 */ NdrFcShort( 0xffff2 ), /* Offset= -
14 (312) */
/* 328 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 330 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 332 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 334 */ NdrFcLong( 0x0 ), /* 0 */
/* 338 */ NdrFcShort( 0x0 ), /* 0 */
/* 340 */ NdrFcShort( 0x0 ), /* 0 */
/* 342 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 344 */ 0x0, /* 0 */
0x0, /*
0 */
/* 346 */ 0x0, /* 0 */
0x0, /*
0 */
/* 348 */ 0x0, /* 0 */
0x46, /*
70 */
/* 350 */
0x2E, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 352 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 356 */ NdrFcShort( 0x0 ), /* 0 */
/* 358 */ NdrFcShort( 0x0 ), /* 0 */
/* 360 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 362 */ 0x0, /* 0 */
0x0, /*
0 */
/* 364 */ 0x0, /* 0 */
0x0, /*
0 */
/* 366 */ 0x0, /* 0 */
0x46, /*
70 */
/* 368 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 370 */ NdrFcShort( 0x2 ), /* Offset= 2 (372) */
/* 372 */
0x12, 0x0, /*
FC_UP */
/* 374 */ NdrFcShort( 0x1fc ), /* Offset=
508 (882) */
/* 376 */
0x2a, /*
FC_ENCAPSULATED_UNION */
0x49, /*
73 */
/* 378 */ NdrFcShort( 0x18 ), /* 24 */

```

```

/* 380 */ NdrFcShort( 0xa ), /* 10 */
/* 382 */ NdrFcLong( 0x8 ), /* 8 */
/* 386 */ NdrFcShort( 0x58 ), /* Offset= 88 (474) */
/* 388 */ NdrFcLong( 0xd ), /* 13 */
/* 392 */ NdrFcShort( 0x78 ), /* Offset= 120 (512) */
/* 394 */ NdrFcLong( 0x9 ), /* 9 */
/* 398 */ NdrFcShort( 0x94 ), /* Offset= 148 (546) */
/* 400 */ NdrFcLong( 0xc ), /* 12 */
/* 404 */ NdrFcShort( 0xbc ), /* Offset= 188 (592) */
/* 406 */ NdrFcLong( 0x24 ), /* 36 */
/* 410 */ NdrFcShort( 0x114 ), /* Offset=
276 (686) */
/* 412 */ NdrFcLong( 0x800d ), /* 32781 */
/* 416 */ NdrFcShort( 0x130 ), /* Offset=
304 (720) */
/* 418 */ NdrFcLong( 0x10 ), /* 16 */
/* 422 */ NdrFcShort( 0x148 ), /* Offset=
328 (750) */
/* 424 */ NdrFcLong( 0x2 ), /* 2 */
/* 428 */ NdrFcShort( 0x160 ), /* Offset=
352 (780) */
/* 430 */ NdrFcLong( 0x3 ), /* 3 */
/* 434 */ NdrFcShort( 0x178 ), /* Offset=
376 (810) */
/* 436 */ NdrFcLong( 0x14 ), /* 20 */
/* 440 */ NdrFcShort( 0x190 ), /* Offset=
400 (840) */
/* 442 */ NdrFcShort( 0xfffff ), /* Offset= -1
(441) */
/* 444 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 446 */ NdrFcShort( 0x4 ), /* 4 */
/* 448 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 450 */ NdrFcShort( 0x0 ), /* 0 */
/* 452 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 454 */
0x48, /*
FC_VARIABLE_REPEAT */
0x49, /*
FC_FIXED_OFFSET */
/* 456 */ NdrFcShort( 0x4 ), /* 4 */
/* 458 */ NdrFcShort( 0x0 ), /* 0 */
/* 460 */ NdrFcShort( 0x1 ), /* 1 */
/* 462 */ NdrFcShort( 0x0 ), /* 0 */
/* 464 */ NdrFcShort( 0x0 ), /* 0 */
/* 466 */ 0x12, 0x0, /* FC_UP */
/* 468 */ NdrFcShort( 0xff6e ), /* Offset= -
146 (322) */
/* 470 */
0x5b, /*
FC_END */

```

```

0x8, /*
FC_LONG */
/* 472 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 474 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 476 */ NdrFcShort( 0x8 ), /* 8 */
/* 478 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 480 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 482 */ NdrFcShort( 0x4 ), /* 4 */
/* 484 */ NdrFcShort( 0x4 ), /* 4 */
/* 486 */ 0x11, 0x0, /* FC_RP */
/* 488 */ NdrFcShort( 0xffd4 ), /* Offset= -
44 (444) */
/* 490 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 492 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 494 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 496 */ NdrFcShort( 0x0 ), /* 0 */
/* 498 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 500 */ NdrFcShort( 0x0 ), /* 0 */
/* 502 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 506 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /*
0 */
/* 508 */ NdrFcShort( 0xff50 ), /* Offset= -
176 (332) */
/* 510 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 512 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 514 */ NdrFcShort( 0x8 ), /* 8 */
/* 516 */ NdrFcShort( 0x0 ), /* 0 */

```

```

/* 518 */ NdrFcShort( 0x6 ), /* Offset= 6 (524) */
/* 520 */ 0x8, /* FC_LONG */
FC_POINTER */
/* 522 */ 0x5c, /* FC_PAD */
/* 524 */ 0x5b,
FC_END */
/* 524 */ 0x11, 0x0,
FC_RP */
/* 526 */ NdrFcShort( 0xffe0 ), /* Offset= -
32 (494) */
/* 528 */ 0x21,
FC_BOGUS_ARRAY */
/* 530 */ 0x3,
3 */
/* 530 */ NdrFcShort( 0x0 ), /* 0 */
/* 532 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
/* 534 */ 0x0,
/* 534 */ NdrFcShort( 0x0 ), /* 0 */
/* 536 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 540 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
/* 542 */ 0x0,
/* 542 */ NdrFcShort( 0xff40 ), /* Offset= -
192 (350) */
/* 544 */ 0x5c, /* FC_PAD */
/* 546 */ 0x5b,
FC_END */
/* 546 */ 0x1a,
FC_BOGUS_STRUCT */
/* 548 */ 0x3,
3 */
/* 548 */ NdrFcShort( 0x8 ), /* 8 */
/* 550 */ NdrFcShort( 0x0 ), /* 0 */
/* 552 */ NdrFcShort( 0x6 ), /* Offset= 6 (558) */
/* 554 */ 0x8, /* FC_LONG */
/* 556 */ 0x36,
FC_POINTER */
/* 556 */ 0x5c, /* FC_PAD */
/* 558 */ 0x5b,
FC_END */
/* 558 */ 0x11, 0x0,
FC_RP */
/* 560 */ NdrFcShort( 0xffe0 ), /* Offset= -
32 (528) */
/* 562 */ 0x1b,
FC_CARRAY */
/* 564 */ 0x3,
3 */
/* 564 */ NdrFcShort( 0x4 ), /* 4 */
/* 566 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
/* 568 */ 0x0,
/* 568 */ NdrFcShort( 0x0 ), /* 0 */

```

```

/* 570 */ FC_PP */
/* 570 */ 0x4b,
/* 572 */ 0x5c,
/* 572 */ 0x48,
/* 572 */ 0x49,
FC_FIXED_OFFSET */
/* 574 */ NdrFcShort( 0x4 ), /* 4 */
/* 576 */ NdrFcShort( 0x0 ), /* 0 */
/* 578 */ NdrFcShort( 0x1 ), /* 1 */
/* 580 */ NdrFcShort( 0x0 ), /* 0 */
/* 582 */ NdrFcShort( 0x0 ), /* 0 */
/* 584 */ 0x12, 0x0, /* FC_UP */
/* 586 */ NdrFcShort( 0x184 ), /* Offset=
388 (974) */
/* 588 */ 0x5b,
FC_END */
/* 588 */ 0x8,
FC_LONG */
/* 590 */ 0x5c, /* FC_PAD */
/* 592 */ 0x5b,
FC_END */
/* 592 */ 0x1a,
FC_BOGUS_STRUCT */
/* 594 */ 0x3,
3 */
/* 594 */ NdrFcShort( 0x8 ), /* 8 */
/* 596 */ NdrFcShort( 0x0 ), /* 0 */
/* 598 */ NdrFcShort( 0x6 ), /* Offset= 6 (604) */
/* 600 */ 0x8, /* FC_LONG */
/* 602 */ 0x36,
FC_POINTER */
/* 602 */ 0x5c, /* FC_PAD */
/* 604 */ 0x5b,
FC_END */
/* 604 */ 0x11, 0x0,
FC_RP */
/* 606 */ NdrFcShort( 0xffd4 ), /* Offset= -
44 (562) */
/* 608 */ 0x2f,
FC_IP */
/* 608 */ 0x5a,
FC_CONSTANT_IID */
/* 610 */ NdrFcLong( 0x2f ), /* 47 */
/* 614 */ NdrFcShort( 0x0 ), /* 0 */
/* 616 */ NdrFcShort( 0x0 ), /* 0 */
/* 618 */ 0xc0, /* 192 */
/* 620 */ 0x0,
/* 620 */ 0x0,
/* 622 */ 0x0,
/* 622 */ 0x0,
0 */

```

```

/* 624 */ 0x0, /* 0 */
/* 624 */ 0x46,
70 */
/* 626 */ 0x1b,
FC_CARRAY */
/* 626 */ 0x0,
0 */
/* 628 */ NdrFcShort( 0x1 ), /* 1 */
/* 630 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
/* 632 */ 0x0,
/* 632 */ NdrFcShort( 0x4 ), /* 4 */
/* 634 */ 0x1, /* FC_BYTE */
/* 636 */ 0x5b,
FC_END */
/* 636 */ 0x1a,
FC_BOGUS_STRUCT */
/* 636 */ 0x3,
3 */
/* 638 */ NdrFcShort( 0x10 ), /* 16 */
/* 640 */ NdrFcShort( 0x0 ), /* 0 */
/* 642 */ NdrFcShort( 0xa ), /* Offset= 10 (652) */
/* 644 */ 0x8, /* FC_LONG */
/* 646 */ 0x8,
FC_LONG */
/* 646 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
/* 648 */ 0x0,
0 */
/* 648 */ NdrFcShort( 0xffd8 ), /* Offset= -
40 (608) */
/* 650 */ 0x36, /* FC_POINTER */
/* 652 */ 0x5b,
FC_END */
/* 652 */ 0x12, 0x0,
FC_UP */
/* 654 */ NdrFcShort( 0xffe4 ), /* Offset= -
28 (626) */
/* 656 */ 0x1b,
FC_CARRAY */
/* 656 */ 0x3,
3 */
/* 658 */ NdrFcShort( 0x4 ), /* 4 */
/* 660 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
/* 662 */ 0x0,
/* 662 */ NdrFcShort( 0x0 ), /* 0 */
/* 664 */ 0x4b,
FC_PP */
/* 664 */ 0x5c,
FC_PAD */
/* 666 */ 0x48,
FC_VARIABLE_REPEAT */
/* 666 */ 0x49,
FC_FIXED_OFFSET */

```

```

/* 668 */ NdrFcShort( 0x4 ), /* 4 */
/* 670 */ NdrFcShort( 0x0 ), /* 0 */
/* 672 */ NdrFcShort( 0x1 ), /* 1 */
/* 674 */ NdrFcShort( 0x0 ), /* 0 */
/* 676 */ NdrFcShort( 0x0 ), /* 0 */
/* 678 */ 0x12, 0x0, /* FC_UP */
/* 680 */ NdrFcShort( 0xffd4 ), /* Offset= -
44 (636) */
/* 682 */
FC_END */
0x5b, /*
FC_LONG */
0x8, /*
/* 684 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 686 */
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 688 */ NdrFcShort( 0x8 ), /* 8 */
/* 690 */ NdrFcShort( 0x0 ), /* 0 */
/* 692 */ NdrFcShort( 0x6 ), /* Offset= 6 (698) */
/* 694 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 696 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 698 */
FC_RP */
/* 700 */ NdrFcShort( 0xffd4 ), /* Offset= -
44 (656) */
/* 702 */
0x1d, /*
FC_SMFARRAY */
0x0, /*
0 */
/* 704 */ NdrFcShort( 0x8 ), /* 8 */
/* 706 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 708 */
FC_STRUCT */
0x15, /*
0x3, /*
3 */
/* 710 */ NdrFcShort( 0x10 ), /* 16 */
/* 712 */ 0x8, /* FC_LONG */
0x6, /*
FC_SHORT */
/* 714 */ 0x6, /* FC_SHORT */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 716 */ 0x0, /* 0 */
NdrFcShort( 0xffff1 ),
/* Offset= -15 (702) */
0x5b, /*
FC_END */
/* 720 */

```

```

0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 722 */ NdrFcShort( 0x18 ), /* 24 */
/* 724 */ NdrFcShort( 0x0 ), /* 0 */
/* 726 */ NdrFcShort( 0xa ), /* Offset= 10 (736) */
/* 728 */ 0x8, /* FC_LONG */
0x36, /*
FC_POINTER */
/* 730 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
*/
0x0, /*
0 */
/* 732 */ NdrFcShort( 0xffe8 ), /* Offset= -
24 (708) */
/* 734 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 736 */
0x11, 0x0, /*
FC_RP */
/* 738 */ NdrFcShort( 0xff0c ), /* Offset= -
244 (494) */
/* 740 */
0x1b, /*
FC_CARRAY */
0x0, /*
0 */
/* 742 */ NdrFcShort( 0x1 ), /* 1 */
/* 744 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 746 */ NdrFcShort( 0x0 ), /* 0 */
/* 748 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 750 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 752 */ NdrFcShort( 0x8 ), /* 8 */
/* 754 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 756 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 758 */ NdrFcShort( 0x4 ), /* 4 */
/* 760 */ NdrFcShort( 0x4 ), /* 4 */
/* 762 */ 0x12, 0x0, /* FC_UP */
/* 764 */ NdrFcShort( 0xffe8 ), /* Offset= -
24 (740) */
/* 766 */
0x5b, /*
FC_END */

```

```

0x8, /*
FC_LONG */
/* 768 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 770 */
FC_CARRAY */
0x1b, /*
0x1, /*
1 */
/* 772 */ NdrFcShort( 0x2 ), /* 2 */
/* 774 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 776 */ NdrFcShort( 0x0 ), /* 0 */
/* 778 */ 0x6, /* FC_SHORT */
0x5b, /*
FC_END */
/* 780 */
0x16, /*
FC_PSTRUCT */
0x3, /*
3 */
/* 782 */ NdrFcShort( 0x8 ), /* 8 */
/* 784 */
0x4b, /*
FC_PP */
0x5c, /*
FC_PAD */
/* 786 */
0x46, /*
FC_NO_REPEAT */
0x5c, /*
FC_PAD */
/* 788 */ NdrFcShort( 0x4 ), /* 4 */
/* 790 */ NdrFcShort( 0x4 ), /* 4 */
/* 792 */ 0x12, 0x0, /* FC_UP */
/* 794 */ NdrFcShort( 0xffe8 ), /* Offset= -
24 (770) */
/* 796 */
0x5b, /*
FC_END */
0x8, /*
FC_LONG */
/* 798 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */
/* 800 */
0x1b, /*
FC_CARRAY */
0x3, /*
3 */
/* 802 */ NdrFcShort( 0x4 ), /* 4 */
/* 804 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 806 */ NdrFcShort( 0x0 ), /* 0 */
/* 808 */ 0x8, /* FC_LONG */
0x5b, /*
FC_END */

```



```

/* 810 */
FC_PSTRUCT */          0x16,          /*
3 */
/* 812 */ NdrFcShort( 0x8 ), /* 8 */
/* 814 */
FC_PP */              0x4b,          /*
FC_PAD */            0x5c,          /*
/* 816 */
FC_NO_REPEAT */      0x46,          /*
0x5c,                /*
FC_PAD */
/* 818 */ NdrFcShort( 0x4 ), /* 4 */
/* 820 */ NdrFcShort( 0x4 ), /* 4 */
/* 822 */ 0x12, 0x0, /* FC_UP */
/* 824 */ NdrFcShort( 0xffe8 ), /* Offset= -
24 (800) */
/* 826 */
FC_END */            0x5b,          /*
FC_LONG */          0x8,          /*
/* 828 */ 0x8, /* FC_LONG */
0x5b,                /*
FC_END */            0x1b,         /*
/* 830 */
FC_CARRAY */        0x1b,         /*
0x7,                /*
7 */
/* 832 */ NdrFcShort( 0x8 ), /* 8 */
/* 834 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0,                /*
*/
/* 836 */ NdrFcShort( 0x0 ), /* 0 */
/* 838 */ 0xb, /* FC_HYPER */
0x5b,                /*
FC_END */            0x16,         /*
/* 840 */
FC_PSTRUCT */      0x3,          /*
3 */
/* 842 */ NdrFcShort( 0x8 ), /* 8 */
/* 844 */
FC_PP */            0x4b,         /*
FC_PAD */            0x5c,         /*
/* 846 */
FC_NO_REPEAT */    0x46,         /*
0x5c,                /*
FC_PAD */
/* 848 */ NdrFcShort( 0x4 ), /* 4 */
/* 850 */ NdrFcShort( 0x4 ), /* 4 */
/* 852 */ 0x12, 0x0, /* FC_UP */

```

```

/* 854 */ NdrFcShort( 0xffe8 ), /* Offset= -
24 (830) */
/* 856 */
FC_END */          0x5b,         /*
FC_LONG */        0x8,          /*
/* 858 */ 0x8, /* FC_LONG */
0x5b,             /*
FC_END */        0x15,         /*
/* 860 */
FC_STRUCT */      0x3,          /*
3 */
/* 862 */ NdrFcShort( 0x8 ), /* 8 */
/* 864 */ 0x8, /* FC_LONG */
0x8,              /*
FC_LONG */       0x5b,         /* FC_PAD */
/* 866 */ 0x5c, /*
FC_END */        0x1b,         /*
/* 868 */
FC_CARRAY */      0x3,          /*
3 */
/* 870 */ NdrFcShort( 0x8 ), /* 8 */
/* 872 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0,              /*
*/
/* 874 */ NdrFcShort( 0xffd8 ), /* -40 */
/* 876 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0,              /*
0 */
/* 878 */ NdrFcShort( 0xffee ), /* Offset= -
18 (860) */
/* 880 */ 0x5c, /* FC_PAD */
0x5b,             /*
FC_END */        0x1a,         /*
/* 882 */
FC_BOGUS_STRUCT */ 0x3,          /*
3 */
/* 884 */ NdrFcShort( 0x28 ), /* 40 */
/* 886 */ NdrFcShort( 0xffee ), /* Offset= -
18 (868) */
/* 888 */ NdrFcShort( 0x0 ), /* Offset= 0 (888) */
/* 890 */ 0x6, /* FC_SHORT */
0x6,              /*
FC_SHORT */      0x8,          /* FC_LONG */
/* 892 */ 0x8, /*
FC_LONG */       0x8,          /* FC_EMBEDDED_COMPLEX
*/
/* 894 */ 0x4c, /*
0 */
0x0,              /*

```

```

/* 896 */ NdrFcShort( 0xdf8 ), /* Offset= -
520 (376) */
/* 898 */ 0x5c, /* FC_PAD */
0x5b,             /*
FC_END */         0x12, 0x0, /*
/* 900 */
FC_UP */          0x12, 0x0, /*
/* 902 */ NdrFcShort( 0xfe6 ), /* Offset= -
266 (636) */
/* 904 */
FC_UP [simple_pointer] */ 0x12, 0x8, /*
/* 906 */ 0x1, /* FC_BYTE */
0x5c,             /*
FC_PAD */        0x12, 0x8, /*
/* 908 */
FC_UP [simple_pointer] */ 0x12, 0x8, /*
/* 910 */ 0x6, /* FC_SHORT */
0x5c,             /*
FC_PAD */        0x12, 0x8, /*
/* 912 */
FC_UP [simple_pointer] */ 0x12, 0x8, /*
/* 914 */ 0x8, /* FC_LONG */
0x5c,             /*
FC_PAD */        0x12, 0x8, /*
/* 916 */
FC_UP [simple_pointer] */ 0x12, 0x8, /*
/* 918 */ 0xb, /* FC_HYPER */
0x5c,             /*
FC_PAD */        0x12, 0x8, /*
/* 920 */
FC_UP [simple_pointer] */ 0x12, 0x8, /*
/* 922 */ 0xa, /* FC_FLOAT */
0x5c,             /*
FC_PAD */        0x12, 0x8, /*
/* 924 */
FC_UP [simple_pointer] */ 0x12, 0x8, /*
/* 926 */ 0xc, /* FC_DOUBLE */
0x5c,             /*
FC_PAD */        0x12, 0x0, /*
/* 928 */
FC_UP */         0x12, 0x10, /*
/* 930 */ NdrFcShort( 0xfd8c ), /* Offset= -
628 (302) */
/* 932 */
FC_UP [pointer_deref] */ 0x12, 0x10, /*
/* 934 */ NdrFcShort( 0xfd8e ), /* Offset= -
626 (308) */
/* 936 */
FC_UP [pointer_deref] */ 0x12, 0x10, /*
/* 938 */ NdrFcShort( 0xfda2 ), /* Offset= -
606 (332) */
/* 940 */

```

```

                                0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 942 */ NdrFcShort( 0xfdb0 ), /* Offset= -
592 (350) */
/* 944 */
                                0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 946 */ NdrFcShort( 0xfdb0 ), /* Offset= -
578 (368) */
/* 948 */
                                0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 950 */ NdrFcShort( 0x2 ), /* Offset= 2 (952) */
/* 952 */
                                0x12, 0x0, /*
FC_UP */
/* 954 */ NdrFcShort( 0x14 ), /* Offset= 20 (974) */
/* 956 */
FC_STRUCT */
                                0x15, /*
/*
7 */
/* 958 */ NdrFcShort( 0x10 ), /* 16 */
/* 960 */ 0xb, /* FC_SHORT */
                                0x1, /*
FC_BYTE */
/* 962 */ 0x1, /* FC_BYTE */
                                0x8, /*
FC_LONG */
/* 964 */ 0xb, /* FC_HYPER */
                                0x5b, /*
FC_END */
/* 966 */
                                0x12, 0x0, /*
FC_UP */
/* 968 */ NdrFcShort( 0xffff4 ), /* Offset= -
12 (956) */
/* 970 */
                                0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 972 */ 0x2, /* FC_CHAR */
                                0x5c, /*
FC_PAD */
/* 974 */
                                0x1a, /*
FC_BOGUS_STRUCT */
                                0x7, /*
7 */
/* 976 */ NdrFcShort( 0x20 ), /* 32 */
/* 978 */ NdrFcShort( 0x0 ), /* 0 */
/* 980 */ NdrFcShort( 0x0 ), /* Offset= 0 (980) */
/* 982 */ 0x8, /* FC_LONG */
                                0x8, /*
FC_LONG */
/* 984 */ 0x6, /* FC_SHORT */
FC_SHORT */
/* 986 */ 0x6, /* FC_SHORT */
                                0x6, /*
FC_SHORT */
/* 988 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/

```

```

                                0x0, /*
0 */
/* 990 */ NdrFcShort( 0xfc28 ), /* Offset= -
984 (6) */
/* 992 */ 0x5c, /* FC_PAD */
                                0x5b, /*
FC_END */
/* 994 */ 0xb4, /* FC_USER_MARSHAL */
                                0x83, /*
131 */
/* 996 */ NdrFcShort( 0x0 ), /* 0 */
/* 998 */ NdrFcShort( 0x10 ), /* 16 */
/* 1000 */ NdrFcShort( 0x0 ), /* 0 */
/* 1002 */ NdrFcShort( 0xfc18 ), /*
Offset= -1000 (2) */
/* 1004 */
                                0x11, 0x4, /*
FC_RP [allocated_on_stack] */
/* 1006 */ NdrFcShort( 0x6 ), /* Offset= 6
(1012) */
/* 1008 */
                                0x13, 0x0, /*
FC_OP */
/* 1010 */ NdrFcShort( 0xffdc ), /*
Offset= -36 (974) */
/* 1012 */ 0xb4, /*
FC_USER_MARSHAL */
                                0x83, /*
131 */
/* 1014 */ NdrFcShort( 0x0 ), /* 0 */
/* 1016 */ NdrFcShort( 0x10 ), /* 16 */
/* 1018 */ NdrFcShort( 0x0 ), /* 0 */
/* 1020 */ NdrFcShort( 0xffff4 ), /*
Offset= -12 (1008) */
                                0x0
}
};

static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};

/* Standard interface: __MIDL_itf_tpcc_com_ps_0000,
ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0
x00,0x00,0x00,0x00}} */

/* Object interface: IUnknown, ver. 0.0,

```

```

GUID={0x00000000,0x0000,0x0000,{0xc0,0x00,0x00,0x00,0
x00,0x00,0x00,0x46}} */

/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEEE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xc0,0
x4F,0xBF,0xE0,0x8B}} */

#pragma code_seg(".orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =
{
    0,
    34,
    68,
    102,
    136,
    170
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo
=
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    0,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0;
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy ,
    (void *) (INT_PTR) -1 /* ITPCC::NewOrder */ ,
    (void *) (INT_PTR) -1 /* ITPCC::Payment */ ,
    (void *) (INT_PTR) -1 /* ITPCC::Delivery */ ,
    (void *) (INT_PTR) -1 /* ITPCC::StockLevel */ ,
    (void *) (INT_PTR) -1 /* ITPCC::OrderStatus */ ,
    (void *) (INT_PTR) -1 /* ITPCC::CallSetComplete
*/
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,

```



```

#if !defined(__RPC_WIN64_)
#error Invalid build platform for this stub.
#endif

static const MIDL_PROC_FORMAT_STRING
__MIDL_ProcFormatString =
{
    0,
    {
        /* Procedure NewOrder */
        0x33, /* FC_AUTO_HANDLE */
        0x6c, /* Old Flags: object, Oi2 */
        /* 2 */ NdrFcLong( 0x0 ), /* 0 */
        /* 6 */ NdrFcShort( 0x3 ), /* 3 */
        /* 8 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
        /* 10 */ NdrFcShort( 0x0 ), /* 0 */
        /* 12 */ NdrFcShort( 0x8 ), /* 8 */
        /* 14 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
        0x3, /* 3 */
        /* 16 */ 0xa, /* 10 */
        0x7, /* Ext Flags: new corr desc, clt corr check, srv corr
check, */
        /* 18 */ NdrFcShort( 0x20 ), /* 32 */
        /* 20 */ NdrFcShort( 0x20 ), /* 32 */
        /* 22 */ NdrFcShort( 0x0 ), /* 0 */
        /* 24 */ NdrFcShort( 0x0 ), /* 0 */

        /* Parameter txn_in */

        /* 26 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
        /* 28 */ NdrFcShort( 0x8 ), /* ia64 Stack
size/offset = 8 */
        /* 30 */ NdrFcShort( 0x3ce ), /* Type
Offset=974 */

        /* Parameter txn_out */

        /* 32 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
        /* 34 */ NdrFcShort( 0x20 ), /* ia64 Stack
size/offset = 32 */
        /* 36 */ NdrFcShort( 0x3e0 ), /* Type
Offset=992 */

        /* Return value */

        /* 38 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
        /* 40 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
        /* 42 */ 0x8, /* FC_LONG */
        0x0, /* 0 */
    }
}

```

```

/* Procedure Payment */

/* 44 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */
/* 46 */ NdrFcLong( 0x0 ), /* 0 */
/* 50 */ NdrFcShort( 0x4 ), /* 4 */
/* 52 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
/* 54 */ NdrFcShort( 0x0 ), /* 0 */
/* 56 */ NdrFcShort( 0x8 ), /* 8 */
/* 58 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
0x3, /* 3 */
/* 60 */ 0xa, /* 10 */
0x7, /* Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 62 */ NdrFcShort( 0x20 ), /* 32 */
/* 64 */ NdrFcShort( 0x20 ), /* 32 */
/* 66 */ NdrFcShort( 0x0 ), /* 0 */
/* 68 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 70 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
/* 72 */ NdrFcShort( 0x8 ), /* ia64 Stack
size/offset = 8 */
/* 74 */ NdrFcShort( 0x3ce ), /* Type
Offset=974 */

/* Parameter txn_out */

/* 76 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
/* 78 */ NdrFcShort( 0x20 ), /* ia64 Stack
size/offset = 32 */
/* 80 */ NdrFcShort( 0x3e0 ), /* Type
Offset=992 */

/* Return value */

/* 82 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 84 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
/* 86 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure Delivery */

/* 88 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */
/* 90 */ NdrFcLong( 0x0 ), /* 0 */
/* 94 */ NdrFcShort( 0x5 ), /* 5 */
/* 96 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */

```

```

/* 98 */ NdrFcShort( 0x0 ), /* 0 */
/* 100 */ NdrFcShort( 0x8 ), /* 8 */
/* 102 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
0x3, /* 3 */
/* 104 */ 0xa, /* 10 */
0x7, /* Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 106 */ NdrFcShort( 0x20 ), /* 32 */
/* 108 */ NdrFcShort( 0x20 ), /* 32 */
/* 110 */ NdrFcShort( 0x0 ), /* 0 */
/* 112 */ NdrFcShort( 0x0 ), /* 0 */

/* Parameter txn_in */

/* 114 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
/* 116 */ NdrFcShort( 0x8 ), /* ia64 Stack
size/offset = 8 */
/* 118 */ NdrFcShort( 0x3ce ), /* Type
Offset=974 */

/* Parameter txn_out */

/* 120 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
/* 122 */ NdrFcShort( 0x20 ), /* ia64 Stack
size/offset = 32 */
/* 124 */ NdrFcShort( 0x3e0 ), /* Type
Offset=992 */

/* Return value */

/* 126 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 128 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
/* 130 */ 0x8, /* FC_LONG */
0x0, /* 0 */

/* Procedure StockLevel */

/* 132 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /* Old Flags: object, Oi2 */
/* 134 */ NdrFcLong( 0x0 ), /* 0 */
/* 138 */ NdrFcShort( 0x6 ), /* 6 */
/* 140 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
/* 142 */ NdrFcShort( 0x0 ), /* 0 */
/* 144 */ NdrFcShort( 0x8 ), /* 8 */
/* 146 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
0x3, /* 3 */
/* 148 */ 0xa, /* 10 */
0x7, /* Ext Flags: new corr desc, clt corr check, srv corr
check, */

```

```

/* 150 */ NdrFcShort( 0x20 ), /* 32 */
/* 152 */ NdrFcShort( 0x20 ), /* 32 */
/* 154 */ NdrFcShort( 0x0 ), /* 0 */
/* 156 */ NdrFcShort( 0x0 ), /* 0 */

    /* Parameter txn_in */

/* 158 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */
/* 160 */ NdrFcShort( 0x8 ), /* ia64 Stack
size/offset = 8 */
/* 162 */ NdrFcShort( 0x3ce ), /* Type
Offset=974 */

    /* Parameter txn_out */

/* 164 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
/* 166 */ NdrFcShort( 0x20 ), /* ia64 Stack
size/offset = 32 */
/* 168 */ NdrFcShort( 0x3e0 ), /* Type
Offset=992 */

    /* Return value */

/* 170 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 172 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
/* 174 */ 0x8, /* FC_LONG */
0x0, /*
0 */

    /* Procedure OrderStatus */

/* 176 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 178 */ NdrFcLong( 0x0 ), /* 0 */
/* 182 */ NdrFcShort( 0x7 ), /* 7 */
/* 184 */ NdrFcShort( 0x30 ), /* ia64 Stack
size/offset = 48 */
/* 186 */ NdrFcShort( 0x0 ), /* 0 */
/* 188 */ NdrFcShort( 0x8 ), /* 8 */
/* 190 */ 0x47, /* Oi2 Flags: srv must
size, clt must size, has return, has ext, */
0x3, /*
3 */
/* 192 */ 0xa, /* 10 */
0x7, /*
Ext Flags: new corr desc, clt corr check, srv corr
check, */
/* 194 */ NdrFcShort( 0x20 ), /* 32 */
/* 196 */ NdrFcShort( 0x20 ), /* 32 */
/* 198 */ NdrFcShort( 0x0 ), /* 0 */
/* 200 */ NdrFcShort( 0x0 ), /* 0 */

    /* Parameter txn_in */

/* 202 */ NdrFcShort( 0x8b ), /* Flags: must size,
must free, in, by val, */

```

```

/* 204 */ NdrFcShort( 0x8 ), /* ia64 Stack
size/offset = 8 */
/* 206 */ NdrFcShort( 0x3ce ), /* Type
Offset=974 */

    /* Parameter txn_out */

/* 208 */ NdrFcShort( 0x6113 ), /* Flags:
must size, must free, out, simple ref, srv alloc
size=24 */
/* 210 */ NdrFcShort( 0x20 ), /* ia64 Stack
size/offset = 32 */
/* 212 */ NdrFcShort( 0x3e0 ), /* Type
Offset=992 */

    /* Return value */

/* 214 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 216 */ NdrFcShort( 0x28 ), /* ia64 Stack
size/offset = 40 */
/* 218 */ 0x8, /* FC_LONG */
0x0, /*
0 */

    /* Procedure CallSetComplete */

/* 220 */ 0x33, /* FC_AUTO_HANDLE */
0x6c, /*
Old Flags: object, Oi2 */
/* 222 */ NdrFcLong( 0x0 ), /* 0 */
/* 226 */ NdrFcShort( 0x8 ), /* 8 */
/* 228 */ NdrFcShort( 0x10 ), /* ia64 Stack
size/offset = 16 */
/* 230 */ NdrFcShort( 0x0 ), /* 0 */
/* 232 */ NdrFcShort( 0x8 ), /* 8 */
/* 234 */ 0x44, /* Oi2 Flags: has
return, has ext, */
0x1, /*
1 */
/* 236 */ 0xa, /* 10 */
0x1, /*
Ext Flags: new corr desc, */
/* 238 */ NdrFcShort( 0x0 ), /* 0 */
/* 240 */ NdrFcShort( 0x0 ), /* 0 */
/* 242 */ NdrFcShort( 0x0 ), /* 0 */
/* 244 */ NdrFcShort( 0x0 ), /* 0 */

    /* Return value */

/* 246 */ NdrFcShort( 0x70 ), /* Flags: out, return,
base type, */
/* 248 */ NdrFcShort( 0x8 ), /* ia64 Stack
size/offset = 8 */
/* 250 */ 0x8, /* FC_LONG */
0x0, /*
0 */

    /*
0x0
*/
};

```

```

static const MIDL_TYPE_FORMAT_STRING
__MIDL_TypeFormatString =
{
    0,
    {
        NdrFcShort( 0x0 ), /*
0 */
/* 2 */
0x12, 0x0, /*
FC_UP */
/* 4 */ NdrFcShort( 0x3b6 ), /* Offset=
950 (954) */
/* 6 */
0x2b, /*
FC_NON_ENCAPSULATED_UNION */
0x9, /*
FC_ULONG */
/* 8 */ 0x7, /* Corr desc: FC_USHORT
*/
0x0, /*
*/
/* 10 */ NdrFcShort( 0xffff8 ), /* -8 */
/* 12 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 14 */ NdrFcShort( 0x2 ), /* Offset= 2 (16) */
/* 16 */ NdrFcShort( 0x10 ), /* 16 */
/* 18 */ NdrFcShort( 0x2f ), /* 47 */
/* 20 */ NdrFcLong( 0x14 ), /* 20 */
/* 24 */ NdrFcShort( 0x800b ), /* Simple arm
type: FC_HYPER */
/* 26 */ NdrFcLong( 0x3 ), /* 3 */
/* 30 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 32 */ NdrFcLong( 0x11 ), /* 17 */
/* 36 */ NdrFcShort( 0x8001 ), /* Simple arm
type: FC_BYTE */
/* 38 */ NdrFcLong( 0x2 ), /* 2 */
/* 42 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 44 */ NdrFcLong( 0x4 ), /* 4 */
/* 48 */ NdrFcShort( 0x800a ), /* Simple arm
type: FC_FLOAT */
/* 50 */ NdrFcLong( 0x5 ), /* 5 */
/* 54 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 56 */ NdrFcLong( 0xb ), /* 11 */
/* 60 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 62 */ NdrFcLong( 0xa ), /* 10 */
/* 66 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 68 */ NdrFcLong( 0x6 ), /* 6 */
/* 72 */ NdrFcShort( 0xe8 ), /* Offset= 232 (304) */
/* 74 */ NdrFcLong( 0x7 ), /* 7 */
/* 78 */ NdrFcShort( 0x800c ), /* Simple arm
type: FC_DOUBLE */
/* 80 */ NdrFcLong( 0x8 ), /* 8 */
/* 84 */ NdrFcShort( 0xe2 ), /* Offset= 226 (310) */
/* 86 */ NdrFcLong( 0xd ), /* 13 */
/* 90 */ NdrFcShort( 0xf6 ), /* Offset= 246 (336) */
/* 92 */ NdrFcLong( 0x9 ), /* 9 */
/* 96 */ NdrFcShort( 0x102 ), /* Offset=
258 (354) */

```

```

/* 98 */ NdrFcLong( 0x2000 ), /* 8192 */
/* 102 */ NdrFcShort( 0x10e ), /* Offset=
270 (372) */
/* 104 */ NdrFcLong( 0x24 ), /* 36 */
/* 108 */ NdrFcShort( 0x304 ), /* Offset=
772 (880) */
/* 110 */ NdrFcLong( 0x4024 ), /* 16420 */
/* 114 */ NdrFcShort( 0x2fe ), /* Offset=
766 (880) */
/* 116 */ NdrFcLong( 0x4011 ), /* 16401 */
/* 120 */ NdrFcShort( 0x2fc ), /* Offset=
764 (884) */
/* 122 */ NdrFcLong( 0x4002 ), /* 16386 */
/* 126 */ NdrFcShort( 0x2fa ), /* Offset=
762 (888) */
/* 128 */ NdrFcLong( 0x4003 ), /* 16387 */
/* 132 */ NdrFcShort( 0x2f8 ), /* Offset=
760 (892) */
/* 134 */ NdrFcLong( 0x4014 ), /* 16404 */
/* 138 */ NdrFcShort( 0x2f6 ), /* Offset=
758 (896) */
/* 140 */ NdrFcLong( 0x4004 ), /* 16388 */
/* 144 */ NdrFcShort( 0x2f4 ), /* Offset=
756 (900) */
/* 146 */ NdrFcLong( 0x4005 ), /* 16389 */
/* 150 */ NdrFcShort( 0x2f2 ), /* Offset=
754 (904) */
/* 152 */ NdrFcLong( 0x400b ), /* 16395 */
/* 156 */ NdrFcShort( 0x2dc ), /* Offset=
732 (888) */
/* 158 */ NdrFcLong( 0x400a ), /* 16394 */
/* 162 */ NdrFcShort( 0x2da ), /* Offset=
730 (892) */
/* 164 */ NdrFcLong( 0x4006 ), /* 16390 */
/* 168 */ NdrFcShort( 0x2e4 ), /* Offset=
740 (908) */
/* 170 */ NdrFcLong( 0x4007 ), /* 16391 */
/* 174 */ NdrFcShort( 0x2da ), /* Offset=
730 (904) */
/* 176 */ NdrFcLong( 0x4008 ), /* 16392 */
/* 180 */ NdrFcShort( 0x2dc ), /* Offset=
732 (912) */
/* 182 */ NdrFcLong( 0x400d ), /* 16397 */
/* 186 */ NdrFcShort( 0x2da ), /* Offset=
730 (916) */
/* 188 */ NdrFcLong( 0x4009 ), /* 16393 */
/* 192 */ NdrFcShort( 0x2d8 ), /* Offset=
728 (920) */
/* 194 */ NdrFcLong( 0x6000 ), /* 24576 */
/* 198 */ NdrFcShort( 0x2d6 ), /* Offset=
726 (924) */
/* 200 */ NdrFcLong( 0x400c ), /* 16396 */
/* 204 */ NdrFcShort( 0x2d4 ), /* Offset=
724 (928) */
/* 206 */ NdrFcLong( 0x10 ), /* 16 */
/* 210 */ NdrFcShort( 0x8002 ), /* Simple arm
type: FC_CHAR */
/* 212 */ NdrFcLong( 0x12 ), /* 18 */
/* 216 */ NdrFcShort( 0x8006 ), /* Simple arm
type: FC_SHORT */
/* 218 */ NdrFcLong( 0x13 ), /* 19 */
/* 222 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */

```

```

/* 224 */ NdrFcLong( 0x15 ), /* 21 */
/* 228 */ NdrFcShort( 0x800b ), /* Simple arm
type: FC_HYPER */
/* 230 */ NdrFcLong( 0x16 ), /* 22 */
/* 234 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 236 */ NdrFcLong( 0x17 ), /* 23 */
/* 240 */ NdrFcShort( 0x8008 ), /* Simple arm
type: FC_LONG */
/* 242 */ NdrFcLong( 0xe ), /* 14 */
/* 246 */ NdrFcShort( 0x2b2 ), /* Offset=
690 (936) */
/* 248 */ NdrFcLong( 0x400e ), /* 16398 */
/* 252 */ NdrFcShort( 0x2b6 ), /* Offset=
694 (946) */
/* 254 */ NdrFcLong( 0x4010 ), /* 16400 */
/* 258 */ NdrFcShort( 0x2b4 ), /* Offset=
692 (950) */
/* 260 */ NdrFcLong( 0x4012 ), /* 16402 */
/* 264 */ NdrFcShort( 0x270 ), /* Offset=
624 (888) */
/* 266 */ NdrFcLong( 0x4013 ), /* 16403 */
/* 270 */ NdrFcShort( 0x26e ), /* Offset=
622 (892) */
/* 272 */ NdrFcLong( 0x4015 ), /* 16405 */
/* 276 */ NdrFcShort( 0x26c ), /* Offset=
620 (896) */
/* 278 */ NdrFcLong( 0x4016 ), /* 16406 */
/* 282 */ NdrFcShort( 0x262 ), /* Offset=
610 (892) */
/* 284 */ NdrFcLong( 0x4017 ), /* 16407 */
/* 288 */ NdrFcShort( 0x25c ), /* Offset=
604 (892) */
/* 290 */ NdrFcLong( 0x0 ), /* 0 */
/* 294 */ NdrFcShort( 0x0 ), /* Offset= 0 (294) */
/* 296 */ NdrFcLong( 0x1 ), /* 1 */
/* 300 */ NdrFcShort( 0x0 ), /* Offset= 0 (300) */
/* 302 */ NdrFcShort( 0xffff ), /* Offset= -1
(301) */
/* 304 */
FC_STRUCT */
0x15, /*
0x7, /*
7 */
/* 306 */ NdrFcShort( 0x8 ), /* 8 */
/* 308 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 310 */
0x12, 0x0, /*
FC_UP */
/* 312 */ NdrFcShort( 0xe ), /* Offset= 14 (326) */
/* 314 */
0x1b, /*
FC_CARRAY */
0x1, /*
1 */
/* 316 */ NdrFcShort( 0x2 ), /* 2 */
/* 318 */ 0x9, /* Corr desc: FC_ULONG
*/
0x0, /*
*/
/* 320 */ NdrFcShort( 0xfffc ), /* -4 */

```

```

/* 322 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 324 */ 0x6, /* FC_SHORT */
0x5b, /*
FC_END */
/* 326 */
FC_CSTRUCT */
0x17, /*
0x3, /*
3 */
/* 328 */ NdrFcShort( 0x8 ), /* 8 */
/* 330 */ NdrFcShort( 0xffff ), /* Offset= -
16 (314) */
/* 332 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 334 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 336 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 338 */ NdrFcLong( 0x0 ), /* 0 */
/* 342 */ NdrFcShort( 0x0 ), /* 0 */
/* 344 */ NdrFcShort( 0x0 ), /* 0 */
/* 346 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 348 */ 0x0, /* 0 */
0x0, /*
0 */
/* 350 */ 0x0, /* 0 */
0x0, /*
0 */
/* 352 */ 0x0, /* 0 */
0x46, /*
70 */
/* 354 */
0x2f, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 356 */ NdrFcLong( 0x20400 ), /* 132096 */
/* 360 */ NdrFcShort( 0x0 ), /* 0 */
/* 362 */ NdrFcShort( 0x0 ), /* 0 */
/* 364 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 366 */ 0x0, /* 0 */
0x0, /*
0 */
/* 368 */ 0x0, /* 0 */
0x0, /*
0 */
/* 370 */ 0x0, /* 0 */
0x46, /*
70 */
/* 372 */
0x12, 0x10, /*
FC_UP [pointer_deref] */
/* 374 */ NdrFcShort( 0x2 ), /* Offset= 2 (376) */

```

```

/* 376 */
FC_UP */
/* 378 */ NdrFcShort( 0x1e4 ), /* Offset=
484 (862) */
/* 380 */
FC_ENCAPSULATED_UNION */
0x2a, /*
0x89, /*
137 */
/* 382 */ NdrFcShort( 0x20 ), /* 32 */
/* 384 */ NdrFcShort( 0xa ), /* 10 */
/* 386 */ NdrFcLong( 0x8 ), /* 8 */
/* 390 */ NdrFcShort( 0x50 ), /* Offset= 80 (470) */
/* 392 */ NdrFcLong( 0xd ), /* 13 */
/* 396 */ NdrFcShort( 0x70 ), /* Offset= 112 (508) */
/* 398 */ NdrFcLong( 0x9 ), /* 9 */
/* 402 */ NdrFcShort( 0x90 ), /* Offset= 144 (546) */
/* 404 */ NdrFcLong( 0xc ), /* 12 */
/* 408 */ NdrFcShort( 0xb0 ), /* Offset= 176 (584) */
/* 410 */ NdrFcLong( 0x24 ), /* 36 */
/* 414 */ NdrFcShort( 0x102 ), /* Offset=
258 (672) */
/* 416 */ NdrFcLong( 0x800d ), /* 32781 */
/* 420 */ NdrFcShort( 0x11e ), /* Offset=
286 (706) */
/* 422 */ NdrFcLong( 0x10 ), /* 16 */
/* 426 */ NdrFcShort( 0x138 ), /* Offset=
312 (738) */
/* 428 */ NdrFcLong( 0x2 ), /* 2 */
/* 432 */ NdrFcShort( 0x14e ), /* Offset=
334 (766) */
/* 434 */ NdrFcLong( 0x3 ), /* 3 */
/* 438 */ NdrFcShort( 0x164 ), /* Offset=
356 (794) */
/* 440 */ NdrFcLong( 0x14 ), /* 20 */
/* 444 */ NdrFcShort( 0x17a ), /* Offset=
378 (822) */
/* 446 */ NdrFcShort( 0xffff ), /* Offset= -1
(445) */
/* 448 */
FC_BOGUS_ARRAY */
0x21, /*
0x3, /*
3 */
/* 450 */ NdrFcShort( 0x0 ), /* 0 */
/* 452 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 454 */ NdrFcShort( 0x0 ), /* 0 */
/* 456 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 458 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 462 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 464 */
0x12, 0x0, /*
FC_UP */
/* 466 */ NdrFcShort( 0xff74 ), /* Offset= -
140 (326) */
/* 468 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */

```

```

/* 470 */
FC_BOGUS_STRUCT */
0x1a, /*
0x3, /*
3 */
/* 472 */ NdrFcShort( 0x10 ), /* 16 */
/* 474 */ NdrFcShort( 0x0 ), /* 0 */
/* 476 */ NdrFcShort( 0x6 ), /* Offset= 6 (482) */
/* 478 */ 0x8, /* FC_LONG */
0x40, /*
FC_STRUCTPAD4 */
/* 480 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 482 */
0x11, 0x0, /*
FC_RP */
/* 484 */ NdrFcShort( 0xffdc ), /* Offset= -
36 (448) */
/* 486 */
0x21, /*
0x3, /*
3 */
/* 488 */ NdrFcShort( 0x0 ), /* 0 */
/* 490 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 492 */ NdrFcShort( 0x0 ), /* 0 */
/* 494 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 496 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 500 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 502 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 504 */ NdrFcShort( 0xff58 ), /* Offset= -
168 (336) */
/* 506 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 508 */
0x1a, /*
0x3, /*
3 */
/* 510 */ NdrFcShort( 0x10 ), /* 16 */
/* 512 */ NdrFcShort( 0x0 ), /* 0 */
/* 514 */ NdrFcShort( 0x6 ), /* Offset= 6 (520) */
/* 516 */ 0x8, /* FC_LONG */
0x40, /*
FC_STRUCTPAD4 */
/* 518 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 520 */
0x11, 0x0, /*
FC_RP */
/* 522 */ NdrFcShort( 0xffdc ), /* Offset= -
36 (486) */
/* 524 */

```

```

FC_BOGUS_ARRAY */
0x21, /*
0x3, /*
3 */
/* 526 */ NdrFcShort( 0x0 ), /* 0 */
/* 528 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 530 */ NdrFcShort( 0x0 ), /* 0 */
/* 532 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 534 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 538 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 540 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 542 */ NdrFcShort( 0xff44 ), /* Offset= -
188 (354) */
/* 544 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 546 */
FC_BOGUS_STRUCT */
0x1a, /*
0x3, /*
3 */
/* 548 */ NdrFcShort( 0x10 ), /* 16 */
/* 550 */ NdrFcShort( 0x0 ), /* 0 */
/* 552 */ NdrFcShort( 0x6 ), /* Offset= 6 (558) */
/* 554 */ 0x8, /* FC_LONG */
0x40, /*
FC_STRUCTPAD4 */
/* 556 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 558 */
0x11, 0x0, /*
FC_RP */
/* 560 */ NdrFcShort( 0xffdc ), /* Offset= -
36 (524) */
/* 562 */
FC_BOGUS_ARRAY */
0x21, /*
0x3, /*
3 */
/* 564 */ NdrFcShort( 0x0 ), /* 0 */
/* 566 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 568 */ NdrFcShort( 0x0 ), /* 0 */
/* 570 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 572 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 576 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 578 */
0x12, 0x0, /*
FC_UP */
/* 580 */ NdrFcShort( 0x176 ), /* Offset=
374 (954) */
/* 582 */ 0x5c, /* FC_PAD */

```

```

0x5b, /*
FC_END */
/* 584 */
FC_BOGUS_STRUCT */
0x1a, /*
0x3, /*
3 */
/* 586 */ NdrFcShort( 0x10 ), /* 16 */
/* 588 */ NdrFcShort( 0x0 ), /* 0 */
/* 590 */ NdrFcShort( 0x6 ), /* Offset= 6 (596) */
/* 592 */ 0x8, /* FC_LONG */
0x40, /*
FC_STRUCTPAD4 */
/* 594 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 596 */
0x11, 0x0, /*
FC_RP */
/* 598 */ NdrFcShort( 0xffdc ), /* Offset= -
36 (562) */
/* 600 */
0x2E, /*
FC_IP */
0x5a, /*
FC_CONSTANT_IID */
/* 602 */ NdrFcLong( 0x2f ), /* 47 */
/* 606 */ NdrFcShort( 0x0 ), /* 0 */
/* 608 */ NdrFcShort( 0x0 ), /* 0 */
/* 610 */ 0xc0, /* 192 */
0x0, /*
0 */
/* 612 */ 0x0, /* 0 */
0x0, /*
0 */
/* 614 */ 0x0, /* 0 */
0x0, /*
0 */
/* 616 */ 0x0, /* 0 */
0x46, /*
70 */
/* 618 */
0x1b, /*
FC_CARRAY */
0x0, /*
0 */
/* 620 */ NdrFcShort( 0x1 ), /* 1 */
/* 622 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 624 */ NdrFcShort( 0x4 ), /* 4 */
/* 626 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 628 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 630 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 632 */ NdrFcShort( 0x18 ), /* 24 */

```

```

/* 634 */ NdrFcShort( 0x0 ), /* 0 */
/* 636 */ NdrFcShort( 0xa ), /* Offset= 10 (646) */
/* 638 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 640 */ 0x4c, /* FC_EMBEDDED_COMPLEX
*/
0x0, /*
0 */
/* 642 */ NdrFcShort( 0xffd6 ), /* Offset= -
42 (600) */
/* 644 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 646 */
0x12, 0x0, /*
FC_UP */
/* 648 */ NdrFcShort( 0xffe2 ), /* Offset= -
30 (618) */
/* 650 */
0x21, /*
FC_BOGUS_ARRAY */
0x3, /*
3 */
/* 652 */ NdrFcShort( 0x0 ), /* 0 */
/* 654 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 656 */ NdrFcShort( 0x0 ), /* 0 */
/* 658 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 660 */ NdrFcLong( 0xffffffff ), /* -1 */
/* 664 */ NdrFcShort( 0x0 ), /* Corr flags: */
/* 666 */
0x12, 0x0, /*
FC_UP */
/* 668 */ NdrFcShort( 0xffda ), /* Offset= -
38 (630) */
/* 670 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 672 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 674 */ NdrFcShort( 0x10 ), /* 16 */
/* 676 */ NdrFcShort( 0x0 ), /* 0 */
/* 678 */ NdrFcShort( 0x6 ), /* Offset= 6 (684) */
/* 680 */ 0x8, /* FC_LONG */
0x40, /*
FC_STRUCTPAD4 */
/* 682 */ 0x36, /* FC_POINTER */
0x5b, /*
FC_END */
/* 684 */
0x11, 0x0, /*
FC_RP */
/* 686 */ NdrFcShort( 0xffdc ), /* Offset= -
36 (650) */
/* 688 */

```

```

0x1d, /*
FC_SMFARRAY */
0x0, /*
0 */
/* 690 */ NdrFcShort( 0x8 ), /* 8 */
/* 692 */ 0x1, /* FC_BYTE */
0x5b, /*
FC_END */
/* 694 */
0x15, /*
FC_STRUCT */
0x3, /*
3 */
/* 696 */ NdrFcShort( 0x10 ), /* 16 */
/* 698 */ 0x8, /* FC_LONG */
0x6, /*
FC_SHORT */
/* 700 */ 0x6, /* FC_SHORT */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 702 */ 0x0, /* 0 */
NdrFcShort( 0xffff1 ),
/* Offset= -15 (688) */
0x5b, /*
FC_END */
/* 706 */
0x1a, /*
FC_BOGUS_STRUCT */
0x3, /*
3 */
/* 708 */ NdrFcShort( 0x20 ), /* 32 */
/* 710 */ NdrFcShort( 0x0 ), /* 0 */
/* 712 */ NdrFcShort( 0xa ), /* Offset= 10 (722) */
/* 714 */ 0x8, /* FC_LONG */
0x40, /*
FC_STRUCTPAD4 */
/* 716 */ 0x36, /* FC_POINTER */
0x4c, /*
FC_EMBEDDED_COMPLEX */
/* 718 */ 0x0, /* 0 */
NdrFcShort( 0xffe7 ),
/* Offset= -25 (694) */
0x5b, /*
FC_END */
/* 722 */
0x11, 0x0, /*
FC_RP */
/* 724 */ NdrFcShort( 0xff12 ), /* Offset= -
238 (486) */
/* 726 */
0x1b, /*
FC_CARRAY */
0x0, /*
0 */
/* 728 */ NdrFcShort( 0x1 ), /* 1 */
/* 730 */ 0x19, /* Corr desc: field
pointer, FC_ULONG */
0x0, /*
*/
/* 732 */ NdrFcShort( 0x0 ), /* 0 */
/* 734 */ NdrFcShort( 0x1 ), /* Corr flags: early,
*/
/* 736 */ 0x1, /* FC_BYTE */

```


FC_END */ /* 738 */	0x5b,	/*	/* 786 */ 0x19, pointer, FC_ULONG */	/* Corr desc: field 0x0,	/*	/* 836 */ NdrFcShort(0xffe6), /* Offset= - 26 (810) */ /* 838 */		
FC_BOGUS_STRUCT */	0x1a,	/*	/*	/*	/*	FC_STRUCT */	0x15,	/*
	0x3,	/*	/* 788 */ NdrFcShort(0x0), /* 0 */ /* 790 */ NdrFcShort(0x1), /* Corr flags: early, */				0x3,	/*
3 */ /* 740 */ NdrFcShort(0x10), /* 16 */ /* 742 */ NdrFcShort(0x0), /* 0 */ /* 744 */ NdrFcShort(0x6), /* Offset= 6 (750) */ /* 746 */ 0x8,		/*	/* 792 */ 0x8, FC_END */ /* 794 */	/* FC_LONG */ 0x5b,	/*	3 */ /* 840 */ NdrFcShort(0x8), /* 8 */ /* 842 */ 0x8, /* FC_LONG */		/*
FC_STRUCTPAD4 */ /* 748 */ 0x36,		/*	FC_BOGUS_STRUCT */	0x1a,	/*	FC_LONG */ /* 844 */ 0x5c, /* FC_PAD */	0x5b,	/*
FC_END */ /* 750 */		/*	3 */ /* 796 */ NdrFcShort(0x10), /* 16 */ /* 798 */ NdrFcShort(0x0), /* 0 */ /* 800 */ NdrFcShort(0x6), /* Offset= 6 (806) */ /* 802 */ 0x8,	0x3,	/*	FC_END */ /* 846 */		/*
FC_UP */ /* 752 */ NdrFcShort(0xffe6), /* Offset= - 26 (726) */ /* 754 */	0x12, 0x0,	/*	FC_STRUCTPAD4 */ /* 804 */ 0x36,	/* FC_POINTER */ 0x5b,	/*	FC_CARRAY */	0x1b,	/*
FC_CARRAY */	0x1b,	/*	FC_END */ /* 806 */		/*		0x3,	/*
1 */ /* 756 */ NdrFcShort(0x2), /* 2 */ /* 758 */ 0x19, pointer, FC_ULONG */	0x1,	/*	FC_UP */ /* 808 */ NdrFcShort(0xffe6), /* Offset= - 26 (782) */ /* 810 */	0x12, 0x0,	/*	3 */ /* 848 */ NdrFcShort(0x8), /* 8 */ /* 850 */ 0x7, /* Corr desc: FC_USHORT */		/*
/ / 760 */ NdrFcShort(0x0), /* 0 */ /* 762 */ NdrFcShort(0x1), /* Corr flags: early, */ /* 764 */ 0x6, /* FC_SHORT */	0x0,	/*	FC_CARRAY */	0x7,	/*	*/ /* 852 */ NdrFcShort(0xffc8), /* -56 */ /* 854 */ NdrFcShort(0x1), /* Corr flags: early, */ /* 856 */ 0x4c, /* FC_EMBEDDED_COMPLEX */	0x0,	/*
FC_END */ /* 766 */	0x5b,	/*	7 */ /* 812 */ NdrFcShort(0x8), /* 8 */ /* 814 */ 0x19, pointer, FC_ULONG */		/*	0 */ /* 858 */ NdrFcShort(0xffec), /* Offset= - 20 (838) */ /* 860 */ 0x5c, /* FC_PAD */	0x5b,	/*
FC_BOGUS_STRUCT */	0x1a,	/*	*/ /* 816 */ NdrFcShort(0x0), /* 0 */ /* 818 */ NdrFcShort(0x1), /* Corr flags: early, */ /* 820 */ 0xb, /* FC_HYPER */	0x0,	/*	FC_END */ /* 862 */	0x1a,	/*
3 */ /* 768 */ NdrFcShort(0x10), /* 16 */ /* 770 */ NdrFcShort(0x0), /* 0 */ /* 772 */ NdrFcShort(0x6), /* Offset= 6 (778) */ /* 774 */ 0x8, /* FC_LONG */		/*	FC_BOGUS_STRUCT */	0x3,	/*	FC_BOGUS_STRUCT */	0x3,	/*
FC_STRUCTPAD4 */ /* 776 */ 0x36,		/*	3 */ /* 824 */ NdrFcShort(0x10), /* 16 */ /* 826 */ NdrFcShort(0x0), /* 0 */ /* 828 */ NdrFcShort(0x6), /* Offset= 6 (834) */ /* 830 */ 0x8, /* FC_LONG */	0x1a,	/*	/* 864 */ NdrFcShort(0x38), /* 56 */ /* 866 */ NdrFcShort(0xffec), /* Offset= - 20 (846) */ /* 868 */ NdrFcShort(0x0), /* Offset= 0 (868) */ /* 870 */ 0x6, /* FC_SHORT */		/*
FC_END */ /* 778 */	0x5b,	/*	FC_STRUCTPAD4 */ /* 832 */ 0x36,	/* FC_POINTER */ 0x5b,	/*	FC_SHORT */ /* 872 */ 0x8, /* FC_LONG */	0x8,	/*
FC_UP */ /* 780 */ NdrFcShort(0xffe6), /* Offset= - 26 (754) */ /* 782 */	0x12, 0x0,	/*	FC_BOGUS_STRUCT */	0x3,	/*	FC_LONG */ /* 874 */ 0x40, /* FC_STRUCTPAD4 */	0x4c,	/*
FC_CARRAY */	0x1b,	/*	FC_END */ /* 834 */		/*	FC_EMBEDDED_COMPLEX */ /* 876 */ 0x0, /* 0 */ NdrFcShort(0xfe0f), /* Offset= -497 (380) */	0x5b,	/*
3 */ /* 784 */ NdrFcShort(0x4), /* 4 */	0x3,	/*	FC_UP */	0x12, 0x0,	/*	FC_END */ /* 880 */		/*

```

/* 882 */ NdrFcShort( 0xff04 ), /* Offset= -
252 (630) */
/* 884 */
FC_UP [simple_pointer] */
/* 886 */ 0x1, /* FC_BYTE */
0x5c, /*
FC_PAD */
/* 888 */
FC_UP [simple_pointer] */
/* 890 */ 0x6, /* FC_SHORT */
0x5c, /*
FC_PAD */
/* 892 */
FC_UP [simple_pointer] */
/* 894 */ 0x8, /* FC_LONG */
0x5c, /*
FC_PAD */
/* 896 */
FC_UP [simple_pointer] */
/* 898 */ 0xb, /* FC_HYPER */
0x5c, /*
FC_PAD */
/* 900 */
FC_UP [simple_pointer] */
/* 902 */ 0xa, /* FC_FLOAT */
0x5c, /*
FC_PAD */
/* 904 */
FC_UP [simple_pointer] */
/* 906 */ 0xc, /* FC_DOUBLE */
0x5c, /*
FC_PAD */
/* 908 */
FC_UP */
/* 910 */ NdrFcShort( 0xfda2 ), /* Offset= -
606 (304) */
/* 912 */
FC_UP [pointer_deref] */
/* 914 */ NdrFcShort( 0xfda4 ), /* Offset= -
604 (310) */
/* 916 */
FC_UP [pointer_deref] */
/* 918 */ NdrFcShort( 0xfdba ), /* Offset= -
582 (336) */
/* 920 */
FC_UP [pointer_deref] */
/* 922 */ NdrFcShort( 0xfdc8 ), /* Offset= -
568 (354) */
/* 924 */
FC_UP [pointer_deref] */
/* 926 */ NdrFcShort( 0xfdd6 ), /* Offset= -
554 (372) */

```

```

/* 928 */
FC_UP [pointer_deref] */
/* 930 */ NdrFcShort( 0x2 ), /* Offset= 2 (932) */
/* 932 */
0x12, 0x0, /*
FC_UP */
/* 934 */ NdrFcShort( 0x14 ), /* Offset= 20 (954) */
/* 936 */
0x15, /*
FC_STRUCT */
0x7, /*
7 */
/* 938 */ NdrFcShort( 0x10 ), /* 16 */
/* 940 */ 0x6, /* FC_SHORT */
0x1, /*
FC_BYTE */
/* 942 */ 0x1, /* FC_BYTE */
0x8, /*
FC_LONG */
/* 944 */ 0xb, /* FC_HYPER */
0x5b, /*
FC_END */
/* 946 */
0x12, 0x0, /*
FC_UP */
/* 948 */ NdrFcShort( 0xffff4 ), /* Offset= -
12 (936) */
/* 950 */
0x12, 0x8, /*
FC_UP [simple_pointer] */
/* 952 */ 0x2, /* FC_CHAR */
0x5c, /*
FC_PAD */
/* 954 */
0x1a, /*
FC_BOGUS_STRUCT */
0x7, /*
7 */
/* 956 */ NdrFcShort( 0x20 ), /* 32 */
/* 958 */ NdrFcShort( 0x0 ), /* 0 */
/* 960 */ NdrFcShort( 0x0 ), /* Offset= 0 (960) */
/* 962 */ 0x8, /* FC_LONG */
0x8, /*
FC_LONG */
/* 964 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT */
/* 966 */ 0x6, /* FC_SHORT */
0x6, /*
FC_SHORT */
/* 968 */ 0x4c, /* FC_EMBEDDED_COMPLEX */
0x0, /*
0 */
/* 970 */ NdrFcShort( 0xfc3c ), /* Offset= -
964 (6) */
/* 972 */ 0x5c, /* FC_PAD */
0x5b, /*
FC_END */
/* 974 */ 0xb4, /* FC_USER_MARSHAL */
0x83, /*
131 */

```

```

/* 976 */ NdrFcShort( 0x0 ), /* 0 */
/* 978 */ NdrFcShort( 0x18 ), /* 24 */
/* 980 */ NdrFcShort( 0x0 ), /* 0 */
/* 982 */ NdrFcShort( 0xfc2c ), /* Offset= -
980 (2) */
/* 984 */
0x11, 0x4, /*
FC_RP [allocated_on_stack] */
/* 986 */ NdrFcShort( 0x6 ), /* Offset= 6 (992) */
/* 988 */
0x13, 0x0, /*
FC_OP */
/* 990 */ NdrFcShort( 0xffdc ), /* Offset= -
36 (954) */
/* 992 */ 0xb4, /* FC_USER_MARSHAL */
0x83, /*
131 */
/* 994 */ NdrFcShort( 0x0 ), /* 0 */
/* 996 */ NdrFcShort( 0x18 ), /* 24 */
/* 998 */ NdrFcShort( 0x0 ), /* 0 */
/* 1000 */ NdrFcShort( 0xffff4 ), /*
Offset= -12 (988) */
0x0
};
static const USER_MARSHAL_ROUTINE_QUADRUPLE
UserMarshalRoutines[ WIRE_MARSHAL_TABLE_SIZE ] =
{
    {
        VARIANT_UserSize
        ,VARIANT_UserMarshal
        ,VARIANT_UserUnmarshal
        ,VARIANT_UserFree
    }
};
/* Standard interface: __MIDL_itf_tpc_com_ps_0000,
ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0x00,0x00,0x00,0x00,0
x00,0x00,0x00,0x00}} */
/* Object interface: IUnknown, ver. 0.0,
GUID={0x00000000,0x0000,0x0000,{0xc0,0x00,0x00,0x00,0
x00,0x00,0x00,0x46}} */
/* Object interface: ITPCC, ver. 0.0,
GUID={0xFEEE6AA2,0x84B1,0x11d2,{0xBA,0x47,0x00,0xC0,0
x4F,0xBF,0xE0,0x8B}} */
#pragma code_seg(".orpc")
static const unsigned short
ITPCC_FormatStringOffsetTable[] =

```

```

{
0,
44,
88,
132,
176,
220
};

static const MIDL_STUBLESS_PROXY_INFO ITPCC_ProxyInfo
=
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0
};

static const MIDL_SERVER_INFO ITPCC_ServerInfo =
{
    &Object_StubDesc,
    __MIDL_ProcFormatString.Format,
    &ITPCC_FormatStringOffsetTable[-3],
    0,
    0,
    0,
    0
};

CINTERFACE_PROXY_VTABLE(9) _ITPCCProxyVtbl =
{
    &ITPCC_ProxyInfo,
    &IID_ITPCC,
    IUnknown_QueryInterface_Proxy,
    IUnknown_AddRef_Proxy,
    IUnknown_Release_Proxy ,
    (void *) (INT_PTR) -1 /* ITPCC::NewOrder */ ,
    (void *) (INT_PTR) -1 /* ITPCC::Payment */ ,
    (void *) (INT_PTR) -1 /* ITPCC::Delivery */ ,
    (void *) (INT_PTR) -1 /* ITPCC::StockLevel */ ,
    (void *) (INT_PTR) -1 /* ITPCC::OrderStatus */ ,
    (void *) (INT_PTR) -1 /* ITPCC::CallSetComplete */
};

const CInterfaceStubVtbl _ITPCCStubVtbl =
{
    &IID_ITPCC,
    &ITPCC_ServerInfo,
    9,
    0, /* pure interpreted */
    CStdStubBuffer_METHODS
};

static const MIDL_STUB_DESC Object_StubDesc =
{
    0,
    NdrOleAllocate,
    NdrOleFree,
    0,
    0,

```

```

0,
0,
0,
    __MIDL_TypeFormatString.Format,
    1, /* -error bounds_check flag */
    0x50002, /* Ndr library version */
    0,
    0x6000169, /* MIDL Version 6.0.361 */
    0,
    UserMarshalRoutines,
    0, /* notify & notify_flag routine table */
    0x1, /* MIDL flag */
    0, /* cs routines */
    0, /* proxy/server info */
    0 /* Reserved5 */
};

const CInterfaceProxyVtbl *
_tpcc_com_ps_ProxyVtblList[] =
{
    ( CInterfaceProxyVtbl *) &_ITPCCProxyVtbl,
    0
};

const CInterfaceStubVtbl *
_tpcc_com_ps_StubVtblList[] =
{
    ( CInterfaceStubVtbl *) &_ITPCCStubVtbl,
    0
};

PCInterfaceName const
_tpcc_com_ps_InterfaceNamesList[] =
{
    "ITPCC",
    0
};

#define _tpcc_com_ps_CHECK_IID(n)
IID_GENERIC_CHECK_IID( _tpcc_com_ps, pIID,
n)

int __stdcall _tpcc_com_ps_IID_Lookup( const IID *
pIID, int * pIndex )
{
    if(!_tpcc_com_ps_CHECK_IID(0))
    {
        *pIndex = 0;
        return 1;
    }

    return 0;
}

const ExtendedProxyFileInfo tpcc_com_ps_ProxyFileInfo
=
{
    (PCInterfaceProxyVtblList *) &
    _tpcc_com_ps_ProxyVtblList,
    (PCInterfaceStubVtblList *) &
    _tpcc_com_ps_StubVtblList,

```

```

(const PCInterfaceName * ) &
_tpcc_com_ps_InterfaceNamesList,
    0, // no delegation
    & _tpcc_com_ps_IID_Lookup,
    1,
    2,
    0, /* table of [async_uuid] interfaces */
    0, /* Filler1 */
    0, /* Filler2 */
    0 /* Filler3 */
};
#ifdef _MSC_VER >= 1200
#pragma warning(pop)
#endif

#endif /* defined(_M_IA64) || defined(_M_AMD64)*/

tpcc_dblib.cpp
/* FILE: TPCC_DBLIB.CPP
Microsoft
TPC-C Kit Ver. 4.42.000
Copyright
Microsoft, 2002
All Rights Reserved
Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
PURPOSE: Implements dblib calls for TPC-C
txns.
Contact: Charles Levine
(clevine@microsoft.com)
Change history:
4.42.000 - changed w_id fields
from short to long to support >32K warehouses
4.20.000 - updated rev number to
match kit
4.10.001 - not deleting error
class in catch handler on deadlock retry;
not a
functional bug, but a memory leak
- had to
tweak some declarations to compile with latest SDK;
no functional change
*/

#include <windows.h>
#include <stdio.h>
#include <assert.h>

#define DBNTWIN32
#include <sqlfront.h>
#include <sqlldb.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

```

```

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_dblib.h"

#define DEFCLPACKSIZE
4096

// version string; must match return value from
tpcc_version stored proc
const char sVersion[] = "4.20.000";

const iMaxRetries = 10;
// how many retries on deadlock
static long iConnectionCount = 0; // number
of current dblib connections

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            dbinit(); //
            initialize dblib
            break;

        case DLL_PROCESS_DETACH:
            dbexit(); //
            close all dblib structures/connections
            break;

        default:
            /* nothing */;
    }
    return TRUE;
}

int err_handler(DBPROCESS *dbproc, int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
{
    CTPCC_DBLIB
    *pConn;

    assert(dbproc != NULL);
    pConn =
(CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetDblibError( severity,
dberr, oserr, dberrstr, oserrstr );
    }
}

```

```

        return INT_CANCEL;
    }

/* FUNCTION: int msg_handler(DBPROCESS *dbproc, DBINT
msgno, int msgstate, int severity, char *msgtext)
*
* PURPOSE: This function handles DB-Library
SQL Server error messages
*
* ARGUMENTS: DBPROCESS *dbproc
DBPROCESS id pointer
DBINT
*
* message number
*
* message state
*
* message severity
*
* *msgtext
char
printable
message description
*
* RETURNS: int
INT_CONTINUE continue if
error is SQLETIME else INT_CANCEL action
*
* INT_CANCEL
cancel operation
*
* COMMENTS: This function also sets the dead
lock dbproc variable if necessary.
*
*/

// typedef INT (SQLAPI *DBMSGHANDLE_PROC)(PDBPROCESS,
DBINT, INT, INT, LPCSTR, LPCSTR, LPCSTR,
DBUSMALLINT);

int msg_handler(DBPROCESS *dbproc, DBINT msgno, int
msgstate, int severity,
LPCSTR
msgtext, LPCSTR srvername, LPCSTR procname, DBUSMALLINT
line)
{
    CTPCC_DBLIB
    *pConn;

    assert(dbproc != NULL);
    pConn =
(CTPCC_DBLIB*)dbgetuserdata(dbproc);

    if (pConn != NULL)
    {
        pConn->SetSqlError( msgno,
msgstate, severity, msgtext );
    }

    return 0;
}

```

```

/* FUNCTION: void UtilStrCpy(char * pDest, char *
pSrc, int n)
*
* PURPOSE: This function copies n characters
from string pSrc to pDest and places a
* null character at the
end of the destination string.
*
* ARGUMENTS: char
*pDest destination string pointer
char
*pSrc source string pointer
int
n
number of characters to copy
*
* RETURNS: None
*
* COMMENTS: Unlike strncpy this function
ensures that the result string is
always null
terminated.
*
*/

inline static void UtilStrCpy(char * pDest, const
BYTE * pSrc, int n)
{
    strncpy(pDest, (char *)pSrc, n);
    pDest[n] = '\0';

    return;
}

/* FUNCTION: CTPCC_DBLIB_ERR::ErrorText
*
*/

char* CTPCC_DBLIB_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
"Wrong version of stored procs on database
server" },
        { ERR_INVALID_CUST,
"Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,
"No orders found for customer." },
        { ERR_RETRIED_TRANS,
"Retries before transaction succeeded." },
        { 0, "" }
    };
}
};

```

```

        static char szNotFound[] = "Unknown error
number.";

        for(i=0; errorMsgs[i].szMsg[0]; i++)
        {
            if ( m_errno ==
errorMsgs[i].iError )
                break;
        }
        if ( !errorMsgs[i].szMsg[0] )
            return szNotFound;
        else
            return errorMsgs[i].szMsg;
    }

    // wrapper routine for class constructor
    __declspec(dllexport) CTPCC_DBLIB* CTPCC_DBLIB_new(
        LPCSTR szServer,          // name of
SQL server
        LPCSTR szUser,           //
user name for login
        LPCSTR szPassword,       // password
for login
        LPCSTR szHost,          //
workstation name: shows up in sp_who: max 30 chars,
only first 10 kept by SQL Server
        LPCSTR szDatabase )      // name of
database to use
    {
        return new CTPCC_DBLIB( szServer, szUser,
szPassword, szHost, szDatabase );
    }

    CTPCC_DBLIB::CTPCC_DBLIB (
        LPCSTR szServer,        // name of
SQL server
        LPCSTR szUser,         //
user name for login
        LPCSTR szPassword,     // password
for login
        LPCSTR szHost,        //
workstation name: shows up in sp_who: max 30 chars,
only first 10 kept by SQL Server
        LPCSTR szDatabase )    // name of
database to use
    {
        LOGINREC *login;
        const BYTE *pData;

        // initialization
        m_dbproc = NULL;
        m_DbLibErr = (CDBLIBERR*)NULL;
        m_SqlErr = (CSQLERR*)NULL;

        m_MaxRetries = 10;      // how many
retries on deadlock

        // increase max number of connections if
getting close
        if ( dbgetmaxprocs() < (iConnectionCount+5)
)
            {

```

```

                if (
dbsetmaxprocs(iConnectionCount+10) == FAIL )
                    ThrowError(CDBLIBERR::eDbSetMaxProcs);
            }

            // allocate a login structure
            login = dblogin();
            if (login == NULL)
                ThrowError(CDBLIBERR::eLogin);
            InterlockedIncrement( &iConnectionCount );

            // register error and message handler
            if (dbprocerrhandle(login, err_handler) ==
NULL)
                ThrowError(CDBLIBERR::eDbProcHandler);

            if (dbprocmsghandle(login, msg_handler) ==
NULL)
                ThrowError(CDBLIBERR::eDbProcHandler);

            DBSETUSER(login, szUser);
            DBSETPWD(login, szPassword);
            DBSETHOST(login, szHost);
            DBSETLPACKET(login, (unsigned
short)DEFCLPACKSIZE);
            DBSETLVERSION(login, DBVER60);
            // use dblib ver 6.0 client behavior

            // set time to wait for login
            if (dbsetlogintime(60) == FAIL)
                ThrowError(CDBLIBERR::eDbSet);

            // set time to wait for statement execution
            if (dbsettime(180) == FAIL)
                ThrowError(CDBLIBERR::eDbSet);

            m_dbproc = dbopen(login, szServer);

            // deallocate login structure before
checking for success
            dbfreelogin( login );

            if (m_dbproc == NULL)
                ThrowError(CDBLIBERR::eDbOpen);

            // save address of class instance so that
the message and error handler
            // can get to data.
            dbsetuserdata(m_dbproc, (LPVOID)this);

            // Use the the right database
            if (dbuse(m_dbproc, szDatabase) == FAIL)
                ThrowError(CDBLIBERR::eDbUse);

            dbcmd(m_dbproc, "set nocount on ");
            // do not return row counts
            dbcmd(m_dbproc, "set XACT_ABORT ON");
            // rollback transaction on abort

```

```

            if (dbsqlxexec(m_dbproc) == FAIL)
                ThrowError(CDBLIBERR::eDbSqlExec);
            DiscardNextResults(2);

            // verify that version of stored procs on
server is correct
            dbrpcinit(m_dbproc, "tpcc_version", 0);
            if (dbrpcexec(m_dbproc) == FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc) != SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc) != REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            char szSrvVersion[16];
            pData=dbdata(m_dbproc, 1);
            if (pData)
                UtilStrCpy(szSrvVersion, pData,
dbdatalen(m_dbproc, 1));
            else
                szSrvVersion[0]=0;
            if (strcmp(szSrvVersion,sVersion))
                throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_WRONG_SP_VERSION );

            DiscardNextRows(0);
            DiscardNextResults(0);
        }

        CTPCC_DBLIB::~CTPCC_DBLIB( void )
        {
            // close db connection and deallocate
resources
            dbclose(m_dbproc);
            InterlockedDecrement( &iConnectionCount );
            if (m_DbLibErr != NULL)
                delete m_DbLibErr;
            if (m_SqlErr != NULL)
                delete m_SqlErr;
        }

        void CTPCC_DBLIB::SetDbLibError(int severity, int
dberr, int oserr, LPCSTR dberrstr, LPCSTR oserrstr)
        {
            delete m_DbLibErr;
            m_DbLibErr = new
CDBLIBERR(CDBLIBERR::eUnknown, severity, dberr,
oserr);

            if (dberrstr != NULL)
                {

```

```

        m_DbLibErr->m_dberrstr = new
char[ strlen(dberrstr)+1 ];
        strcpy( m_DbLibErr->m_dberrstr,
dberrstr );
    }

    if (oserrstr != NULL)
    {
        m_DbLibErr->m_oserrstr = new
char[ strlen(oserrstr)+1 ];
        strcpy( m_DbLibErr->m_oserrstr,
oserrstr );
    }
}

void CTPCC_DBLIB::SetSqlError( int /*DBINT*/ msgno,
int msgstate, int severity, LPCSTR msgtext )
{
    if (m_SqlErr == NULL)
        m_SqlErr = new CSQLErr();

    m_SqlErr->m_msgno = msgno;
    m_SqlErr->m_msgstate = msgstate;
    m_SqlErr->m_severity = severity;

    delete [] m_SqlErr->m_msgtext;
    if (msgtext != NULL)
    {
        m_SqlErr->m_msgtext = new char[
strlen(msgtext)+1 ];
        strcpy( m_SqlErr->m_msgtext,
msgtext );
    }
}

void CTPCC_DBLIB::ThrowError( CDBLIBERR::ACTION
eAction )
{
    // discard anything still in return buffer
    DiscardNextRows(-1);
    DiscardNextResults(-1);

    // check for SQL Server error first; if
yes, throw it and ignore any DLib error.
    if (m_SqlErr != NULL)
    {
        CSQLErr *pSqlErr;
        pSqlErr = m_SqlErr;
        m_SqlErr = NULL; // clear our
pointer to instance; catch handler will delete
        throw pSqlErr;
    }

    CDBLIBERR *pDbLibErr;
    if (m_DbLibErr == NULL)
        // this case isn't expected to
happen, since it means that an error was returned
        // but the error handlers were
not called.
        pDbLibErr = new
CDBLIBERR(eAction);
    else

```

```

    {
        pDbLibErr = m_DbLibErr;
        pDbLibErr->m_eAction = eAction;
        m_DbLibErr = NULL; //
clear our pointer to instance; catch handler will
delete
    }

    throw pDbLibErr;
}

// Read and discard rows until no more. Throw an
exception if number of rows read doesn't
// match number of rows expected. The row count will
be ignored if the expected count value
// passed in is negative. A typical use of this
routine is to verify that there are no more
// rows to be read.
void CTPCC_DBLIB::DiscardNextRows(int iExpectedCount)
{
    int iRowsRead = 0;
    RETCODE rc;

    while (TRUE)
    {
        rc = dbnextrow(m_dbproc);
        if (rc == NO_MORE_ROWS)
            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >=
0)
                ThrowError(CDBLIBERR::eDbNextRow);
            else
                break;
        }
        iRowsRead++;
    }

    if ((iExpectedCount >= 0) &&
(iExpectedCount != iRowsRead))
        ThrowError(CDBLIBERR::eWrongRowCount);
}

// Read and discard results until no more. Throw an
exception if number of result sets read doesn't
// match number expected. The result set count will
be ignored if the expected count value
// passed in is negative. A typical use of this
routine is to verify that there are no more
// result sets to be read.
void CTPCC_DBLIB::DiscardNextResults(int
iExpectedCount)
{
    int iResultsRead = 0;
    RETCODE rc;

    while (TRUE)
    {
        rc = dbresults(m_dbproc);
        if (rc == NO_MORE_RESULTS)

```

```

            break;
        if (rc == FAIL)
        {
            if (iExpectedCount >=
0)
                ThrowError(CDBLIBERR::eDbResults);
            else
                break;
        }

        DiscardNextRows(-1);
        iResultsRead++;
    }

    if ((iExpectedCount >= 0) &&
(iExpectedCount != iResultsRead))
        ThrowError(CDBLIBERR::eWrongRowCount);
}

void CTPCC_DBLIB::StockLevel()
{
    int iTryCount =
0;
    const BYTE *pData;
    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_stocklevel", 0);

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.StockLevel.w_id); // @w_id int
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.StockLevel.d_id); // @d_id
            tinyint
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT2, -1, -1, (BYTE *)
&m_txn.StockLevel.threshold); // @threshold
            smallint

            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            if (dbresults(m_dbproc)
!= SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

            if (dbnextrow(m_dbproc)
!= REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

```

```

        if
(pData=dbdata(m_dbproc, 1))
        m_txn.StockLevel.low_stock = *((long *)
pData);

        DiscardNextRows(0);
        DiscardNextResults(0);

        m_txn.StockLevel.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
        (e->m_msgno
        == iErrOleDbProvider &&
        >m_msgtext, sErrTimeoutExpired) != NULL) &&
        (++iTryCount
        <= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period
            delete e;
            Sleep(10 *
iTryCount);
        }
        else
            throw;
    }
    // while (TRUE)

    //if (iTryCount)
    //    throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::NewOrder()
{
    int                i;
    DBINT              commit_flag;
    DBDATETIME         datetime;
    DBDATERECD         daterec;

    int                iTryCount =
0;
    const BYTE         *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_neworder", 0);

```

```

            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.NewOrder.w_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.d_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.NewOrder.c_id);
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_ol_cnt);

            // check whether any
            order lines are for a remote warehouse

            m_txn.NewOrder.o_all_local = 1;
            for (i = 0; i <
m_txn.NewOrder.o_ol_cnt; i++)
            {
                if
                (m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
                {
                    m_txn.NewOrder.o_all_local = 0; // at
                    least one remote warehouse

                    break;
                }
            }
            dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.NewOrder.o_all_local);

            for (i = 0; i <
m_txn.NewOrder.o_ol_cnt; i++)
            {
                dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_i_id);
                dbrpcparam(m_dbproc, NULL, 0, SQLINT4, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_supply_w_id);
                dbrpcparam(m_dbproc, NULL, 0, SQLINT2, -1,
-1, (BYTE *) &m_txn.NewOrder.OL[i].ol_quantity);
            }

            if (dbrpcexec(m_dbproc)
== FAIL)
                ThrowError(CDBLIBERR::eDbRpcExec);

            results

            // Get order line

            m_txn.NewOrder.total_amount = 0;
            for (i = 0;
i<m_txn.NewOrder.o_ol_cnt; i++)
            {

```

```

            if
            (dbresults(m_dbproc) != SUCCEED)
                ThrowError(CDBLIBERR::eDbResults);

            if
            (dbnumcols(m_dbproc) != 5)
                ThrowError(CDBLIBERR::eWrongNumCols);

            if
            (dbnextrow(m_dbproc) != REG_ROW)
                ThrowError(CDBLIBERR::eDbNextRow);

            if(pData=dbdata(m_dbproc, 1))
                UtilStrCpy(m_txn.NewOrder.OL[i].ol_i_name,
pData, dbdatlen(m_dbproc, 1));
            if(pData=dbdata(m_dbproc, 2))
                m_txn.NewOrder.OL[i].ol_stock =
                (*(DBSMALLINT *) pData);
            if(pData=dbdata(m_dbproc, 3))
                UtilStrCpy(m_txn.NewOrder.OL[i].ol_brand_ge
neric, pData, dbdatlen(m_dbproc, 3));
            if(pData=dbdata(m_dbproc, 4))
                dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 4),
SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_i_price, 8);
            if(pData=dbdata(m_dbproc, 5))
                dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc, 5),
SQLFLT8, (BYTE
*)&m_txn.NewOrder.OL[i].ol_amount, 8);

            m_txn.NewOrder.total_amount =
m_txn.NewOrder.total_amount +
m_txn.NewOrder.OL[i].ol_amount;

            DiscardNextRows(0);
        }

        // get remaining values
        for w_tax, d_tax, o_id, c_last, c_discount, c_credit,
o_entry_d, commit_flag

```

```

        if (dbresults(m_dbproc)
!= SUCCEEDED)
        ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc)
!= REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);

        if (dbnumcols(m_dbproc)
!= 8)
        ThrowError(CDBLIBERR::eWrongNumCols);

        if
(pData=dbdata(m_dbproc, 1))

        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,1), SQLFLT8, (BYTE
*)&m_txn.NewOrder.w_tax, 8);

        if
(pData=dbdata(m_dbproc, 2))

        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,2), SQLFLT8, (BYTE
*)&m_txn.NewOrder.d_tax, 8);

        if
(pData=dbdata(m_dbproc, 3))

        m_txn.NewOrder.o_id = (*(DBINT *) pData);

        if
(pData=dbdata(m_dbproc, 4))

        UtilStrCpy(m_txn.NewOrder.c_last, pData,
dbdatlen(m_dbproc, 4));

        if
(pData=dbdata(m_dbproc, 5))

        dbconvert(m_dbproc, SQLNUMERIC,
(LPCBYTE)pData, dbdatlen(m_dbproc,5), SQLFLT8, (BYTE
*)&m_txn.NewOrder.c_discount, 8);

        if
(pData=dbdata(m_dbproc, 6))

        UtilStrCpy(m_txn.NewOrder.c_credit, pData,
dbdatlen(m_dbproc, 6));

        if
(pData=dbdata(m_dbproc, 7))

        {
                datetime =
*((DBDATETIME *) pData);

                dbdatecrack(m_dbproc, &daterec, &datetime);

                m_txn.NewOrder.o_entry_d.year =
daterec.year;

```

```

                m_txn.NewOrder.o_entry_d.month =
daterec.month;

                m_txn.NewOrder.o_entry_d.day =
daterec.day;

                m_txn.NewOrder.o_entry_d.hour =
daterec.hour;

                m_txn.NewOrder.o_entry_d.minute =
daterec.minute;

                m_txn.NewOrder.o_entry_d.second =
daterec.second;
        }
        if
(pData=dbdata(m_dbproc, 8))

        commit_flag =
(*(DBTINYINT *) pData);

        DiscardNextRows(0);
        DiscardNextResults(0);

        if (commit_flag == 1)
        {
                m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));

                m_txn.NewOrder.exec_status_code = eOK;
        }
        else
        {
                m_txn.NewOrder.exec_status_code =
eInvalidItem;

                return;
        }
        catch (CSQLERR *e)
        {
                if ((e->m_msgno == 1205

                (e->m_msgno
== iErrOleDbProvider &&
                strstr(e-
>m_msgtext, sErrTimeoutExpired) != NULL) &&
                (++iTryCount
<= iMaxRetries))
                {
                        // hit
                        deadlock; backoff for increasingly longer period
                        delete e;
                        Sleep(10 *
iTryCount);
                }
                else
                throw;
        }
        }
        // while (TRUE)

```

```

//        if (iTryCount)
//                throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Payment()
{
        DBDATETIME        datetime;
        DBDATEREC daterec;

        int                iTryCount =
0;
        const BYTE        *pData;

        ResetError();

        while (TRUE)
        {
                try
                {
                        dbrpcinit(m_dbproc,
"tpcc_payment", 0);

                        dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.w_id);

                        dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.c_w_id);

                        dbrpcparam(m_dbproc,
NULL, 0, SQLFLT8, -1, -1, (BYTE *)
&m_txn.Payment.h_amount);

                        dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.d_id);

                        dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Payment.c_d_id);

                        dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Payment.c_id);

                        // if customer id is
                        zero, then payment is by name
                        if (m_txn.Payment.c_id
== 0)

                        dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.Payment.c_last), (unsigned char
*)&m_txn.Payment.c_last);

                        if (dbrpcexec(m_dbproc)
== FAIL)

                        ThrowError(CDBLIBERR::eDbRpcExec);

                        if (dbresults(m_dbproc)
!= SUCCEEDED)

                        ThrowError(CDBLIBERR::eDbResults);

```



```

        if (dbnextrow(m_dbproc)
:= REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);
        if (dbnumcols(m_dbproc)
:= 27)
        ThrowError(CDBLIBERR::eWrongNumCols);
        if
(pData=dbdata(m_dbproc, 1))
        m_txn.Payment.c_id = *((DBINT *) pData);
        if
(pData=dbdata(m_dbproc, 2))
        UtilStrCpy(m_txn.Payment.c_last, pData,
dbdatlen(m_dbproc, 2));
        if
(pData=dbdata(m_dbproc, 3))
        {
                datetime =
*((DBDATETIME *) pData);
                dbdatecrack(m_dbproc, &daterec, &datetime);
                m_txn.Payment.h_date.year = daterec.year;
                m_txn.Payment.h_date.month =
daterec.month;
                m_txn.Payment.h_date.day = daterec.day;
                m_txn.Payment.h_date.hour = daterec.hour;
                m_txn.Payment.h_date.minute =
daterec.minute;
                m_txn.Payment.h_date.second =
daterec.second;
        }
        if
(pData=dbdata(m_dbproc, 4))
        UtilStrCpy(m_txn.Payment.w_street_1, pData,
dbdatlen(m_dbproc, 4));
        if
(pData=dbdata(m_dbproc, 5))
        UtilStrCpy(m_txn.Payment.w_street_2, pData,
dbdatlen(m_dbproc, 5));
        if
(pData=dbdata(m_dbproc, 6))
        UtilStrCpy(m_txn.Payment.w_city, pData,
dbdatlen(m_dbproc, 6));
        if
(pData=dbdata(m_dbproc, 7))
        UtilStrCpy(m_txn.Payment.w_state, pData,
dbdatlen(m_dbproc, 7));

```

```

        if
(pData=dbdata(m_dbproc, 8))
        UtilStrCpy(m_txn.Payment.w_zip, pData,
dbdatlen(m_dbproc, 8));
        if
(pData=dbdata(m_dbproc, 9))
        UtilStrCpy(m_txn.Payment.d_street_1, pData,
dbdatlen(m_dbproc, 9));
        if
(pData=dbdata(m_dbproc, 10))
        UtilStrCpy(m_txn.Payment.d_street_2, pData,
dbdatlen(m_dbproc, 10));
        if
(pData=dbdata(m_dbproc, 11))
        UtilStrCpy(m_txn.Payment.d_city, pData,
dbdatlen(m_dbproc, 11));
        if
(pData=dbdata(m_dbproc, 12))
        UtilStrCpy(m_txn.Payment.d_state, pData,
dbdatlen(m_dbproc, 12));
        if
(pData=dbdata(m_dbproc, 13))
        UtilStrCpy(m_txn.Payment.d_zip, pData,
dbdatlen(m_dbproc, 13));
        if
(pData=dbdata(m_dbproc, 14))
        UtilStrCpy(m_txn.Payment.c_first, pData,
dbdatlen(m_dbproc, 14));
        if
(pData=dbdata(m_dbproc, 15))
        UtilStrCpy(m_txn.Payment.c_middle, pData,
dbdatlen(m_dbproc, 15));
        if
(pData=dbdata(m_dbproc, 16))
        UtilStrCpy(m_txn.Payment.c_street_1, pData,
dbdatlen(m_dbproc, 16));
        if
(pData=dbdata(m_dbproc, 17))
        UtilStrCpy(m_txn.Payment.c_street_2, pData,
dbdatlen(m_dbproc, 17));
        if
(pData=dbdata(m_dbproc, 18))
        UtilStrCpy(m_txn.Payment.c_city, pData,
dbdatlen(m_dbproc, 18));
        if
(pData=dbdata(m_dbproc, 19))
        UtilStrCpy(m_txn.Payment.c_state, pData,
dbdatlen(m_dbproc, 19));
        if
(pData=dbdata(m_dbproc, 20))

```

```

        UtilStrCpy(m_txn.Payment.c_zip, pData,
dbdatlen(m_dbproc, 20));
        if
(pData=dbdata(m_dbproc, 21))
        UtilStrCpy(m_txn.Payment.c_phone, pData,
dbdatlen(m_dbproc, 21));
        if
(pData=dbdata(m_dbproc, 22))
        {
                datetime =
*((DBDATETIME *) pData);
                dbdatecrack(m_dbproc, &daterec, &datetime);
                m_txn.Payment.c_since.year =
daterec.year;
                m_txn.Payment.c_since.month =
daterec.month;
                m_txn.Payment.c_since.day = daterec.day;
                m_txn.Payment.c_since.hour =
daterec.hour;
                m_txn.Payment.c_since.minute =
daterec.minute;
                m_txn.Payment.c_since.second =
daterec.second;
        }
        if(pData=dbdata(m_dbproc, 23))
        UtilStrCpy(m_txn.Payment.c_credit, pData,
dbdatlen(m_dbproc, 23));
        if(pData=dbdata(m_dbproc, 24))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,24), SQLFLT8, (BYTE
*)&m_txn.Payment.c_credit_lim, 8);
        if(pData=dbdata(m_dbproc, 25))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,25), SQLFLT8, (BYTE
*)&m_txn.Payment.c_discount, 8);
        if(pData=dbdata(m_dbproc, 26))
        dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,26), SQLFLT8, (BYTE
*)&m_txn.Payment.c_balance, 8);
        if(pData=dbdata(m_dbproc, 27))
        UtilStrCpy(m_txn.Payment.c_data, pData,
dbdatlen(m_dbproc, 27));
        DiscardNextRows(0);

```

```

DiscardNextResults(0);

if (m_txn.Payment.c_id
== 0)
    throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
else
    m_txn.Payment.exec_status_code = eOK;

return;
}
catch (CSQLERR *e)
{
    if ((e->m_msgno == 1205
(e->m_msgno
== iErrOleDbProvider &&
    strstr(e-
>m_msgtext, sErrTimeoutExpired) != NULL) &&
(++iTryCount
<= iMaxRetries))
    {
        // hit
        deadlock; backoff for increasingly longer period
        delete e;
        Sleep(10 *
iTryCount);
    }
    else
        throw;
}
// while (TRUE)

// if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::OrderStatus()
{
    int i;
    DBDATETIME datetime;
    DBDATERECD daterec;

    int iTryCount =
0;
    RETCODE rc;
    const BYTE *pData;

    ResetError();

    while (TRUE)
    {
        try
        {
            dbrpcinit(m_dbproc,
"tpcc_orderstatus", 0);

```

```

dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.OrderStatus.w_id);
dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.OrderStatus.d_id);
dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.OrderStatus.c_id);

// if customer id is
zero, then order status is by name
if
(m_txn.OrderStatus.c_id == 0)
    dbrpcparam(m_dbproc, NULL, 0, SQLCHAR, -1,
strlen(m_txn.OrderStatus.c_last), (unsigned char
*)m_txn.OrderStatus.c_last);

if (dbrpcexec(m_dbproc)
== FAIL)
    ThrowError(CDBLIBERR::eDbRpcExec);

// Get order lines
if (dbresults(m_dbproc)
!= SUCCEED)
    {
        if
((m_DbLibErr == NULL) && (m_SqlErr == NULL))
            throw new CTPCC_DBLIB_ERR(
CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER );
        else
            ThrowError(CDBLIBERR::eDbResults);
    }

if (dbnumcols(m_dbproc)
!= 5)
    ThrowError(CDBLIBERR::eWrongNumCols);

i = 0;
while (TRUE)
    {
        rc =
dbrpcnextrow(m_dbproc);
        if (rc ==
NO_MORE_ROWS)
            break;
        if (rc !=
REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if (pData=dbdata(m_dbproc, 1))
            m_txn.OrderStatus.OL[i].ol_supply_w_id =
(*(DBSMALLINT *) pData);

```

```

if (pData=dbdata(m_dbproc, 2))
    m_txn.OrderStatus.OL[i].ol_i_id = (*(DBINT
*) pData);
if (pData=dbdata(m_dbproc, 3))
    m_txn.OrderStatus.OL[i].ol_quantity =
(*(DBSMALLINT *) pData);
if (pData=dbdata(m_dbproc, 4))
    dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,4),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.OL[i].ol_amount, 8);
if (pData=dbdata(m_dbproc, 5))
    {
        datetime = (*(DBDATETIME *) pData);
        dbdatecrack(m_dbproc, &daterec, &datetime);
        m_txn.OrderStatus.OL[i].ol_delivery_d.year
= daterec.year;
        m_txn.OrderStatus.OL[i].ol_delivery_d.month
= daterec.month;
        m_txn.OrderStatus.OL[i].ol_delivery_d.day
= daterec.day;
        m_txn.OrderStatus.OL[i].ol_delivery_d.hour
= daterec.hour;
        m_txn.OrderStatus.OL[i].ol_delivery_d.minut
e = daterec.minute;
        m_txn.OrderStatus.OL[i].ol_delivery_d.secon
d = daterec.second;
    }
    i++;
    m_txn.OrderStatus.o_ol_cnt = i;

    if (dbresults(m_dbproc)
!= SUCCEED)
        ThrowError(CDBLIBERR::eDbResults);
    if (dbrpcnextrow(m_dbproc)
!= REG_ROW)
        ThrowError(CDBLIBERR::eDbNextRow);
    if (dbnumcols(m_dbproc)
!= 8)

```

```

ThrowError(CDBLIBERR::eWrongNumCols);

if(pData=dbdata(m_dbproc, 1))
    m_txn.OrderStatus.c_id = (*(DBINT *)
pData);

if(pData=dbdata(m_dbproc, 2))
    UtilStrCpy(m_txn.OrderStatus.c_last, pData,
dbdatlen(m_dbproc,2));

if(pData=dbdata(m_dbproc, 3))
    UtilStrCpy(m_txn.OrderStatus.c_first,
pData, dbdatlen(m_dbproc,3));

if(pData=dbdata(m_dbproc, 4))
    UtilStrCpy(m_txn.OrderStatus.c_middle,
pData, dbdatlen(m_dbproc, 4));

if(pData=dbdata(m_dbproc, 5))
    {
        datetime =
*((DBDATETIME *) pData);
        dbdatecrack(m_dbproc, &daterec, &datetime);
        m_txn.OrderStatus.o_entry_d.year =
daterec.year;
        m_txn.OrderStatus.o_entry_d.month =
daterec.month;
        m_txn.OrderStatus.o_entry_d.day =
daterec.day;
        m_txn.OrderStatus.o_entry_d.hour =
daterec.hour;
        m_txn.OrderStatus.o_entry_d.minute =
daterec.minute;
        m_txn.OrderStatus.o_entry_d.second =
daterec.second;
    }

if(pData=dbdata(m_dbproc, 6))
    m_txn.OrderStatus.o_carrier_id =
(*(DBSMALLINT *) pData);

if(pData=dbdata(m_dbproc, 7))
    dbconvert(m_dbproc, SQLNUMERIC,
(LPBYTE)pData, dbdatlen(m_dbproc,7),
SQLFLT8, (BYTE
*)&m_txn.OrderStatus.c_balance, 8);

```

```

if(pData=dbdata(m_dbproc, 8))
    m_txn.OrderStatus.o_id = (*(DBINT *)
pData);

DiscardNextRows(0);
DiscardNextResults(0);

if
(m_txn.OrderStatus.o_ol_cnt == 0)
    throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_NO_SUCH_ORDER
);

else if
(m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
    throw new
CTPCC_DBLIB_ERR( CTPCC_DBLIB_ERR::ERR_INVALID_CUST );
else
    m_txn.OrderStatus.exec_status_code = eOK;

return;
}
catch (CSQLERR *e)
{
    if ((e->m_msgno == 1205
||
== iErrOleDbProvider &&
(e->m_msgno
>m_msgtext, sErrTimeoutExpired) != NULL) &&
(++iTryCount
<= iMaxRetries))
    {
        // hit
        deadlock; backoff for increasingly longer period
        delete e;
        Sleep(10 *
iTryCount);
    }
    else
        throw;
}
} // while (TRUE)

// if (iTryCount)
// throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::Delivery()
{
    int i;
    int iTryCount =
0;
    const BYTE *pData;

    ResetError();

```

```

while (TRUE)
{
    try
    {
        dbrpcinit(m_dbproc,
"tpcc_delivery", 0);
        dbrpcparam(m_dbproc,
NULL, 0, SQLINT4, -1, -1, (BYTE *)
&m_txn.Delivery.w_id);
        dbrpcparam(m_dbproc,
NULL, 0, SQLINT1, -1, -1, (BYTE *)
&m_txn.Delivery.o_carrier_id);

        if (dbrpcexec(m_dbproc)
== FAIL)
            ThrowError(CDBLIBERR::eDbRpcExec);

        if (dbresults(m_dbproc)
!= SUCCEED)
            ThrowError(CDBLIBERR::eDbResults);

        if (dbnextrow(m_dbproc)
!= REG_ROW)
            ThrowError(CDBLIBERR::eDbNextRow);

        if (dbnumcols(m_dbproc)
!= 10)
            ThrowError(CDBLIBERR::eWrongNumCols);

        for (i=0; i<10; i++)
        {
            if (pData =
dbdata(m_dbproc, i+1))
                m_txn.Delivery.o_id[i] = (*(DBINT *)pData);
        }

        DiscardNextRows(0);
        DiscardNextResults(0);

        m_txn.Delivery.exec_status_code = eOK;
        return;
    }
    catch (CSQLERR *e)
    {
        if ((e->m_msgno == 1205
||
== iErrOleDbProvider &&
(e->m_msgno
>m_msgtext, sErrTimeoutExpired) != NULL) &&
(++iTryCount
<= iMaxRetries))
        {
            // hit
            deadlock; backoff for increasingly longer period

```

```

        delete e;
        Sleep(10 *
iTryCount);
    }
    else
        throw;
    }
    // while (TRUE)
//
// if (iTryCount)
//     throw new
CTPCC_DBLIB_ERR(CTPCC_DBLIB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_DBLIB::ResetError()
{
    if (m_DbLibErr != NULL)
    {
        delete m_DbLibErr;
        m_DbLibErr = (CDBLIBERR*)NULL;
    }

    if (m_SqlErr != NULL)
    {
        delete m_SqlErr;
        m_SqlErr = (CSQLERR*)NULL;
    }

    return;
}

```

tpcc_odbc.cpp

```

/*
 * FILE: TPCC_ODBC.CPP
 * Microsoft
 * TPC-C Kit Ver. 4.42.000
 * Copyright
 * Microsoft, 2002
 * All Rights Reserved
 *
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 *
 * PURPOSE: Implements ODBC calls for TPC-C
 * txns.
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 *
 * Change history:
 * 4.42.000 - changed w_id fields
 * from short to long to support >32K warehouses
 * 4.20.000 - updated rev number to
 * match kit
 * 4.10.001 - not deleting error
 * class in catch handler on deadlock retry;
 * not a
 * functional bug, but a memory leak
 */

#include <windows.h>
#include <stdio.h>

```

```

#include <assert.h>

#define DBNTWIN32
#include <sqltypes.h>
#include <sql.h>
#include <sqlext.h>

// #define COMPILER_FOR_SNAC // define that to
// compile for SQL Native Client; comment out to use
// MDAC

#ifdef COMPILER_FOR_SNAC
#include <odbcss.h>
#else
// Compile for SNAC
#include <sqlncli.h>
#endif

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_odbc.h"

// version string; must match return value from
// tpcc_version stored proc
const char sVersion[] = "4.20.000";

const iMaxRetries = 3; // how many
retries on deadlock
//const iMaxRetries = 0; // for
debugging

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";

static SQLHENV henv = SQL_NULL_HENV;
// ODBC environment handle

BOOL WINAPIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            if (
SQLAllocHandleStd(SQL_HANDLE_ENV, SQL_NULL_HANDLE,
&henv) != SQL_SUCCESS )
                return FALSE;
                break;

        case DLL_PROCESS_DETACH:
            if (henv != NULL)
                SQLFreeEnv(henv);
    }
}

```

```

        break;
        default: // nothing */;
    }
    return TRUE;
}

/* FUNCTION: CTPCC_ODBC_ERR::ErrorText
 *
 */

char* CTPCC_ODBC_ERR::ErrorText(void)
{
    int i;

    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
"Wrong version of stored procs on database
server" },
        { ERR_INVALID_CUST,
"Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,
"No orders found for customer." },
        { ERR_RETRIED_TRANS,
"Retries before transaction succeeded." },
        { ERR_INVALID_NEW_ORDER_PARAM,
"New Order parameter invalid." },
        { 0, "" }
    };

    static char szNotFound[] = "Unknown error
number.";

    for(i=0; errorMsgs[i].szMsg[0]; i++)
    {
        if ( m_errno ==
errorMsgs[i].iError )
            break;
    }
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec(dllexport) CTPCC_ODBC* CTPCC_ODBC_new(
LPCSTR szServer, // name of
SQL server
LPCSTR szUser, //
user name for login
LPCSTR szPassword, // password
for login

```

```

        LPCSTR szHost,                //
not used
        LPCSTR szDatabase,           // name of
database to use
        LPCWSTR szSPPrefix,         // prefix to
append to the stored procedure names
        BOOL bCallNoDuplicatesNewOrder ) // whether
to check for non-duplicate items in NewOrder and call
a new SP
{
    return new CTPCC_ODBC( szServer, szUser,
szPassword, szHost, szDatabase, szSPPrefix,
bCallNoDuplicatesNewOrder );
}

CTPCC_ODBC::CTPCC_ODBC (
    LPCSTR szServer,
    // name of SQL server
    LPCSTR szUser,
    // user name for login
    LPCSTR szPassword,
    // password for login
    LPCSTR szHost,
    // not used
    LPCSTR szDatabase,
    // name of database to use
    LPCWSTR szSPPrefix,
    // prefix to append to the stored procedure
names
    BOOL bCallNoDuplicatesNewOrder //
whether to check for non-duplicate items in NewOrder
and call a new SP
)
:
m_bCallNoDuplicatesNewOrder(bCallNoDuplicatesNewOrder)
{
    RETCODE rc;

    // initialization
    m_hdbc = SQL_NULL_HDBC;
    m_hstmt = SQL_NULL_HSTMT;

    m_hstmtNewOrder = SQL_NULL_HSTMT;
    m_hstmtPayment = SQL_NULL_HSTMT;
    m_hstmtDelivery = SQL_NULL_HSTMT;
    m_hstmtOrderStatus = SQL_NULL_HSTMT;
    m_hstmtStockLevel = SQL_NULL_HSTMT;

    m_descNewOrderCols1 = SQL_NULL_HDESC;
    m_descNewOrderCols2 = SQL_NULL_HDESC;
    m_descOrderStatusCols1 = SQL_NULL_HDESC;
    m_descOrderStatusCols2 = SQL_NULL_HDESC;

    wcsncpy(m_szSPPrefix, szSPPrefix,
sizeof(m_szSPPrefix)/sizeof(m_szSPPrefix[0]));

    if ( SQLAllocHandle(SQL_HANDLE_DBC, henv,
&m_hdbc) != SQL_SUCCESS )

        ThrowError(CODBCERR::eAllocHandle);
}

```

```

        if ( SQLSetConnectOption(m_hdbc,
SQL_PACKET_SIZE, 4096) != SQL_SUCCESS )

            ThrowError(CODBCERR::eConnOption);

        {
            char
szConnectStr[256];
            char
szOutStr[1024];
            SQLSMALLINT
iOutStrLen;

#ifdef COMPILE_FOR_SNAC
            sprintf( szConnectStr,
"DRIVER=SQL
Server;SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
szServer, szUser,
szPassword, szDatabase );
#else
            // Compile for SNAC
            sprintf( szConnectStr,
"DRIVER=SQL Native
Client;SERVER=%s;UID=%s;PWD=%s;DATABASE=%s",
szServer, szUser,
szPassword, szDatabase );
#endif
            rc = SQLDriverConnect(m_hdbc,
NULL, (SQLCHAR*)szConnectStr, sizeof(szConnectStr),
(SQLCHAR*)szOutStr,
sizeof(szOutStr), &iOutStrLen, SQL_DRIVER_NOPROMPT);

            if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eConnect);
        }

        if (SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmt) != SQL_SUCCESS)

            ThrowError(CODBCERR::eAllocHandle);

        {
            char
            buffer[128];

            // set some options affecting
connection behavior
            strcpy(buffer, "set nocount on
set XACT_ABORT ON");
            rc = SQLExecDirect(m_hstmt,
(unsigned char *)buffer, SQL_NTS);
            if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);

            // verify that version of stored
procs on server is correct
            char db_sp_version[10];
            strcpy(buffer, "{call
tpcc_version}");
}

```

```

            rc = SQLExecDirect(m_hstmt,
(unsigned char *)buffer, SQL_NTS);
            if (rc != SQL_SUCCESS && rc !=
SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);
            if ( SQLBindCol(m_hstmt, 1,
SQL_C_CHAR, &db_sp_version, sizeof(db_sp_version),
NULL) != SQL_SUCCESS )

                ThrowError(CODBCERR::eBindCol);
            if ( SQLFetch(m_hstmt) ==
SQL_ERROR )

                ThrowError(CODBCERR::eFetch);
            if
            (strcmp(db_sp_version,sVersion))
            throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_WRONG_SP_VERSION
);

            SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmt);
        }

        // Bind parameters for each of the
transactions
        InitNewOrderParams();
        InitPaymentParams();
        InitOrderStatusParams();
        InitDeliveryParams();
        InitStockLevelParams();
    }

CTPCC_ODBC::~CTPCC_ODBC( void )
{
    // note: descriptors are automatically
released when the connection is dropped
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtNewOrder);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtPayment);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtDelivery);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtOrderStatus);
    SQLFreeHandle(SQL_HANDLE_STMT,
m_hstmtStockLevel);

    SQLDisconnect(m_hdbc);
    SQLFreeHandle(SQL_HANDLE_DBC, m_hdbc);
}

//void CTPCC_ODBC::ThrowError( CODBCERR::ACTION
eAction )
void CTPCC_ODBC::ThrowError( RETCODE eAction )
{
    RETCODE rc;
    SDWORD lNativeError;
    char szState[6];
    char
szMsg[SQL_MAX_MESSAGE_LENGTH];
}

```

```

char
szTmp[6*SQL_MAX_MESSAGE_LENGTH];
CODBCERR *pODBCERR;
// not allocated until needed (maybe never)

pODBCERR = new CODBCERR();

pODBCERR->m_NativeError = 0;
//pODBCERR->m_eAction = eAction;
pODBCERR->m_eAction =
(CODBCERR::ACTION)eAction;
pODBCERR->m_bDeadLock = FALSE;

szTmp[0] = 0;
szMsg[0] = 0;
while (TRUE)
{
    rc = SQLError(henv, m_hdbc,
m_hstmt, (BYTE *)&szState, &lNativeError,
(BYTE *)&szMsg, sizeof(szMsg), NULL);
    if (rc == SQL_NO_DATA)
    {
        break;
    }
    if (rc != SQL_SUCCESS)
    {
        break;
    }
    // check for deadlock
    if (lNativeError == 1205 ||
(lNativeError == iErrOleDbProvider &&
sErrTimeoutExpired) != NULL)
    {
        pODBCERR->m_bDeadLock =
TRUE;

        // capture the (first) database
error
        if (pODBCERR->m_NativeError == 0
&& lNativeError != 0)
            pODBCERR->m_NativeError
= lNativeError;

        // quit if there isn't enough
room to concatenate error text
        if ( (strlen(szMsg) + 2) >
(sizeof(szTmp) - strlen(szTmp)) )
            break;

        // include line break after first
error msg
        if (szTmp[0] != 0)
            strcat( szTmp, "\n");
        strcat( szTmp, szMsg );
    }
    if (pODBCERR->m_odbcerrstr != NULL)
    {
        delete [] pODBCERR->m_odbcerrstr;
        pODBCERR->m_odbcerrstr = NULL;

```

```

}
    if (strlen(szTmp) > 0)
    {
        pODBCERR->m_odbcerrstr = new
char[ strlen(szTmp)+1 ];
        strcpy( pODBCERR->m_odbcerrstr,
szTmp );
    }
    SQLFreeStmt(m_hstmt, SQL_CLOSE);
    throw pODBCERR;
}

void CTPCC_ODBC::InitStockLevelParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtStockLevel) != SQL_SUCCESS )
        ThrowError(CODBCERR::eAllocHandle);
    m_hstmt = m_hstmtStockLevel;

    int i = 0;
    if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.StockLevel.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.StockLevel.d_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.StockLevel.threshold, 0, NULL) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindParam);

    if ( SQLBindCol(m_hstmt, 1, SQL_C_SLONG,
&m_txn.StockLevel.low_stock, 0, NULL) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eBindCol);

    //Compose Stock Level statement
    _snwprintf(m_szStockLevelCommand,
sizeof(m_szStockLevelCommand)/sizeof(m_szStockLevelCo
mmand[0]),
        L"call %stpcpc_stocklevel
(?,?,?)", m_szSPPrefix);
}

void CTPCC_ODBC::StockLevel()
{
    RETCODE rc;
    int iTryCount =
0;

    m_hstmt = m_hstmtStockLevel;
    while (TRUE)
    {
        try
        {

```

```

            rc =
SQLExecDirectW(m_hstmt, m_szStockLevelCommand,
SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt)
== SQL_ERROR )
                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt,
SQL_CLOSE);
            m_txn.StockLevel.exec_status_code = eOK;
            break;
        }
        catch (CODBCERR *e)
        {
            if (!e->m_bDeadLock)
                throw;
            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }
    // if (iTryCount)
    // throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitNewOrderParams()
{
    if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtNewOrder) != SQL_SUCCESS
||
SQLAllocHandle(SQL_HANDLE_STMT, m_hdbc,
&m_hstmtNewOrderNoDuplicates) != SQL_SUCCESS
||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descNewOrderCols1) != SQL_SUCCESS
||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descNewOrderCols2) != SQL_SUCCESS
||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descNewOrderNoDuplicatesCols1) != SQL_SUCCESS
||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descNewOrderNoDuplicatesCols2) != SQL_SUCCESS
)
        ThrowError(CODBCERR::eAllocHandle);
    m_hstmt = m_hstmtNewOrder;

```

```

        if ( SQLSetStmAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmAttr);

        int i = 0;
        if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.o_ol_cnt, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.o_all_local, 0, NULL) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindParam);

        for (int j=0; j<MAX_OL_NEW_ORDER_ITEMS;
j++)
        {
            if ( SQLBindParameter(m_hstmt,
++i, SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.OL[j].ol_i_id, 0, NULL) !=
SQL_SUCCESS
            ||
SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.OL[j].ol_supply_w_id, 0, NULL) !=
SQL_SUCCESS
            ||
SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.NewOrder.OL[j].ol_quantity, 0, NULL) !=
SQL_SUCCESS
            )
                ThrowError(CODBCERR::eBindParam);
        }

        // set the bind offset pointer
        if ( SQLSetStmAttrW( m_hstmt,
SQL_ATTR_ROW_BIND_OFFSET_PTR, &m_BindOffset,
SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.NewOrder.OL[0].ol_i_name,
sizeof(m_txn.NewOrder.OL[0].ol_i_name), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.NewOrder.OL[0].ol_stock, 0,
NULL) != SQL_SUCCESS

```

```

        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.NewOrder.OL[0].ol_brand_generic,
sizeof(m_txn.NewOrder.OL[0].ol_brand_generic), NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.OL[0].ol_i_price, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.OL[0].ol_amount, 0,
NULL) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindCol);

        // associate the column bindings for the
second result set
        if ( SQLSetStmAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.w_tax, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.d_tax, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.NewOrder.o_id, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.NewOrder.c_last,
sizeof(m_txn.NewOrder.c_last), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.c_discount, 0, NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.NewOrder.c_credit,
sizeof(m_txn.NewOrder.c_credit), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.NewOrder.o_entry_d, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.NoCommit_flag, 0, NULL) !=
SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindCol);

        //Compose the New Order statement
        _snprintf(m_szNewOrderCommand,
sizeof(m_szNewOrderCommand)/sizeof(m_szNewOrderComman
d[0]),
                // 0      1      2
                //
012345678901234567890123456789
                L"%call
%stpcc_neworder(?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?,
?, ?, ?, ?, ?, ?"

                L"?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?, ?,
?, ?, ?, ?)", m_szSPPrefix);

```

```

        m_iBeginNewOrderVariablePart = 29 +
wcslen(m_szSPPrefix); // fixed part + prefix
part

        ////////////////////////////////////////////////////
        //
        // Now initialize New Order that
works on no duplicate (w_id,i_id) pairs
        // and returns one result set for
lineitem details.
        //
        //
        m_hstmt = m_hstmtNewOrderNoDuplicates;

        if ( SQLSetStmAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC,
m_descNewOrderNoDuplicatesCols1, SQL_IS_POINTER ) !=
SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmAttr);

        i = 0;
        if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.o_ol_cnt, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.NewOrder.o_all_local, 0, NULL) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindParam);

        for (int j=0; j<MAX_OL_NEW_ORDER_ITEMS;
j++)
        {
            if ( SQLBindParameter(m_hstmt,
++i, SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.OL[j].ol_i_id, 0, NULL) !=
SQL_SUCCESS
            ||
SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.NewOrder.OL[j].ol_supply_w_id, 0, NULL) !=
SQL_SUCCESS
            ||
SQLBindParameter(m_hstmt, ++i, SQL_PARAM_INPUT,
SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.NewOrder.OL[j].ol_quantity, 0, NULL) !=
SQL_SUCCESS
            )
                ThrowError(CODBCERR::eBindParam);
        }

```

```

        // set row-wise binding
        if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROW_BIND_TYPE,
(SQLPOINTER)sizeof(m_txn.NewOrder.OL[0]),
SQL_IS_UIINTEGER) != SQL_SUCCESS
        || SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROWS_FETCHED_PTR, &m_RowsFetched, 0) !=
SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i, SQL_C_CHAR,
&m_txn.NewOrder.OL[0].ol_i_name,
sizeof(m_txn.NewOrder.OL[0].ol_i_name), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.NewOrder.OL[0].ol_stock, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.NewOrder.OL[0].ol_brand_generic,
sizeof(m_txn.NewOrder.OL[0].ol_brand_generic), NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.OL[0].ol_i_price, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.OL[0].ol_amount, 0,
NULL) != SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindCol);

        // associate the column bindings for the
second result set
        if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC,
m_descNewOrderNoDuplicatesCols2, SQL_IS_POINTER ) !=
SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.w_tax, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.d_tax, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.NewOrder.o_id, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.NewOrder.c_last,
sizeof(m_txn.NewOrder.c_last), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.NewOrder.c_discount, 0, NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.NewOrder.c_credit,
sizeof(m_txn.NewOrder.c_credit), NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.NewOrder.o_entry_d, 0,
NULL) != SQL_SUCCESS

```

```

        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_no_commit_flag, 0, NULL) !=
SQL_SUCCESS
        )
        ThrowError(CODBCERR::eBindCol);

        //Compose the New Order statement
        _snprintf(m_szNewOrderNoDuplicatesCommand,
sizeof(m_szNewOrderNoDuplicatesCommand)/sizeof(m_szNe
wOrderNoDuplicatesCommand[0]),
        L"call
%stpcc_neworder_new(?,?,?,?,?,?,?,?,?,?,?,?,?,
?,?,?,?,?,?,"
        L"?,?,?,?,?,?,?,?,?,?,?,?,?,
?,?,?,?,?)", m_szSPPrefix);

        m_iBeginNewOrderNoDuplicatesVariablePart =
33 + wcslen(m_szSPPrefix); // fixed part + prefix
part
    }

    //
    // Returns true if there are duplicate
(warehouse_id, item_id)
// lineitem pairs in New Order input
parameters.
//
bool CTPCC_ODBC::DuplicatesInNewOrder()
{
    int i, j;

    for (i = 0; i < m_txn.NewOrder.o_ol_cnt;
++i)
    {
        for (j = i+1; j<
m_txn.NewOrder.o_ol_cnt; ++j)
        {
            if
(m_txn.NewOrder.OL[i].ol_i_id ==
m_txn.NewOrder.OL[j].ol_i_id)
                return true;
        }
    }

    return false;
}

void CTPCC_ODBC::NewOrder()
{
    if (m_bCallNoDuplicatesNewOrder)
    {
        if (DuplicatesInNewOrder())
        {
            NewOrderDuplicates();
        }
        else
        {
            NewOrderNoDuplicates();
        }
    }
}

```

```

    else
    {
        NewOrderDuplicates();
    }
}

void CTPCC_ODBC::NewOrderDuplicates()
{
    int
    i;
    RETCODE
    int
    iTryCount = 0;
    rc;

    0 1 2 //
//
012345678901234567890123456789
    wchar_t
    szSqlTemplate[IMAX_SP_NAME_LEN];

    tpcc_neworder(?,?,?,?,," // L"call
L"?,?,?,?,?,?,?,?,?,?,?,?,?,?" //
L"?,?,?,?,?,?,?,?,?,?,?,?,?,?" //
L"?,?,?,?,?,?,?,?,?,?,?,?,?,?" //
L"?,?,?,?,?,?,?,?,?,?,?,?,?,?" //
m_hstmt = m_hstmtNewOrder;

    // associate the parameter and column
bindings for this transaction
    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
        ThrowError(CODBCERR::eSetStmtAttr);

    // clip statement buffer based on number of
parameters
    // fixed part is 29 chars and variable part
is 6 chars per line item
    wcsncpy(szSqlTemplate, m_szNewOrderCommand);
    i = m_iBeginNewOrderVariablePart +
m_txn.NewOrder.o_ol_cnt*6;
    wcsncpy( &szSqlTemplate[i], L")" );

    // check whether any order lines are for a
remote warehouse
    m_txn.NewOrder.o_all_local = 1;
    for (i = 0; i < m_txn.NewOrder.o_ol_cnt;
i++)
    {
        if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
        {

```



```

        m_txn.NewOrder.o_all_local = 0; // at
least one remote warehouse
        break;
    }
}

while (TRUE)
{
    try
    {
        m_BindOffset = 0;
        rc =
SQLExecDirectW(m_hstmt, szSqlTemplate, SQL_NTS);
        if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

            ThrowError(CODBCERR::eExecDirect);

        // Get order line
results
        m_txn.NewOrder.total_amount = 0;
        for (i = 0;
i < m_txn.NewOrder.o_ol_cnt; i++)
        {
            // set the
bind offset value...
            m_BindOffset
= i * sizeof(m_txn.NewOrder.OL[0]);

            if (
SQLFetch(m_hstmt) == SQL_ERROR)
                ThrowError(CODBCERR::eFetch);

            // move to
the next resultset
            if (
SQLMoreResults(m_hstmt) == SQL_ERROR )
                ThrowError(CODBCERR::eMoreResults);

            m_txn.NewOrder.total_amount +=
m_txn.NewOrder.OL[i].ol_amount;
        }

        // associate the column
bindings for the second result set
        if ( SQLSetStmtAttrW(
m_hstmt, SQL_ATTR_APP_ROW_DESC, m_descNewOrderCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )

            ThrowError(CODBCERR::eSetStmtAttr);

        if ( SQLFetch(m_hstmt)
== SQL_ERROR)
            ThrowError(CODBCERR::eFetch);

        SQLFreeStmt(m_hstmt,
SQL_CLOSE);

```

```

        if (m_no_commit_flag ==
1)
        {
            m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));

            m_txn.NewOrder.exec_status_code = eOK;
        }
        else
            m_txn.NewOrder.exec_status_code =
eInvalidItem;

        break;
    }
    catch (CODBCERR *e)
    {
        if (!e->m_bDeadLock)
            throw;

        // hit deadlock;
backoff for increasingly longer period
        delete e;
        Sleep(10 * iTryCount);
    }
}

// if (iTryCount)
// throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

//
// No lineitem duplicates optimized version.
//
void CTPCC_ODBC::NewOrderNoDuplicates()
{
    int
    i;
    RETCODE
    rc;
    int
    iTryCount = 0;

    0    1    2    3

    //
    //
    0123456789012345678901234567890123
    wchar_t
    szSqlTemplate[IMAX_SP_NAME_LEN];

    // L" {call
tpcc_neworder_new(?,?,?,?,"

    //
L"?,?,?,?,?,?,?,?,?,?,?,?,"

```

```

        //
L"?,?,?,?,?,?,?,?,?,?,?,?,"

        //
L"?,?,?,?,?,?,?,?,?,?,?,?,";

        m_hstmt = m_hstmtNewOrderNoDuplicates;

        // associate the parameter and column
bindings for this transaction
        if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC,
m_descNewOrderNoDuplicatesCols1, SQL_IS_POINTER ) !=
SQL_SUCCESS )

            ThrowError(CODBCERR::eSetStmtAttr);

        // clip statement buffer based on number of
parameters
        // fixed part is 33 chars and variable part
is 6 chars for line item
        wcsncpy(szSqlTemplate,
m_szNewOrderNoDuplicatesCommand);
        i =
m_iBeginNewOrderNoDuplicatesVariablePart +
m_txn.NewOrder.o_ol_cnt*6;
        wcsncpy( &szSqlTemplate[i], L" ) );

        // check whether any order lines are for a
remote warehouse
        m_txn.NewOrder.o_all_local = 1;
        for (i = 0; i < m_txn.NewOrder.o_ol_cnt;
i++)
        {
            if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
            {
                m_txn.NewOrder.o_all_local = 0; // at
least one remote warehouse
                break;
            }
        }

        while (TRUE)
        {
            try
            {
                // configure block
cursor
                if (
SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)1, 0) != SQL_SUCCESS )

                    ThrowError(CODBCERR::eSetStmtAttr);

                rc =
SQLExecDirectW(m_hstmt, szSqlTemplate, SQL_NTS);
                if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

```

```

        ThrowError(CODBCERR::eExecDirect);

        // configure block
        cursor
            if
                (SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
                (SQLPOINTER)MAX_OL_NEW_ORDER_ITEMS, 0) !=
                SQL_SUCCESS)
                    ThrowError(CODBCERR::eSetStmtAttr);

                // Get order line
            results
                if ( SQLFetch(m_hstmt)
                == SQL_ERROR)
                    ThrowError(CODBCERR::eFetch);

                m_txn.NewOrder.total_amount = 0;
                for (i = 0;
                i < m_txn.NewOrder.o_ol_cnt; i++)
                {
                    m_txn.NewOrder.total_amount +=
                    m_txn.NewOrder.OL[i].ol_amount;
                }

                // associate the column
                bindings for the second result set
                if ( SQLSetStmtAttrW(
                m_hstmt, SQL_ATTR_APP_ROW_DESC,
                m_descNewOrderNoDuplicatesCols2, SQL_IS_POINTER ) !=
                SQL_SUCCESS )
                    ThrowError(CODBCERR::eSetStmtAttr);

                // move to the next
            resultset
                if (
                SQLMoreResults(m_hstmt) == SQL_ERROR )
                    ThrowError(CODBCERR::eMoreResults);

                if ( rc =
                SQLFetch(m_hstmt)) == SQL_ERROR)
                    ThrowError(CODBCERR::eFetch);

                SQLFreeStmt(m_hstmt,
                SQL_CLOSE);

                // Check Fetch return
            code for no rows returned.
                // It means customer id
            or warehouse id were invalid.
                //
                if (rc == SQL_NO_DATA)

```

```

                throw new
                CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_INVALID_NEW_ORDER_
                PARAM);

                if (m_no_commit_flag ==
                1)
                {
                    m_txn.NewOrder.total_amount *= ((1 +
                    m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
                    m_txn.NewOrder.c_discount));

                    m_txn.NewOrder.exec_status_code = eOK;
                }
                else
                    m_txn.NewOrder.exec_status_code =
                    eInvalidItem;

                    break;
                }
                catch (CODBCERR *e)
                {
                    if (!(e->m_bDeadLock))
                        || (++iTryCount > iMaxRetries))
                            throw;

                            // hit deadlock;
                    backoff for increasingly longer period
                    delete e;
                    Sleep(10 * iTryCount);
                }
                }

                //
            // if (iTryCount)
            //     throw new
            CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
            iTryCount);
        }

        void CTPCC_ODBC::InitPaymentParams()
        {
            if ( SQLAllocHandle(SQL_HANDLE_STMT,
            m_hdbc, &m_hstmtPayment) != SQL_SUCCESS )

                ThrowError(CODBCERR::eAllocHandle);

                m_hstmt = m_hstmtPayment;

                int i = 0;
                if ( SQLBindParameter(m_hstmt, ++i,
                SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
                &m_txn.Payment.w_id, 0, NULL) != SQL_SUCCESS
                    || SQLBindParameter(m_hstmt, ++i,
                SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
                &m_txn.Payment.c_w_id, 0, NULL) != SQL_SUCCESS
                    || SQLBindParameter(m_hstmt, ++i,
                SQL_PARAM_INPUT, SQL_C_DOUBLE, SQL_NUMERIC, 6, 2,
                &m_txn.Payment.h_amount, 0, NULL) != SQL_SUCCESS
                    || SQLBindParameter(m_hstmt, ++i,
                SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
                &m_txn.Payment.d_id, 0, NULL) != SQL_SUCCESS

```

```

                    || SQLBindParameter(m_hstmt, ++i,
                SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
                &m_txn.Payment.c_d_id, 0, NULL) != SQL_SUCCESS
                    || SQLBindParameter(m_hstmt, ++i,
                SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
                &m_txn.Payment.c_id, 0, NULL) != SQL_SUCCESS
                    || SQLBindParameter(m_hstmt, ++i,
                SQL_PARAM_INPUT, SQL_C_CHAR, SQL_CHAR,
                sizeof(m_txn.Payment.c_last), 0,
                &m_txn.Payment.c_last, sizeof(m_txn.Payment.c_last),
                NULL) != SQL_SUCCESS
                )
                    ThrowError(CODBCERR::eBindParam);

                    i = 0;
                    if ( SQLBindCol(m_hstmt, ++i,
                SQL_C_SLONG, &m_txn.Payment.c_id,
                0, NULL) != SQL_SUCCESS
                    || SQLBindCol(m_hstmt, ++i,
                SQL_C_CHAR, &m_txn.Payment.c_last,
                sizeof(m_txn.Payment.c_last), NULL) !=
                SQL_SUCCESS
                    || SQLBindCol(m_hstmt, ++i,
                SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.h_date,
                0, NULL) != SQL_SUCCESS
                    || SQLBindCol(m_hstmt, ++i,
                SQL_C_CHAR, &m_txn.Payment.w_street_1,
                sizeof(m_txn.Payment.w_street_1), NULL) !=
                SQL_SUCCESS
                    || SQLBindCol(m_hstmt, ++i,
                SQL_C_CHAR, &m_txn.Payment.w_street_2,
                sizeof(m_txn.Payment.w_street_2), NULL) !=
                SQL_SUCCESS
                    || SQLBindCol(m_hstmt, ++i,
                SQL_C_CHAR, &m_txn.Payment.w_city,
                sizeof(m_txn.Payment.w_city), NULL) !=
                SQL_SUCCESS
                    || SQLBindCol(m_hstmt, ++i,
                SQL_C_CHAR, &m_txn.Payment.w_state,
                sizeof(m_txn.Payment.w_state), NULL) !=
                SQL_SUCCESS
                    || SQLBindCol(m_hstmt, ++i,
                SQL_C_CHAR, &m_txn.Payment.w_zip,
                sizeof(m_txn.Payment.w_zip), NULL) !=
                SQL_SUCCESS
                    || SQLBindCol(m_hstmt, ++i,
                SQL_C_CHAR, &m_txn.Payment.d_street_1,
                sizeof(m_txn.Payment.d_street_1), NULL) !=
                SQL_SUCCESS
                    || SQLBindCol(m_hstmt, ++i,
                SQL_C_CHAR, &m_txn.Payment.d_street_2,
                sizeof(m_txn.Payment.d_street_2), NULL) !=
                SQL_SUCCESS
                    || SQLBindCol(m_hstmt, ++i,
                SQL_C_CHAR, &m_txn.Payment.d_city,
                sizeof(m_txn.Payment.d_city), NULL) !=
                SQL_SUCCESS
                    || SQLBindCol(m_hstmt, ++i,
                SQL_C_CHAR, &m_txn.Payment.d_state,
                sizeof(m_txn.Payment.d_state), NULL) !=
                SQL_SUCCESS
                    || SQLBindCol(m_hstmt, ++i,
                SQL_C_CHAR, &m_txn.Payment.d_zip,

```

```

        sizeof(m_txn.Payment.d_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_first,
sizeof(m_txn.Payment.c_first), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_middle,
sizeof(m_txn.Payment.c_middle), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_street_1,
sizeof(m_txn.Payment.c_street_1), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_street_2,
sizeof(m_txn.Payment.c_street_2), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_city,
sizeof(m_txn.Payment.c_city), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_state,
sizeof(m_txn.Payment.c_state), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_zip,
sizeof(m_txn.Payment.c_zip), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_phone,
sizeof(m_txn.Payment.c_phone), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.Payment.c_since,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_credit,
sizeof(m_txn.Payment.c_credit), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_credit_lim, 0, NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_discount, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.Payment.c_balance, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.Payment.c_data,
sizeof(m_txn.Payment.c_data), NULL) !=
SQL_SUCCESS
    )
    ThrowError(CODBCERR::eBindCol);

    //Compose Payment statement
    _snprintf(m_szPaymentCommand,
sizeof(m_szPaymentCommand)/sizeof(m_szPaymentCommand[
0]),
        L"{call %stppc_payment
(?,?,?,?,,?)}", m_szSPPrefix);

```

```

    }
void CTPCC_ODBC::Payment()
{
    RETCODE rc;
    int iTryCount =
0;
    m_hstmt = m_hstmtPayment;

    if (m_txn.Payment.c_id != 0)
        m_txn.Payment.c_last[0] = 0;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, m_szPaymentCommand, SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)
                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt)
== SQL_ERROR)
                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt,
SQL_CLOSE);

            if (m_txn.Payment.c_id
== 0)
                throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_INVALID_CUST );
            else
                m_txn.Payment.exec_status_code = eOK;

            break;
        }
        catch (CODBCERR *e)
        {
            if (!e->m_bDeadLock)
                throw;

            // hit deadlock;
            delete e;
            Sleep(10 * iTryCount);
        }
    }

    // if (iTryCount)
    // throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_ODBC::InitOrderStatusParams()
{

```

```

        if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtOrderStatus) != SQL_SUCCESS
        ||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols1) != SQL_SUCCESS
        ||
SQLAllocHandle(SQL_HANDLE_DESC, m_hdbc,
&m_descOrderStatusCols2) != SQL_SUCCESS
        )
            ThrowError(CODBCERR::eAllocHandle);

        m_hstmt = m_hstmtOrderStatus;

        if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols1,
SQL_IS_POINTER ) != SQL_SUCCESS )
            ThrowError(CODBCERR::eSetStmtAttr);

        int i = 0;
        if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.OrderStatus.w_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_UTINYINT, SQL_TINYINT, 0, 0,
&m_txn.OrderStatus.d_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.OrderStatus.c_id, 0, NULL) != SQL_SUCCESS
        || SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_CHAR, SQL_CHAR,
sizeof(m_txn.OrderStatus.c_last), 0,
&m_txn.OrderStatus.c_last, 0,
sizeof(m_txn.OrderStatus.c_last), NULL) !=
SQL_SUCCESS
        )
            ThrowError(CODBCERR::eBindParam);

        // configure block cursor
        if ( SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROW_BIND_TYPE,
(SQLPOINTER)sizeof(m_txn.OrderStatus.OL[0]), 0) !=
SQL_SUCCESS
        || SQLSetStmtAttrW(m_hstmt,
SQL_ATTR_ROWS_FETCHED_PTR, &m_RowsFetched, 0) !=
SQL_SUCCESS
        )
            ThrowError(CODBCERR::eSetStmtAttr);

        i = 0;
        if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.OL[0].ol_supply_w_id,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.OL[0].ol_i_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.OrderStatus.OL[0].ol_quantity,
0, NULL) != SQL_SUCCESS

```

```

        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.OrderStatus.OL[0].ol_amount, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP,
&m_txn.OrderStatus.OL[0].ol_delivery_d, 0, NULL) !=
SQL_SUCCESS
    )
    ThrowError(CODBCERR::eBindCol);

    if ( SQLSetStmtAttrW( m_hstmt,
SQL_ATTR_APP_ROW_DESC, m_descOrderStatusCols2,
SQL_IS_POINTER ) != SQL_SUCCESS )

        ThrowError(CODBCERR::eSetStmtAttr);

    i = 0;
    if ( SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.c_id, 0, NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_last,
sizeof(m_txn.OrderStatus.c_last), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_first,
sizeof(m_txn.OrderStatus.c_first), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_CHAR, &m_txn.OrderStatus.c_middle,
sizeof(m_txn.OrderStatus.c_middle), NULL) !=
SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_TYPE_TIMESTAMP, &m_txn.OrderStatus.o_entry_d,
0, NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SSHORT, &m_txn.OrderStatus.o_carrier_id, 0,
NULL) != SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_DOUBLE, &m_txn.OrderStatus.c_balance, 0, NULL)
!= SQL_SUCCESS
        || SQLBindCol(m_hstmt, ++i,
SQL_C_SLONG, &m_txn.OrderStatus.o_id, 0, NULL) !=
SQL_SUCCESS
    )
        ThrowError(CODBCERR::eBindCol);

    //Compose Order Status statement
    _snprintf(m_szOrderStatusCommand,
sizeof(m_szOrderStatusCommand)/sizeof(m_szOrderStatus
Command[0]),
        L"%call %stppc_orderstatus
(?,?,?,?)", m_szSPPrefix);
}

void CTPCC_ODBC::OrderStatus()
{
    int
        iTryCount = 0;

    RETCODE
    rc;

```

```

    m_hstmt = m_hstmtOrderStatus;

    if (m_txn.OrderStatus.c_id != 0)
        m_txn.OrderStatus.c_last[0] = 0;

    while (TRUE)
    {
        try
        {
            if ( SQLSetStmtAttrW(
m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols1, SQL_IS_POINTER ) !=
SQL_SUCCESS )

                ThrowError(CODBCERR::eSetStmtAttr);

            // configure block
            cursor
                if (
SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)1, 0) != SQL_SUCCESS )

                    ThrowError(CODBCERR::eSetStmtAttr);

            rc =
SQLExecDirectW(m_hstmt, m_szOrderStatusCommand,
SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);

            // configure block
            cursor
                if (
SQLSetStmtAttrW(m_hstmt, SQL_ATTR_ROW_ARRAY_SIZE,
(SQLPOINTER)MAX_OL_ORDER_STATUS_ITEMS, 0) !=
SQL_SUCCESS )

                    ThrowError(CODBCERR::eSetStmtAttr);

            rc = SQLFetchScroll(
m_hstmt, SQL_FETCH_NEXT, 0 );
            // if (!(rc ==
SQL_SUCCESS) || ((rc == SQL_SUCCESS_WITH_INFO) &&
(m_RowsFetched != 0))) )
                if ( rc !=
SQL_SUCCESS )

                    ThrowError(CODBCERR::eFetchScroll);

            m_txn.OrderStatus.o_ol_cnt =
(short)m_RowsFetched;

            if
                (m_txn.OrderStatus.o_ol_cnt != 0)
                {
                    if (
SQLSetStmtAttrW( m_hstmt, SQL_ATTR_APP_ROW_DESC,
m_descOrderStatusCols2, SQL_IS_POINTER ) !=
SQL_SUCCESS )

```

```

                ThrowError(CODBCERR::eSetStmtAttr);

// MoreResults(m_hstmt) == SQL_ERROR )
SQLMoreResults(m_hstmt) == SQL_ERROR )
        if ( rc =
SQLMoreResults(m_hstmt) != SQL_SUCCESS )
        {
            ThrowError(CODBCERR::eMoreResults);
        }

// SQLFetch(m_hstmt) == SQL_ERROR
SQLFetch(m_hstmt) != SQL_SUCCESS )
        if ( rc =
SQLFetch(m_hstmt) != SQL_SUCCESS )
        {
            ThrowError(CODBCERR::eFetch);
        }

        SQLFreeStmt(m_hstmt,
SQL_CLOSE);

        if
            (m_txn.OrderStatus.o_ol_cnt == 0)
            throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_NO_SUCH_ORDER );
        else if
            (m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
            throw new
CTPCC_ODBC_ERR( CTPCC_ODBC_ERR::ERR_INVALID_CUST );
        else
            m_txn.OrderStatus.exec_status_code = eOK;

            break;
        }
        catch (CODBCERR *e)
        {
            if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }

        if (iTryCount)
            throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
    }

    void CTPCC_ODBC::InitDeliveryParams()
    {
        if ( SQLAllocHandle(SQL_HANDLE_STMT,
m_hdbc, &m_hstmtDelivery) != SQL_SUCCESS )

```

```

ThrowError(CODBCERR::eAllocHandle);

m_hstmt = m_hstmtDelivery;

int i = 0;
if ( SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SLONG, SQL_INTEGER, 0, 0,
&m_txn.Delivery.w_id, 0, NULL) != SQL_SUCCESS
|| SQLBindParameter(m_hstmt, ++i,
SQL_PARAM_INPUT, SQL_C_SSHORT, SQL_SMALLINT, 0, 0,
&m_txn.Delivery.o_carrier_id, 0, NULL) != SQL_SUCCESS
)
    ThrowError(CODBCERR::eBindParam);

for (i=0;i<10;i++)
{
    if ( SQLBindCol(m_hstmt,
(UWORD)(i+1), SQL_C_SLONG, &m_txn.Delivery.o_id[i],
0, NULL) != SQL_SUCCESS )

        ThrowError(CODBCERR::eBindCol);
}

//Compose Delivery statement
_snpprintf(m_szDeliveryCommand,
sizeof(m_szDeliveryCommand)/sizeof(m_szDeliveryComman
d[0]),
        L"{call %stpcc_delivery (?,?)}",
m_szSPPrefix);
}

void CTPCC_ODBC::Delivery()
{
    RETCODE        rc;
    int             iTryCount =
0;

    m_hstmt = m_hstmtDelivery;

    while (TRUE)
    {
        try
        {
            rc =
SQLExecDirectW(m_hstmt, m_szDeliveryCommand,
SQL_NTS);
            if (rc != SQL_SUCCESS
&& rc != SQL_SUCCESS_WITH_INFO)

                ThrowError(CODBCERR::eExecDirect);

            if ( SQLFetch(m_hstmt)
== SQL_ERROR )

                ThrowError(CODBCERR::eFetch);

            SQLFreeStmt(m_hstmt,
SQL_CLOSE);

            m_txn.Delivery.exec_status_code = eOK;
            break;
        }
    }
}

```

```

        catch (CODBCERR *e)
        {
            if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
                throw;

            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }

//        if (iTryCount)
//            throw new
CTPCC_ODBC_ERR(CTPCC_ODBC_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

```

tpcc_odbc.h

```

/*      FILE:          TPCC_ODBC.H
*
*      TPC-C Kit Ver. 4.20.000
*
*      Copyright
Microsoft, 1999
        All Rights Reserved
*
*      Version
4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
*
*      PURPOSE:  Header file for TPC-C txn class
implementation.
*
*      Change history:
*
*      4.20.000 - updated rev number to
match kit
*/
#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

#define IMAX_SP_NAME_LEN 256 //maximum length of a
stored procedure name with parameters

class CODBCERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eAllocConn,
        // error from SQLAllocConnect
        eAllocHandle,
        // error from SQLAllocHandle
    }
};

```

```

        eConnOption,
// error from SQLSetConnectOption
        eConnect,
// error from SQLConnect
        eAllocStmt,
// error from SQLAllocStmt
        eExecDirect,
// error from SQLExecDirect
        eBindParam,
// error from SQLBindParameter
        eBindCol,
// error from SQLBindCol
        eFetch,
// error from SQLFetch
        eFetchScroll,
// error from SQLFetchScroll
        eMoreResults,
// error from SQLMoreResults
        ePrepare,
// error from SQLPrepare
        eExecute,
// error from SQLExecute
        eSetEnvAttr,
// error from SQLSetEnvAttr
        eSetStmtAttr,
// error from SQLSetStmtAttr
    };

    CODBCERR(void)
    {
        m_eAction = eNone;
        m_NativeError = 0;
        m_bDeadLock = FALSE;
        m_odbcerrstr = NULL;
    };

    ~CODBCERR()
    {
        if (m_odbcerrstr !=
NULL)
            delete []
m_odbcerrstr;
    };

    ACTION    m_eAction;
    int       m_NativeError;
    BOOL      m_bDeadLock;
    char      *m_odbcerrstr;

    int       ErrorType()
    {return ERR_TYPE_ODBC;};
    char*     ErrorTypeStr() { return
"ODBC"; }
    int       ErrorNum()
    {return m_NativeError;};
    char*     ErrorText() {return
m_odbcerrstr;};
    int       ErrorAction()
    { return (int)m_eAction; }
    };

class CTPCC_ODBC_ERR : public CBaseErr

```

```

{
    public:
        enum TPCC_ODBC_ERRS
        {
            ERR_WRONG_SP_VERSION =
1,          // "Wrong version of stored procs on
database server"
            ERR_INVALID_CUST,
            // "Invalid Customer id,name."
            ERR_NO_SUCH_ORDER,
            // "No orders found for
customer."
            ERR_RETRIED_TRANS,
            // "Retries before transaction
succeeded."

            ERR_INVALID_NEW_ORDER_PARAM // "New Order
parameter invalid."
        };

        CTPCC_ODBC_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; };

        CTPCC_ODBC_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount =
iTryCount; };

        int          m_errno;
        int          m_iTryCount;

        int          ErrorType()
{return ERR_TYPE_TPCC_ODBC;};
        char*       ErrorTypeStr() { return
"TPCC ODBC"; }
        int          ErrorNum()
{return m_errno;};

        char*       ErrorText();
};

class DllDecl CTPCC_ODBC : public CTPCC_BASE
{
    private:
        // declare variables and private
functions here...
        BOOL         m_bDeadlock;
        // transaction was selected as
deadlock victim
        int          m_MaxRetries;
        // retry
count on deadlock

        SQLHENV      m_henv;
        // ODBC environment

handle
        SQLHDBC      m_hdbc;

        SQLHSTMT     m_hstmt;
        // the current hstmt

        SQLHSTMT     m_hstmtNewOrder;
        SQLHSTMT
m_hstmtNewOrderNoDuplicates; // NewOrder
with one result set for lineitem details

```

```

        SQLHSTMT     m_hstmtPayment;
        SQLHSTMT     m_hstmtDelivery;
        SQLHSTMT     m_hstmtOrderStatus;
        SQLHSTMT     m_hstmtStockLevel;

        SQLHDESC     m_descNewOrderCols1;
        SQLHDESC     m_descNewOrderCols2;
        SQLHDESC
m_descNewOrderNoDuplicatesCols1; //
NewOrder with one result set for lineitem details
        SQLHDESC
m_descNewOrderNoDuplicatesCols2; //
NewOrder with one result set for lineitem details
        SQLHDESC     m_descOrderStatusCols1;
        SQLHDESC     m_descOrderStatusCols2;

        wchar_t
m_szSPPrefix[32]; // stored procedures

prefix
        wchar_t
m_szNewOrderCommand[IMAX_SP_NAME_LEN];
        wchar_t
m_szNewOrderNoDuplicatesCommand[IMAX_SP_NAME
E_LEN];

        int
m_iBeginNewOrderVariablePart; // begining
of the variable part in NewOrder statement
        int
m_iBeginNewOrderNoDuplicatesVariablePart;
// begining of the variable part in
NewOrder statement
        wchar_t
m_szPaymentCommand[IMAX_SP_NAME_LEN];
        wchar_t
m_szDeliveryCommand[IMAX_SP_NAME_LEN];
        wchar_t
m_szOrderStatusCommand[IMAX_SP_NAME_LEN];
        wchar_t
m_szStockLevelCommand[IMAX_SP_NAME_LEN];

        // new-order specific fields
        SQLINTEGER   m_BindOffset;
        SQLINTEGER
m_RowsFetched;
        int
m_no_commit_flag;

        // tpcc_neworder_new flag
        BOOL
m_bCallNoDuplicatesNewOrder;

        //void ThrowError(
COBDCERR::ACTION eAction );
        void ThrowError( RETCODE eAction
);

        void InitNewOrderParams();
        void InitPaymentParams();
        void InitDeliveryParams();
        void InitStockLevelParams();
        void InitOrderStatusParams();

```

```

        union
        {
            NEW_ORDER_DATA
NewOrder;
            PAYMENT_DATA
Payment;
            DELIVERY_DATA
Delivery;
            STOCK_LEVEL_DATA
StockLevel;
            ORDER_STATUS_DATA
OrderStatus;
        }
        m_txn;

        bool DuplicatesInNewOrder();
        void NewOrderDuplicates();
        void NewOrderNoDuplicates();

    public:
        CTPCC_ODBC( LPCWSTR
szServer, LPCWSTR szUser, LPCWSTR szPassword,
LPCWSTR szHost, LPCWSTR szDatabase,
LPCWSTR szSPPrefix, BOOL
bCallNoDuplicatesNewOrder);
        ~CTPCC_ODBC(void);

        inline PNEW_ORDER_DATA
BuffAddr_NewOrder() { return
&m_txn.NewOrder; };
        inline PPAYMENT_DATA
BuffAddr_Payment() { return
&m_txn.Payment; };
        inline PDELIVERY_DATA
BuffAddr_Delivery() { return
&m_txn.Delivery; };
        inline PSTOCK_LEVEL_DATA
BuffAddr_StockLevel() { return
&m_txn.StockLevel; };
        inline PORDER_STATUS_DATA
BuffAddr_OrderStatus() { return
&m_txn.OrderStatus; };

        void NewOrder ();
        void Payment ();
        void Delivery ();
        void StockLevel ();
        void OrderStatus ();

};

// wrapper routine for class constructor
extern "C" DllDecl CTPCC_ODBC* CTPCC_ODBC_new
( LPCWSTR szServer, LPCWSTR szUser,
LPCWSTR szPassword,
LPCWSTR szHost, LPCWSTR szDatabase,
LPCWSTR szSPPrefix, BOOL
bCallNoDuplicatesNewOrder );

```

```
typedef CTPCC_ODBC* (TYPE_CTPCC_ODBC)(LPCSTR, LPCSTR,
LPCSTR, LPCSTR, LPCSTR, LPCWSTR, BOOL);
```

tpcc_oledb.cpp

```
/* FILE: TPC_C_OLEDB.CPP
 * Microsoft
 * TPC-C Kit Ver. 4.42.000
 * Copyright
 * Microsoft, 2004
 * Written by
 * Sergey Vasilevskiy
 * All Rights Reserved
 *
 * PURPOSE: Implements OLEDB calls for TPC-C
 * Txns.
 * Contact: Charles Levine
 * (clevine@microsoft.com)
 */

#include <windows.h>
#include <stdio.h>
#include <assert.h>
#include <stddef.h>

#define DBINITCONSTANTS
#include <oledb.h>
// #include <sqloledb.h> // Use MDAC
#include <sqlncli.h> // Use SNAC
#include <oledberr.h>

#ifdef ICECAP
#include <icapexp.h>
#endif

// need to declare functions for export
#define DllDecl __declspec( dllexport )

#include "..\..\common\src\error.h"
#include "..\..\common\src\trans.h"
#include "..\..\common\src\txn_base.h"
#include "tpcc_oledb.h"

#ifdef SQL_MAX_MESSAGE_LENGTH
#define SQL_MAX_MESSAGE_LENGTH 512
#endif

// version string; must match return value from
tpcc_version stored proc
const char sVersion[] = "4.20.000";

const iMaxRetries = 10; // how many
retries on deadlock

const int iErrOleDbProvider = 7312;
const char sErrTimeoutExpired[] = "Timeout expired";
```

```
// this needs to be the same as the max length of
machine/database/user/password in Benchcraft
(engstut.h)
const static int iMaxNameLen = 32;

BOOL APIENTRY DllMain(HMODULE hModule, DWORD
ul_reason_for_call, LPVOID lpReserved)
{
    switch( ul_reason_for_call )
    {
        case DLL_PROCESS_ATTACH:
            DisableThreadLibraryCalls(hModule);
            break;

        case DLL_PROCESS_DETACH:
            break;

        default:
            /* nothing */;
    }
    return TRUE;
}

/* FUNCTION: CTPCC_OLEDB_ERR::ErrorText
 * */
char* CTPCC_OLEDB_ERR::ErrorText(void)
{
    int i;
    static SERRORMSG errorMsgs[] =
    {
        { ERR_WRONG_SP_VERSION,
        "Wrong version of stored procs on database
server" },
        { ERR_INVALID_CUST,
        "Invalid Customer id,name." },
        { ERR_NO_SUCH_ORDER,
        "No orders found for customer." },
        { ERR_RETRIED_TRANS,
        "Retries before transaction succeeded." },
        { 0, "" }
    };

    static char szNotFound[] = "Unknown error
number.";

    for(i=0; errorMsgs[i].szMsg[0]; i++)
    {
        if ( m_errno ==
errorMsgs[i].iError )
            break;
```

```

    }
    if ( !errorMsgs[i].szMsg[0] )
        return szNotFound;
    else
        return errorMsgs[i].szMsg;
}

// wrapper routine for class constructor
__declspec( dllexport ) CTPCC_OLEDB* CTPCC_OLEDB_new(
LPCSTR szServer, // name of
SQL server
LPCSTR szUser, //
user name for login
LPCSTR szPassword, // password
for login
LPCSTR szHost, //
not used
LPCSTR szDatabase, // name of
database to use
LPCWSTR szSPPrefix ) //
prefix to append to the stored procedure names
{
    return new CTPCC_OLEDB( szServer, szUser,
szPassword, szHost, szDatabase, szSPPrefix );
}

CTPCC_OLEDB::CTPCC_OLEDB (
LPCSTR szServer,
// name of SQL server
LPCSTR szUser,
// user name for login
LPCSTR szPassword,
// password for login
LPCSTR szHost,
// not used
LPCSTR szDatabase,
// name of database to use
LPCWSTR szSPPrefix
// prefix to append to the stored procedure
names
)
: m_pIMalloc(NULL)
{
    int
iRc;
int
i;
HRESULT hr;

IDBInitialize*
pIDBInitialize = NULL; //
data source interface
IDBProperties*
pIDBProperties = NULL;
ICommandText*
pICommandText;
// SQL command without parameters
wchar_t
szwServer[iMaxNameLen]; //
Unicode string used to convert to BSTR
```

```

        wchar_t
        szwDatabase[iMaxNameLen];    // Unicode
string used to convert to BSTR
        wchar_t
        szwUser[iMaxNameLen];        //
Unicode string used to convert to BSTR
        wchar_t
        szwPassword[iMaxNameLen];    // Unicode
string used to convert to BSTR

        // Copy stored procedures prefix
        wcsncpy(m_sszSPPrefix, szSPPrefix,
sizeof(m_sszSPPrefix)/sizeof(m_sszSPPrefix[0]));

        // Convert single byte ANSI strings to
Unicode (for later conversion to BSTR)
        iRc = MultiByteToWideChar(CP_THREAD_ACP,
MB_PRECOMPOSED, szServer, (int)strlen(szServer)+1,
szwServer, iMaxNameLen);
        iRc = MultiByteToWideChar(CP_THREAD_ACP,
MB_PRECOMPOSED, szDatabase,
(int)strlen(szDatabase)+1, szwDatabase, iMaxNameLen);
        iRc = MultiByteToWideChar(CP_THREAD_ACP,
MB_PRECOMPOSED, szUser, (int)strlen(szUser)+1,
szwUser, iMaxNameLen);
        iRc = MultiByteToWideChar(CP_THREAD_ACP,
MB_PRECOMPOSED, szPassword,
(int)strlen(szPassword)+1, szwPassword, iMaxNameLen);

        // Initialize COM library to be able to use
OLE-DB interfaces
        CoInitialize(NULL);

        // Initialization - create SQLOLEDB
component
        //hr = CoCreateInstance(CLSID_SQLOLEDB, //
GUID of SQLOLEDB component
        // Compile for SNAC
        hr = CoCreateInstance(CLSID_SQLNCLI, //
GUID of SQLNCLI component
        NULL,
        // not defining an aggregate
component, so NULL
        CLSCTX_INPROC_SERVER, //
run the component in our process
        IID_IDBInitialize,
        (void **) &pIDBInitialize);
        /*
        Initialize the property values needed
to establish the connection.
        */
        for(i = 0; i < 4; i++)
            VariantInit(&m_InitProperties[i].vValue);
        //Server name.
        m_InitProperties[0].dwPropertyID =
DBPROP_INIT_DATASOURCE;
        m_InitProperties[0].vValue.vt = VT_BSTR;
        m_InitProperties[0].vValue.bstrVal=
SysAllocString(szwServer);
        m_InitProperties[0].dwOptions =
DBPROP_OPTIONS_REQUIRED;
        m_InitProperties[0].colid = DB_NULLID;
        //Database.

```

```

        m_InitProperties[1].dwPropertyID =
DBPROP_INIT_CATALOG;
        m_InitProperties[1].vValue.vt = VT_BSTR;
        m_InitProperties[1].vValue.bstrVal=
SysAllocString(szwDatabase);
        m_InitProperties[1].dwOptions =
DBPROP_OPTIONS_REQUIRED;
        m_InitProperties[1].colid = DB_NULLID;
        //Username (login).
        m_InitProperties[2].dwPropertyID =
DBPROP_AUTH_USERID;
        m_InitProperties[2].vValue.vt = VT_BSTR;
        m_InitProperties[2].vValue.bstrVal=
SysAllocString(szwUser);
        m_InitProperties[2].dwOptions =
DBPROP_OPTIONS_REQUIRED;
        m_InitProperties[2].colid = DB_NULLID;
        //Password.
        m_InitProperties[3].dwPropertyID =
DBPROP_AUTH_PASSWORD;
        m_InitProperties[3].vValue.vt = VT_BSTR;
        m_InitProperties[3].vValue.bstrVal=
SysAllocString(szwPassword);
        m_InitProperties[3].dwOptions =
DBPROP_OPTIONS_REQUIRED;
        m_InitProperties[3].colid = DB_NULLID;
        /*
        Construct the DBPROPSET
structure(m_rgInitPropSet). The
DBPROPSET structure is used to pass an array of
DBPROP
        structures (m_InitProperties) to the
SetProperties method.
        */
        m_rgInitPropSet.guidPropertySet =
DBPROPSET_DBINIT;
        m_rgInitPropSet.cProperties = 4;
        m_rgInitPropSet.rgProperties =
m_InitProperties;
        //Set initialization properties.
        if (FAILED(hr = pIDBInitialize-
>QueryInterface(IID_IDBProperties,
        (void **) &pIDBProperties)))
        {
            ThrowError(pIDBInitialize,
COLEDBERR::eQueryInterface, "CTPCC_OLEDB()");
        }

        hr = pIDBProperties->SetProperties(1,
&m_rgInitPropSet);

        pIDBProperties->Release();
        //Now establish the connection to the data
source.
        hr = pIDBInitialize->Initialize();

        // Free BSTR property strings
        for(i = 0; i < 4; i++)
        {

```

```

SysFreeString(m_InitProperties[i].vValue.bstrVal);
        }
        hr = pIDBInitialize-
>QueryInterface(IID_IDBCreateSession, (void
**) &m_pIDBCreateSession);

        // Releasing this has no effect on the SQL
Server connection
        // of the data source object because of the
reference maintained by
        // m_pIDBCreateSession.
        pIDBInitialize->Release();
        pIDBInitialize = NULL;

        hr = m_pIDBCreateSession-
>CreateSession(NULL, IID_IDBCreateCommand, (IUnknown
**) &m_pIDBCreateCommand);
        if (FAILED(hr))
        {
            ThrowError(m_pIDBCreateSession,
COLEDBERR::eCreateSession, "CTPCC_OLEDB()");
        }

        hr = m_pIDBCreateCommand-
>CreateCommand(NULL, IID_ICommandText, (IUnknown
**) &pICommandText);
        if (FAILED(hr))
        {
            ThrowError(m_pIDBCreateCommand,
COLEDBERR::eCreateCommand, "CTPCC_OLEDB()");
        }

        hr = pICommandText-
>SetCommandText(DBGUID_SQL, L"set nocount on set
XACT_ABORT ON");
        if (FAILED(hr))
        {
            ThrowError(pICommandText,
COLEDBERR::eSetCommandText, "CTPCC_OLEDB()");
        }

        hr = pICommandText->Execute(NULL, IID_NULL,
NULL, NULL, NULL);
        if (FAILED(hr))
        {
            ThrowError(pICommandText,
COLEDBERR::eExecute, "CTPCC_OLEDB()");
        }

        pICommandText->Release();

        // verify that version of stored procs on
server is correct
        CheckSPVersion();

        // Get IMalloc interface
        hr = CoGetMalloc(1, LPMALLOC
**) &m_pIMalloc);

```



```

        // Bind parameters for each of the
transactions
    InitNewOrderParams();
    InitPaymentParams();
    InitOrderStatusParams();
    InitDeliveryParams();
    InitStockLevelParams();
}

CTPCC_OLEDB::~CTPCC_OLEDB( void )
{
    if (m_pIMalloc != NULL)
    {
        m_pIMalloc->Release();
    }
    m_pIPaymentCommand->Release();
    m_pIDBCreateCommand->Release();
    m_pIDBCreateSession->Release();

    CoUninitialize(); // uninitialized COM
}

library
{
    /*
    *      Check stored procedures version on the
    server.
    */
    void CTPCC_OLEDB::CheckSPVersion()
    {
        HRESULT                hr;
        char
        db_sp_version[10];
        ICommandText*         pICommandText;
        IAccessor*             pIAccessor;
        IRowset*               pRowset;
        const ULONG           nOutputParams
= 1;
        // output 1st result set columns
        HACCESSOR
        hTpccVersionOutputAccessor;
        // Structure to bind in accessor
        DBBINDING
        acOutputDBBinding[nOutputParams];
        DBBINDSTATUS
        acOutputDBBindStatus[nOutputParams];
        LONG                   cRows = 1;
        // number of rows returned in the rowset
        ULONG
        cRowsObtained;
        HROW                   rghRow;
        //returned row handles
        HROW*                  prghRow =
&rghRow;

        hr = m_pIDBCreateCommand-
>CreateCommand(NULL, IID_ICommandText, (IUnknown
**) &pICommandText);
        if (FAILED(hr))
        {
            ThrowError(m_pIDBCreateCommand,
COLEDBERR::eCreateCommand, "CheckSPVersion()");
        }
    }
}

```

```

        hr = pICommandText-
>SetCommandText(DBGUID_SQL, L"{call tpcc_version}");
        if (FAILED(hr))
        {
            ThrowError(pICommandText,
COLEDBERR::eSetCommandText, "CheckSPVersion()");
        }

        hr = pICommandText-
>QueryInterface(IID_IAccessor, (void **) &pIAccessor);
        if (FAILED(hr))
        {
            ThrowError(pICommandText,
COLEDBERR::eQueryInterface, "CheckSPVersion()");
        }

        // Now fill the binding information for
result set 1 output columns
        InitBindings(&acOutputDBBinding[0],
nOutputParams, eOutputColumn);

        // Binding for a rowset
        SetBinding(&acOutputDBBinding[0], 0,
sizeof(db_sp_version), DBTYPE_STR);

        hr = pIAccessor->CreateAccessor(
            DBACCESSOR_ROWDATA,
            nOutputParams,
            acOutputDBBinding,
            sizeof(db_sp_version),
            &hTpccVersionOutputAccessor,
            acOutputDBBindStatus);
        if (FAILED(hr))
        {
            ThrowError(pIAccessor,
COLEDBERR::eCreateAccessor, "CheckSPVersion()");
        }

        hr = pICommandText->Execute(NULL,
IID_IRowset, NULL, NULL, (IUnknown **) &pRowset);
        if (FAILED(hr))
        {
            ThrowError(pICommandText,
COLEDBERR::eExecute, "CheckSPVersion()");
        }

        // Fetch the result row handle(s)
        hr = pRowset->GetNextRows(DB_NULL_HCHAPTER,
0, cRows, &cRowsObtained, &prghRow);
        if (FAILED(hr))
        {
            ThrowError(pICommandText,
COLEDBERR::eGetNextRows, "CheckSPVersion()");
        }

        // Fetch the actual row data by handle
        hr = pRowset->GetData(rghRow,
hTpccVersionOutputAccessor, &db_sp_version);
        if (FAILED(hr))
        {
            ThrowError(pICommandText,
COLEDBERR::eGetData, "CheckSPVersion()");
        }
    }
}

```

```

    }

    // Release row(s)
    hr = pRowset->Release();

    pICommandText->Release();

    // Check the retrieved version
    if (strcmp(db_sp_version,sVersion))
        throw new
CTPCC_OLEDB_ERR(
    CTPCC_OLEDB_ERR::ERR_WRONG_SP_VERSION );
}

void CTPCC_OLEDB::ThrowError( IUnknown*
pObjectWithError, COLEDBERR::ACTION eAction, LPCTSTR
szLocation)
{
    HRESULT
    hr;
    //char
    szState[6];
    char
    szMsg[SQL_MAX_MESSAGE_LENGTH];
    char
    szTmp[6*SQL_MAX_MESSAGE_LENGTH];
    COLEDBERR
    *pOLEDBErr;
    //
    not allocated until needed (maybe never)
    int
    iLen;
    // Interfaces
    IErrorInfo*           pIErrorInfoAll
= NULL;
    IErrorInfo*           pIErrorInfoRecord
= NULL;
    IErrorRecords*        pIErrorRecords
= NULL;
    ISupportErrorInfo*    pISupportErrorInfo
= NULL;
    ISQLServerErrorInfo*
pISQLServerErrorInfo = NULL;
    ISQLErrorInfo*        pISQLErrorInfo
= NULL;

    // Information used when cannot get custom
error object
    ERRORINFO
    BasicErrorInfo;
    BSTR
    bstrDescription;
    // Number of error records.
    ULONG                 nRecs;
    ULONG                 nRec;

    // SQL Server error information from
ISQLServerErrorInfo.
    SSERRORINFO*          pSSErrorInfo =
NULL;
    OLECHAR*              pSSErrorStrings =
NULL;

    assert(pObjectWithError != NULL);
}

```

```

pOLEDBErr = new COLEDBERR(szLocation);

pOLEDBErr->m_NativeError = 0;
pOLEDBErr->m_eAction = eAction;
pOLEDBErr->m_bDeadLock = FALSE;

szTmp[0] = 0;

// Only ask for error information if the
interface supports it.
// Note: SQLOLEDB provider supports error
interface, so this check is
// for good style only.
hr = pObjectWithError-
>QueryInterface(IID_ISupportErrorInfo, (void**)
&pISupportErrorInfo);
if (FAILED(hr))
{
    _snprintf(szMsg, sizeof(szMsg),
"SupportErrorInfo interface not supported (hr=0x%X)",
hr);
    pOLEDBErr->m_OLEDBErrStr = new
char[strlen(szMsg)+1];
    strcpy(pOLEDBErr->m_OLEDBErrStr,
szMsg);
    throw pOLEDBErr;
}
/*if (FAILED(pISupportErrorInfo-
>InterfaceSupportsErrorInfo(IID_InterfaceWithError))
{
    _snprintf(szMsg, sizeof(szMsg),
"InterfaceWithError
interface not supported");
    pOLEDBErr->m_OLEDBErrStr = new
char[strlen(szMsg)+1];
    strcpy(pOLEDBErr->m_OLEDBErrStr,
szMsg);
    return;
}*/

// Do not test the return of GetErrorInfo.
It can succeed and return
// a NULL pointer in pErrorInfoAll. Simply
test the pointer.
GetErrorInfo(0, &pErrorInfoAll);

if (pErrorInfoAll != NULL)
{
    // Test to see if it's a valid
OLE DB IErrorInfo interface
    // exposing a list of records.
    if (SUCCEEDED(pErrorInfoAll-
>QueryInterface(IID_IErrorRecords, (void**)
&pErrorRecords)))
    {
        pErrorRecords-
>GetRecordCount(&nRecs);

        // Within each record,
retrieve information from each
        // of the defined
interfaces.

```

```

for (nRec = 0; nRec <
nRecs; nRec++)
{
    // Request
the generic SQL error interface.
    pErrorRecords->GetCustomErrorObject(nRec,

    IID_ISQLErrorInfo, // generic SQL error
interface
    (IUnknown**) &pISQLErrorInfo);

    if
    (pISQLErrorInfo != NULL)
    {
        //
Request SQL Server-specific error interface, not the
generic SQL error interface.
        pISQLErrorInfo->QueryInterface(

        IID_ISQLServerErrorInfo, // SQL Server
error interface

        (void**) &pISQLServerErrorInfo);
    }
    // Test to
ensure the reference is valid, then
    // get error
information from ISQLServerErrorInfo.
    if
    (pISQLServerErrorInfo != NULL)
    {
        pISQLServerErrorInfo-
>GetErrorInfo(&pSSErrorInfo, &pSSErrorStrings);

        //
ISQLServerErrorInfo::GetErrorInfo succeeds
        //
even when it has nothing to return. Test the
        //
pointers before using.
        if
        (pSSErrorInfo)
        {
            // First, add the error message.

            // Convert Unicode error string to ANSI.
            WideCharToMultiByte(CP_THREAD_ACP, 0,

            pSSErrorInfo->pwszMessage, -1,

            szMsg, sizeof(szMsg),

            NULL, NULL);

```

```

// quit if there isn't enough room to
concatenate error text
    if ( (strlen(szMsg) + 2) > (sizeof(szTmp) -
strlen(szTmp)) )
        break;

    // include line break after first error msg
    if (szTmp[0] != 0)
        strcat( szTmp, "\r\n");

    // concatenate the error record to the
overall error message
    strcat( szTmp, szMsg );

    // Second, add the stored procedure name
and line number, if available.

    if (wcslen(pSSErrorInfo->pwszProcedure)>0)
    {
        // Prefix with a line break
        iLen = sprintf(szMsg,
"\r\nProcedure: ");

        // Convert Unicode error string
to ANSI.
        WideCharToMultiByte(CP_THREAD_ACP, 0,

        pSSErrorInfo-
>pwszProcedure, -1,

        &szMsg[iLen],

        sizeof(szMsg) - iLen,

        NULL, NULL);

        // Check if have space to add the
line number.
        // Assume the line number takes
no more than 3 digits.
        if ((strlen(szMsg) + 4) <
sizeof(szMsg))
    {

```

```

        _snprintf(&szMsg[strlen(szMsg)],
sizeof(szMsg),
                "%d",
pSSErrorInfo->wLineNumber);
    }

    // quit if there isn't enough
room to concatenate error text
    if ( (strlen(szMsg) + 2) >
(sizeof(szTmp) - strlen(szTmp)) )
        break;

    // concatenate the error record
to the overall error message
    strcat( szTmp, szMsg );

    // copy the overall error string
to the exception
    pOLEDBErr->m_OLEDBErrStr = new
char[strlen(szTmp)+1];
    strcpy(pOLEDBErr->m_OLEDBErrStr,
szTmp);
}

// Third, capture the (first) database
error
    if (pOLEDBErr->m_NativeError == 0 &&
pSSErrorInfo->lNative != 0)
    {
        pOLEDBErr->m_NativeError =
pSSErrorInfo->lNative;

        // Check for deadlock error code
and set the deadlock flag
        if (pSSErrorInfo->lNative ==
1205)
        {
            pOLEDBErr->m_bDeadLock
= TRUE;
        }
    }

```

```

    }

    // IMalloc::Free needed to release
references
    // on returned values.
    if (m_pIMalloc != NULL)
    {
        m_pIMalloc-
>Free(pSSErrorStrings);
        m_pIMalloc->Free(pSSErrorInfo);
    }
}

pISQLServerErrorInfo->Release();
}
else
{
    Custom error object is not supported. //
    Use general OLE-DB error interface. //
    Get the numeric error code //
    pIErrorRecords->GetBasicErrorInfo(nRec,
&BasicErrorInfo);
    if
(pOLEDBErr->m_NativeError == 0)
    {
        // Get the failed call HRESULT code, which
is not really the native error
        pOLEDBErr->m_NativeError =
BasicErrorInfo.hrError;
    }
    //
    Try to get the string description of the error. //
    pIErrorRecords->GetErrorInfo(nRec,
LOCALE_USER_DEFAULT,
(IErrorInfo**)&pIErrorInfoRecord);
    if
(pIErrorInfoRecord)
    {
        pIErrorInfoRecord-
>GetDescription(&bstrDescription);
    }
}

```

```

    // Convert Unicode error string to ANSI.
    WideCharToMultiByte(CP_THREAD_ACP, 0,
        bstrDescription, -1,
        szMsg, sizeof(szMsg),
        NULL, NULL);

    pOLEDBErr->m_OLEDBErrStr = new
char[strlen(szMsg)+1];
    strcpy(pOLEDBErr->m_OLEDBErrStr, szMsg);
}
} // for()
} // if
(SUCCEEDED(pIErrorInfoAll-
>QueryInterface(IID_IErrorRecords, (void**)
&pIErrorRecords)))
    else
    {
        // No IErrorRecords
interface supported. Use default IErrorInfo.
        // Note: SQLOLEDB
supports IErrorRecords, so this check is for good
style only.
        _snprintf(szMsg,
sizeof(szMsg), "IErrorRecords interface not
supported");
        pOLEDBErr-
>m_OLEDBErrStr = new char[strlen(szMsg)+1];
        strcpy(pOLEDBErr-
>m_OLEDBErrStr, szMsg);
    }
    pIErrorInfoAll->Release();
} // if (pIErrorInfoAll != NULL)
else
{
    // No IErrorInfo interface
supported.
    // Note: SQLOLEDB supports
IErrorInfo, so this check is for good style only.
    _snprintf(szMsg, sizeof(szMsg),
"IErrorInfo interface not supported");
    pOLEDBErr->m_OLEDBErrStr = new
char[strlen(szMsg)+1];
    strcpy(pOLEDBErr->m_OLEDBErrStr,
szMsg);
}
    throw pOLEDBErr;
}
/*
*

```

```

*         Create a new command object from the SQL
text passed in.
*
*/
void CTPCC_OLEDB::CreateCommand(wchar_t*
szSqlCommand, // I: SQL
query for the command

                                ICommandText**
ppICommandText // O: returned command object
{
    HRESULT hr;

    // Create a new command object
    hr = m_pIDBCreateCommand-
>CreateCommand(NULL, IID_ICommandText, (IUnknown
**)ppICommandText);
    if (FAILED(hr))
    {
        ThrowError(m_pIDBCreateCommand,
COLEDBERR::eCreateCommand,
"CTPCC_OLEDB::CreateCommand");
    }

    // Set command text
    hr = (*ppICommandText)-
>SetCommandText(DBGUID_SQL, szSqlCommand);
    if (FAILED(hr))
    {
        ThrowError(*ppICommandText,
COLEDBERR::eSetCommandText,
"CTPCC_OLEDB::CreateCommand");
    }

    // Prepare the command
    PrepareCommand(*ppICommandText);
}

/*
*         QueryInterface and Prepare in one function
for simplicity.
*         DEFERRED PREPARE property is set to off to
prepare immediately.
*/
void CTPCC_OLEDB::PrepareCommand(ICommandText*
pICommandText)
{
    HRESULT hr;
    ICommandPrepare* pICommandPrepare;
    ICommandProperties* pICommandProperties;
    DBPROPSET
rowSetPropSet;
DBPROP
rowSetProp;

    // Set the deferred prepare property to
false.
rowSetProp.dwPropertyID =
SSPROP_DEFERPREPARE;
memset(&rowSetProp.vValue, 0,
sizeof(rowSetProp.vValue));

```

```

rowSetProp.dwOptions =
DBPROPOPTIONS_REQUIRED;
rowSetProp.colid = DB_NULLID;

rowSetPropSet.cProperties = 1;
rowSetPropSet.guidPropertySet =
DBPROPSET_SQLSERVERROWSET;
rowSetPropSet.rgProperties = &rowSetProp;

// Query interface for setting properties
hr = pICommandText-
>QueryInterface(IID_ICommandProperties, (void
**)&pICommandProperties);
if (FAILED(hr))
{
    ThrowError(pICommandText,
COLEDBERR::eQueryInterface,
"CTPCC_OLEDB::PrepareCommand");
}

// Set the property set
hr = pICommandProperties->SetProperties(1,
&rowSetPropSet);
if (FAILED(hr))
{
    ThrowError(pICommandText,
COLEDBERR::eQueryInterface,
"CTPCC_OLEDB::PrepareCommand");
}

// Get interface for preparing commands
hr = pICommandText-
>QueryInterface(IID_ICommandPrepare, (void
**)&pICommandPrepare);
if (FAILED(hr))
{
    ThrowError(pICommandText,
COLEDBERR::eQueryInterface,
"CTPCC_OLEDB::PrepareCommand");
}

// Prepare Payment command
hr = pICommandPrepare->Prepare(0xFFFFFFFF);
if (FAILED(hr))
{
    ThrowError(pICommandPrepare,
COLEDBERR::ePrepare, "CTPCC_OLEDB::PrepareCommand");
}

/*
*         Initialize fields of an array of bindings
structures.
*         Needs to be called before setting
individual parameter/column bindings.
*/
void CTPCC_OLEDB::InitBindings(DBBINDING*
pDBBindings, // IO: array of bindings
int iCount, // I: number of
elements in the array

```

```

                                eBindingType BindingType) //
I: what the bindings will be used for
(parameters/columns)
{
    int i;

    for(i = 0; i < iCount; i++)
    {
        pDBBindings[i].iOrdinal = i + 1;
        pDBBindings[i].obLength = 0;
        pDBBindings[i].obStatus = 0;
        pDBBindings[i].pTypeInfo = NULL;
        pDBBindings[i].pObject = NULL;
        pDBBindings[i].pBindExt = NULL;
        pDBBindings[i].dwPart = DBPART_VALUE;

        switch (BindingType)
        {
            case eInputParameter:
                pDBBindings[i].eParamIO
= DBPARAMIO_INPUT;
                break;
            case eOutputParameter:
                pDBBindings[i].eParamIO
= DBPARAMIO_OUTPUT;
                break;
            case eInputOutputParameter:
                pDBBindings[i].eParamIO
= DBPARAMIO_INPUT | DBPARAMIO_OUTPUT;
                break;
            case eOutputColumn:
                pDBBindings[i].eParamIO
= DBPARAMIO_NOTPARAM;
                break;
            default:
                assert(false); //
this should never happen
        }

        pDBBindings[i].dwMemOwner =
DBMEMOWNER_CLIENTOWNED;
        pDBBindings[i].dwFlags = 0;
        pDBBindings[i].bPrecision = 0;
        pDBBindings[i].bScale = 0;
    }
}

/*
*         Perform binding for one parameter or output
column.
*/
void CTPCC_OLEDB::SetBinding(DBBINDING* pDBBinding,
// I: binding row structure

                                size_t obValue,
// I: parameter (column) offset in the user
buffer

                                size_t cbMaxLen, //
I: parameter (column) length

```

```

        DBTYPE wType
    // I: parameter (column) type
    {
        )
        pDBBinding->obValue = (ULONG)obValue;
        pDBBinding->cbMaxLen = (ULONG)cbMaxLen;
        pDBBinding->wType = wType;
    }
void CTPCC_OLEDB::InitStockLevelParams()
{
    int i;
    HRESULT hr;
    wchar_t szName[IMAX_SP_NAME_LEN];
    IAccessor* pIAccessor;
    const ULONG
        nInputParams = 3; // input parameters
        const ULONG
        nOutputParams = 1; // output 1st result
set columns
    // Structure to bind in accessor
    DBBINDING
    acInputDBBinding[nInputParams];
    DBBINDSTATUS
    acInputDBBindStatus[nInputParams];
    DBBINDING
    acOutputDBBinding[nOutputParams];
    DBBINDSTATUS
    acOutputDBBindStatus[nOutputParams];

    // Set command text
    _snwprintf(szName,
sizeof(szName)/sizeof(szName[0]),
L"call
%stpcck_stocklevel (?,?,?)", m_szSPPrefix);

    // Create and Prepare a new command object
for StockLevel.
    CreateCommand(szName,
&m_pIStockLevelCommand);

    // Describe the consumer buffer by filling
in the array
    // of DBBINDING structures. Each binding
associates
    // a single parameter to the consumer's buffer.
    InitBindings(&acInputDBBinding[0],
nInputParams, eInputParameter);

    i = 0;
    // StockLevel parameter 1
    SetBinding(&acInputDBBinding[i++],
offsetof(STOCK_LEVEL_DATA, w_id),
sizeof(m_txn.StockLevel.w_id), DBTYPE_I4);

    // StockLevel parameter 2

```

```

        SetBinding(&acInputDBBinding[i++],
offsetof(STOCK_LEVEL_DATA, d_id),
sizeof(m_txn.StockLevel.d_id), DBTYPE_UI1);

        // StockLevel parameter 3
        SetBinding(&acInputDBBinding[i++],
offsetof(STOCK_LEVEL_DATA, threshold),
sizeof(m_txn.StockLevel.threshold), DBTYPE_I2);

        hr = m_pIStockLevelCommand-
>QueryInterface(IID_IAccessor, (void **)&pIAccessor);
        if (FAILED(hr))
        {
            ThrowError(m_pIStockLevelCommand,
COLEDBERR::eQueryInterface,
"InitStockLevelParams()");
        }

        hr = pIAccessor->CreateAccessor(
            DBACCESSOR_PARAMETERDATA,
            nInputParams,
            acInputDBBinding,
            sizeof(STOCK_LEVEL_DATA),

&m_hStockLevelInputAccessor,
            acInputDBBindStatus);

        if (FAILED(hr))
        {
            ThrowError(pIAccessor,
COLEDBERR::eCreateAccessor,
"InitStockLevelParams()");
        }

        m_StockLevelExecuteParams.cParamSets = 1;
        m_StockLevelExecuteParams.hAccessor =
m_hStockLevelInputAccessor;
        m_StockLevelExecuteParams.pData =
&m_txn.StockLevel;

        // Now fill the binding information for
result set 1 output columns
        InitBindings(&acOutputDBBinding[0],
nOutputParams, eOutputColumn);

        // Binding for a rowset that may return
more than one row.
        i = 0;
        // StockLevel output column 1
        SetBinding(&acOutputDBBinding[i++],
offsetof(STOCK_LEVEL_DATA, low_stock),
sizeof(m_txn.StockLevel.low_stock), DBTYPE_I4);

        hr = pIAccessor->CreateAccessor(
            DBACCESSOR_ROWDATA |
DBACCESSOR_OPTIMIZED,
            nOutputParams,
            acOutputDBBinding,
            sizeof(STOCK_LEVEL_DATA),

&m_hStockLevelOutputAccessor,
            acOutputDBBindStatus);

        if (FAILED(hr))
        {

```

```

            ThrowError(pIAccessor,
COLEDBERR::eCreateAccessor,
"InitStockLevelParams()");
        }
    }
void CTPCC_OLEDB::StockLevel()
{
    HRESULT hr;
    int iTryCount = 0;
    IRowset* pRowset;
    LONG cRows = 1;
    // number of rows returned in the rowset
    ULONG
    cRowsObtained;
    HROW rghRow;
    //returned row handles
    HROW* prghRow =

&rghRow;

    while (TRUE)
    {
        try
        {
            // Execute the prepared
command
            hr =
m_pIStockLevelCommand->Execute(NULL, IID_IRowset,
&m_StockLevelExecuteParams, NULL,

(IUnknown **)&pRowset);
            if (FAILED(hr))
            {
                ThrowError(m_pIStockLevelCommand,
COLEDBERR::eExecute, "StockLevel()");
            }

            // Fetch the result row
handle(s)
            hr = pRowset-
>GetNextRows(DB_NULL_HCHAPTER, 0, cRows,
&cRowsObtained, &prghRow);
            if (FAILED(hr))
            {
                ThrowError(m_pIStockLevelCommand,
COLEDBERR::eGetNextRows, "StockLevel()");
            }

            // Fetch the actual row
data by handle
            hr = pRowset-
>GetData(rghRow, m_hStockLevelOutputAccessor,
&m_txn.StockLevel);
            if (FAILED(hr))
            {
                ThrowError(m_pIStockLevelCommand,
COLEDBERR::eGetData, "StockLevel()");
            }
        }
    }
}

```

```

        // Release row(s)
        hr = pRowset-
>ReleaseRows(cRowsObtained, prghRow, NULL, NULL,
NULL);
        // Release rowset
        hr = pRowset-
>Release();

        m_txn.StockLevel.exec_status_code = eOK;

        break;
    }
    catch (COLEDBERR *e)
    {
        if (!e->m_bDeadLock)
    || (++iTryCount > iMaxRetries))
        throw;

        // hit deadlock;
        backoff for increasingly longer period
        delete e;
        Sleep(10 * iTryCount);
    }

    // if (iTryCount)
    //     throw new
CTPCC_OLEDB_ERR(CTPCC_OLEDB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_OLEDB::InitNewOrderParams()
{
    int        i, j, iOlCount;
    HRESULT    hr;
    wchar_t    szName[IMAX_SP_NAME_LEN];
    IAccessor* pIAccessor;
    const ULONG
nInputParams = 5 +
3*MAX_OL_NEW_ORDER_ITEMS; // input parameters
    const ULONG
nOutputParams = 5; // output 1st result
set columns
    const ULONG
nOutputParams2 = 8; // output 2nd result
set columns
    // Structure to bind in accessor
    DBBINDING
acInputDBBinding[nInputParams];
    DBBINDSTATUS
acInputDBBindStatus[nInputParams];
    DBBINDING
acOutputDBBinding[nOutputParams];
    DBBINDSTATUS
acOutputDBBindStatus[nOutputParams];
    DBBINDING
acOutputDBBinding2[nOutputParams2];

```

```

    DBBINDSTATUS
acOutputDBBindStatus2[nOutputParams2];

    // Describe the consumer buffer by filling
in the array
    // of DBBINDING structures. Each binding
associates
    // a single parameter to the consumer's buffer.
    InitBindings(&acInputDBBinding[0],
nInputParams, eInputParameter);

    i = 0;
    // NewOrder parameter 1
    SetBinding(&acInputDBBinding[i++],
offsetof(NEW_ORDER_DATA, w_id),
sizeof(m_txn.NewOrder.w_id), DBTYPE_I4);

    // NewOrder parameter 2
    SetBinding(&acInputDBBinding[i++],
offsetof(NEW_ORDER_DATA, d_id),
sizeof(m_txn.NewOrder.d_id), DBTYPE_UI1);

    // NewOrder parameter 3
    SetBinding(&acInputDBBinding[i++],
offsetof(NEW_ORDER_DATA, c_id),
sizeof(m_txn.NewOrder.c_id), DBTYPE_I4);

    // NewOrder parameter 4
    SetBinding(&acInputDBBinding[i++],
offsetof(NEW_ORDER_DATA, o_ol_cnt),
sizeof(m_txn.NewOrder.o_ol_cnt), DBTYPE_UI1);

    // NewOrder parameter 5
    SetBinding(&acInputDBBinding[i++],
offsetof(NEW_ORDER_DATA, o_all_local),
sizeof(m_txn.NewOrder.o_all_local), DBTYPE_UI1);

    for (j=0; j<MAX_OL_NEW_ORDER_ITEMS; j++)
    {
        SetBinding(&acInputDBBinding[i++],
offsetof(NEW_ORDER_DATA, OL[j].ol_i_id),
sizeof(m_txn.NewOrder.OL[j].ol_i_id), DBTYPE_I4);

        SetBinding(&acInputDBBinding[i++],
offsetof(NEW_ORDER_DATA, OL[j].ol_supply_w_id),
sizeof(m_txn.NewOrder.OL[j].ol_supply_w_id),
DBTYPE_I4);

        SetBinding(&acInputDBBinding[i++],
offsetof(NEW_ORDER_DATA, OL[j].ol_quantity),
sizeof(m_txn.NewOrder.OL[j].ol_quantity), DBTYPE_I2);
    }

    // Now fill the binding information for
result set 1 output columns
    InitBindings(&acOutputDBBinding[0],
nOutputParams, eOutputColumn);

    // Binding for the order line rowsets (each
consist of one row).

```

```

    // Bind to offsets of the OL_NEW_ORDER_DATA
structure instead of NEW_ORDER_DATA.
    // IRowset::GetData() will be passed
individual array slots OL[i] to fetch the data
    // from the row set.

    i = 0;
    // NewOrder output column 1
    SetBinding(&acOutputDBBinding[i++],
offsetof(OL_NEW_ORDER_DATA, ol_i_name),
sizeof(m_txn.NewOrder.OL[0].ol_i_name), DBTYPE_STR);

    // NewOrder output column 2
    SetBinding(&acOutputDBBinding[i++],
offsetof(OL_NEW_ORDER_DATA, ol_stock),
sizeof(m_txn.NewOrder.OL[0].ol_stock), DBTYPE_I2);

    // NewOrder output column 3
    SetBinding(&acOutputDBBinding[i++],
offsetof(OL_NEW_ORDER_DATA, ol_brand_generic),
sizeof(m_txn.NewOrder.OL[0].ol_brand_generic),
DBTYPE_STR);

    // NewOrder output column 4
    SetBinding(&acOutputDBBinding[i++],
offsetof(OL_NEW_ORDER_DATA, ol_i_price),
sizeof(m_txn.NewOrder.OL[0].ol_i_price), DBTYPE_R8);

    // NewOrder output column 5
    SetBinding(&acOutputDBBinding[i++],
offsetof(OL_NEW_ORDER_DATA, ol_amount),
sizeof(m_txn.NewOrder.OL[0].ol_amount), DBTYPE_R8);

    // Now fill the binding information for
result set 2 output columns
    InitBindings(&acOutputDBBinding2[0],
nOutputParams2, eOutputColumn);

    i = 0;
    // NewOrder output column 1
    SetBinding(&acOutputDBBinding2[i++],
offsetof(NEW_ORDER_DATA, w_tax),
sizeof(m_txn.NewOrder.w_tax), DBTYPE_R8);

    // NewOrder output column 2
    SetBinding(&acOutputDBBinding2[i++],
offsetof(NEW_ORDER_DATA, d_tax),
sizeof(m_txn.NewOrder.d_tax), DBTYPE_R8);

    // NewOrder output column 3
    SetBinding(&acOutputDBBinding2[i++],
offsetof(NEW_ORDER_DATA, o_id),
sizeof(m_txn.NewOrder.o_id), DBTYPE_I4);

    // NewOrder output column 4
    SetBinding(&acOutputDBBinding2[i++],
offsetof(NEW_ORDER_DATA, c_last),
sizeof(m_txn.NewOrder.c_last), DBTYPE_STR);

    // NewOrder output column 5

```

```

        SetBinding(&acOutputDBBinding2[i++],
offsetof(NEW_ORDER_DATA, c_discount),
sizeof(m_txn.NewOrder.c_discount), DBTYPE_R8);

        // NewOrder output column 6
        SetBinding(&acOutputDBBinding2[i++],
offsetof(NEW_ORDER_DATA, c_credit),
sizeof(m_txn.NewOrder.c_credit), DBTYPE_STR);

        // NewOrder output column 7
        SetBinding(&acOutputDBBinding2[i++],
offsetof(NEW_ORDER_DATA, o_entry_d),
sizeof(m_txn.NewOrder.o_entry_d),
DBTYPE_DBTIMESTAMP);

        // NewOrder output column 8
        SetBinding(&acOutputDBBinding2[i++],
offsetof(NEW_ORDER_DATA, o_commit_flag),
sizeof(m_txn.NewOrder.o_commit_flag), DBTYPE_I2);

        for (j=0; j<MAX_OL_NEW_ORDER_ITEMS; j++)
        {
            // Set command text first
            // Print the fixed first portion
            // of parameters
            i = _snwprintf(szName,
sizeof(szName)/sizeof(szName[0]),
            L"{call %stpcpc_neworder (?,?,?,?,"
m_szSPPrefix);

            // Now print the variable portion
            // depending on the number of order line parameters
            for (iOlCount = 0; iOlCount <= j;
++iOlCount)
            {
                i +=
                _snwprintf(&szName[i],
sizeof(szName)/sizeof(szName[0]) - i, L",?,?,");
            }

            // Print the fixed end
            if (j != MAX_OL_NEW_ORDER_ITEMS -
1)
            {
                // append 'default' for
                // the parameters that are not used
                i +=
                _snwprintf(&szName[i],
sizeof(szName)/sizeof(szName[0]) - i, L",default}");
            }
            else // using all 15 order
            // line parameters
            {
                i +=
                _snwprintf(&szName[i],
sizeof(szName)/sizeof(szName[0]) - i, L"}");
            }

            // Create and Prepare a new
            // command object for NewOrder.

```

```

        CreateCommand(szName,
&m_pINewOrderCommand[j]);

        // Now create the input accessor
        // for this prepared command
        hr = m_pINewOrderCommand[j]-
>QueryInterface(IID_IAccessor, (void **)&piAccessor);
        if (FAILED(hr))
        {
            ThrowError(m_pINewOrderCommand[j],
COLEDBERR::eQueryInterface, "InitNewOrderParams()");
        }

        hr = piAccessor->CreateAccessor(
            DBACCESSOR_PARAMETERDATA,

            3 * (j + 1),

            acInputDBBinding,

            sizeof(NEW_ORDER_DATA),

            &m_hNewOrderInputAccessor[j],

            acInputDBBindStatus);
        if (FAILED(hr))
        {
            ThrowError(piAccessor,
COLEDBERR::eCreateAccessor, "InitNewOrderParams()");
        }

        m_NewOrderExecuteParams[j].cParamSets = 1;
        //
        // m_NewOrderExecuteParams.hAccessor is set dynamically
        // at run-time
        // based on the number of new
        // order items for the particular transaction call.
        m_NewOrderExecuteParams[j].hAccessor =
m_hNewOrderInputAccessor[j];
        m_NewOrderExecuteParams[j].pData
= &m_txn.NewOrder;

        // Create accessor for the first
        // rowset
        hr = piAccessor->CreateAccessor(
            DBACCESSOR_ROWDATA |
            DBACCESSOR_OPTIMIZED,

            nOutputParams,
            acOutputDBBinding,

            sizeof(OL_NEW_ORDER_DATA),

```

```

            &m_hNewOrderOutputAccessor[j],
            acOutputDBBindStatus);
        if (FAILED(hr))
        {
            ThrowError(piAccessor,
COLEDBERR::eCreateAccessor, "InitNewOrderParams()");
        }

        // Create accessor for the second
        // rowset
        hr = piAccessor->CreateAccessor(
            DBACCESSOR_ROWDATA, //
            // cannot be optimized too because #1 accessor is
            // nOutputParams2,
            // acOutputDBBinding2,
            // sizeof(NEW_ORDER_DATA),

            &m_hNewOrderOutputAccessor2[j],
            acOutputDBBindStatus2);
        if (FAILED(hr))
        {
            ThrowError(piAccessor,
COLEDBERR::eCreateAccessor, "InitNewOrderParams()");
        }

        piAccessor->Release();
    }

    void CTPCC_OLEDB::NewOrder()
    {
        HRESULT hr;
        int iTryCount = 0;
        IMultipleResults* pMultipleResults;
        IRowset* pRowset;
        IRowset* pRowset2;
        LONG cRows = 1; // number of rows
        returned in the 1st rowset
        ULONG cRowsObtained;
        HROW rghRows; //returned row handles
        for the 1st result set
        HROW* prghRows = &rghRows;
        LONG cRows2 = 1; // number of rows
        returned in the 2nd rowset
        ULONG cRowsObtained2;
        HROW rghRows2; //returned row handle
        for the 2nd result set
        HROW* prghRows2 = &rghRows2;
        int i;
        long lRowsAffected; // the number of
        affected rows for a rowset
    }

```

```

        int
        iHandleIndex; // index into the
handle arrays based on the orders count

        // check whether any order lines are for a
remote warehouse
        m_txn.NewOrder.o_all_local = 1;
        for (i = 0; i < m_txn.NewOrder.o_ol_cnt;
i++)
        {
            if
(m_txn.NewOrder.OL[i].ol_supply_w_id !=
m_txn.NewOrder.w_id)
            {
                m_txn.NewOrder.o_all_local = 0; // at
least one remote warehouse
                break;
            }
        }

        iHandleIndex = m_txn.NewOrder.o_ol_cnt - 1;
// for convenience

        while (TRUE)
        {
            try
            {
                // Execute the prepared
command (according to the number of new orders)
                // Ask for
IMultipleResults because it returns 2 rowsets.
                hr =
m_pINewOrderCommand[iHandleIndex]->Execute(

                NULL, IID_IMultipleResults,

                &m_NewOrderExecuteParams[iHandleIndex],

                NULL,

                (IUnknown **)&MultipleResults);
                if (FAILED(hr))
                {
                    ThrowError(m_pINewOrderCommand[iHandleIndex
], COLEDBERR::eExecute, "NewOrder()");
                }

                // Get order line
results

                // Get order line
results

                m_txn.NewOrder.total_amount = 0;
                for (i = 0; i <
m_txn.NewOrder.o_ol_cnt; ++i)

```

```

        {
            // Get the
first rowset object
            hr =
pMultipleResults->GetResult(NULL, 0, IID_IRowset,
&lRowsAffected, (IUnknown **)&pRowset);
            if
(FAILED(hr))
            {
                char szTmp[256];

                _snprintf(szTmp, sizeof(szTmp), "NewOrder()
result set %d, hr=0x%X", i, hr);

                ThrowError(m_pINewOrderCommand[m_txn.NewOrd
er.o_ol_cnt - 1], COLEDBERR::eGetResult, szTmp);
            }

            // Fetch the
result row handle(s)
            hr = pRowset-
>GetNextRows(DB_NULL_HCHAPTER, 0, cRows,
&cRowsObtained, &prghRows);
            if
(FAILED(hr))
            {
                ThrowError(m_pINewOrderCommand[iHandleIndex
], COLEDBERR::eGetNextRows, "NewOrder()");
            }

            // Fetch the
actual row data by handle
            hr = pRowset-
>GetData(rghRows,
m_hNewOrderOutputAccessor[iHandleIndex],
&m_txn.NewOrder.OL[i]);
            if
(FAILED(hr))
            {
                ThrowError(m_pINewOrderCommand[iHandleIndex
], COLEDBERR::eGetData, "NewOrder()");
            }

            m_txn.NewOrder.total_amount +=
m_txn.NewOrder.OL[i].ol_amount;

            // Release
row(s)
            hr = pRowset-
>ReleaseRows(cRowsObtained, prghRows, NULL, NULL,
NULL);

            // Release
rowset
            hr = pRowset-
>Release();
        }

```

```

        // Get the second
rowset object
        hr = pMultipleResults-
>GetResult(NULL, 0, IID_IRowset, &lRowsAffected,
(IUnknown **)&pRowset2);
        if (FAILED(hr))
        {
            char
szTmp[256];

            _snprintf(szTmp, sizeof(szTmp), "NewOrder()
result set %d, hr=%d", i, hr);

            ThrowError(m_pINewOrderCommand[iHandleIndex
], COLEDBERR::eGetResult, szTmp);
        }

        // Fetch the result row
handle(s)
        hr = pRowset2-
>GetNextRows(DB_NULL_HCHAPTER, 0, cRows2,
&cRowsObtained2, &prghRows2);
        if (FAILED(hr))
        {
            ThrowError(m_pINewOrderCommand[iHandleIndex
], COLEDBERR::eGetNextRows, "NewOrder()");
        }

        // Fetch the actual row
data by handle
        hr = pRowset2-
>GetData(rghRows2,
m_hNewOrderOutputAccessor2[iHandleIndex],
&m_txn.NewOrder);
        if (FAILED(hr))
        {
            ThrowError(m_pINewOrderCommand[iHandleIndex
], COLEDBERR::eGetData, "NewOrder()");
        }

        // Release row(s)
        hr = pRowset2-
>ReleaseRows(cRowsObtained2, prghRows2, NULL, NULL,
NULL);

        // Release rowset
        hr = pRowset2-
>Release();

        // Release the common
MultipleResults interface
        hr = pMultipleResults-
>Release();

        if
(m_txn.NewOrder.o_all_local == 1)

```



```

        {
            m_txn.NewOrder.total_amount *= ((1 +
m_txn.NewOrder.w_tax + m_txn.NewOrder.d_tax) * (1 -
m_txn.NewOrder.c_discount));

            m_txn.NewOrder.exec_status_code = eOK;
        }
        else
        {
            m_txn.NewOrder.exec_status_code =
eInvalidItem;
        }
        break;
    }
    catch (COLEDBERR *e)
    {
        if (!(e->m_bDeadLock))
        {
            ++iTryCount > iMaxRetries))
                throw;

            // hit deadlock;
            // backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }

    if (iTryCount)
        // throw new
        CTPCC_OLEDB_ERR(CTPCC_OLEDB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

void CTPCC_OLEDB::InitPaymentParams()
{
    int
        i;
    HRESULT
        hr;
    wchar_t
        szName[IMAX_SP_NAME_LEN];
    IAccessor*
        pIAccessor;
    const
        ULONG
        nInputParams = 7; // input parameters
        const
        ULONG
        nOutputParams = 27; // output result set
columns
    // Structure to bind in accessor
    DBBINDING
        acInputDBBinding[nInputParams];
    DBBINDSTATUS
        acInputDBBindStatus[nInputParams];
    DBBINDING
        acOutputDBBinding[nOutputParams];
    DBBINDSTATUS
        acOutputDBBindStatus[nOutputParams];

    // Set command text

```

```

        _snwprintf(szName,
sizeof(szName)/sizeof(szName[0]), L"call
%stpc_payment(?,?,?,?,?,?)", m_szSPPrefix);

        // Create and Prepare a new command object
        for Payment.
        CreateCommand(szName, &m_pIPaymentCommand);

        // Describe the consumer buffer by filling
        in the array
        // of DBBINDING structures. Each binding
        associates
        // a single parameter to the consumer's buffer.
        InitBindings(&acInputDBBinding[0],
nInputParams, eInParameter);

        i = 0;
        // Payment parameter 1
        SetBinding(&acInputDBBinding[i++],
offsetof(PAYMENT_DATA, w_id),
sizeof(m_txn.Payment.w_id), DBTYPE_I4);

        // Payment parameter 2
        SetBinding(&acInputDBBinding[i++],
offsetof(PAYMENT_DATA, c_w_id),
sizeof(m_txn.Payment.c_w_id), DBTYPE_I4);

        // Payment parameter 3
        SetBinding(&acInputDBBinding[i++],
offsetof(PAYMENT_DATA, h_amount),
sizeof(m_txn.Payment.h_amount), DBTYPE_R8);

        // Payment parameter 4
        SetBinding(&acInputDBBinding[i++],
offsetof(PAYMENT_DATA, d_id),
sizeof(m_txn.Payment.d_id), DBTYPE_UI1);

        // Payment parameter 5
        SetBinding(&acInputDBBinding[i++],
offsetof(PAYMENT_DATA, c_d_id),
sizeof(m_txn.Payment.c_d_id), DBTYPE_UI1);

        // Payment parameter 6
        SetBinding(&acInputDBBinding[i++],
offsetof(PAYMENT_DATA, c_id),
sizeof(m_txn.Payment.c_id), DBTYPE_I4);

        // Payment parameter 7
        SetBinding(&acInputDBBinding[i++],
offsetof(PAYMENT_DATA, c_last),
sizeof(m_txn.Payment.c_last), DBTYPE_STR);

        hr = m_pIPaymentCommand-
>QueryInterface(IID_IAccessor, (void **)&pIAccessor);
        if (FAILED(hr))
        {
            ThrowError(m_pIPaymentCommand,
COLEDBERR::eQueryInterface, "InitPaymentParams()");
        }

        hr = pIAccessor->CreateAccessor(
DBACCESSOR_PARAMETERDATA,

```

```

nInputParams,
acInputDBBinding,
sizeof(PAYMENT_DATA),
&m_hPaymentInputAccessor,
acInputDBBindStatus);

        if (FAILED(hr))
        {
            ThrowError(pIAccessor,
COLEDBERR::eCreateAccessor, "InitPaymentParams()");
        }

        m_PaymentExecuteParams.cParamSets = 1;
        m_PaymentExecuteParams.hAccessor =
m_hPaymentInputAccessor;
        m_PaymentExecuteParams.pData =
&m_txn.Payment;

        // Now fill the binding information for
        output columns
        InitBindings(&acOutputDBBinding[0],
nOutputParams, eOutputColumn);

        i = 0;
        // Payment output column 1
        SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, c_id),
sizeof(m_txn.Payment.c_id), DBTYPE_I4);

        // Payment output column 2
        SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, c_last),
sizeof(m_txn.Payment.c_last), DBTYPE_STR);

        // Payment output column 3
        SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, h_date),
sizeof(m_txn.Payment.h_date), DBTYPE_DBTIMESTAMP);

        // Payment output column 4
        SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, w_street_1),
sizeof(m_txn.Payment.w_street_1), DBTYPE_STR);

        // Payment output column 5
        SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, w_street_2),
sizeof(m_txn.Payment.w_street_2), DBTYPE_STR);

        // Payment output column 6
        SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, w_city),
sizeof(m_txn.Payment.w_city), DBTYPE_STR);

        // Payment output column 7
        SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, w_state),
sizeof(m_txn.Payment.w_state), DBTYPE_STR);

        // Payment output column 8
        SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, w_zip),
sizeof(m_txn.Payment.w_zip), DBTYPE_STR);

```

```

// Payment output column 9
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, d_street_1),
sizeof(m_txn.Payment.d_street_1), DBTYPE_STR);

// Payment output column 10
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, d_street_2),
sizeof(m_txn.Payment.d_street_2), DBTYPE_STR);

// Payment output column 11
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, d_city),
sizeof(m_txn.Payment.d_city), DBTYPE_STR);

// Payment output column 12
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, d_state),
sizeof(m_txn.Payment.d_state), DBTYPE_STR);

// Payment output column 13
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, d_zip),
sizeof(m_txn.Payment.d_zip), DBTYPE_STR);

// Payment output column 14
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, c_first),
sizeof(m_txn.Payment.c_first), DBTYPE_STR);

// Payment output column 15
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, c_middle),
sizeof(m_txn.Payment.c_middle), DBTYPE_STR);

// Payment output column 16
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, d_street_1),
sizeof(m_txn.Payment.d_street_1), DBTYPE_STR);

// Payment output column 17
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, d_street_2),
sizeof(m_txn.Payment.d_street_2), DBTYPE_STR);

// Payment output column 18
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, d_city),
sizeof(m_txn.Payment.d_city), DBTYPE_STR);

// Payment output column 19
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, d_state),
sizeof(m_txn.Payment.d_state), DBTYPE_STR);

// Payment output column 20
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, d_zip),
sizeof(m_txn.Payment.d_zip), DBTYPE_STR);

// Payment output column 21

```

```

SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, c_phone),
sizeof(m_txn.Payment.c_phone), DBTYPE_STR);

// Payment output column 22
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, c_since),
sizeof(m_txn.Payment.c_since), DBTYPE_DBTIMESTAMP);

// Payment output column 23
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, c_credit),
sizeof(m_txn.Payment.c_credit), DBTYPE_STR);

// Payment output column 24
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, c_credit_lim),
sizeof(m_txn.Payment.c_credit_lim), DBTYPE_R8);

// Payment output column 25
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, c_discount),
sizeof(m_txn.Payment.c_discount), DBTYPE_R8);

// Payment output column 26
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, c_balance),
sizeof(m_txn.Payment.c_balance), DBTYPE_R8);

// Payment output column 27
SetBinding(&acOutputDBBinding[i++],
offsetof(PAYMENT_DATA, c_data),
sizeof(m_txn.Payment.c_data), DBTYPE_STR);

hr = piAccessor->CreateAccessor(
DBACCESSOR_ROWDATA |
DBACCESSOR_OPTIMIZED,
nOutputParams,
acOutputDBBinding,
sizeof(PAYMENT_DATA),
&m_hPaymentOutputAccessor,
acOutputDBBindStatus);
if (FAILED(hr))
{
ThrowError(piAccessor,
COLEDBERR::eCreateAccessor, "InitPaymentParams()");
}

void CTPCC_OLEDB::Payment()
{
HRESULT hr;
int
iTryCount = 0;
IRowset* pRowset;
LONG cRows = 1;
// number of rows returned in the rowset
ULONG
cRowsObtained;
HROW rghRow;
//returned row handles

```

```

HROW* prghRow =
&rghRow;

if (m_txn.Payment.c_id != 0)
m_txn.Payment.c_last[0] = 0;

while (TRUE)
{
try
{
// Execute the prepared
command
hr =
m_pIPaymentCommand->Execute(NULL, IID_IRowset,
&m_PaymentExecuteParams, NULL,

(IUnknown **)&pRowset);
if (FAILED(hr))
{
ThrowError(m_pIPaymentCommand,
COLEDBERR::eExecute, "Payment()");
}

// Fetch the result row
handle(s)
hr = pRowset->
>GetNextRows(DB_NULL_HCHAPTER, 0, cRows,
&cRowsObtained, &prghRow);
if (FAILED(hr))
{
ThrowError(m_pIPaymentCommand,
COLEDBERR::eGetNextRows, "Payment()");
}

// Fetch the actual row
data by handle
hr = pRowset->
>GetData(rghRow, m_hPaymentOutputAccessor,
&m_txn.Payment);
if (FAILED(hr))
{
ThrowError(m_pIPaymentCommand,
COLEDBERR::eGetData, "Payment()");
}

// Release row(s)
hr = pRowset->
>ReleaseRows(cRowsObtained, prghRow, NULL, NULL,
NULL);
// Release rowset
hr = pRowset->
>Release();
if (m_txn.Payment.c_id
== 0)
throw new
CTPCC_OLEDB_ERR( CTPCC_OLEDB_ERR::ERR_INVALID_CUST );
else

```

```

        m_txn.Payment.exec_status_code = eOK;
        break;
    }
    catch (COLEDBERR *e)
    {
        if (!e->m_bDeadLock)
        {
            if (++iTryCount > iMaxRetries)
            {
                throw;
            }
            // hit deadlock;
            backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }
    // if (iTryCount)
    //     throw new
    CTPCC_OLEDB_ERR(CTPCC_OLEDB_ERR::ERR_RETRIED_TRANS,
    iTryCount);
}

void CTPCC_OLEDB::InitOrderStatusParams()
{
    int
        i;
    HRESULT
        hr;
    wchar_t
        szName[IMAX_SP_NAME_LEN];
    IAccessor*
        pIAccessor;
    const ULONG
        nInputParams = 4; // input parameters
        nOutputParams = 5; // output 1st result
set columns
        const ULONG
        nOutputParams2 = 8; // output 2nd result
set columns
    // Structure to bind in accessor
    DBBINDING
        acInputDBBinding[nInputParams];
    DBBINDSTATUS
        acInputDBBindStatus[nInputParams];
    DBBINDING
        acOutputDBBinding[nOutputParams];
    DBBINDSTATUS
        acOutputDBBindStatus[nOutputParams];
    DBBINDING
        acOutputDBBinding2[nOutputParams2];
    DBBINDSTATUS
        acOutputDBBindStatus2[nOutputParams2];

    // Set command text
    _snwprintf(szName,
    sizeof(szName)/sizeof(szName[0]),
    L"{call
    %stpcc_orderstatus(?,?,?,?)}", m_szSPPrefix);

```

```

        // Create and Prepare a new command object
        for OrderStatus.
        CreateCommand(szName,
        &m_pIOrderStatusCommand);

        // Describe the consumer buffer by filling
        in the array
        // of DBBINDING structures. Each binding
        associates
        // a single parameter to the consumer's buffer.
        InitBindings(&acInputDBBinding[0],
        nInputParams, eInputParameter);

        i = 0;
        // OrderStatus parameter 1
        SetBinding(&acInputDBBinding[i++],
        offsetof(ORDER_STATUS_DATA, w_id),
        sizeof(m_txn.OrderStatus.w_id), DBTYPE_I4);

        // OrderStatus parameter 2
        SetBinding(&acInputDBBinding[i++],
        offsetof(ORDER_STATUS_DATA, d_id),
        sizeof(m_txn.OrderStatus.d_id), DBTYPE_UI1);

        // OrderStatus parameter 3
        SetBinding(&acInputDBBinding[i++],
        offsetof(ORDER_STATUS_DATA, c_id),
        sizeof(m_txn.OrderStatus.c_id), DBTYPE_I4);

        // OrderStatus parameter 4
        SetBinding(&acInputDBBinding[i++],
        offsetof(ORDER_STATUS_DATA, c_last),
        sizeof(m_txn.OrderStatus.c_last), DBTYPE_STR);

        hr = m_pIOrderStatusCommand-
        >QueryInterface(IID_IAccessor, (void **)&pIAccessor);
        if (FAILED(hr))
        {
            ThrowError(m_pIOrderStatusCommand,
            COLEDBERR::eQueryInterface,
            "InitOrderStatusParams()");
        }

        hr = pIAccessor->CreateAccessor(
            DBACCESSOR_PARAMETERDATA,
            nInputParams,
            acInputDBBinding,
            sizeof(ORDER_STATUS_DATA),
            &m_hOrderStatusInputAccessor,
            acInputDBBindStatus);

        if (FAILED(hr))
        {
            ThrowError(pIAccessor,
            COLEDBERR::eCreateAccessor,
            "InitOrderStatusParams()");
        }

        m_OrderStatusExecuteParams.cParamSets = 1;
        m_OrderStatusExecuteParams.hAccessor =
        m_hOrderStatusInputAccessor;

```

```

        m_OrderStatusExecuteParams.pData =
        &m_txn.OrderStatus;

        // Now fill the binding information for
        result set 1 output columns
        InitBindings(&acOutputDBBinding[0],
        nOutputParams, eOutputColumn);

        // Binding for a rowset that may return
        more than one row.
        // Bind to offsets of the
        OL_ORDER_STATUS_DATA structure instead of
        ORDER_STATUS_DATA.
        // IRowset::GetData() will be passed
        individual array slots OL[i] to fetch the data
        // from the row set.

        i = 0;
        // OrderStatus output column 1
        SetBinding(&acOutputDBBinding[i++],
        offsetof(OL_ORDER_STATUS_DATA, ol_supply_w_id),
        sizeof(m_txn.OrderStatus.OL[0].ol_supply_w_id),
        DBTYPE_I4);

        // OrderStatus output column 2
        SetBinding(&acOutputDBBinding[i++],
        offsetof(OL_ORDER_STATUS_DATA, ol_i_id),
        sizeof(m_txn.OrderStatus.OL[0].ol_i_id),
        DBTYPE_I4);

        // OrderStatus output column 3
        SetBinding(&acOutputDBBinding[i++],
        offsetof(OL_ORDER_STATUS_DATA, ol_quantity),
        sizeof(m_txn.OrderStatus.OL[0].ol_quantity),
        DBTYPE_I2);

        // OrderStatus output column 4
        SetBinding(&acOutputDBBinding[i++],
        offsetof(OL_ORDER_STATUS_DATA, ol_amount),
        sizeof(m_txn.OrderStatus.OL[0].ol_amount),
        DBTYPE_R8);

        // OrderStatus output column 5
        SetBinding(&acOutputDBBinding[i++],
        offsetof(OL_ORDER_STATUS_DATA, ol_delivery_d),
        sizeof(m_txn.OrderStatus.OL[0].ol_delivery_d),
        DBTYPE_DBTIMESTAMP);

        hr = pIAccessor->CreateAccessor(
            DBACCESSOR_ROWDATA |
            DBACCESSOR_OPTIMIZED,
            nOutputParams,
            acOutputDBBinding,
            sizeof(OL_ORDER_STATUS_DATA),
            &m_hOrderStatusOutputAccessor,
            acOutputDBBindStatus);

        if (FAILED(hr))
        {
            ThrowError(pIAccessor,
            COLEDBERR::eCreateAccessor,
            "InitOrderStatusParams()");
        }

```

```

// Now fill the binding information for
result set 2 output columns
InitBindings(&acOutputDBBinding2[0],
nOutputParams2, eOutputColumn);

i = 0;
// OrderStatus output column 1
SetBinding(&acOutputDBBinding2[i++],
offsetof(ORDER_STATUS_DATA, c_id),
sizeof(m_txn.OrderStatus.c_id), DBTYPE_I4);

// OrderStatus output column 2
SetBinding(&acOutputDBBinding2[i++],
offsetof(ORDER_STATUS_DATA, c_last),
sizeof(m_txn.OrderStatus.c_last), DBTYPE_STR);

// OrderStatus output column 3
SetBinding(&acOutputDBBinding2[i++],
offsetof(ORDER_STATUS_DATA, c_first),
sizeof(m_txn.OrderStatus.c_first), DBTYPE_STR);

// OrderStatus output column 4
SetBinding(&acOutputDBBinding2[i++],
offsetof(ORDER_STATUS_DATA, c_middle),
sizeof(m_txn.OrderStatus.c_middle), DBTYPE_STR);

// OrderStatus output column 5
SetBinding(&acOutputDBBinding2[i++],
offsetof(ORDER_STATUS_DATA, o_entry_d),
sizeof(m_txn.OrderStatus.o_entry_d),
DBTYPE_DBTIMESTAMP);

// OrderStatus output column 7
SetBinding(&acOutputDBBinding2[i++],
offsetof(ORDER_STATUS_DATA, o_carrier_id),
sizeof(m_txn.OrderStatus.o_carrier_id), DBTYPE_I2);

// OrderStatus output column 8
SetBinding(&acOutputDBBinding2[i++],
offsetof(ORDER_STATUS_DATA, c_balance),
sizeof(m_txn.OrderStatus.c_balance), DBTYPE_R8);

// OrderStatus output column 9
SetBinding(&acOutputDBBinding2[i++],
offsetof(ORDER_STATUS_DATA, o_id),
sizeof(m_txn.OrderStatus.o_id), DBTYPE_I4);

hr = piAccessor->CreateAccessor(
DBACCESSOR_ROWDATA, //
cannot be optimized too because #1 accessor is
nOutputParams2,
acOutputDBBinding2,
sizeof(NEW_ORDER_DATA),

&m_hOrderStatusOutputAccessor2,
acOutputDBBindStatus2);

if (FAILED(hr))
{
ThrowError(piAccessor,
COLEDBERR::eCreateAccessor,
"InitOrderStatusParams()");
}

```

```

}

void CTPCC_OLEDB::OrderStatus()
{
HRESULT hr;
int
iTryCount = 0;
IMultipleResults* pMultipleResults;
IRowset* pRowset;
IRowset* pRowset2;
LONG
cRows = MAX_OL_ORDER_STATUS_ITEMS; //
number of rows returned in the 1st rowset
ULONG
cRowsObtained;
HROW
rghRows[MAX_OL_ORDER_STATUS_ITEMS];
//returned row handles for the 1st result
set
HROW*
prghRows = &rghRows[0];
LONG
cRows2 = 1; // number of rows
returned in the 2nd rowset
ULONG
cRowsObtained2;
HROW
rghRows2; //returned row handle
for the 2nd result set
HROW*
prghRows2 = &rghRows2;
int
i;
long
lRowsAffected; // the number of
affected rows for a rowset

if (m_txn.OrderStatus.c_id != 0)
m_txn.OrderStatus.c_last[0] = 0;

while (TRUE)
{
try
{
// Execute the prepared
command // Ask for
IMultipleResults because it returns 2 rowsets.
hr =
m_piOrderStatusCommand->Execute(NULL,
IID_IMultipleResults, &m_OrderStatusExecuteParams,
NULL,

(IUnknown **)&pMultipleResults);
if (FAILED(hr))
{
ThrowError(m_piOrderStatusCommand,
COLEDBERR::eExecute, "OrderStatus()");
}
}
}

```

```

////////////////////////////////////
// Get order line
results
////////////////////////////////////

// Get the first rowset
object
hr = pMultipleResults-
>GetResult(NULL, 0, IID_IRowset, &lRowsAffected,
(IUnknown **)&pRowset);
if (FAILED(hr))
{
ThrowError(m_piOrderStatusCommand,
COLEDBERR::eGetResult, "OrderStatus()");
}

// Fetch the result row
handle(s)
hr = pRowset-
>GetNextRows(DB_NULL_HCHAPTER, 0, cRows,
&cRowsObtained, &prghRows);
if (FAILED(hr))
{
ThrowError(m_piOrderStatusCommand,
COLEDBERR::eGetNextRows, "OrderStatus()");
}

m_txn.OrderStatus.o_ol_cnt =
(short)cRowsObtained;

// Get the data from
multiple rows in this rowset
for (i = 0; i <
m_txn.OrderStatus.o_ol_cnt; ++i)
{
// Fetch the
actual row data by handle
hr = pRowset-
>GetData(rghRows[i], m_hOrderStatusOutputAccessor,
&m_txn.OrderStatus.OL[i]);
if
(FAILED(hr))
{
ThrowError(m_piOrderStatusCommand,
COLEDBERR::eGetData, "OrderStatus()");
}
}

// Release row(s)
hr = pRowset-
>ReleaseRows(cRowsObtained, prghRows, NULL, NULL,
NULL);

// Release rowset
hr = pRowset-
>Release();

```

```

// Get the second
rowset object

// Fetch the
(m_txn.OrderStatus.o_ol_cnt > 0)
{
    hr =
pMultipleResults->GetResult(NULL, 0, IID_IRowset,
&lRowsAffected, (IUnknown **)&pRowset2);
    if
(FAILED(hr))
    {
        ThrowError(m_pIOrderStatusCommand,
COLEDBERR::eGetResult, "OrderStatus()");
    }
    // Fetch the
result row handle(s)
    hr =
pRowset2->GetNextRows(DB_NULL_HCHAPTER, 0, cRows2,
&cRowsObtained2, &prghRows2);
    if
(FAILED(hr))
    {
        ThrowError(m_pIOrderStatusCommand,
COLEDBERR::eGetNextRows, "OrderStatus()");
    }
    // Fetch the
actual row data by handle
    hr =
pRowset2->GetData(rghRows2,
m_hOrderStatusOutputAccessor2, &m_txn.OrderStatus);
    if
(FAILED(hr))
    {
        ThrowError(m_pIOrderStatusCommand,
COLEDBERR::eGetData, "OrderStatus()");
    }
    // Release
row(s)
    hr =
pRowset2->Release();
    // Release the common
MultipleResults interface
    hr = pMultipleResults-
>Release();
    if
(m_txn.OrderStatus.o_ol_cnt == 0)
        throw new
CTPCC_OLEDB_ERR( CTPCC_OLEDB_ERR::ERR_NO_SUCH_ORDER
);

```

```

else if
(m_txn.OrderStatus.c_id == 0 &&
m_txn.OrderStatus.c_last[0] == 0)
    throw new
CTPCC_OLEDB_ERR( CTPCC_OLEDB_ERR::ERR_INVALID_CUST );
else
    m_txn.OrderStatus.exec_status_code = eOK;
    break;
}
catch (COLEDBERR *e)
{
    if (!e->m_bDeadLock)
    {
        if (++iTryCount > iMaxRetries)
            throw;
        // hit deadlock;
        delete e;
        Sleep(10 * iTryCount);
    }
}
// if (iTryCount)
// throw new
CTPCC_OLEDB_ERR(CTPCC_OLEDB_ERR::ERR_RETRIED_TRANS,
iTryCount);
void CTPCC_OLEDB::InitDeliveryParams()
{
    int i;
    HRESULT hr;
    wchar_t szName[IMAX_SP_NAME_LEN];
    IAccessor* pIAccessor;
    const ULONG nInputParams = 2; // input parameters
    const ULONG nOutputParams = 10; // output 1st result
set columns
    // Structure to bind in accessor
    DBBINDING acInputDBBinding[nInputParams];
    DBBINDSTATUS acInputDBBindStatus[nInputParams];
    DBBINDING acOutputDBBinding[nOutputParams];
    DBBINDSTATUS acOutputDBBindStatus[nOutputParams];
    // Set command text
    _snwprintf(szName,
sizeof(szName)/sizeof(szName[0]),
L"{call %stpcc_delivery
(?,?)", m_szSPPrefix);

```

```

// Create and Prepare a new command object
for Delivery.
CreateCommand(szName,
&m_pIDeliveryCommand);
// Describe the consumer buffer by filling
in the array
// of DBBINDING structures. Each binding
associates
// a single parameter to the consumer's buffer.
InitBindings(&acInputDBBinding[0],
nInputParams, eInputParameter);
i = 0;
// Delivery parameter 1
SetBinding(&acInputDBBinding[i++],
offsetof(DELIVERY_DATA, w_id),
sizeof(m_txn.Delivery.w_id), DBTYPE_I4);
// Delivery parameter 2
SetBinding(&acInputDBBinding[i++],
offsetof(DELIVERY_DATA, o_carrier_id),
sizeof(m_txn.Delivery.o_carrier_id), DBTYPE_I2);
hr = m_pIDeliveryCommand-
>QueryInterface(IID_IAccessor, (void **)&pIAccessor);
if (FAILED(hr))
{
    ThrowError(m_pIDeliveryCommand,
COLEDBERR::eQueryInterface, "InitDeliveryParams()");
}
hr = pIAccessor->CreateAccessor(
DBACCESSOR_PARAMETERDATA,
nInputParams,
acInputDBBinding,
sizeof(DELIVERY_DATA),
&m_hDeliveryInputAccessor,
acInputDBBindStatus);
if (FAILED(hr))
{
    ThrowError(pIAccessor,
COLEDBERR::eCreateAccessor, "InitDeliveryParams()");
}
m_DeliveryExecuteParams.cParamSets = 1;
m_DeliveryExecuteParams.hAccessor =
m_hDeliveryInputAccessor;
m_DeliveryExecuteParams.pData =
&m_txn.Delivery;
// Now fill the binding information for
result set 1 output columns
InitBindings(&acOutputDBBinding[0],
nOutputParams, eOutputColumn);
// Binding for a rowset that may return
more than one row.
for (i = 0; i < 10; ++i)
{
    // Delivery output column 1

```

```

        SetBinding(&acOutputDBBinding[i],
offsetof(DELIVERY_DATA, o_id[i]),
sizeof(m_txn.Delivery.o_id[i]), DBTYPE_I4);
    }

    hr = piAccessor->CreateAccessor(
DBACCESSOR_OPTIMIZED,          DBACCESSOR_ROWDATA |
                                nOutputParams,
                                acOutputDBBinding,
                                sizeof(DELIVERY_DATA),
&m_hDeliveryOutputAccessor,
                                acOutputDBBindStatus);
    if (FAILED(hr))
    {
        ThrowError(piAccessor,
COLEDBERR::eCreateAccessor, "InitDeliveryParams()");
    }
}

void CTPCC_OLEDB::Delivery()
{
    HRESULT                hr;
    int                    iTryCount = 0;
    IRowset*               pRowset;
    LONG                   cRows = 1;
    // number of rows returned in the rowset
    ULONG                  cRowsObtained;
    HROW                   rghRow;
    //returned row handles
    HROW*                  prghRow =
&rghRow;

    while (TRUE)
    {
        try
        {
            // Execute the prepared
command
                hr =
m_pIDeliveryCommand->Execute(NULL, IID_IRowset,
&m_DeliveryExecuteParams, NULL,

(IUnknown **)&pRowset);
                if (FAILED(hr))
                {
                    ThrowError(m_pIDeliveryCommand,
COLEDBERR::eExecute, "Delivery()");
                }

                // Fetch the result row
handle(s)
                hr = pRowset-
>GetNextRows(DB_NULL_HCHAPTER, 0, cRows,
&cRowsObtained, &prghRow);
                if (FAILED(hr))
                {

```

```

                ThrowError(m_pIDeliveryCommand,
COLEDBERR::eGetNextRows, "Delivery()");
                }
            }
            // Fetch the actual row
data by handle
                hr = pRowset-
>GetData(rghRow, m_hDeliveryOutputAccessor,
&m_txn.Delivery);
                if (FAILED(hr))
                {
                    ThrowError(m_pIDeliveryCommand,
COLEDBERR::eGetData, "Delivery()");
                }
            // Release row(s)
            hr = pRowset-
>ReleaseRows(cRowsObtained, prghRow, NULL, NULL,
NULL);
            // Release rowset
            hr = pRowset-
>Release();

            m_txn.Delivery.exec_status_code = eOK;
            break;
        }
        catch (COLEDBERR *e)
        {
            if (!(e->m_bDeadLock)
|| (++iTryCount > iMaxRetries))
                throw;

            // hit deadlock;
            // backoff for increasingly longer period
            delete e;
            Sleep(10 * iTryCount);
        }
    }

    // if (iTryCount)
    // throw new
CTPCC_OLEDB_ERR(CTPCC_OLEDB_ERR::ERR_RETRIED_TRANS,
iTryCount);
}

tpcc_oledb.h
/* FILE: TPC_C_OLEDB.H
 * Microsoft
TPC-C Kit Ver. 4.20.000
 * Copyright
Microsoft, 1999-2004
 * Written by
Sergey Vasilevskiy
 * All Rights Reserved
 *
 *
 *

```

```

 * PURPOSE: Header file for TPC-C txn class
OLE DB implementation.
 *
 *
 */
#pragma once

// need to declare functions for import, unless
define has already been created
// by the DLL's .cpp module for export.
#ifdef DllDecl
#define DllDecl __declspec( dllimport )
#endif

#define IMAX_SP_NAME_LEN 256 //maximum length of a
stored procedure name with parameters

// Type of parameter and result set column bindings.
enum eBindingType
{
    eInputParameter,
    eOutputParameter,
    eInputOutputParameter,
    eOutputColumn
};

class COLEDBERR : public CBaseErr
{
public:
    enum ACTION
    {
        eNone,
        eUnknown,
        eQueryInterface,
        // error from QueryInterface
        eCreateSession,
        eCreateCommand,
        eSetCommandText,
        eExecute,

        // = 6
        eCreateAccessor,
        ePrepare,
        eGetNextRows,
        eGetData,
        eGetResult

        // = 11
    };

    COLEDBERR(LPCTSTR szLoc)
        : CBaseErr(szLoc)
    {
        m_eAction = eNone;
        m_NativeError = 0;
        m_bDeadLock = FALSE;
        m_OLEDBErrStr = NULL;
    };

    ~COLEDBERR()
    {
        if (m_OLEDBErrStr !=
NULL)
            delete []
m_OLEDBErrStr;
    }
};

```

```

};
ACTION m_eAction;
int m_NativeError;
BOOL m_bDeadLock;
char *m_OLEDBErrStr;

int ErrorType()
{return ERR_TYPE_OLEDB;}
char* ErrorTypeStr() { return
"OLEDB"; }
int ErrorNum()
{return m_NativeError;}
char* ErrorText() {return
m_OLEDBErrStr;};
int ErrorAction()
{ return (int)m_eAction; }
};

class CTPCC_OLEDB_ERR : public CBaseErr
{
public:
enum TPCC_OLEDB_ERRS
{
ERR_WRONG_SP_VERSION =
1, // "Wrong version of stored procs on
database server"
ERR_INVALID_CUST, // "Invalid Customer id,name."
ERR_NO_SUCH_ORDER, // "No orders found for
customer."
ERR_RETRIED_TRANS, // "Retries before transaction
succeeded."
};
CTPCC_OLEDB_ERR( int iErr ) {
m_errno = iErr; m_iTryCount = 0; };
CTPCC_OLEDB_ERR( int iErr, int
iTryCount ) { m_errno = iErr; m_iTryCount =
iTryCount; };

int m_errno;
int m_iTryCount;

int ErrorType()
{return ERR_TYPE_TPCC_OLEDB;};
char* ErrorTypeStr() { return
"TPCC OLEDB"; }
int ErrorNum()
{return m_errno;};
char* ErrorText();
};

class DllDecl CTPCC_OLEDB : public CTPCC_BASE
{
private:

```

```

// declare variables and private
functions here...
BOOL m_bDeadlock; //
transaction was selected as deadlock victim
int m_MaxRetries;
// retry count on deadlock

DBPROPSET
m_rgInitPropSet; //
initialization property set used to establish a
connection
DBPROP
m_InitProperties[4]; //
individual initialization properties
IDBCreateSession*
m_pIDBCreateSession; // session
(connection) interface
IDBCreateCommand*
m_pIDBCreateCommand; // SQL
command creation interface

IMalloc*
m_pIMalloc;
// Needed to release error strings.

// StockLevel
ICommandText*
m_pIStockLevelCommand;
HACCESSOR
m_hStockLevelInputAccessor; // accessor
to bind input parameters
HACCESSOR
m_hStockLevelOutputAccessor; // accessor
to bind output columns
DBPARAMS
m_StockLevelExecuteParams; //
parameter structure for Execute

// NewOrder
// One prepared command for each
possible number of new order line items
ICommandText*
m_pINewOrderCommand[MAX_OL_NEW_ORDER_ITEMS]
;
// accessors to bind input
parameters
// one for each possible number
of new order line items
HACCESSOR
m_hNewOrderInputAccessor[MAX_OL_NEW_ORDER_I
TEMS];
// accessor to bind output
columns of the first rowset
HACCESSOR
m_hNewOrderOutputAccessor[MAX_OL_NEW_ORDER_
ITEMS];
// accessor to bind output
columns of the second rowset

```

```

HACCESSOR
m_hNewOrderOutputAccessor2[MAX_OL_NEW_ORDER
_ITEMS];
// parameter structure for
Execute
DBPARAMS
m_NewOrderExecuteParams[MAX_OL_NEW_ORDER_IT
EMS];

// Payment
ICommandText*
m_pIPaymentCommand;
HACCESSOR
m_hPaymentInputAccessor; // accessor
to bind input parameters
HACCESSOR
m_hPaymentOutputAccessor; // accessor
to bind output columns
DBPARAMS
m_PaymentExecuteParams; //
parameter structure for Execute

// OrderStatus
ICommandText*
m_pIOrderStatusCommand;
HACCESSOR
m_hOrderStatusInputAccessor; // accessor
to bind input parameters
HACCESSOR
m_hOrderStatusOutputAccessor; // accessor
to bind output columns
HACCESSOR
m_hOrderStatusOutputAccessor2; //
accessor to bind output columns
DBPARAMS
m_OrderStatusExecuteParams; //
parameter structure for Execute

// Delivery
ICommandText*
m_pIDeliveryCommand;
HACCESSOR
m_hDeliveryInputAccessor; // accessor
to bind input parameters
HACCESSOR
m_hDeliveryOutputAccessor; // accessor
to bind output columns
DBPARAMS
m_DeliveryExecuteParams; // parameter
structure for Execute

wchar_t
m_szSPPrefix[32]; // stored
procedures prefix

// new-order specific fields
int m_no_commit_flag;

void ThrowError( IUnknown*
pObjectWithError, COLEDBERR::ACTION eAction, LPCTSTR
szLocation );

```

```

void CheckSPVersion();

void InitNewOrderParams();
void InitPaymentParams();
void InitDeliveryParams();
void InitStockLevelParams();
void InitOrderStatusParams();

// Helper function to create and
prepare a command
void CreateCommand(wchar_t*
szSQLCommand, ICommandText** ppiCommandText);
// Helper function to prepare a
command
void PrepareCommand(ICommandText*
ppiCommand);

// Helper function to fill one
binding
// Used for both input parameter
and output column bindings
void SetBinding(DBBINDING*
pDBBinding, size_t obValue, size_t cbMaxLen, DBTYPE
wType);

// Helper function to initialize
an array of bindings
void InitBindings(DBBINDING*
pDBBindings, int iCount, eBindingType BindingType);

union
{
    NEW_ORDER_DATA
NewOrder;
    PAYMENT_DATA
Payment;
    DELIVERY_DATA
Delivery;
    STOCK_LEVEL_DATA
StockLevel;
    ORDER_STATUS_DATA
OrderStatus;
}
m_txn;

public:
    CTPCC_OLEDB(LPCSTR szServer,
LPCSTR szUser, LPCSTR szPassword, LPCSTR szHost,
LPCSTR szDatabase, LPCWSTR szSPPrefix);
    ~CTPCC_OLEDB(void);

    inline PNEW_ORDER_DATA
BuffAddr_NewOrder() { return
&m_txn.NewOrder; };
    inline PPAYMENT_DATA
BuffAddr_Payment() { return
&m_txn.Payment; };
    inline PDELIVERY_DATA
BuffAddr_Delivery() { return
&m_txn.Delivery; };

```

```

    inline PSTOCK_LEVEL_DATA
BuffAddr_StockLevel() { return
&m_txn.StockLevel; };
    inline PORDER_STATUS_DATA
BuffAddr_OrderStatus() { return
&m_txn.OrderStatus; };

void NewOrder ();
void Payment ();
void Delivery ();
void StockLevel ();
void OrderStatus ();

};

// wrapper routine for class constructor
extern "C" DllDecl CTPCC_OLEDB* CTPCC_OLEDB_new
( LPCSTR szServer, LPCSTR szUser, LPCSTR
szPassword, LPCSTR szHost, LPCSTR szDatabase, LPCWSTR
szSPPrefix );

typedef CTPCC_OLEDB* (TYPE_CTPCC_OLEDB)(LPCSTR,
LPCSTR, LPCSTR, LPCSTR, LPCSTR, LPCWSTR);

```

trans.h

```

/* FILE: TRANS.H Microsoft
* TPC-C Kit Ver. 4.42.000 Copyright
* Microsoft, 2002 All Rights Reserved
* Version
* 4.10.000 audited by Richard Gimarc, Performance
Metrics, 3/17/99
* PURPOSE: Header file for TPC-C structure
templates.
* Change history:
* 4.42.000 - changed w_id fields
from short to long to support >32K warehouses
* 4.20.000 - updated rev number to
match kit
*/
#pragma once

// String length constants
#define SERVER_NAME_LEN 20
#define DATABASE_NAME_LEN 20
#define USER_NAME_LEN 20
#define PASSWORD_LEN 20
#define TABLE_NAME_LEN 20
#define I_DATA_LEN 50
#define I_NAME_LEN 24
#define BRAND_LEN 1
#define LAST_NAME_LEN 16
#define W_NAME_LEN 10
#define ADDRESS_LEN 20
#define STATE_LEN 2

```

```

#define ZIP_LEN 9
#define S_DIST_LEN 24
#define S_DATA_LEN 50
#define D_NAME_LEN 10
#define FIRST_NAME_LEN 16
#define MIDDLE_NAME_LEN 2
#define PHONE_LEN 16
#define DATETIME_LEN 30
#define CREDIT_LEN 2
#define C_DATA_LEN 250
#define H_DATA_LEN 24
#define DIST_INFO_LEN 24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN 25
#define OL_DIST_INFO_LEN 24

// TIMESTAMP_STRUCT is provided by the ODBC header
file sqltypes.h, but is not available
// when compiling with dlib, so redefined here.
Note: we are using the symbol "__SQLTYPES"
// (declared in sqltypes.h) as a way to determine if
TIMESTAMP_STRUCT has been declared.
#ifndef __SQLTYPES
typedef struct
{
    /* SQLSMALLINT */ short
    /* SQLSMALLINT */ month; unsigned short /*
    /* SQLSMALLINT */ day; unsigned short /*
    /* SQLSMALLINT */ hour; unsigned short /*
    /* SQLSMALLINT */ minute; unsigned short /*
    /* SQLSMALLINT */ second; unsigned long /*
    /* SQLINTEGER */ fraction;
} TIMESTAMP_STRUCT;
#endif

// possible values for exec_status_code after
transaction completes
enum EXEC_STATUS
{
    eOK, // 0
    "Transaction committed."
    eInvalidItem, // 1 "Item number
is not valid."
    eDeliveryFailed // 2 "Delivery
Post Failed."
};

// transaction structures
typedef struct
{
    // input params
    long
    ol_supply_w_id;
    long
    ol_i_id;

```



```

short
ol_quantity;

// output params
char
ol_i_name[I_NAME_LEN+1];
char
ol_brand_generic[BRAND_LEN+1];
double
ol_i_price;
double
ol_amount;
short
ol_stock;
} OL_NEW_ORDER_DATA;

typedef struct
{
    // input params
    long          w_id;
    short         d_id;
    long          c_id;
    short         o_ol_cnt;

    // output params
    EXEC_STATUS  exec_status_code;
    char         c_last[LAST_NAME_LEN+1];
    char         c_credit[CREDIT_LEN+1];
    double       c_discount;
    double       w_tax;
    double       d_tax;
    long         o_id;
    short        o_commit_flag;
    TIMESTAMP_STRUCT o_entry_d;
    short        o_all_local;
    double       total_amount;
    OL_NEW_ORDER_DATA
    OL[MAX_OL_NEW_ORDER_ITEMS];
} NEW_ORDER_DATA, *PNEW_ORDER_DATA;

typedef struct
{
    // input params
    long
w_id;
short
d_id;
long
c_id;
short
c_d_id;
long
c_w_id;
double
h_amount;
char
c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS
exec_status_code;

```

```

TIMESTAMP_STRUCT  h_date;
char
w_street_1[ADDRESS_LEN+1];
char
w_street_2[ADDRESS_LEN+1];
char
w_city[ADDRESS_LEN+1];
char
w_state[STATE_LEN+1];
char
w_zip[ZIP_LEN+1];
char
d_street_1[ADDRESS_LEN+1];
char
d_street_2[ADDRESS_LEN+1];
char
d_city[ADDRESS_LEN+1];
char
d_state[STATE_LEN+1];
char
d_zip[ZIP_LEN+1];
char
c_first[FIRST_NAME_LEN+1];
char
c_middle[MIDDLE_NAME_LEN + 1];
char
c_street_1[ADDRESS_LEN+1];
char
c_street_2[ADDRESS_LEN+1];
char
c_city[ADDRESS_LEN+1];
char
c_state[STATE_LEN+1];
char
c_zip[ZIP_LEN+1];
char
c_phone[PHONE_LEN+1];
TIMESTAMP_STRUCT  c_since;
char
c_credit[CREDIT_LEN+1];
double
c_credit_lim;
double
c_discount;
double
c_balance;
char
c_data[200+1];
} PAYMENT_DATA, *PPAYMENT_DATA;

typedef struct
{
    long
ol_i_id;
long
ol_supply_w_id;
short
ol_quantity;
double
ol_amount;
TIMESTAMP_STRUCT  ol_delivery_d;
} OL_ORDER_STATUS_DATA;

```

```

typedef struct
{
    // input params
    long          w_id;
    short         d_id;
    long          c_id;
    char
c_last[LAST_NAME_LEN+1];

    // output params
    EXEC_STATUS  exec_status_code;
    char         c_first[FIRST_NAME_LEN+1];
    char         c_middle[MIDDLE_NAME_LEN+1];
    double       c_balance;
    long         o_id;
    TIMESTAMP_STRUCT o_entry_d;
    short        o_carrier_id;
    OL_ORDER_STATUS_DATA
    OL[MAX_OL_ORDER_STATUS_ITEMS];
    short        o_ol_cnt;
} ORDER_STATUS_DATA, *PORDER_STATUS_DATA;

typedef struct
{
    // input params
    long          w_id;
    short         o_carrier_id;

    // output params
    EXEC_STATUS  exec_status_code;
    SYSTEMTIME   queue_time;
    long         o_id[10];
    // id's of delivered
    orders for districts 1 to 10
} DELIVERY_DATA, *PDELIVERY_DATA;

//This structure is used for posting delivery
transactions and for writing them to the delivery
server.
typedef struct _DELIVERY_TRANSACTION
{
    SYSTEMTIME   queue;
    //time delivery transaction queued
    long         w_id;
    //delivery warehouse
    short        o_carrier_id;
    //carrier id
} DELIVERY_TRANSACTION;

typedef struct
{
    // input params
    long
w_id;
short
d_id;
short
threshold;

    // output params

```

```

EXEC_STATUS
exec_status_code;
long
low_stock;
} STOCK_LEVEL_DATA, *PSTOCK_LEVEL_DATA;

```

txn_base.h

```

/* FILE: TXN_BASE.H
 * Microsoft
 * TPC-C Kit Ver. 4.20.000
 * Copyright
 * Microsoft, 1999
 * All Rights Reserved
 * Version
 * 4.10.000 audited by Richard Gimarc, Performance
 * Metrics, 3/17/99
 * PURPOSE: Header file for TPC-C txn class
 * implementation.
 * Change history:
 * 4.20.000 - updated rev number to
 * match kit
 */

#pragma once

// need to declare functions for import, unless
// define has already been created
// by the DLL's .cpp module for export.
#ifndef DllDecl
#define DllDecl __declspec( dllimport )
#endif

class DllDecl CTPCC_BASE
{
public:
    CTPCC_BASE(void) {};
    virtual ~CTPCC_BASE(void) {};

    virtual PNEW_ORDER_DATA
    BuffAddr_NewOrder() = 0;
    virtual PPAYMENT_DATA
    BuffAddr_Payment() = 0;
    virtual PDELIVERY_DATA
    BuffAddr_Delivery() = 0;
    virtual PSTOCK_LEVEL_DATA
    BuffAddr_StockLevel() = 0;
    virtual PORDER_STATUS_DATA
    BuffAddr_OrderStatus() = 0;

    virtual void NewOrder
    () = 0;
    virtual void Payment
    () = 0;
    virtual void Delivery
    () = 0;
    virtual void StockLevel
    () = 0;

```

```

virtual void OrderStatus    ()
= 0;
};

```

resource.h

```

//{{NO_DEPENDENCIES}}
// Microsoft Developer
// Studio generated
// include file.
// Used by
// tpcc_com_all.rc
//
#define IDS_PROJNAME
100
#define IDR_TPCC
101
#define IDR_NEWORDER
102
#define IDR_ORDERSTATUS
103
#define IDR_PAYMENT
104
#define IDR_STOCKLEVEL
105

// Next default values
// for new objects
//
#ifdef APSTUDIO_INVOKED
#ifndef APSTUDIO_READONLY_SYMBOLS
LS
#define
_APS_NEXT_RESOURCE_VALU
E 202
#define
_APS_NEXT_COMMAND_VALU
E 32768
#define
_APS_NEXT_CONTROL_VALU
E 201
#define
_APS_NEXT_SYMED_VALU
E 106
#endif
#endif

```

resource_.h

```

//{{NO_DEPENDENCIES}}
// Microsoft Developer Studio generated include file.
// Used by tpcc.rc
//
#define IDD_DIALOG1 101

// Next default values for new objects
//
#ifdef APSTUDIO_INVOKED
#ifndef APSTUDIO_READONLY_SYMBOLS
#define _APS_NEXT_RESOURCE_VALUE 102
#define _APS_NEXT_COMMAND_VALUE 40001
#define _APS_NEXT_CONTROL_VALUE 1000
#define _APS_NEXT_SYMED_VALUE 101
#endif
#endif

```

Appendix B: Database Design

The TPC-C database was created with the following Transact-SQL scripts:

removedb.sql

```
-----
-- File:      REMOVEDB.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.61
-- Copyright Microsoft, 2005
-----

USE master
GO

-----
-- remove any existing database and backup files
-----

EXEC sp_dbrremove tpcc, dropdev
GO

EXEC sp_dropdevice 'tpccback1'
GO
EXEC sp_dropdevice 'tpccback2'
GO
EXEC sp_dropdevice 'tpccback3'
GO
EXEC sp_dropdevice 'tpccback4'
GO
EXEC sp_dropdevice 'tpccback5'
GO
EXEC sp_dropdevice 'tpccback6'
GO
EXEC sp_dropdevice 'tpccback7'
GO
EXEC sp_dropdevice 'tpccback8'
GO
```

backupdev.sql

```
-----
-- File:      BACKUPDEV.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2005
-----
```

```
-----
USE master
GO

-----
-- create backup devices
-----
EXEC sp_addumpdevice 'disk', 'tpccback1', 'S:\tpccback1.dmp'
GO
EXEC sp_addumpdevice 'disk', 'tpccback2', 'T:\tpccback2.dmp'
GO
EXEC sp_addumpdevice 'disk', 'tpccback3', 'U:\tpccback3.dmp'
GO
EXEC sp_addumpdevice 'disk', 'tpccback4', 'V:\tpccback4.dmp'
GO
EXEC sp_addumpdevice 'disk', 'tpccback5', 'W:\tpccback5.dmp'
GO
EXEC sp_addumpdevice 'disk', 'tpccback6', 'X:\tpccback6.dmp'
GO
EXEC sp_addumpdevice 'disk', 'tpccback7', 'Y:\tpccback7.dmp'
GO
EXEC sp_addumpdevice 'disk', 'tpccback8', 'Z:\tpccback8.dmp'
GO
```

version.sql

```
-----
-- File:      VERSION.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2006
--
-- Extracts current version of SQL Server
-----

USE master
GO

SELECT CONVERT(char(20), SERVERPROPERTY('ProductVersion')),
       CONVERT(char(20), SERVERPROPERTY('ProductLevel')),
       CONVERT(char(29), SERVERPROPERTY('Edition'))

GO

SELECT CONVERT(char(30), GETDATE(), 21)

GO
```

createdb.sql

```
-----
-- File:      CREATEDB.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2005
-----

SET ANSI_NULL_DFLT_OFF ON
GO

USE master
```

```

GO

-----
-- Create temporary table for timing
-----
IF EXISTS( SELECT name FROM sysobjects WHERE name = 'tpcc_timer' )
  DROP TABLE tpcc_timer
GO

CREATE TABLE tpcc_timer
  (start_date CHAR(30),
   end_date CHAR(30))
GO

INSERT INTO tpcc_timer VALUES(0,0)
GO

-----
-- Store starting time
-----
UPDATE tpcc_timer
SET start_date = (SELECT CONVERT(Char(30), GETDATE(), 21))
GO

-----
-- create main database files
-----
CREATE DATABASE tpcc
ON PRIMARY
(
  NAME = MSSQL_tpcc_root,
  FILENAME = 'c:\MSSQL_tpcc_root.mdf',
  SIZE = 8MB,
  FILEGROWTH = 0),

FILEGROUP MSSQL_stk_fg
(
  NAME = MSSQL_stk1,
  FILENAME = 'c:\stk\stk1\',
  SIZE = 140000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_stk2,
  FILENAME = 'c:\stk\stk2\',
  SIZE = 140000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_stk3,
  FILENAME = 'c:\stk\stk3\',
  SIZE = 140000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_stk4,
  FILENAME = 'c:\stk\stk4\',
  SIZE = 140000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_stk5,
  FILENAME = 'c:\stk\stk5\',
  SIZE = 140000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_stk6,
  FILENAME = 'c:\stk\stk6\',
  SIZE = 140000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_stk7,
  FILENAME = 'c:\stk\stk7\',
  SIZE = 140000MB,

```

```

  FILEGROWTH = 0),
(
  NAME = MSSQL_stk8,
  FILENAME = 'c:\stk\stk8\',
  SIZE = 140000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_stk9,
  FILENAME = 'c:\stk\stk9\',
  SIZE = 140000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_stk10,
  FILENAME = 'c:\stk\stk10\',
  SIZE = 140000MB,
  FILEGROWTH = 0),

FILEGROUP MSSQL_cust_fg
(
  NAME = MSSQL_cust1,
  FILENAME = 'c:\cust\cust1\',
  SIZE = 101000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_cust2,
  FILENAME = 'c:\cust\cust2\',
  SIZE = 101000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_cust3,
  FILENAME = 'c:\cust\cust3\',
  SIZE = 101000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_cust4,
  FILENAME = 'c:\cust\cust4\',
  SIZE = 101000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_cust5,
  FILENAME = 'c:\cust\cust5\',
  SIZE = 101000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_cust6,
  FILENAME = 'c:\cust\cust6\',
  SIZE = 101000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_cust7,
  FILENAME = 'c:\cust\cust7\',
  SIZE = 101000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_cust8,
  FILENAME = 'c:\cust\cust8\',
  SIZE = 101000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_cust9,
  FILENAME = 'c:\cust\cust9\',
  SIZE = 101000MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_cust10,
  FILENAME = 'c:\cust\cust10\',
  SIZE = 101000MB,
  FILEGROWTH = 0),

FILEGROUP MSSQL_ol_fg
(
  NAME = MSSQL_ol1,
  FILENAME = 'c:\ol\ol1\',
  SIZE = 99990MB,
  FILEGROWTH = 0),
(
  NAME = MSSQL_ol2,
  FILENAME = 'c:\ol\ol2\',

```

```

        SIZE                = 99990MB,
        FILEGROWTH          = 0),
        NAME                = MSSQL_ol13,
        FILENAME = 'c:\ol\ol13\',
        SIZE                = 99990MB,
        FILEGROWTH          = 0),
        NAME                = MSSQL_ol14,
        FILENAME = 'c:\ol\ol14\',
        SIZE                = 99990MB,
        FILEGROWTH          = 0),
        NAME                = MSSQL_ol15,
        FILENAME = 'c:\ol\ol15\',
        SIZE                = 99990MB,
        FILEGROWTH          = 0),
        NAME                = MSSQL_ol16,
        FILENAME = 'c:\ol\ol16\',
        SIZE                = 99990MB,
        FILEGROWTH          = 0),
        NAME                = MSSQL_ol17,
        FILENAME = 'c:\ol\ol17\',
        SIZE                = 99990MB,
        FILEGROWTH          = 0),
        NAME                = MSSQL_ol18,
        FILENAME = 'c:\ol\ol18\',
        SIZE                = 99990MB,
        FILEGROWTH          = 0),
        NAME                = MSSQL_ol19,
        FILENAME = 'c:\ol\ol19\',
        SIZE                = 99990MB,
        FILEGROWTH          = 0),
        NAME                = MSSQL_ol10,
        FILENAME = 'c:\ol\ol10\',
        SIZE                = 99990MB,
        FILEGROWTH          = 0),
FILEGROUP MSSQL_misc_fg
(
    NAME                = MSSQL_misc1,
    FILENAME = 'c:\misc\misc1\',
    SIZE                = 21000MB,
    FILEGROWTH          = 0),
(
    NAME                = MSSQL_misc2,
    FILENAME = 'c:\misc\misc2\',
    SIZE                = 21000MB,
    FILEGROWTH          = 0),
(
    NAME                = MSSQL_misc3,
    FILENAME = 'c:\misc\misc3\',
    SIZE                = 21000MB,
    FILEGROWTH          = 0),
(
    NAME                = MSSQL_misc4,
    FILENAME = 'c:\misc\misc4\',
    SIZE                = 21000MB,
    FILEGROWTH          = 0),
(
    NAME                = MSSQL_misc5,
    FILENAME = 'c:\misc\misc5\',
    SIZE                = 21000MB,
    FILEGROWTH          = 0),
(
    NAME                = MSSQL_misc6,
    FILENAME = 'c:\misc\misc6\',
    SIZE                = 21000MB,
    FILEGROWTH          = 0),
(
    NAME                = MSSQL_misc7,
    FILENAME = 'c:\misc\misc7\',
    SIZE                = 21000MB,

```

```

        FILEGROWTH          = 0),
        NAME                = MSSQL_misc8,
        FILENAME = 'c:\misc\misc8\',
        SIZE                = 21000MB,
        FILEGROWTH          = 0),
        NAME                = MSSQL_misc9,
        FILENAME = 'c:\misc\misc9\',
        SIZE                = 21000MB,
        FILEGROWTH          = 0),
        NAME                = MSSQL_misc10,
        FILENAME = 'c:\misc\misc10\',
        SIZE                = 21000MB,
        FILEGROWTH          = 0)
LOG ON
(
    NAME                = MSSQL_tpcc_log,
    FILENAME = 'E:',
    SIZE                = 1600000MB,
    FILEGROWTH          = 0)
COLLATE Latin1_General_BIN
GO

-----
-- Store ending time
-----
UPDATE tpcc_timer
SET   end_date = (SELECT CONVERT(CHAR(30), GETDATE(), 21))
GO

SELECT DATEDIFF(second, (SELECT start_date FROM tpcc_timer), (SELECT end_date FROM
tpcc_timer))
GO

-----
-- remove temporary table
-----
IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_timer' )
    DROP TABLE tpcc_timer
GO

```

dbopt1.sql

```

-----
--
-- File:      DBOPT1.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.68
--           Copyright Microsoft, 2006
--
--           Sets database options for load
--
-----
USE master
GO

ALTER DATABASE tpcc SET RECOVERY BULK_LOGGED
GO

EXEC sp_dboption tpcc, 'trunc. log on chkpt.', TRUE
GO

ALTER DATABASE tpcc SET TORN_PAGE_DETECTION OFF
GO

```

```
ALTER DATABASE tpcc SET PAGE_VERIFY NONE
GO
```

```
USE tpcc
GO
```

```
CHECKPOINT
GO
```

dbopt2.sql

```
-----
-- File:      DBOPT2.SQL
--            Microsoft TPC-C Benchmark Kit Ver. 4.68
--            Copyright Microsoft, 2006
--
--            Sets database options after load
--
-----
```

```
ALTER DATABASE tpcc SET RECOVERY FULL
GO
```

```
USE tpcc
GO
```

```
CHECKPOINT
GO
```

```
sp_configure 'allow updates',1
GO
```

```
RECONFIGURE WITH OVERRIDE
GO
```

```
DECLARE @msg          varchar(50)
```

```
-----
--            OPTIONS FOR SQL SERVER 2000
-- Set option values for user-defined indexes
-----
```

```
SET @msg = ''
PRINT @msg
SET @msg = 'Setting SQL Server indexoptions'
PRINT @msg
SET @msg = ''
PRINT @msg
```

```
EXEC sp_indexoption 'customer', 'DisallowPageLocks', TRUE
EXEC sp_indexoption 'district', 'DisallowPageLocks', TRUE
EXEC sp_indexoption 'warehouse', 'DisallowPageLocks', TRUE
EXEC sp_indexoption 'stock', 'DisallowPageLocks', TRUE
EXEC sp_indexoption 'order_line', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'orders', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'new_order', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'item', 'DisallowRowLocks', TRUE
EXEC sp_indexoption 'item', 'DisallowPageLocks', TRUE
GO
```

```
Print ' '
```

```
Print '*****'
Print 'Pre-specified Locking Hierarchy:'
Print ' Lockflag = 0 ==> No pre-specified hierarchy'
Print ' Lockflag = 1 ==> Lock at Page-level then Table-level'
Print ' Lockflag = 2 ==> Lock at Row-level then Table-level'
Print ' Lockflag = 3 ==> Lock at Table-level'
Print ' '
```

```
SELECT name,
lockflags
FROM sysindexes
WHERE object_id('warehouse') = id OR
object_id('district') = id OR
object_id('customer') = id OR
object_id('stock') = id OR
object_id('orders') = id OR
object_id('order_line') = id OR
object_id('history') = id OR
object_id('new_order') = id OR
object_id('item') = id
ORDER BY lockflags asc
GO
```

```
sp_configure 'allow updates',0
GO
```

```
RECONFIGURE WITH OVERRIDE
GO
```

```
EXEC sp_dboption tpcc, 'auto update statistics', FALSE
EXEC sp_dboption tpcc, 'auto create statistics', FALSE
GO
```

```
DECLARE @db_id int,
@tbl_id int
```

```
SET @db_id = DB_ID('tpcc')
SET @tbl_id = OBJECT_ID('tpcc..warehouse')
DBCC PINTABLE (@db_id, @tbl_id)
```

```
SET @tbl_id = OBJECT_ID('tpcc..district')
DBCC PINTABLE (@db_id, @tbl_id)
```

```
SET @tbl_id = OBJECT_ID('tpcc..new_order')
DBCC PINTABLE (@db_id, @tbl_id)
```

```
SET @tbl_id = OBJECT_ID('tpcc..item')
DBCC PINTABLE (@db_id, @tbl_id)
GO
```

RunSQLCfg.sql

```
-----
-- File:      RUNSQLCFG.SQL
--            Microsoft TPC-C Benchmark Kit Ver. 4.68
--            Copyright Microsoft, 2006
--
--            Sets suggested runtime server configuration
--            parameters
--
-----
```

```

EXEC sp_configure 'show advanced option', 1
GO

RECONFIGURE WITH OVERRIDE
GO

-----
-- change this value to approximately the number of connected users
-----
EXEC sp_configure 'max worker threads',255

-----
-- increase priority of user threads
-----
EXEC sp_configure 'priority boost',1

-----
-- disable automatic checkpointing
-----
EXEC sp_configure 'recovery interval',32767

-----
-- change to a mask appropriate for the number of processors on the server
-----
EXEC sp_configure 'affinity mask',0xf

-----
-- enable fibers
-----
EXEC sp_configure 'lightweight pooling',1
GO

RECONFIGURE WITH OVERRIDE
GO

```

VerifyTpccLoad.sql

```

-----
--
-- File:   VerifyTPCCLoad.SQL
--        Microsoft TPC-C Benchmark Kit Ver. 4.68
--        Copyright Microsoft, 2006
-----
SET NOCOUNT ON
PRINT ' '
SELECT CONVERT(CHAR(30), GETDATE(), 21)
PRINT ' '

USE tpcc
GO

IF EXISTS (SELECT name
           FROM sysobjects
           WHERE name = 'TPCC_INFO' AND
                 type = 'U')
    DROP TABLE TPCC_INFO
GO
PRINT 'WAREHOUSE TABLE'
SELECT count_big(*)
FROM warehouse
GO

```

```

PRINT 'DISTRICT TABLE = (10 * No of warehouses)'
SELECT count_big(*)
FROM district
GO

PRINT 'ITEM TABLE = 100,000'
SELECT count_big(*)
FROM item
GO

PRINT 'CUSTOMER TABLE = (30,000 * No of warehouses)'
SELECT count_big(*)
FROM customer
GO

PRINT 'ORDERS TABLE = (30,000 * No of warehouses)'
SELECT count_big(*)
FROM orders
GO

PRINT 'HISTORY TABLE = (30,000 * No of warehouses)'
SELECT count_big(*)
FROM history
GO

PRINT 'STOCK TABLE = (100,000 * No of warehouses)'
SELECT count_big(*)
FROM stock
GO

PRINT 'ORDER_LINE TABLE = (300,000 * No of warehouses + some change)'
SELECT count_big(*)
FROM order_line
GO

PRINT 'NEW_ORDER TABLE = (9000 * No of warehouses)'
SELECT count_big(*)
FROM new_order
GO

CREATE TABLE TPCC_INFO
(
    INFO_DATE                datetime,
    NUM_WAREHOUSE            bigint,
    WAREHOUSE_TARGET        bigint,
    NUM_DISTRICT             bigint,
    DISTRICT_TARGET         bigint,
    NUM_ITEM                 bigint,
    ITEM_TARGET             bigint,
    NUM_CUSTOMER             bigint,
    CUSTOMER_TARGET         bigint,
    NUM_ORDERS               bigint,
    ORDERS_TARGET           bigint,
    ORDERS_TARGET_LOW       bigint,
    ORDERS_TARGET_HIGH      bigint,
    NUM_ORDER_LINE          bigint,
    ORDER_LINE_TARGET       bigint,
    ORDER_LINE_TARGET_LOW   bigint,
    ORDER_LINE_TARGET_HIGH  bigint,
    NUM_NEW_ORDER           bigint,
    NEW_ORDER_TARGET        bigint,
    NEW_ORDER_TARGET_LOW    bigint,
    NEW_ORDER_TARGET_HIGH   bigint,

```

```

        NUM_HISTORY          bigint,
        HISTORY_TARGET       bigint,
        NUM_STOCK            bigint,
        STOCK_TARGET         bigint)
GO

DECLARE @NUM_WAREHOUSE      bigint,
        @WAREHOUSE_TARGET  bigint,
        @NUM_DISTRICT      bigint,
        @DISTRICT_TARGET   bigint,
        @NUM_ITEM          bigint,
        @ITEM_TARGET       bigint,
        @NUM_CUSTOMER      bigint,
        @CUSTOMER_TARGET   bigint,
        @NUM_ORDERS        bigint,
        @ORDERS_TARGET     bigint,
        @ORDERS_TARGET_LOW bigint,
        @ORDERS_TARGET_HIGH bigint,
        @NUM_ORDER_LINE    bigint,
        @ORDER_LINE_TARGET  bigint,
        @ORDER_LINE_TARGET_LOW  bigint,
        @ORDER_LINE_TARGET_HIGH  bigint,
        @NUM_NEW_ORDER     bigint,
        @NEW_ORDER_TARGET  bigint,
        @NEW_ORDER_TARGET_LOW  bigint,
        @NEW_ORDER_TARGET_HIGH  bigint,
        @NUM_HISTORY       bigint,
        @HISTORY_TARGET    bigint,
        @NUM_STOCK         bigint,
        @STOCK_TARGET      bigint

-- set the local variables prior to inserting them into the TPCC_INFO table
SELECT @NUM_WAREHOUSE      = COUNT_BIG(*)
FROM   warehouse

SELECT @NUM_DISTRICT      = COUNT_BIG(*)
FROM   district

SELECT @NUM_ITEM          = COUNT_BIG(*)
FROM   item

SELECT @NUM_CUSTOMER      = COUNT_BIG(*)
FROM   customer

SELECT @NUM_ORDERS        = COUNT_BIG(*)
FROM   orders

SELECT @NUM_ORDER_LINE    = COUNT_BIG(*)
FROM   order_line

SELECT @NUM_NEW_ORDER     = COUNT_BIG(*)
FROM   new_order

SELECT @NUM_HISTORY       = COUNT_BIG(*)
FROM   history

SELECT @NUM_STOCK         = COUNT_BIG(*)
FROM   stock

--- now calculate and set the target values
SELECT @WAREHOUSE_TARGET  = @NUM_WAREHOUSE,
        @DISTRICT_TARGET  = @NUM_WAREHOUSE * 10,
        @ITEM_TARGET      = 100000,

```

```

        @CUSTOMER_TARGET   = @NUM_WAREHOUSE * 30000,
        @ORDERS_TARGET     = @NUM_WAREHOUSE * 30000,
        @ORDERS_TARGET_LOW = @ORDERS_TARGET - FLOOR(@ORDERS_TARGET * .01),
        @ORDERS_TARGET_HIGH = @ORDERS_TARGET + FLOOR(@ORDERS_TARGET * .01),
        @ORDER_LINE_TARGET = @NUM_WAREHOUSE * 300000,
        @ORDER_LINE_TARGET_LOW = @ORDER_LINE_TARGET - FLOOR(@ORDER_LINE_TARGET *
.01),
        @ORDER_LINE_TARGET_HIGH = @ORDER_LINE_TARGET + FLOOR(@ORDER_LINE_TARGET *
.01),
        @NEW_ORDER_TARGET  = @NUM_WAREHOUSE * 9000,
        @NEW_ORDER_TARGET_LOW = @NEW_ORDER_TARGET - FLOOR(@NEW_ORDER_TARGET *
.01),
        @NEW_ORDER_TARGET_HIGH = @NEW_ORDER_TARGET + FLOOR(@NEW_ORDER_TARGET *
.01),
        @HISTORY_TARGET    = @NUM_WAREHOUSE * 30000,
        @STOCK_TARGET      = @NUM_WAREHOUSE * 100000

--- insert the values into TPCC_INFO
INSERT INTO TPCC_INFO VALUES (GETDATE(),
        @NUM_WAREHOUSE,
        @WAREHOUSE_TARGET,
        @NUM_DISTRICT,
        @DISTRICT_TARGET,
        @NUM_ITEM,
        @ITEM_TARGET,
        @NUM_CUSTOMER,
        @CUSTOMER_TARGET,
        @NUM_ORDERS,
        @ORDERS_TARGET,
        @ORDERS_TARGET_LOW,
        @ORDERS_TARGET_HIGH,
        @NUM_ORDER_LINE,
        @ORDER_LINE_TARGET,
        @ORDER_LINE_TARGET_LOW,
        @ORDER_LINE_TARGET_HIGH,
        @NUM_NEW_ORDER,
        @NEW_ORDER_TARGET,
        @NEW_ORDER_TARGET_LOW,
        @NEW_ORDER_TARGET_HIGH,
        @NUM_HISTORY,
        @HISTORY_TARGET,
        @NUM_STOCK,
        @STOCK_TARGET)

GO

--- output the row counts from the build
PRINT ''
PRINT ''
PRINT '-----'
PRINT '|      WAREHOUSE TABLE      |'
PRINT '-----'
SELECT TOP 1
        CONVERT(CHAR(30),INFO_DATE,21) AS 'Date',
        NUM_WAREHOUSE AS 'Warehouse Rows',
        WAREHOUSE_TARGET AS 'Warehouse Target',
        CASE WHEN (NUM_WAREHOUSE = WAREHOUSE_TARGET)
                THEN 'OK!'
                ELSE 'ERROR!!!'
        END AS 'Warehouse Message'
FROM   TPCC_INFO
GO

PRINT ''

```



```

PRINT ''
PRINT '-----'
PRINT '| DISTRICT TABLE |'
PRINT '-----'
SELECT TOP 1
  CONVERT(CHAR(30),INFO_DATE,21) AS 'Date',
  NUM_DISTRICT AS 'District Rows',
  DISTRICT_TARGET AS 'District Target',
  CASE WHEN (NUM_DISTRICT = DISTRICT_TARGET)
    THEN 'OK!'
    ELSE 'ERROR!!!'
  END AS 'District Message'
FROM TPCC_INFO
GO

PRINT ''
PRINT '-----'
PRINT '| ITEM TABLE |'
PRINT '-----'
SELECT TOP 1
  CONVERT(CHAR(30),INFO_DATE,21) AS 'Date',
  NUM_ITEM AS 'Item Rows',
  ITEM_TARGET AS 'Item Target',
  CASE WHEN (NUM_ITEM = ITEM_TARGET)
    THEN 'OK!'
    ELSE 'ERROR!!!'
  END AS 'Item Message'
FROM TPCC_INFO
GO

PRINT ''
PRINT '-----'
PRINT '| CUSTOMER TABLE |'
PRINT '-----'
SELECT TOP 1
  CONVERT(CHAR(30),INFO_DATE,21) AS 'Date',
  NUM_CUSTOMER AS 'Customer Rows',
  CUSTOMER_TARGET AS 'Customer Target',
  CASE WHEN (NUM_CUSTOMER = CUSTOMER_TARGET)
    THEN 'OK!'
    ELSE 'ERROR!!!'
  END AS 'Customer Message'
FROM TPCC_INFO
GO

PRINT ''
PRINT '-----'
PRINT '| ORDERS TABLE |'
PRINT '-----'
SELECT TOP 1
  CONVERT(CHAR(30),INFO_DATE,21) AS 'Date',
  NUM_ORDERS AS 'Orders Rows',
  ORDERS_TARGET AS 'Orders Target',
  CASE WHEN (NUM_ORDERS = ORDERS_TARGET)
    THEN 'OK!'
    WHEN (NUM_ORDERS BETWEEN ORDERS_TARGET_LOW AND ORDERS_TARGET_HIGH)
    THEN 'OK! (within 1%)'
    ELSE 'ERROR!!!'
  END AS 'Orders Message'
FROM TPCC_INFO

```

```

GO

PRINT ''
PRINT '-----'
PRINT '| ORDER LINE TABLE |'
PRINT '-----'
SELECT TOP 1
  CONVERT(CHAR(30),INFO_DATE,21) AS 'Date',
  NUM_ORDER_LINE AS 'Order Line Rows',
  ORDER_LINE_TARGET AS 'Order Line Target',
  CASE WHEN (NUM_ORDER_LINE = ORDER_LINE_TARGET)
    THEN 'OK!'
    WHEN (NUM_ORDER_LINE BETWEEN ORDER_LINE_TARGET_LOW AND
  ORDER_LINE_TARGET_HIGH)
    THEN 'OK! (within 1%)'
    ELSE 'ERROR!!!'
  END AS 'Order Line Message'
FROM TPCC_INFO
GO

PRINT ''
PRINT '-----'
PRINT '| NEW ORDER TABLE |'
PRINT '-----'
SELECT TOP 1
  CONVERT(CHAR(30),INFO_DATE,21) AS 'Date',
  NUM_NEW_ORDER AS 'New Order Rows',
  NEW_ORDER_TARGET AS 'New Order Target',
  CASE WHEN (NUM_NEW_ORDER = NEW_ORDER_TARGET)
    THEN 'OK!'
    WHEN (NUM_NEW_ORDER BETWEEN NEW_ORDER_TARGET_LOW AND
  NEW_ORDER_TARGET_HIGH)
    THEN 'OK! (within 1%)'
    ELSE 'ERROR!!!'
  END AS 'New Order Message'
FROM TPCC_INFO
GO

PRINT ''
PRINT '-----'
PRINT '| HISTORY TABLE |'
PRINT '-----'
SELECT TOP 1
  CONVERT(CHAR(30),INFO_DATE,21) AS 'Date',
  NUM_HISTORY AS 'History Rows',
  HISTORY_TARGET AS 'History Target',
  CASE WHEN (NUM_HISTORY = HISTORY_TARGET)
    THEN 'OK!'
    ELSE 'ERROR!!!'
  END AS 'History Message'
FROM TPCC_INFO
GO

PRINT ''
PRINT '-----'
PRINT '| STOCK TABLE |'
PRINT '-----'
SELECT TOP 1
  CONVERT(CHAR(30),INFO_DATE,21) AS 'Date',

```

```

        NUM_STOCK          AS 'Stock Rows',
        STOCK_TARGET      AS 'Stock Target',
        CASE WHEN (NUM_STOCK = STOCK_TARGET)
            THEN 'OK!'
            ELSE 'ERROR!!!!'
        END                AS 'Stock Message'
FROM   TPCC_INFO
GO

```

```

-----
-- Check Indexes
-----

```

```

USE tpcc
GO

```

```

PRINT ''
PRINT ''
PRINT '-----'
PRINT '|          TPC-C INDEXES          |'
PRINT '-----'
EXEC  sp_helpindex warehouse
EXEC  sp_helpindex district
EXEC  sp_helpindex item
EXEC  sp_helpindex customer
EXEC  sp_helpindex orders
EXEC  sp_helpindex order_line
EXEC  sp_helpindex new_order
EXEC  sp_helpindex history
EXEC  sp_helpindex stock
GO

```

backup.sql

```

-----
-- File:   BACKUP.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.61
-- Copyright Microsoft, 2005
-----

```

```

DECLARE @startdate DATETIME,
        @enddate   DATETIME

```

```

SELECT @startdate = GETDATE()
SELECT 'Start date:',
       CONVERT(VARCHAR(30),@startdate, 21)

```

```

DUMP DATABASE tpcc TO tpccback1, tpccback2, tpccback3, tpccback4, tpccback5,
tpccback6, tpccback7, tpccback8 WITH init, stats = 1

```

```

SELECT @enddate = GETDATE()
SELECT 'End date: ',
       CONVERT(VARCHAR(30),@enddate, 21)
SELECT 'Elapsed time (in seconds): ',
       DATEDIFF(second, @startdate, @enddate)
GO

```

restore.sql

```

-----
-- File:   RESTORE.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.61
-- Copyright Microsoft, 2005
-----

```

```

DECLARE @startdate DATETIME,
        @enddate   DATETIME

```

```

SELECT @startdate = GETDATE()
SELECT 'Start date:',
       CONVERT(VARCHAR(30),@startdate, 21)

```

```

LOAD DATABASE tpcc FROM tpccback1, tpccback2, tpccback3, tpccback4, tpccback5,
tpccback6, tpccback7, tpccback8 WITH stats = 1, replace

```

```

SELECT @enddate = GETDATE()
SELECT 'End date: ',
       CONVERT(VARCHAR(30),@enddate, 21)
SELECT 'Elapsed time (in seconds): ',
       DATEDIFF(second, @startdate, @enddate)
GO

```

sqlshutdown.sql

```

-----
-- File:   SQLSHUTDOWN.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2006
--
-- Checkpoints tpcc database and issues a shutdown
-----

```

```

USE tpcc
GO

```

```

CHECKPOINT
GO

```

```

SHUTDOWN
GO

```

idxcuscl.sql

```

-----
-- File:   IDXCUSCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2006
--
-- Creates clustered index on customer table
-----

```

```

USE tpcc
GO

```

```

DECLARE @startdate DATETIME,
        @enddate   DATETIME

```

```

SELECT @startdate = GETDATE()
SELECT 'Start date:',
       CONVERT(VARCHAR(30),@startdate,21)

IF EXISTS ( SELECT name FROM sysindexes WHERE name = 'customer_cl' )
  DROP INDEX customer.customer_cl

CREATE UNIQUE CLUSTERED INDEX customer_cl ON customer(c_w_id, c_d_id, c_id)
  ON MSSQL_cust_fg

SELECT @enddate = GETDATE()
SELECT 'End date:',
       CONVERT(VARCHAR(30),@enddate,21)
SELECT 'Elapsed time (in seconds): ',
       DATEDIFF(second, @startdate, @enddate)

GO

```

idxcusnc.sql

```

-----
-- File:      IDXCUSNC.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2006
--
--           Creates non-clustered index on customer table
-----
USE tpcc
GO

DECLARE @startdate DATETIME,
        @enddate   DATETIME

SELECT @startdate = GETDATE()
SELECT 'Start date:',
       CONVERT(VARCHAR(30),@startdate,21)

IF EXISTS ( SELECT name FROM sysindexes WHERE name = 'customer_nc1' )
  DROP INDEX customer.customer_nc1

CREATE UNIQUE NONCLUSTERED INDEX customer_nc1 ON customer(c_w_id, c_d_id, c_last,
  c_first, c_id)
  ON MSSQL_cust_fg

SELECT @enddate = GETDATE()
SELECT 'End date:',
       CONVERT(VARCHAR(30),@enddate,21)
SELECT 'Elapsed time (in seconds): ',
       DATEDIFF(second, @startdate, @enddate)

GO

```

idxdiscl.sql

```

-----
-- File:      IDXDISCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2006
--
--           Creates clustered index on district table
-----

```

```

USE tpcc
GO

DECLARE @startdate DATETIME,
        @enddate   DATETIME

SELECT @startdate = GETDATE()
SELECT 'Start date:',
       CONVERT(VARCHAR(30),@startdate,21)

IF EXISTS ( SELECT name FROM sysindexes WHERE name = 'district_cl' )
  DROP INDEX district.district_cl

CREATE UNIQUE CLUSTERED INDEX district_cl ON district(d_w_id, d_id)
  WITH FILLFACTOR=100 ON MSSQL_misc_fg

SELECT @enddate = GETDATE()
SELECT 'End date:',
       CONVERT(VARCHAR(30),@enddate,21)
SELECT 'Elapsed time (in seconds): ',
       DATEDIFF(second, @startdate, @enddate)

GO

```

idxitmcl.sql

```

-----
-- File:      IDXITMCL.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2006
--
--           Creates clustered index on item table
-----
USE tpcc
GO

DECLARE @startdate DATETIME,
        @enddate   DATETIME

SELECT @startdate = GETDATE()
SELECT 'Start date:',
       CONVERT(VARCHAR(30),@startdate,21)

IF EXISTS ( SELECT name FROM sysindexes WHERE name = 'item_cl' )
  DROP INDEX item.item_cl

CREATE UNIQUE CLUSTERED INDEX item_cl ON item(i_id)
  ON MSSQL_misc_fg

SELECT @enddate = GETDATE()
SELECT 'End date:',
       CONVERT(VARCHAR(30),@enddate,21)
SELECT 'Elapsed time (in seconds): ',
       DATEDIFF(second, @startdate, @enddate)

GO

```

idxhiscl.sql

```

-----

```

```

-- File:      IDXHISCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.68
--           Copyright Microsoft, 2006
--
--           Creates clustered index on history table
--
--           CAUTION: This index is only beneficial for systems
--           CAUTION: with 8 or more processors.
--           CAUTION: It may negatively impact performance on
--           CAUTION: systems with less than 8 processors.
-----
USE tpcc
GO

DECLARE @startdate DATETIME,
        @enddate   DATETIME

SELECT @startdate = GETDATE()
SELECT 'Start date:',
       CONVERT(VARCHAR(30),@startdate,21)

IF EXISTS ( SELECT name FROM sysindexes WHERE name = 'history_cl' )
    DROP INDEX history.history_cl

CREATE UNIQUE CLUSTERED INDEX history_cl ON history(h_c_w_id, h_date, h_c_d_id,
h_c_id, h_amount)
    ON MSSQL_misc_fg

SELECT @enddate = GETDATE()
SELECT 'End date:',
       CONVERT(VARCHAR(30),@enddate,21)
SELECT 'Elapsed time (in seconds): ',
       DATEDIFF(second, @startdate, @enddate)
GO

```

idxnodcl.sql

```

-----
-- File:      IDXNODCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.68
--           Copyright Microsoft, 2006
--
--           Creates clustered index on new-order table
-----
USE tpcc
GO

DECLARE @startdate DATETIME,
        @enddate   DATETIME

SELECT @startdate = GETDATE()
SELECT 'Start date:',
       CONVERT(VARCHAR(30),@startdate,21)

IF EXISTS ( SELECT name FROM sysindexes WHERE name = 'new_order_cl' )
    DROP INDEX new_order.new_order_cl

CREATE UNIQUE CLUSTERED INDEX new_order_cl ON new_order(no_w_id, no_d_id, no_o_id)

```

```

ON MSSQL_misc_fg

SELECT @enddate = GETDATE()
SELECT 'End date:',
       CONVERT(VARCHAR(30),@enddate,21)
SELECT 'Elapsed time (in seconds): ',
       DATEDIFF(second, @startdate, @enddate)
GO

```

idxodlcl.sql

```

-----
-- File:      IDXODLCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.68
--           Copyright Microsoft, 2006
--
--           Creates clustered index on order-line table
-----
USE tpcc
GO

DECLARE @startdate DATETIME,
        @enddate   DATETIME

SELECT @startdate = GETDATE()
SELECT 'Start date:',
       CONVERT(VARCHAR(30),@startdate,21)

IF EXISTS ( SELECT name FROM sysindexes WHERE name = 'order_line_cl' )
    DROP INDEX order_line.order_line_cl

CREATE UNIQUE CLUSTERED INDEX order_line_cl ON order_line(ol_w_id, ol_d_id, ol_o_id,
ol_number)
    ON MSSQL_ol_fg

SELECT @enddate = GETDATE()
SELECT 'End date:',
       CONVERT(VARCHAR(30),@enddate,21)
SELECT 'Elapsed time (in seconds): ',
       DATEDIFF(second, @startdate, @enddate)
GO

```

idxordcl.sql

```

-----
-- File:      IDXORDCL.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.68
--           Copyright Microsoft, 2006
--
--           Creates clustered index on orders table
-----
USE tpcc
GO

DECLARE @startdate DATETIME,
        @enddate   DATETIME

```

```

SELECT @startdate = GETDATE()
SELECT 'Start date:',
       CONVERT(VARCHAR(30),@startdate,21)

IF EXISTS ( SELECT name FROM sysindexes WHERE name = 'orders_cl' )
  DROP INDEX orders.orders_cl

CREATE UNIQUE CLUSTERED INDEX orders_cl ON orders(o_w_id, o_d_id, o_id)
  ON MSSQL_misc_fg

SELECT @enddate = GETDATE()
SELECT 'End date:',
       CONVERT(VARCHAR(30),@enddate,21)
SELECT 'Elapsed time (in seconds): ',
       DATEDIFF(second, @startdate, @enddate)

GO
GO

```

idxstkcl.sql

```

-----
-- File:      IDXSTKCL.SQL
--            Microsoft TPC-C Benchmark Kit Ver. 4.68
--            Copyright Microsoft, 2006
--
--            Creates clustered index on stock table
--
-----
USE tpcc
GO

DECLARE @startdate  DATETIME,
        @enddate    DATETIME

SELECT @startdate = GETDATE()
SELECT 'Start date:',
       CONVERT(VARCHAR(30),@startdate,21)

IF EXISTS ( SELECT name FROM sysindexes WHERE name = 'stock_cl' )
  DROP INDEX stock.stock_cl

CREATE UNIQUE CLUSTERED INDEX stock_cl ON stock(s_i_id, s_w_id)
  ON MSSQL_stk_fg

SELECT @enddate = GETDATE()
SELECT 'End date:',
       CONVERT(VARCHAR(30),@enddate,21)
SELECT 'Elapsed time (in seconds): ',
       DATEDIFF(second, @startdate, @enddate)

GO

```

idxwarcl.sql

```

-----
-- File:      IDXWARCL.SQL
--            Microsoft TPC-C Benchmark Kit Ver. 4.68
--            Copyright Microsoft, 2006
--
--            Creates clustered index on warehouse table
--
-----

```

```

-----
--
-----
USE tpcc
GO

DECLARE @startdate  DATETIME,
        @enddate    DATETIME

SELECT @startdate = GETDATE()
SELECT 'Start date:',
       CONVERT(VARCHAR(30),@startdate,21)

IF EXISTS ( SELECT name FROM sysindexes WHERE name = 'warehouse_cl' )
  DROP INDEX warehouse.warehouse_cl

CREATE UNIQUE CLUSTERED INDEX warehouse_cl ON warehouse(w_id)
  WITH FILLFACTOR=100 ON MSSQL_misc_fg

SELECT @enddate = GETDATE()
SELECT 'End date:',
       CONVERT(VARCHAR(30),@enddate,21)
SELECT 'Elapsed time (in seconds): ',
       DATEDIFF(second, @startdate, @enddate)

GO

```

tables.sql

```

-----
-- File:      TABLES.SQL
--            Microsoft TPC-C Benchmark Kit Ver. 4.68
--            Copyright Microsoft, 2006
--
--            Creates TPC-C tables
--
-----
SET ANSI_NULL_DFLT_OFF ON
GO

USE tpcc
GO

-----
-- Remove all existing TPC-C tables
-----
if exists ( select name from sysobjects where name = 'warehouse' )
  drop table warehouse
go
if exists ( select name from sysobjects where name = 'district' )
  drop table district
go
if exists ( select name from sysobjects where name = 'customer' )
  drop table customer
go
if exists ( select name from sysobjects where name = 'history' )
  drop table history
go
if exists ( select name from sysobjects where name = 'new_order' )
  drop table new_order
go
if exists ( select name from sysobjects where name = 'orders' )
  drop table orders

```

```

go
if exists ( select name from sysobjects where name = 'order_line' )
drop table order_line
go
if exists ( select name from sysobjects where name = 'item' )
drop table item
go
if exists ( select name from sysobjects where name = 'stock' )
drop table stock
go

-----
-- Create new tables
-----
create table warehouse
(
    w_id          int,
    w_ytd         money,
    w_tax         smallmoney,
    w_name        char(10),
    w_street_1    char(20),
    w_street_2    char(20),
    w_city        char(20),
    w_state       char(2),
    w_zip         char(9)
) on MSSQL_misc_fg
go

create table district
(
    d_id          tinyint,
    d_w_id        int,
    d_ytd         money,
    d_next_o_id   int,
    d_tax         smallmoney,
    d_name        char(10),
    d_street_1    char(20),
    d_street_2    char(20),
    d_city        char(20),
    d_state       char(2),
    d_zip         char(9)
) on MSSQL_misc_fg
go

create table customer
(
    c_id          int,
    c_d_id        tinyint,
    c_w_id        int,
    c_discount    smallmoney,
    c_credit_lim  money,
    c_last        char(16),
    c_first       char(16),
    c_credit      char(2),
    c_balance     money,
    c_ytd_payment money,
    c_payment_cnt smallint,
    c_delivery_cnt smallint,
    c_street_1    char(20),
    c_street_2    char(20),
    c_city        char(20),
    c_state       char(2),
    c_zip         char(9),

```

```

    c_phone       char(16),
    c_since       datetime,
    c_middle      char(2),
    c_data        char(500)
) on MSSQL_cust_fg
go

-- Use the following table option if using c_data varchar(max)
-- sp_tableoption 'customer','large value types out of row','1'
-- go

create table history
(
    h_c_id        int,
    h_c_d_id      tinyint,
    h_c_w_id      int,
    h_d_id        tinyint,
    h_w_id        int,
    h_date        datetime,
    h_amount      smallmoney,
    h_data        char(24)
) on MSSQL_misc_fg
go

create table new_order
(
    no_o_id       int,
    no_d_id       tinyint,
    no_w_id       int
) on MSSQL_misc_fg
go

create table orders
(
    o_id          int,
    o_d_id        tinyint,
    o_w_id        int,
    o_c_id        int,
    o_carrier_id  tinyint,
    o_ol_cnt      tinyint,
    o_all_local   tinyint,
    o_entry_d     datetime
) on MSSQL_misc_fg
go

create table order_line
(
    ol_o_id       int,
    ol_d_id       tinyint,
    ol_w_id       int,
    ol_number     tinyint,
    ol_i_id       int,
    ol_delivery_d datetime,
    ol_amount     smallmoney,
    ol_supply_w_id int,
    ol_quantity   smallint,
    ol_dist_info  char(24)
) on MSSQL_ol_fg
go

create table item
(
    i_id          int,

```

```

        i_name          char(24),
        i_price         smallmoney,
        i_data          char(50),
        i_im_id        int
) on MSSQL_misc_fg
go

create table stock
(
    s_i_id             int,
    s_w_id             int,
    s_quantity        smallint,
    s_ytd              int,
    s_order_cnt       smallint,
    s_remote_cnt      smallint,
    s_data             char(50),
    s_dist_01         char(24),
    s_dist_02         char(24),
    s_dist_03         char(24),
    s_dist_04         char(24),
    s_dist_05         char(24),
    s_dist_06         char(24),
    s_dist_07         char(24),
    s_dist_08         char(24),
    s_dist_09         char(24),
    s_dist_10         char(24)
) on MSSQL_stk_fg
Go

```

Tpcc_neworder_new.sql

```

-----
-- File: TPCC_NEWORDER_NEW.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2006
--
-- This acid stored procedure implements the neworder
-- transaction. It outputs timestamps at the
-- beginning of the transaction, before the commit
-- delay, and after the commit.
-----
SET QUOTED_IDENTIFIER OFF
GO
SET ANSI_NULLS OFF
GO

USE tpcc
GO

IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_neworder_new' )
    DROP PROCEDURE tpcc_neworder_new
GO

-- neworder_new v2.5 6/23/05 PeterCa
-- lq stock/order_line/client. upd district & ins neworder.
-- cust/warehouse select together, ins order separate
-- uses rownumber to distinct w any transform
-- uses in-memory sort for distinct on iid,wid
-- uses charindex
-- will rollback if (@i_idX,@s_w_idX pairs not unique) OR (@i_idX not unique).

```

```

CREATE PROCEDURE tpcc_neworder_new
    @w_id          int,
    @d_id          tinyint,
    @c_id          int,
    @o_ol_cnt      tinyint,
    @o_all_local   tinyint,
    @i_id1 int = 0, @s_w_id1 int = 0, @ol_qty1 smallint = 0,
    @i_id2 int = 0, @s_w_id2 int = 0, @ol_qty2 smallint = 0,
    @i_id3 int = 0, @s_w_id3 int = 0, @ol_qty3 smallint = 0,
    @i_id4 int = 0, @s_w_id4 int = 0, @ol_qty4 smallint = 0,
    @i_id5 int = 0, @s_w_id5 int = 0, @ol_qty5 smallint = 0,
    @i_id6 int = 0, @s_w_id6 int = 0, @ol_qty6 smallint = 0,
    @i_id7 int = 0, @s_w_id7 int = 0, @ol_qty7 smallint = 0,
    @i_id8 int = 0, @s_w_id8 int = 0, @ol_qty8 smallint = 0,
    @i_id9 int = 0, @s_w_id9 int = 0, @ol_qty9 smallint = 0,
    @i_id10 int = 0, @s_w_id10 int = 0, @ol_qty10 smallint = 0,
    @i_id11 int = 0, @s_w_id11 int = 0, @ol_qty11 smallint = 0,
    @i_id12 int = 0, @s_w_id12 int = 0, @ol_qty12 smallint = 0,
    @i_id13 int = 0, @s_w_id13 int = 0, @ol_qty13 smallint = 0,
    @i_id14 int = 0, @s_w_id14 int = 0, @ol_qty14 smallint = 0,
    @i_id15 int = 0, @s_w_id15 int = 0, @ol_qty15 smallint = 0

AS
BEGIN
DECLARE @o_id          int,
        @d_tax         smallmoney,
        @o_entry_d     datetime,
        @commit_flag   tinyint

BEGIN TRANSACTION n
-- get district tax and next available order id and update
-- insert corresponding row into new-order table
-- plus initialize local variables

UPDATE district
SET @d_tax = d_tax,
    @o_id = d_next_o_id,
    d_next_o_id = d_next_o_id + 1,
    @o_entry_d = GETDATE(),
    @commit_flag = 1

OUTPUT deleted.d_next_o_id,
        @d_id,
        @w_id

INTO new_order
WHERE d_w_id = @w_id AND
      d_id = @d_id

-- update stock from stock join (item join (params))
-- output to orderline, output to client
-- NOTE: @@rowcount != @ol_o_cnt
-- if (@i_idX,@s_w_idX pairs not unique) OR (@i_idX not unique).

UPDATE stock
SET s_ytd = s_ytd + info.ol_qty,
    s_quantity = s_quantity - info.ol_qty +
        CASE WHEN (s_quantity - info.ol_qty < 10) THEN 91 ELSE 0

    END,
    s_order_cnt = s_order_cnt + 1,
    s_remote_cnt = s_remote_cnt +
        CASE WHEN (info.w_id = @w_id) THEN 0

ELSE 1 END

```

```

OUTPUT @o_id,
        @d_id,
        @w_id,
        info.lino,
        info.i_id,
        "dec 31, 1899",
        info.i_price * info.ol_qty,
        info.w_id,
        info.ol_qty,
CASE     @d_id WHEN 1 THEN inserted.s_dist_01
            WHEN 2 THEN inserted.s_dist_02
            WHEN 3 THEN inserted.s_dist_03
            WHEN 4 THEN inserted.s_dist_04
            WHEN 5 THEN inserted.s_dist_05
            WHEN 6 THEN inserted.s_dist_06
            WHEN 7 THEN inserted.s_dist_07
            WHEN 8 THEN inserted.s_dist_08
            WHEN 9 THEN inserted.s_dist_09
            WHEN 10 THEN inserted.s_dist_10
END
INTO     order_line

OUTPUT info.i_name,inserted.s_quantity,
CASE WHEN ((charindex("ORIGINAL",info.i_data) > 0) AND
           (charindex("ORIGINAL",inserted.s_data) > 0) )
        THEN "B" ELSE "G" END,
        info.i_price,
        info.i_price*info.ol_qty
FROM     stock INNER JOIN
        (SELECT iid,
                wid,
                lino,
                ol_qty,
                i_price,
                i_name,
                i_data
        FROM   (SELECT iid,
                        wid,
                        lino,
                        qty,
                                row_number() OVER (PARTITION BY iid,wid
        ORDER BY iid,wid)
        FROM   (SELECT @i_id1,@s_w_id1,1,@ol_qty1 UNION ALL
                SELECT @i_id2,@s_w_id2,2,@ol_qty2 UNION ALL
                SELECT @i_id3,@s_w_id3,3,@ol_qty3 UNION ALL
                SELECT @i_id4,@s_w_id4,4,@ol_qty4 UNION ALL
                SELECT @i_id5,@s_w_id5,5,@ol_qty5 UNION ALL
                SELECT @i_id6,@s_w_id6,6,@ol_qty6 UNION ALL
                SELECT @i_id7,@s_w_id7,7,@ol_qty7 UNION ALL
                SELECT @i_id8,@s_w_id8,8,@ol_qty8 UNION ALL
                SELECT @i_id9,@s_w_id9,9,@ol_qty9 UNION ALL
                SELECT @i_id10,@s_w_id10,10,@ol_qty10 UNION ALL
                SELECT @i_id11,@s_w_id11,11,@ol_qty11 UNION ALL
                SELECT @i_id12,@s_w_id12,12,@ol_qty12 UNION ALL
                SELECT @i_id13,@s_w_id13,13,@ol_qty13 UNION ALL
                SELECT @i_id14,@s_w_id14,14,@ol_qty14 UNION ALL
                SELECT @i_id15,@s_w_id15,15,@ol_qty15) AS
        uol(iid,wid,lino,qty)
        ) AS ol(iid,wid,lino,ol_qty,rownum)
INNER JOIN
item (repeatableread) ON i_id = iid AND -- filters
out invalid items

```

```

rownum = 1
) AS info(i_id,w_id,lino,ol_qty,i_price,i_name,i_data)
ON s_i_id = info.i_id AND
s_w_id = info.w_id

IF (@@rowcount <> @o_ol_cnt) -- must have an invalid item
SELECT @commit_flag = 0 -- 2.4.2.3 requires rest to proceed

-- insert fresh row into orders table
INSERT INTO orders VALUES ( @o_id,
                             @d_id,
                             @w_id,
                             @c_id,
                             0,
                             @o_ol_cnt,
                             @o_all_local,
                             @o_entry_d)

-- get customer last name, discount, and credit rating
-- get warehouse tax
-- return order_data to client
SELECT w_tax,
       @d_tax,
       @o_id,
       c_last,
       c_discount,
       c_credit,
       @o_entry_d,
       @commit_flag
FROM   warehouse(repeatableread),
       customer(repeatableread)
WHERE  w_id = @w_id AND
       c_id = @c_id AND
       c_w_id = @w_id AND
       c_d_id = @d_id

-- @@rowcount checks that previous select found a valid customer
IF (@@rowcount = 0)
BEGIN
        RAISERROR( 'Invalid Customer ID', 11, 1 )
        ROLLBACK TRANSACTION n
END
ELSE IF (@commit_flag = 1)
        COMMIT TRANSACTION n
ELSE -- all that work for nothing.
        ROLLBACK TRANSACTION n

END
GO

neword.sql
-----
-- File: NEWORD.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2006
-- Creates neworder stored procedure
-- Interface Level: 4.20.000

```



```

--
-----
SET QUOTED_IDENTIFIER OFF
GO

SET ANSI_NULLS ON
GO

USE tpcc
GO

IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_neworder' )
    DROP PROCEDURE tpcc_neworder
GO

CREATE PROCEDURE tpcc_neworder
    @w_id int,
    @d_id tinyint,
    @c_id int,
    @o_ol_cnt tinyint,
    @o_all_local tinyint,
    @i_id1 int = 0, @s_w_id1 int = 0, @ol_qty1 smallint = 0,
    @i_id2 int = 0, @s_w_id2 int = 0, @ol_qty2 smallint = 0,
    @i_id3 int = 0, @s_w_id3 int = 0, @ol_qty3 smallint = 0,
    @i_id4 int = 0, @s_w_id4 int = 0, @ol_qty4 smallint = 0,
    @i_id5 int = 0, @s_w_id5 int = 0, @ol_qty5 smallint = 0,
    @i_id6 int = 0, @s_w_id6 int = 0, @ol_qty6 smallint = 0,
    @i_id7 int = 0, @s_w_id7 int = 0, @ol_qty7 smallint = 0,
    @i_id8 int = 0, @s_w_id8 int = 0, @ol_qty8 smallint = 0,
    @i_id9 int = 0, @s_w_id9 int = 0, @ol_qty9 smallint = 0,
    @i_id10 int = 0, @s_w_id10 int = 0, @ol_qty10 smallint = 0,
    @i_id11 int = 0, @s_w_id11 int = 0, @ol_qty11 smallint = 0,
    @i_id12 int = 0, @s_w_id12 int = 0, @ol_qty12 smallint = 0,
    @i_id13 int = 0, @s_w_id13 int = 0, @ol_qty13 smallint = 0,
    @i_id14 int = 0, @s_w_id14 int = 0, @ol_qty14 smallint = 0,
    @i_id15 int = 0, @s_w_id15 int = 0, @ol_qty15 smallint = 0

AS
DECLARE @w_tax smallmoney,
        @d_tax smallmoney,
        @c_last char(16),
        @c_credit char(2),
        @c_discount smallmoney,
        @i_price smallmoney,
        @i_name char(24),
        @i_data char(50),
        @o_entry_d datetime,
        @remote_flag int,
        @s_quantity smallint,
        @s_data char(50),
        @s_dist char(24),
        @li_no int,
        @o_id int,
        @commit_flag tinyint,
        @li_id int,
        @li_s_w_id int,
        @li_qty smallint,
        @ol_number int,
        @c_id_local int

BEGIN

```

```

BEGIN TRANSACTION n

-----
-- get district tax and next available order id and update
-- plus initialize local variables
-----

UPDATE district
SET
    @d_tax = d_tax,
    @o_id = d_next_o_id,
    d_next_o_id = d_next_o_id + 1,
    @o_entry_d = GETDATE(),
    @li_no = 0,
    @commit_flag = 1
WHERE
    d_w_id = @w_id AND
    d_id = @d_id

-----
-- process orderlines
-----
WHILE (@li_no < @o_ol_cnt)
BEGIN
    SELECT @li_no = @li_no + 1

-----
-- set i_id, s_w_id, and qty for this lineitem
-----
    SELECT @li_id = CASE @li_no
        WHEN 1 THEN @i_id1
        WHEN 2 THEN @i_id2
        WHEN 3 THEN @i_id3
        WHEN 4 THEN @i_id4
        WHEN 5 THEN @i_id5
        WHEN 6 THEN @i_id6
        WHEN 7 THEN @i_id7
        WHEN 8 THEN @i_id8
        WHEN 9 THEN @i_id9
        WHEN 10 THEN @i_id10
        WHEN 11 THEN @i_id11
        WHEN 12 THEN @i_id12
        WHEN 13 THEN @i_id13
        WHEN 14 THEN @i_id14
        WHEN 15 THEN @i_id15
    END,

    @li_s_w_id = CASE @li_no
        WHEN 1 THEN @s_w_id1
        WHEN 2 THEN @s_w_id2
        WHEN 3 THEN @s_w_id3
        WHEN 4 THEN @s_w_id4
        WHEN 5 THEN @s_w_id5
        WHEN 6 THEN @s_w_id6
        WHEN 7 THEN @s_w_id7
        WHEN 8 THEN @s_w_id8
        WHEN 9 THEN @s_w_id9
        WHEN 10 THEN @s_w_id10
        WHEN 11 THEN @s_w_id11
        WHEN 12 THEN @s_w_id12
        WHEN 13 THEN @s_w_id13
        WHEN 14 THEN @s_w_id14
        WHEN 15 THEN @s_w_id15
    END,

    @li_qty = CASE @li_no

```

```

        WHEN 1 THEN @ol_qty1
        WHEN 2 THEN @ol_qty2
        WHEN 3 THEN @ol_qty3
        WHEN 4 THEN @ol_qty4
        WHEN 5 THEN @ol_qty5
        WHEN 6 THEN @ol_qty6
        WHEN 7 THEN @ol_qty7
        WHEN 8 THEN @ol_qty8
        WHEN 9 THEN @ol_qty9
        WHEN 10 THEN @ol_qty10
        WHEN 11 THEN @ol_qty11
        WHEN 12 THEN @ol_qty12
        WHEN 13 THEN @ol_qty13
        WHEN 14 THEN @ol_qty14
        WHEN 15 THEN @ol_qty15
    END

-----
-- get item data (no one updates item)
-----
        SELECT @i_price = i_price,
               @i_name  = i_name,
               @i_data  = i_data
        FROM   item WITH (repeatableread)
        WHERE  i_id      = @li_id

-----
-- update stock values
-----
        UPDATE stock
        SET     s_ytd      = s_ytd + @li_qty,
               @s_quantity = s_quantity - @li_qty +
                   CASE WHEN (s_quantity - @li_qty < 10) THEN 91
        ELSE 0 END,
               s_order_cnt = s_order_cnt + 1,
               s_remote_cnt = s_remote_cnt +
                   CASE WHEN (@li_s_w_id = @w_id) THEN 0 ELSE 1
        END,
               @s_data     = s_data,
               @s_dist     = CASE @d_id
                   WHEN 1 THEN s_dist_01
                   WHEN 2 THEN s_dist_02
                   WHEN 3 THEN s_dist_03
                   WHEN 4 THEN s_dist_04
                   WHEN 5 THEN s_dist_05
                   WHEN 6 THEN s_dist_06
                   WHEN 7 THEN s_dist_07
                   WHEN 8 THEN s_dist_08
                   WHEN 9 THEN s_dist_09
                   WHEN 10 THEN s_dist_10
                   END
        WHERE  s_i_id      = @li_id AND
               s_w_id     = @li_s_w_id

-----
-- if there actually is a stock (and item) with these ids, go to work
-----
        IF (@@rowcount > 0)
        BEGIN
-----
-- insert order_line data (using data from item and stock)
-----
                INSERT INTO order_line VALUES( @o_id,

```

```

        @d_id,
        @w_id,
        @li_no,
        @li_id,
        'dec 31, 1899',
        @i_price * @li_qty,
        @li_s_w_id,
        @li_qty,
        @s_dist)

-----
-- send line-item data to client
-----
        SELECT @i_name,
               @s_quantity,
               b_g = CASE WHEN ( (patindex('%ORIGINAL%',@i_data) > 0) AND
        (patindex('%ORIGINAL%',@s_data) > 0) )
                   THEN 'B' ELSE 'G' END,
               @i_price,
               @i_price * @li_qty
        END
        ELSE
        BEGIN

-----
-- no item (or stock) found - triggers rollback condition
-----
        SELECT '',0,'',0,0
        SELECT @commit_flag = 0
        END

-----
-- get customer last name, discount, and credit rating
-----
        SELECT @c_last = c_last,
               @c_discount = c_discount,
               @c_credit = c_credit,
               @c_id_local = c_id
        FROM   customer WITH (repeatableread)
        WHERE  c_id      = @c_id AND
               c_w_id   = @w_id AND
               c_d_id   = @d_id

-----
-- insert fresh row into orders table
-----
        INSERT INTO orders VALUES ( @o_id,
        @d_id,
        @w_id,
        @c_id_local,
        0,
        @o_ol_cnt,
        @o_all_local,
        @o_entry_d)

-----
-- insert corresponding row into new-order table
-----
        INSERT INTO new_order VALUES ( @o_id,
        @d_id,
        @w_id)

-----

```

```

-- select warehouse tax
-----
SELECT @w_tax = w_tax
FROM warehouse WITH (repeatableread)
WHERE w_id = @w_id

IF (@commit_flag = 1)
    COMMIT TRANSACTION n
ELSE
-----
-- all that work for nuthin!!!
-----
    ROLLBACK TRANSACTION n

-----
-- return order data to client
-----
SELECT @w_tax,
       @d_tax,
       @o_id,
       @c_last,
       @c_discount,
       @c_credit,
       @o_entry_d,
       @commit_flag

END
GO

SET QUOTED_IDENTIFIER OFF
GO

SET ANSI_NULLS ON
GO

```

delivery.sql

```

-----
-- File: DELIVERY.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2006
--
-- Creates delivery stored procedure
--
-- Interface Level: 4.20.000
-----
SET QUOTED_IDENTIFIER OFF
GO

SET ANSI_NULLS ON
GO

USE tpcc
GO

IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_delivery' )
    DROP PROCEDURE tpcc_delivery
GO

CREATE PROC tpcc_delivery

```

```

       @w_id          int,
       @o_carrier_id  smallint

AS
DECLARE @d_id        tinyint,
        @o_id        int,
        @c_id        int,
        @total       money,
        @oid1        int,
        @oid2        int,
        @oid3        int,
        @oid4        int,
        @oid5        int,
        @oid6        int,
        @oid7        int,
        @oid8        int,
        @oid9        int,
        @oid10       int

SELECT @d_id = 0

BEGIN TRANSACTION d
WHILE (@d_id < 10)
    BEGIN
        SELECT @d_id = @d_id + 1,
               @total = 0,
               @o_id = 0

        SELECT TOP 1
               @o_id = no_o_id
        FROM new_order WITH (serializable uplock)
        WHERE no_w_id = @w_id AND
              no_d_id = @d_id
        ORDER BY no_o_id ASC

        IF (@@rowcount <> 0)
            BEGIN
                -- claim the order for this district
                DELETE new_order
                WHERE no_w_id = @w_id AND
                      no_d_id = @d_id AND
                      no_o_id = @o_id

                -- set carrier_id on this order (and get customer id)
                UPDATE orders
                SET o_carrier_id = @o_carrier_id,
                    @c_id = @c_id
                WHERE o_w_id = @w_id AND
                      o_d_id = @d_id AND
                      o_id = @o_id

                -- set date in all lineitems for this order (and sum amounts)
                UPDATE order_line
                SET ol_delivery_d = GETDATE(),
                    @total = @total + ol_amount
                WHERE ol_w_id = @w_id AND
                      ol_d_id = @d_id AND
                      ol_o_id = @o_id

                -- accumulate lineitem amounts for this order into customer
                UPDATE customer
                SET c_balance = c_balance + @total,

```

```

        WHERE      c_delivery_cnt = c_delivery_cnt + 1
                  c_w_id        = @w_id AND
                  c_d_id        = @d_id AND
                  c_id          = @c_id
    END
    SELECT @oid1 = CASE @d_id WHEN 1 THEN @o_id ELSE @oid1 END,
           @oid2 = CASE @d_id WHEN 2 THEN @o_id ELSE @oid2 END,
           @oid3 = CASE @d_id WHEN 3 THEN @o_id ELSE @oid3 END,
           @oid4 = CASE @d_id WHEN 4 THEN @o_id ELSE @oid4 END,
           @oid5 = CASE @d_id WHEN 5 THEN @o_id ELSE @oid5 END,
           @oid6 = CASE @d_id WHEN 6 THEN @o_id ELSE @oid6 END,
           @oid7 = CASE @d_id WHEN 7 THEN @o_id ELSE @oid7 END,
           @oid8 = CASE @d_id WHEN 8 THEN @o_id ELSE @oid8 END,
           @oid9 = CASE @d_id WHEN 9 THEN @o_id ELSE @oid9 END,
           @oid10 = CASE @d_id WHEN 10 THEN @o_id ELSE @oid10 END
    END
    COMMIT TRANSACTION d
    -- return delivery data to client
    SELECT @oid1,
           @oid2,
           @oid3,
           @oid4,
           @oid5,
           @oid6,
           @oid7,
           @oid8,
           @oid9,
           @oid10
    GO
    SET QUOTED_IDENTIFIER OFF
    GO
    SET ANSI_NULLS ON
    GO

```

null-txns.sql

```

-----
-- File:      NULL-TXNS.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2006
--
-- This script will create stored procs which
-- accept the same parameters and return correctly
-- formed results sets to match the standard TPC-C
-- stored procs. Of course, the advantage is that
-- these stored procs place almost no load on
-- SQL Server and do not require a database.
--
-- Interface Level: 4.10.000
-----
USE tpcc
GO
IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_delivery' )

```

```

    DROP PROCEDURE tpcc_delivery
GO
IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_neworder' )
    DROP PROCEDURE tpcc_neworder
GO
IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_orderstatus' )
    DROP PROCEDURE tpcc_orderstatus
GO
IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_payment' )
    DROP PROCEDURE tpcc_payment
GO
IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_stocklevel' )
    DROP PROCEDURE tpcc_stocklevel
GO
IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_version' )
    DROP PROCEDURE tpcc_version
GO
IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'order_line_null' )
    DROP PROCEDURE order_line_null
GO
CREATE PROCEDURE tpcc_delivery
    @w_id int,
    @o_carrier_id smallint
AS
DECLARE @d_id tinyint,
        @o_id int,
        @c_id int,
        @total numeric(12,2),
        @oid1 int,
        @oid2 int,
        @oid3 int,
        @oid4 int,
        @oid5 int,
        @oid6 int,
        @oid7 int,
        @oid8 int,
        @oid9 int,
        @oid10 int,
        @delaytime varchar(30)
-----
-- uniform random delay of 0 - 1 second; avg = 0.50
-----
SELECT @delaytime = '00:00:0' + CAST(CAST((RAND()*1.00) AS decimal(4,3)) AS
char(5))
WAITFOR delay @delaytime
SELECT 3001, 3001, 3001, 3001, 3001, 3001, 3001, 3001, 3001, 3001
GO
CREATE PROCEDURE tpcc_neworder
    @w_id int,
    @d_id tinyint,
    @c_id int,
    @o_ol_cnt tinyint,
    @o_all_local tinyint,
    @i_id1 int = 0, @s_w_id1 int = 0, @ol_qty1 smallint = 0,
    @i_id2 int = 0, @s_w_id2 int = 0, @ol_qty2 smallint = 0,
    @i_id3 int = 0, @s_w_id3 int = 0, @ol_qty3 smallint = 0,

```

```

        @i_id4 int = 0, @s_w_id4 int = 0, @ol_qty4 smallint = 0,
        @i_id5 int = 0, @s_w_id5 int = 0, @ol_qty5 smallint = 0,
        @i_id6 int = 0, @s_w_id6 int = 0, @ol_qty6 smallint = 0,
        @i_id7 int = 0, @s_w_id7 int = 0, @ol_qty7 smallint = 0,
        @i_id8 int = 0, @s_w_id8 int = 0, @ol_qty8 smallint = 0,
        @i_id9 int = 0, @s_w_id9 int = 0, @ol_qty9 smallint = 0,
        @i_id10 int = 0, @s_w_id10 int = 0, @ol_qty10 smallint = 0,
        @i_id11 int = 0, @s_w_id11 int = 0, @ol_qty11 smallint = 0,
        @i_id12 int = 0, @s_w_id12 int = 0, @ol_qty12 smallint = 0,
        @i_id13 int = 0, @s_w_id13 int = 0, @ol_qty13 smallint = 0,
        @i_id14 int = 0, @s_w_id14 int = 0, @ol_qty14 smallint = 0,
        @i_id15 int = 0, @s_w_id15 int = 0, @ol_qty15 smallint = 0

AS
DECLARE @w_tax          numeric(4,4),
        @d_tax          numeric(4,4),
        @c_last         char(16),
        @c_credit       char(2),
        @c_discount     numeric(4,4),
        @i_price        numeric(5,2),
        @i_name         char(24),
        @o_entry_d      datetime,
        @li_no          int,
        @o_id           int,
        @commit_flag    tinyint,
        @li_id          int,
        @li_qty         smallint,
        @delaytime      varchar(30)

BEGIN
-----
-- uniform random delay of 0 - 0.6 second; avg = 0.3
-----
SELECT @delaytime = '00:00:0' + CAST(CAST((RAND()*0.60) AS decimal(4,3)) AS
char(5))

WAITFOR delay @delaytime

-----
-- process orderlines
-----
SELECT @commit_flag = 1,
       @li_no       = 0

WHILE (@li_no < @o_ol_cnt)
BEGIN
    SELECT @li_id = CASE @li_no
        WHEN 1 THEN @i_id1
        WHEN 2 THEN @i_id2
        WHEN 3 THEN @i_id3
        WHEN 4 THEN @i_id4
        WHEN 5 THEN @i_id5
        WHEN 6 THEN @i_id6
        WHEN 7 THEN @i_id7
        WHEN 8 THEN @i_id8
        WHEN 9 THEN @i_id9
        WHEN 10 THEN @i_id10
        WHEN 11 THEN @i_id11
        WHEN 12 THEN @i_id12
        WHEN 13 THEN @i_id13
        WHEN 14 THEN @i_id14
        WHEN 15 THEN @i_id15

```

```

        END
        SELECT @li_no      = @li_no + 1
        SELECT @i_price    = 23.45, @li_qty = @li_no
        IF (@li_id = 999999)
        BEGIN
            SELECT ',0,',0,0
            SELECT @commit_flag = 0
        END
        ELSE
        BEGIN
            SELECT 'Item Name blah',
                  17,
                  'G',
                  @i_price,
                  @i_price * @li_qty
        END
    END
END

-----
-- return order data to client
-----
SELECT @w_tax      = 0.1234,
       @d_tax      = 0.0987,
       @o_id       = 3001,
       @c_last     = 'BAROUGHTABLE',
       @c_discount = 0.2198,
       @c_credit   = 'GC',
       @o_entry_d  = GETDATE()

SELECT @w_tax,
       @d_tax,
       @o_id,
       @c_last,
       @c_discount,
       @c_credit,
       @o_entry_d,
       @commit_flag

END
GO

CREATE PROCEDURE tpcc_orderstatus
    @w_id int,
    @d_id tinyint,
    @c_id int,
    @c_last char(16) = ''

AS
DECLARE @c_balance numeric(12,2),
        @c_first   char(16),
        @c_middle  char(2),
        @o_id      int,
        @o_entry_d datetime,
        @o_carrier_id smallint,
        @ol_cnt    smallint,
        @delaytime varchar(30)

```

```

-- uniform random delay of 0 - 0.2 second; avg = 0.1
-----
SELECT @delaytime = '00:00:0' + CAST(CAST((RAND()*0.20) AS decimal(4,3)) AS
char(5))

WAITFOR delay @delaytime

SELECT @c_id = 113,
@c_balance = -10.00,
@c_first = '8YCodgytqCj8',
@c_middle = 'OE',
@c_last = 'OUGHTOUGHTABLE',
@o_id = 3456,
@o_entry_d = GETDATE(),
@o_carrier_id = 1

SELECT @ol_cnt = (RAND() * 11) + 5

SET ROWCOUNT @ol_cnt

SELECT ol_supply_w_id,
ol_i_id,
ol_quantity,
ol_amount,
ol_delivery_d
FROM order_line_null

SELECT @c_id,
@c_last,
@c_first,
@c_middle,
@o_entry_d,
@o_carrier_id,
@c_balance,
@o_id

GO

CREATE PROCEDURE tpcc_payment
@w_id int,
@c_w_id int,
@h_amount numeric(6,2),
@d_id tinyint,
@c_d_id tinyint,
@c_id int,
@c_last char(16) = ''

AS
DECLARE @w_street_1 char(20),
@w_street_2 char(20),
@w_city char(20),
@w_state char(2),
@w_zip char(9),
@w_name char(10),
@d_street_1 char(20),
@d_street_2 char(20),
@d_city char(20),
@d_state char(2),
@d_zip char(9),
@d_name char(10),
@c_first char(16),
@c_middle char(2),
@c_street_1 char(20),
@c_street_2 char(20),

```

```

@c_city char(20),
@c_state char(2),
@c_zip char(9),
@c_phone char(16),
@c_since datetime,
@c_credit char(2),
@c_credit_lim numeric(12,2),
@c_balance numeric(12,2),
@c_discount numeric(4,4),
@data char(500),
@c_data char(500),
@datetime datetime,
@w_ytd numeric(12,2),
@d_ytd numeric(12,2),
@cnt smallint,
@val smallint,
@screen_data char(200),
@d_id_local tinyint,
@w_id_local int,
@c_id_local int,
@delaytime varchar(30)

```

```

-----
-- uniform random delay of 0 - 0.3 second; avg = 0.15
-----
SELECT @delaytime = '00:00:0' + CAST(CAST((RAND()*0.20) AS decimal(4,3)) AS
char(5))

WAITFOR delay @delaytime

SELECT @screen_data = ''

-----
-- get customer info and update balances
-----
SELECT @d_street_1 = 'rqSHHakqyV',
@d_street_2 = 'zZ98nW3BR2s',
@d_city = 'ArNr4GNFV9',
@d_state = 'aV',
@d_zip = '453511111'

-----
-- get warehouse data and update year-to-date
-----
SELECT @w_street_1 = 'rqSHHakqyV',
@w_street_2 = 'zZ98nW3BR2s',
@w_city = 'ArNr4GNFV9',
@w_state = 'aV',
@w_zip = '453511111'

SELECT @c_id = 123,
@c_balance = -10000.00,
@c_first = 'KmR03Xureb',
@c_middle = 'OE',
@c_last = 'BAROUGHTBAR',
@c_street_1 = 'QpGdOHjv8mR9vNI8V',
@c_street_2 = 'dzKoCOBqgbC3yu',
@c_city = 'zAKZXdC037FQxq',
@c_state = 'QA',
@c_zip = '700311111',
@c_phone = '2967264064528555',
@c_credit = 'GC',
@c_credit_lim = 50000.00,

```

```

        @c_discount = 0.3069,
        @c_since = GETDATE(),
        @datetime = GETDATE()

-----
-- return data to client
-----
SELECT @c_id,
       @c_last,
       @datetime,
       @w_street_1,
       @w_street_2,
       @w_city,
       @w_state,
       @w_zip,
       @d_street_1,
       @d_street_2,
       @d_city,
       @d_state,
       @d_zip,
       @c_first,
       @c_middle,
       @c_street_1,
       @c_street_2,
       @c_city,
       @c_state,
       @c_zip,
       @c_phone,
       @c_since,
       @c_credit,
       @c_credit_lim,
       @c_discount,
       @c_balance,
       @screen_data

GO

CREATE PROCEDURE tpcc_stocklevel
    @w_id int,
    @d_id tinyint,
    @threshold smallint
AS
DECLARE @delaytime varchar(30)

-----
-- uniform random delay of 0 - 3.6 second; avg = 1.8
-----
SELECT @delaytime = '00:00:0' + CAST(CAST((RAND()*0.20) AS decimal(4,3)) AS
char(5))

WAITFOR delay @delaytime

SELECT 49
GO

CREATE PROCEDURE tpcc_version
AS
DECLARE @version char(8)
BEGIN
    SELECT @version = '4.10.000'

    SELECT @version AS 'Version'

```

```

END
GO

CREATE TABLE order_line_null (
    [ol_i_id] [int] NOT NULL ,
    [ol_supply_w_id] [int] NOT NULL ,
    [ol_delivery_d] [datetime] NOT NULL ,
    [ol_quantity] [smallint] NOT NULL ,
    [ol_amount] [numeric](6, 2) NOT NULL
) ON [PRIMARY]
GO

INSERT INTO order_line_null VALUES ( 101, 1, GETDATE(), 1, 123.45 )
INSERT INTO order_line_null VALUES ( 102, 1, GETDATE(), 2, 123.45 )
INSERT INTO order_line_null VALUES ( 103, 1, GETDATE(), 3, 123.45 )
INSERT INTO order_line_null VALUES ( 104, 1, GETDATE(), 4, 123.45 )
INSERT INTO order_line_null VALUES ( 105, 1, GETDATE(), 5, 123.45 )
INSERT INTO order_line_null VALUES ( 106, 1, GETDATE(), 1, 123.45 )
INSERT INTO order_line_null VALUES ( 107, 1, GETDATE(), 2, 123.45 )
INSERT INTO order_line_null VALUES ( 108, 1, GETDATE(), 3, 123.45 )
INSERT INTO order_line_null VALUES ( 109, 1, GETDATE(), 4, 123.45 )
INSERT INTO order_line_null VALUES ( 110, 1, GETDATE(), 5, 123.45 )
INSERT INTO order_line_null VALUES ( 111, 1, GETDATE(), 1, 123.45 )
INSERT INTO order_line_null VALUES ( 112, 1, GETDATE(), 2, 123.45 )
INSERT INTO order_line_null VALUES ( 113, 1, GETDATE(), 3, 123.45 )
INSERT INTO order_line_null VALUES ( 114, 1, GETDATE(), 4, 123.45 )
INSERT INTO order_line_null VALUES ( 115, 1, GETDATE(), 5, 123.45 )
GO

```

ordstat.sql

```

-----
-- File: ORDSTAT.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2006
--
-- Creates order status stored procedure
--
-- Interface Level: 4.20.000
-----
SET QUOTED_IDENTIFIER OFF
GO

SET ANSI_NULLS ON
GO

USE tpcc
GO

IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_orderstatus' )
    DROP PROCEDURE tpcc_orderstatus
GO

CREATE PROCEDURE tpcc_orderstatus
    @w_id int,
    @d_id tinyint,

    @c_id int,
    @c_last char(16) = ''

```

```

AS
DECLARE @c_balance    money,
        @c_first      char(16),
        @c_middle     char(2),
        @o_id         int,
        @o_entry_d    datetime,
        @o_carrier_id smallint,
        @cnt          smallint

BEGIN TRANSACTION o
IF (@c_id = 0)
BEGIN
    -----
    -- get customer id and info using last name
    -----
    SELECT @cnt = (count(*)+1)/2
    FROM   customer WITH (repeatableread)
    WHERE  c_last = @c_last AND
           c_w_id = @w_id AND
           c_d_id = @d_id

    SET    rowcount @cnt

    SELECT @c_id      = c_id,
           @c_balance = c_balance,
           @c_first   = c_first,
           @c_last    = c_last,
           @c_middle  = c_middle
    FROM   customer WITH (repeatableread)
    WHERE  c_last     = @c_last AND
           c_w_id     = @w_id AND
           c_d_id     = @d_id
    ORDER BY c_w_id, c_d_id, c_last, c_first

    SET rowcount 0
END
ELSE
BEGIN
    -----
    -- get customer info if by id
    -----
    SELECT @c_balance = c_balance,
           @c_first   = c_first,
           @c_middle  = c_middle,
           @c_last    = c_last
    FROM   customer WITH (repeatableread)
    WHERE  c_id       = @c_id AND
           c_d_id     = @d_id AND
           c_w_id     = @w_id

    SELECT @cnt = @@rowcount
END

-----
-- if no such customer
-----
IF (@cnt = 0)
BEGIN
    RAISERROR('Customer not found',18,1)
    GOTO custnotfound
END

-----

```

```

-- get order info
-----
SELECT @o_id      = o_id,
       @o_entry_d = o_entry_d,
       @o_carrier_id = o_carrier_id
FROM   orders WITH (serializable)
WHERE  o_c_id     = @c_id AND
       o_d_id     = @d_id AND
       o_w_id     = @w_id
ORDER  BY o_id ASC

-----
-- select order lines for the current order
-----
SELECT ol_supply_w_id,
       ol_i_id,
       ol_quantity,
       ol_amount,
       ol_delivery_d
FROM   order_line WITH (repeatableread)
WHERE  ol_o_id = @o_id AND
       ol_d_id = @d_id AND
       ol_w_id = @w_id

custnotfound:

COMMIT TRANSACTION o

-----
-- return data to client
-----
SELECT @c_id,
       @c_last,
       @c_first,
       @c_middle,
       @o_entry_d,
       @o_carrier_id,
       @c_balance,
       @o_id
GO

```

payment.sql

```

--
-- File:      PAYMENT.SQL
--           Microsoft TPC-C Benchmark Kit Ver. 4.68
--           Copyright Microsoft, 2006
--
--           Creates payment stored procedure
--
--           Interface Level:      4.20.000
--
-----
SET QUOTED_IDENTIFIER OFF
GO

SET ANSI_NULLS ON
GO

USE tpcc
GO

```



```

IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_payment' )
    DROP PROCEDURE tpcc_payment
GO

CREATE PROCEDURE    tpcc_payment
    @w_id            int,
    @c_w_id          int,
    @h_amount        smallmoney,
    @d_id            tinyint,
    @c_d_id          tinyint,
    @c_id            int,
    @c_last          char(16) = ""

AS
DECLARE @w_street_1 char(20),
        @w_street_2 char(20),
        @w_city      char(20),
        @w_state     char(2),
        @w_zip       char(9),
        @w_name      char(10),
        @d_street_1 char(20),
        @d_street_2 char(20),
        @d_city      char(20),
        @d_state     char(2),
        @d_zip       char(9),
        @d_name      char(10),
        @c_first     char(16),
        @c_middle    char(2),
        @c_street_1 char(20),
        @c_street_2 char(20),
        @c_city      char(20),
        @c_state     char(2),
        @c_zip       char(9),
        @c_phone     char(16),
        @c_since     datetime,
        @c_credit    char(2),
        @c_credit_lim money,
        @c_balance  money,
        @c_discount smallmoney,
        @c_data     char(42),
        @datetime   datetime,
        @w_ytd      money,
        @d_ytd      money,
        @cnt        smallint,
        @val        smallint,
        @screen_data char(200),
        @d_id_local tinyint,
        @w_id_local int,
        @c_id_local int

SELECT @screen_data = ""

BEGIN TRANSACTION p
-- get payment date
SELECT @datetime = GETDATE()

IF (@c_id = 0)
BEGIN
-- get customer id and info using last name
SELECT @cnt = COUNT(*)
FROM customer WITH (repeatableread)
WHERE c_last = @c_last AND

```

```

        c_w_id = @c_w_id AND
        c_d_id = @c_d_id

SELECT @val = (@cnt + 1) / 2

SET rowcount @val

SELECT @c_id = c_id
FROM customer WITH (repeatableread)
WHERE c_last = @c_last AND
        c_w_id = @c_w_id AND
        c_d_id = @c_d_id

ORDER BY c_last, c_first

SET rowcount 0

END

-- get customer info and update balances
UPDATE customer
SET @c_balance = c_balance - @h_amount,
    c_payment_cnt = c_payment_cnt + 1,
    c_ytd_payment = c_ytd_payment + @h_amount,
    @c_first = c_first,
    @c_middle = c_middle,
    @c_last = c_last,
    @c_street_1 = c_street_1,
    @c_street_2 = c_street_2,
    @c_city = c_city,
    @c_state = c_state,
    @c_zip = c_zip,
    @c_phone = c_phone,
    @c_credit = c_credit,
    @c_credit_lim = c_credit_lim,
    @c_discount = c_discount,
    @c_since = c_since,
    @c_id_local = c_id
WHERE c_id = @c_id AND
        c_w_id = @c_w_id AND
        c_d_id = @c_d_id

-- if customer has bad credit get some more info
IF (@c_credit = "BC")
BEGIN
-- compute new info
SELECT @c_data = convert(char(5),@c_id) +
                convert(char(4),@c_d_id) +
                convert(char(5),@c_w_id) +
                convert(char(4),@d_id) +
                convert(char(5),@w_id) +
                convert(char(19),@h_amount)

-- update customer info
UPDATE customer
SET c_data = @c_data + substring(c_data, 1, 458),
    @screen_data = @c_data + substring(c_data, 1, 158)

WHERE c_id = @c_id AND
        c_w_id = @c_w_id AND
        c_d_id = @c_d_id

END

-- get district data and update year-to-date

```

```

UPDATE district
SET   d_ytd      = d_ytd + @h_amount,
      @d_street_1 = d_street_1,
      @d_street_2 = d_street_2,
      @d_city     = d_city,
      @d_state   = d_state,
      @d_zip     = d_zip,
      @d_name    = d_name,
      @d_id_local = d_id
WHERE d_w_id   = @w_id AND
      d_id     = @d_id

-- get warehouse data and update year-to-date
UPDATE warehouse
SET   w_ytd      = w_ytd + @h_amount,
      @w_street_1 = w_street_1,
      @w_street_2 = w_street_2,
      @w_city     = w_city,
      @w_state   = w_state,
      @w_zip     = w_zip,
      @w_name    = w_name,
      @w_id_local = w_id
WHERE w_id     = @w_id

-- create history record
INSERT INTO      history VALUES (@c_id_local,
                                @c_d_id,
                                @c_w_id,
                                @d_id_local,
                                @w_id_local,
                                @datetime,
                                @h_amount,
                                @w_name + ' ' + @d_name)

COMMIT TRANSACTION p

-- return data to client
SELECT @c_id,
       @c_last,
       @datetime,
       @w_street_1,
       @w_street_2,
       @w_city,
       @w_state,
       @w_zip,
       @d_street_1,
       @d_street_2,
       @d_city,
       @d_state,
       @d_zip,
       @c_first,
       @c_middle,
       @c_street_1,
       @c_street_2,
       @c_city,
       @c_state,
       @c_zip,
       @c_phone,
       @c_since,
       @c_credit,
       @c_credit_lim,
       @c_discount,
       @c_balance,

```

```

GO
@screen_data

SET QUOTED_IDENTIFIER OFF
GO

SET ANSI_NULLS ON
GO

-----
stocklev.sql
-----
--
-- File:      STOCKLEV.SQL
-- Microsoft TPC-C Benchmark Kit Ver. 4.68
-- Copyright Microsoft, 2006
--
-- Creates stock level stored procedure
--
-- Interface Level:      4.20.000
--
-----
SET QUOTED_IDENTIFIER OFF
GO

SET ANSI_NULLS ON
GO

USE tpcc
GO

IF EXISTS ( SELECT name FROM sysobjects WHERE name = 'tpcc_stocklevel' )
DROP PROCEDURE tpcc_stocklevel
GO

CREATE PROCEDURE      tpcc_stocklevel
                    @w_id      int,
                    @d_id      tinyint,
                    @threshold smallint

AS
DECLARE @o_id_low int,
        @o_id_high int

SELECT @o_id_low = (d_next_o_id - 20),
       @o_id_high = (d_next_o_id - 1)
FROM   district
WHERE  d_w_id = @w_id AND
       d_id   = @d_id

SELECT COUNT(DISTINCT(s_i_id))
FROM   stock,
       order_line
WHERE  ol_w_id = @w_id AND
       ol_d_id = @d_id and
       ol_o_id BETWEEN @o_id_low AND
                    @o_id_high AND
       s_w_id = ol_w_id AND
       s_i_id = ol_i_id AND
       s_quantity < @threshold

OPTION(ORDER GROUP)
GO

```

```

SET QUOTED_IDENTIFIER OFF
GO

SET ANSI_NULLS ON
GO

```

getargs.c

```

//      File:                GETARGS.C
//
//      Microsoft TPC-C Kit Ver. 4.51
//      Copyright Microsoft, 1996, 1997, 1998, 1999,
2000, 2001, 2002, 2003
//      Purpose: Source file for command line processing

// Includes
#include "tpcc.h"

//=====
//
// Function name: GetArgsLoader
//
//=====

void GetArgsLoader(int argc, char **argv, TPCCLDR_ARGS *pargs)
{
    int            i;
    char *ptr;

#ifdef DEBUG
    printf("[%ld]DBG: Entering GetArgsLoader()\n", (int) GetCurrentThreadId());
#endif

    /* init args struct with some useful values */
    pargs->server      = SERVER;
    pargs->user        = USER;
    pargs->password    = PASSWORD;
    pargs->database    = DATABASE;
    pargs->batch       = BATCH;
    pargs->num_warehouses = UNDEF;
    pargs->tables_all  = TRUE;
    pargs->table_item  = FALSE;
    pargs->table_warehouse = FALSE;
    pargs->table_customer = FALSE;
    pargs->table_orders = FALSE;
    pargs->loader_res_file = LOADER_RES_FILE;
    pargs->log_path      = LOADER_LOG_PATH;
    pargs->pack_size     = DEFLDPACKSIZE;
    pargs->starting_warehouse = DEF_STARTING_WAREHOUSE;
    pargs->build_index   = BUILD_INDEX;
    pargs->index_order   = INDEX_ORDER;
    pargs->index_script_path = INDEX_SCRIPT_PATH;
    pargs->scale_down    = SCALE_DOWN;

    /* check for zero command line args */
    if ( argc == 1 )
        GetArgsLoaderUsage();

    for (i = 1; i < argc; ++i)
    {
        if (argv[i][0] != '-' && argv[i][0] != '/')

```

```

    {
        printf("\nUnrecognized command");
        GetArgsLoaderUsage();
        exit(1);
    }

    ptr = argv[i];

    switch (ptr[1])
    {
        case '?': /* Fall through */
            GetArgsLoaderUsage();
            break;

        case 'D':
            pargs->database = ptr+2;
            break;

        case 'P':
            pargs->password = ptr+2;
            break;

        case 'S':
            pargs->server = ptr+2;
            break;

        case 'U':
            pargs->user = ptr+2;
            break;

        case 'b':
            pargs->batch = atol(ptr+2);
            break;

        case 'W':
            pargs->num_warehouses = atol(ptr+2);
            break;

        case 's':
            pargs->starting_warehouse = atol(ptr+2);
            break;

        case 't':
            {
                pargs->tables_all = FALSE;
                if (strcmp(ptr+2,"item") == 0)
                    pargs->table_item =
TRUE;
                else if (strcmp(ptr+2,"warehouse")
== 0)
                    pargs->table_warehouse =
TRUE;
                else if (strcmp(ptr+2,"customer")
== 0)
                    pargs->table_customer =
TRUE;
                else if (strcmp(ptr+2,"orders") ==
0)
                    pargs->table_orders =
TRUE;
                else
                {
                    printf("\nUnrecognized command");

```

```

        GetArgsLoaderUsage();
        exit(1);
    }
    break;
}

case 'f':
    pargs->loader_res_file = ptr+2;
    break;

case 'L':
    pargs->log_path = ptr+2;
    break;

case 'p':
    pargs->pack_size = atol(ptr+2);
    break;

case 'i':
    pargs->build_index = atol(ptr+2);
    break;

case 'o':
    pargs->index_order = atol(ptr+2);
    break;

case 'c':
    pargs->scale_down = atol(ptr+2);
    break;

case 'd':
    pargs->index_script_path = ptr+2;
    break;

default:
    GetArgsLoaderUsage();
    exit(-1);
    break;
}

/* check for required args */
if (pargs->num_warehouses == UNDEF )
{
    printf("Number of Warehouses is required\n");
    exit(-2);
}

return;
}

//=====
//
// Function name: GetArgsLoaderUsage
//
//=====

void GetArgsLoaderUsage()
{
#ifdef DEBUG

```

```

    printf("[%ld]DBG: Entering GetArgsLoaderUsage()\n", (int) GetCurrentThreadId());
#endif

    printf("TPCCCLDR:\n\n");
    printf("Parameter                                     Default\n");
    printf("-----\n");
    printf("-W Number of Warehouses to Load                Required \n");
    printf("-S Server                                         %s\n", SERVER);
    printf("-U Username                                       %s\n", USER);
    printf("-P Password                                       %s\n", PASSWORD);
    printf("-D Database                                       %s\n", DATABASE);
    printf("-b Batch Size                                     %ld\n",
(long) BATCH);
    printf("-p TDS packet size                               %ld\n",
(long) DEFPLDPACKSIZE);
    printf("-L Loader BCP Log Path                           %s\n",
LOADER_LOG_PATH);
    printf("-f Loader Results Output Filename               %s\n",
LOADER_RES_FILE);
    printf("-s Starting Warehouse                           %ld\n",
(long) DEF_STARTING_WAREHOUSE);
    printf("-i Build Option (data = 0, data and index = 1)   %ld\n",
(long) BUILD_INDEX);
    printf("-o Cluster Index Build Order (before = 1, after = 0) %ld\n",
(long) INDEX_ORDER);
    printf("-c Build Scaled Database (normal = 0, tiny = 1)   %ld\n",
(long) SCALE_DOWN);
    printf("-d Index Script Path                             %s\n",
INDEX_SCRIPT_PATH);
    printf("-t Table to Load                                 all tables\n");
    printf(" [item|warehouse|customer|orders]\n");
    printf(" Notes: \n");
    printf(" - the '-t' parameter may be included multiple times to \n");
    printf(" specify multiple tables to be loaded \n");
    printf(" - 'item' loads ITEM table \n");
    printf(" - 'warehouse' loads WAREHOUSE, DISTRICT, and STOCK tables \n");
    printf(" - 'customer' loads CUSTOMER and HISTORY tables \n");
    printf(" - 'orders' load NEW-ORDER, ORDERS, ORDER-LINE tables \n");

    printf("\nNote: Command line switches are case sensitive.\n");

    exit(0);
}

```

random.c

```

// File: RANDOM.C
// Microsoft TPC-C Kit Ver. 4.62
// Copyright Microsoft, 1996, 1997, 1998, 1999,
// 2000, 2001, 2002, 2005
// Purpose: Random number generation routines for database loader

// Includes
#include "tpcc.h"
#include "math.h"

```

```

// Defines
#define A      16807
#define M      2147483647
#define Q      127773 /* M div A */
#define R      2836 /* M mod A */
#define Thread __declspec(thread)

// Globals
long Thread Seed = 0; /* thread local seed */

/*****
 *
 * random -
 * Implements a GOOD pseudo random number generator. This generator
 * will/should? run the complete period before repeating.
 *
 * Copied from:
 * Random Numbers Generators: Good Ones Are Hard to Find.
 * Communications of the ACM - October 1988 Volume 31 Number 10
 *
 * Machine Dependencies:
 * long must be 2 ^ 31 - 1 or greater.
 *
 *****/

/*****
 * seed - load the Seed value used in irand and drand. Should be used before
 * first call to irand or drand.
 *****/

void seed(long val)
{
#ifdef DEBUG
    printf("[%d]DBG: Entering seed()...\n", (int) GetCurrentThreadId());
    printf("Old Seed %ld New Seed %ld\n",Seed, val);
#endif

    if ( val < 0 )
        val = abs(val);

    Seed = val;
}

/*****
 *
 * irand - returns a 32 bit integer pseudo random number with a period of
 * 1 to 2 ^ 32 - 1.
 *
 * parameters:
 * none.
 *
 * returns:
 * 32 bit integer - defined as long ( see above ).
 *
 * side effects:
 * seed get recomputed.
 *****/

long irand()
{

```

```

    register long s; /* copy of seed */
    register long test; /* test flag */
    register long hi; /* tmp value for speed */
    register long lo; /* tmp value for speed */

#ifdef DEBUG
    printf("[%d]DBG: Entering irand()...\n", (int) GetCurrentThreadId());
#endif

    s = Seed;
    hi = s / Q;
    lo = s % Q;

    test = A * lo - R * hi;
    if ( test > 0 )

        Seed = test;
    else
        Seed = test + M;

    return( Seed );
}

/*****
 *
 * drand - returns a double pseudo random number between 0.0 and 1.0.
 * See irand.
 *****/

double drand()
{
#ifdef DEBUG
    printf("[%d]DBG: Entering drand()...\n", (int) GetCurrentThreadId());
#endif

    return( (double)irand() / 2147483647.0);
}

//=====
// Function : RandomNumber
//
// Description:
//=====
long RandomNumber(long lower, long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%d]DBG: Entering RandomNumber()...\n", (int) GetCurrentThreadId());
#endif

    if ( upper == lower ) /* pgd 08-13-96 perf enhancement */
        return lower;

    upper++;

    if ( upper <= lower )
        rand_num = upper;
    else
        rand_num = lower + irand() % (upper - lower); /* pgd 08-13-96
perf enhancement */
}

```

```

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
           (int) GetCurrentThreadId(), lower, upper,
           rand_num);
#endif

return rand_num;
}

#if 0
//Original code pgd 08/13/96

long RandomNumber(long lower,
                  long upper)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering RandomNumber()...\n", (int) GetCurrentThreadId());
#endif

    upper++;

    if ((upper <= lower))
        rand_num = upper;
    else
        rand_num = lower + irand() % ((upper > lower) ? upper - lower :
upper);

#ifdef DEBUG
    printf("[%ld]DBG: RandomNumber between %ld & %ld ==> %ld\n",
           (int) GetCurrentThreadId(), lower, upper,
           rand_num);
#endif

    return rand_num;
}
#endif

//=====
// Function : NURand
//
// Description:
//=====
long NURand(int iConst,
            long x,
            long y,
            long C)
{
    long rand_num;

#ifdef DEBUG
    printf("[%ld]DBG: Entering NURand()...\n", (int) GetCurrentThreadId());
#endif

    rand_num = (((RandomNumber(0,iConst) | RandomNumber(x,y)) + C) % (y-x+1))+x;

```

```

#ifdef DEBUG
    printf("[%ld]DBG: NURand: num = %d\n", (int) GetCurrentThreadId(), rand_num);
#endif

return rand_num;
}

```

strings.c

```

// File: STRINGS.C
//
// Microsoft TPC-C Kit Ver. 4.51
// Copyright Microsoft, 1996, 1997, 1998, 1999,
// 2000, 2001, 2002, 2003
// Purpose: Source file for database loader string functions

// Includes
#include "tpcc.h"
#include <string.h>
#include <ctype.h>

//=====
//
// Function name: MakeAddress
//
//=====

void MakeAddress(char *street_1,
                 char *street_2,
                 char *city,
                 char *state,
                 char *zip)
{
#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAddress()\n", (int) GetCurrentThreadId());
#endif

    MakeAlphaString (10, 20, ADDRESS_LEN, street_1);
    MakeAlphaString (10, 20, ADDRESS_LEN, street_2);
    MakeAlphaString (10, 20, ADDRESS_LEN, city);
    MakeAlphaString ( 2,  2, STATE_LEN, state);
    MakeZipNumberString( 9,  9, ZIP_LEN, zip);

#ifdef DEBUG
    printf("[%ld]DBG: MakeAddress: street_1: %s, street_2: %s, city: %s, state: %s,
zip: %s\n",
           (int) GetCurrentThreadId(), street_1, street_2, city,
           state, zip);
#endif

return;
}

//=====
//
// Function name: LastName
//

```

```

//=====
void LastName(int num, char *name)
{
    static char *n[] =
    {
        "BAR" , "OUGHT" , "ABLE" , "PRI" , "PRES" ,
        "ESE" , "ANTI" , "CALLY" , "ATION" , "EING"
    };

#ifdef DEBUG
    printf("[%ld]DBG: Entering LastName()\n", (int) GetCurrentThreadId());
#endif

    if ((num >= 0) && (num < 1000))
    {
        strcpy(name, n[(num/100)%10]);
        strcat(name, n[(num/10)%10]);
        strcat(name, n[(num/1)%10]);

        if (strlen(name) < LAST_NAME_LEN)
        {
            PaddString(LAST_NAME_LEN, name);
        }
    }
    else
    {
        printf("\nError in LastName()... num <%ld> out of range
(0,999)\n", num);
        exit(-1);
    }

#ifdef DEBUG
    printf("[%ld]DBG: LastName: num = [%d] ==> [%d][%d][%d]\n",
(int) GetCurrentThreadId(), num, num/100, (num/10)%10,
num%10);
    printf("[%ld]DBG: LastName: String = %s\n", (int) GetCurrentThreadId(),
name);
#endif

    return;
}

//=====
//
// Function name: MakeAlphaString
//
//=====

//philipdu 08/13/96 Changed MakeAlphaString to use A-Z, a-z, and 0-9 in
//accordance with spec see below:
//The spec says:
//4.3.2.2 The notation random a-string [x .. y]
//(respectively, n-string [x .. y]) represents a string of random alphanumeric
//(respectively, numeric) characters of a random length of minimum x, maximum y,
//and mean (y+x)/2. Alphanumerics are A..Z, a..z, and 0..9. The only other
//requirement is that the character set used "must be able to represent a minimum
//of 128 different characters". We are using 8-bit chars, so this is a non issue.

```

```

//It is completely unreasonable to stuff non-printing chars into the text fields.
//-CLevine 08/13/96

int MakeAlphaString( int x, int y, int z, char *str)
{
    int len;
    int i;
    char cc = 'a';
    static char chArray[] =
"0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz";
    static int chArrayMax = 61;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAlphaString()\n", (int) GetCurrentThreadId());
#endif

    len= RandomNumber(x, y);

    for (i=0; i<len; i++)
        str[i] = chArray[RandomNumber(0,chArrayMax)];
    str[len] = 0;

    return len;
}

int MakeAlphaStringPadded( int minLen, int maxLen, int padLen, char *str)
{
    int len;
    int i;
    char cc = 'a';
    static char chArray[] =
"0123456789ABCDEFGHIJKLMNOPQRSTUVWXYZabcdefghijklmnopqrstuvwxyz";
    static int chArrayMax = 61;

#ifdef DEBUG
    printf("[%ld]DBG: Entering MakeAlphaStringPadded()\n", (int)
GetCurrentThreadId());
#endif

    len= RandomNumber(minLen, maxLen);

    for (i=0; i<len; i++)
        str[i] = chArray[RandomNumber(0,chArrayMax)];
    if (len < padLen)
        memset(str+len, ' ', padLen - len);
    str[padLen] = 0;
    return padLen;
}

//=====
//
// Function name: MakeOriginalAlphaString
//
//=====

int MakeOriginalAlphaString(int x, int y,
char *str,
int z,
int percent)
{

```

```

int len;
int val;
int start;

#ifdef DEBUG
printf("[%ld]DBG: Entering MakeOriginalAlphaString()\n", (int)
GetCurrentThreadId());
#endif

// verify percentage is valid
if ((percent < 0) || (percent > 100))
{
printf("MakeOriginalAlphaString: Invalid percentage: %d\n",
percent);
exit(-1);
}

// verify string is at least 8 chars in length
if (x < 8)
{
printf("MakeOriginalAlphaString: string length must be >= 8\n");
exit(-1);
}

// Make Alpha String
len = MakeAlphaString(x,y, z, str);

val = RandomNumber(1,100);
if (val <= percent)
{
start = RandomNumber(0, len - 8);
strncpy(str + start, "ORIGINAL", 8);
}

#ifdef DEBUG
printf("[%ld]DBG: MakeOriginalAlphaString: : %s\n",
(int) GetCurrentThreadId(), str);
#endif

return len;
}

//=====
//
// Function name: MakeNumberString
//
//=====
int MakeNumberString(int x, int y, int z, char *str)
{
char tmp[16];

//MakeNumberString is always called MakeZipNumberString(16, 16, 16,
string)

memset(str, '0', 16);
itoa(RandomNumber(0, 99999999), tmp, 10);
memcpy(str, tmp, strlen(tmp));

itoa(RandomNumber(0, 99999999), tmp, 10);
memcpy(str+8, tmp, strlen(tmp));

```

```

str[16] = 0;

return 16;
}

//=====
//
// Function name: MakeZipNumberString
//
//=====
int MakeZipNumberString(int x, int y, int z, char *str)
{
char tmp[16];

//MakeZipNumberString is always called MakeZipNumberString(9, 9, 9,
string)

strcpy(str, "000011111");

itoa(RandomNumber(0, 9999), tmp, 10);
memcpy(str, tmp, strlen(tmp));

return 9;
}

//=====
//
// Function name: InitString
//
//=====
void InitString(char *str, int len)
{
#ifdef DEBUG
printf("[%ld]DBG: Entering InitString()\n", (int) GetCurrentThreadId());
#endif

memset(str, ' ', len);
str[len] = 0;
}

//=====
// Function name: InitAddress
//
// Description:
//
//=====
void InitAddress(char *street_1, char *street_2, char *city, char *state, char *zip)
{
memset(street_1, ' ', ADDRESS_LEN+1);
memset(street_2, ' ', ADDRESS_LEN+1);
memset(city, ' ', ADDRESS_LEN+1);

street_1[ADDRESS_LEN+1] = 0;
street_2[ADDRESS_LEN+1] = 0;
city[ADDRESS_LEN+1] = 0;

memset(state, ' ', STATE_LEN+1);
state[STATE_LEN+1] = 0;

```



```

        memset(zip, ' ', ZIP_LEN+1);
        zip[ZIP_LEN+1] = 0;
    }

//=====
//
// Function name: PaddString
//
//=====

void PaddString(int max, char *name)
{
    int            len;

    len = strlen(name);
    if ( len < max )
        memset(name+len, ' ', max - len);
    name[max] = 0;

    return;
}

```

time.c

```

//      File:            TIME.C
//
//      Microsoft TPC-C Kit Ver. 4.62
//      Copyright Microsoft, 1996, 1997, 1998, 1999,
//      2000, 2001, 2002, 2005
//      Purpose: Source file for time functions

// Includes
#include "tpcc.h"

// Globals
static long start_sec;

//=====
//
// Function name: TimeNow
//
//=====

long TimeNow()
{
    long            time_now;
    struct _timeb  el_time;

#ifdef DEBUG
    printf("[%ld]DBG: Entering TimeNow()\n", (int) GetCurrentThreadId());
#endif

    _ftime(&el_time);

    time_now = ((el_time.time - start_sec) * 1000) + el_time.millitm;

    return time_now;
}

```

tpcc.h

```

//      File:            TPCC.H
//
//      Microsoft TPC-C Kit Ver. 4.51
//      Copyright Microsoft, 1996, 1997, 1998, 1999,
//      2000, 2001, 2002, 2003, 2005
//      Purpose: Header file for TPC-C database loader

// Build number of TPC Benchmark Kit
#define TPCKIT_VER "4.51"

// General headers
#include <windows.h>
#include <winbase.h>
#include <stdlib.h>
#include <stdio.h>
#include <process.h>
#include <stddef.h>
#include <stdarg.h>
#include <string.h>
#include <time.h>
#include <sys\timeb.h>
#include <sys\types.h>
#include <math.h>

// ODBC headers
#include <sql.h>
#include <sqlext.h>
#include <odbcss.h>

// General constants
#define MILLI            1000
#define FALSE            0
#define TRUE            1
#define UNDEF            -1
#define MINPRINTASCII   32
#define MAXPRINTASCII   126

// Default environment constants
#define SERVER            ""
#define DATABASE         "tpcc"
#define USER             "sa"
#define PASSWORD         ""

// Default loader arguments
#define BATCH            10000
#define DEFLDPACKSIZE   32768
#define LOADER_RES_FILE "C:\\MSTPCC.450\\SETUP\\LOGS\\load.out"
#define LOADER_LOG_PATH "C:\\MSTPCC.450\\SETUP\\LOGS\\"
#define LOADER_NURAND_C 123
#define DEF_STARTING_WAREHOUSE 1
#define BUILD_INDEX     1 // build both
                        data and indexes
#define INDEX_ORDER     1 // build
                        indexes before load
#define SCALE_DOWN      0 // build a normal
                        scale database
#define INDEX_SCRIPT_PATH "scripts"

```

```

typedef struct
{
    char          *server;
    char          *database;
    char          *user;
    char          *password;
    BOOL          tables_all;
    // set if loading all tables
    BOOL          table_item;
    // set if loading ITEM table specifically
    BOOL          table_warehouse; // set if
loading WAREHOUSE, DISTRICT, and STOCK
    BOOL          table_customer; //
set if loading CUSTOMER and HISTORY
    BOOL          table_orders; //
set if loading NEW-ORDER, ORDERS, ORDER-LINE
    long          num_warehouses;
    long          batch;
    long          verbose;
    long          pack_size;
    char          *loader_res_file;
    char          *log_path;
    char          *synch_servername;
    long          case_sensitivity;
    long          starting_warehouse;
    long          build_index;
    long          index_order;
    long          scale_down;
    char          *index_script_path;
} TPCCLDR_ARGS;

// String length constants
#define SERVER_NAME_LEN      20
#define DATABASE_NAME_LEN   20
#define USER_NAME_LEN       20
#define PASSWORD_LEN        20
#define TABLE_NAME_LEN     20
#define I_DATA_LEN          50
#define I_NAME_LEN          24
#define BRAND_LEN           1
#define LAST_NAME_LEN       16
#define W_NAME_LEN          10
#define ADDRESS_LEN         20
#define STATE_LEN           2
#define ZIP_LEN              9
#define S_DIST_LEN          24
#define S_DATA_LEN          50
#define D_NAME_LEN          10
#define FIRST_NAME_LEN      16
#define MIDDLE_NAME_LEN     2
#define PHONE_LEN           16
#define CREDIT_LEN           2
#define C_DATA_LEN          500
#define H_DATA_LEN          24
#define DIST_INFO_LEN       24
#define MAX_OL_NEW_ORDER_ITEMS 15
#define MAX_OL_ORDER_STATUS_ITEMS 15
#define STATUS_LEN          25
#define OL_DIST_INFO_LEN    24
#define C_SINCE_LEN         23
#define H_DATE_LEN          23
#define OL_DELIVERY_D_LEN   23
#define O_ENTRY_D_LEN       23

```

```

// Functions in random.c
void seed();
long irand();
double drand();
void WUCreate();
short WURand();
long RandomNumber(long lower, long upper);

// Functions in getargs.c;
void GetArgsLoader();
void GetArgsLoaderUsage();

// Functions in time.c
long TimeNow();

// Functions in strings.c
void MakeAddress();
void LastName();
int MakeAlphaString();
int MakeAlphaStringPadded();
int MakeOriginalAlphaString();
int MakeNumberString();
int MakeZipNumberString();
void InitString();
void InitAddress();
void PadString();

```

tpccldr.c

```

//=====
// File: TPCCLDR.C
// Microsoft TPC-C Kit Ver. 4.51
// Copyright Microsoft, 1996, 1997, 1998, 1999,
// 2000, 2001, 2002, 2003
// Purpose: Source file for TPC-C database loader
//=====
// Includes
#include "tpcc.h"
#include "search.h"

// Defines
#define MAXITEMS 100000
#define MAXITEMS_SCALE_DOWN 100
#define CUSTOMERS_PER_DISTRICT 3000
#define CUSTOMERS_SCALE_DOWN 30
#define DISTRICT_PER_WAREHOUSE 10
#define ORDERS_PER_DISTRICT 3000
#define ORDERS_SCALE_DOWN 30
#define MAX_CUSTOMER_THREADS 2
#define MAX_ORDER_THREADS 3
#define MAX_MAIN_THREADS 4
#define MAX_SQL_ERRORS 10

// Functions declarations
void HandleErrorDBC (SQLHDBC hdbc1);
long NURand();
void LoadItem();
void LoadWarehouse();
void Stock();
void District();

```

```

void LoadCustomer();
void CustomerBufInit();
void CustomerBufLoad();
void LoadCustomerTable();
void LoadHistoryTable();
void LoadOrders();
void OrdersBufInit();
void OrdersBufLoad();
void LoadOrdersTable();
void LoadNewOrderTable();
void LoadOrderLineTable();
void GetPermutation();
void CheckForCommit();
void CheckForCommit_Big();
void OpenConnections();
void BuildIndex();
void FormatDate ();

// Shared memory structures
typedef struct
{
    double                ol_i_id;
    long                  ol_supply_w_id;
    short                 ol_quantity;
    double                ol_amount;
    char                  ol_dist_info[DIST_INFO_LEN+1];
    char                  ol_delivery_d[OL_DELIVERY_D_LEN+1];
} ORDER_LINE_STRUCT;

typedef struct
{
    long                  o_id;
    short                o_d_id;
    long                  o_w_id;
    long                  o_c_id;
    short                o_carrier_id;
    short                o_ol_cnt;
    short                o_all_local;
    ORDER_LINE_STRUCT    o_ol[15];
} ORDERS_STRUCT;

typedef struct
{
    long                  c_id;
    short                c_d_id;
    long                  c_w_id;
    char                  c_first[FIRST_NAME_LEN+1];
    char                  c_middle[MIDDLE_NAME_LEN+1];
    char                  c_last[LAST_NAME_LEN+1];
    char                  c_street_1[ADDRESS_LEN+1];
    char                  c_street_2[ADDRESS_LEN+1];
    char                  c_city[ADDRESS_LEN+1];
    char                  c_state[STATE_LEN+1];
    char                  c_zip[ZIP_LEN+1];
    char                  c_phone[PHONE_LEN+1];
    char                  c_credit[CREDIT_LEN+1];
    double                c_credit_lim;
    double                c_discount;
    char                  c_balance[6];
    double                c_ytd_payment;
    short                c_payment_cnt;

```

```

short                    c_delivery_cnt;
char                     c_data[C_DATA_LEN+1];
double                   h_amount;
char                     h_data[H_DATA_LEN+1];
} CUSTOMER_STRUCT;

typedef struct
{
    char                  c_last[LAST_NAME_LEN+1];
    char                  c_first[FIRST_NAME_LEN+1];
    long                  c_id;
} CUSTOMER_SORT_STRUCT;

typedef struct
{
    long                  time_start;
} LOADER_TIME_STRUCT;

// Global variables
char                     szLastError[300];

HENV                     henv;

HDBC                     v_hdbc;
Server verification
HDBC                     i_hdbc1;
HDBC                     w_hdbc1;
DISTRICT, STOCK
HDBC                     c_hdbc1;
HDBC                     c_hdbc2;
HDBC                     o_hdbc1;
HDBC                     o_hdbc2;
HDBC                     o_hdbc3;

HSTMT                    v_hstmt;
version verification
HSTMT                    i_hstmt1;
HSTMT                    w_hstmt1;
HSTMT                    c_hstmt1, c_hstmt2;
HSTMT                    o_hstmt1, o_hstmt2, o_hstmt3;

int                       total_db_errors;

ORDERS_STRUCT            orders_buf[ORDERS_PER_DISTRICT];
CUSTOMER_STRUCT          customer_buf[CUSTOMERS_PER_DISTRICT];
long                     orders_rows_loaded;
double                   new_order_rows_loaded;
double                   order_line_rows_loaded;
long                     history_rows_loaded;
long                     customer_rows_loaded;
double                   stock_rows_loaded;
long                     district_rows_loaded;
long                     item_rows_loaded;
long                     warehouse_rows_loaded;
long                     main_time_start;
long                     main_time_end;
long                     max_items;
long                     customers_per_district;
long                     orders_per_district;
long                     first_new_order;
long                     last_new_order;

```

```

TPCCLDR_ARGS    *aptr, args;

//=====================================================
//
// Function name: main
//
//=====================================================
int main(int  argc, char **argv)
{
    DWORD          dwThreadID[MAX_MAIN_THREADS];
    HANDLE         hThread[MAX_MAIN_THREADS];
    FILE           *fLoader;
    char           buffer[255];
    int            i;

    for (i=0; i<MAX_MAIN_THREADS; i++)
        hThread[i] = NULL;

    printf("\n*****");
    printf("\n*          *");
    printf("\n* Microsoft SQL Server *");
    printf("\n*          *");
    printf("\n* TPC-C BENCHMARK KIT: Database loader *");
    printf("\n* Version %s          *", TPCKIT_VER);
    printf("\n*          *");
    printf("\n*****\n\n");

    // process command line arguments
    aptr = &args;
    GetArgsLoader(argc, argv, aptr);

    printf("Build interface is ODBC.\n");

    if (aptr->build_index == 0)
        printf("Data load only - no index creation.\n");
    else
        printf("Data load and index creation.\n");

    if (aptr->index_order == 0)
        printf("Clustered indexes will be created after bulk load.\n");
    else
        printf("Clustered indexes will be created before bulk load.\n");

    // set database scale values
    if (aptr->scale_down == 1)
    {
        printf("**** Scaled Down Database ****\n");
        max_items = MAXITEMS_SCALE_DOWN;
        customers_per_district = CUSTOMERS_SCALE_DOWN;
        orders_per_district = ORDERS_SCALE_DOWN;
        first_new_order = 0;
        last_new_order = 30;
    }
    else
    {
        max_items = MAXITEMS;
        customers_per_district = CUSTOMERS_PER_DISTRICT;
        orders_per_district = ORDERS_PER_DISTRICT;
        first_new_order = 2100;
        last_new_order = 3000;
    }
}

```

```

// open connections to SQL Server
OpenConnections();

// open file for loader results
fLoader = fopen(aptr->loader_res_file, "w");

if (fLoader == NULL)
{
    printf("Error, loader result file open failed.");
    exit(-1);
}

// start loading data
sprintf(buffer, "TPC-C load started for %ld warehouses.\n", aptr->num_warehouses);
if (aptr->scale_down == 1)
{
    sprintf(buffer, "SCALED DOWN DATABASE.\n");
}

printf("%s", buffer);
fprintf(fLoader, "%s", buffer);

main_time_start = (TimeNow() / MILLI);

// start parallel load threads
if (aptr->tables_all || aptr->table_item)
{
    fprintf(fLoader, "\nStarting loader threads for: item\n");

    hThread[0] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE) LoadItem,
                                NULL,
                                0,
                                &dwThreadID[0]);

    if (hThread[0] == NULL)
    {
        printf("Error, failed in creating creating thread =
0.\n");
        exit(-1);
    }

    if (aptr->tables_all || aptr->table_warehouse)
    {
        fprintf(fLoader, "Starting loader threads for: warehouse\n");

        hThread[1] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE) LoadWarehouse,
                                NULL,
                                0,
                                &dwThreadID[1]);
    }
}

```

```

        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating creating thread =
1.\n");
            exit(-1);
        }
    }
    if (aptr->tables_all || aptr->table_customer)
    {
        fprintf(fLoader, "Starting loader threads for: customer\n");
        hThread[2] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE) LoadCustomer,
                                NULL,
                                0,
                                &dwThreadID[2]);
        if (hThread[2] == NULL)
        {
            printf("Error, failed in creating creating main thread
= 2.\n");
            exit(-1);
        }
    }
    if (aptr->tables_all || aptr->table_orders)
    {
        fprintf(fLoader, "Starting loader threads for: orders\n");
        hThread[3] = CreateThread(NULL,
                                0,
                                (LPTHREAD_START_ROUTINE) LoadOrders,
                                NULL,
                                0,
                                &dwThreadID[3]);
        if (hThread[3] == NULL)
        {
            printf("Error, failed in creating creating main thread
= 3.\n");
            exit(-1);
        }
    }
    // Wait for threads to finish...
    for (i=0; i<MAX_MAIN_THREADS; i++)
    {
        if (hThread[i] != NULL)
        {
            WaitForSingleObject( hThread[i], INFINITE );
            CloseHandle(hThread[i]);
            hThread[i] = NULL;
        }
    }
}

```

```

        main_time_end = (TimeNow() / MILLI);
        sprintf(buffer, "\nTPC-C load completed successfully in %ld minutes.\n",
                (main_time_end - main_time_start)/60);

        printf("%s",buffer);
        fprintf(fLoader, "%s", buffer);

        fclose(fLoader);

        SQLFreeEnv(henv);

        exit(0);

        return 0;
    }

//=====
//
// Function name: LoadItem
//
//=====
void LoadItem()
{
    int            i;
    long          i_id;
    long          i_im_id;
    char          i_name[I_NAME_LEN+1];
    double        i_price;
    char          i_data[I_DATA_LEN+1];
    char          name[20];
    long          time_start;
    RETCODE       rc;
    DBINT         rcint;
    char          bcpHint[128];
    char          err_log_path[256];

    // Seed with unique number
    seed(11);

    printf("Loading item table...\n");

    //if build index before load
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxitmcl");

    InitString(i_name, I_NAME_LEN+1);
    InitString(i_data, I_DATA_LEN+1);

    sprintf(name, "%s.%s", aptr->database, "item");

    strcpy(err_log_path, aptr->log_path);
    strcat(err_log_path, "item.err");
    rc = bcp_init(i_hdbc1, name, NULL, err_log_path, DB_IN);
    if (rc != SUCCEEDED)
        HandleErrorDBC(i_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcpHint, "tablock, order (i_id), ROWS_PER_BATCH =
100000");
        rc = bcp_control(i_hdbc1, BCPHINTS, (void*) bcpHint);
    }
}

```

```

        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);
    }

    i = 0;
    rc = bcp_bind(i_hdbc1, (BYTE *) &i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);
    rc = bcp_bind(i_hdbc1, (BYTE *) i_name, 0, I_NAME_LEN, NULL, 0, 0, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);
    rc = bcp_bind(i_hdbc1, (BYTE *) &i_price, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);
    rc = bcp_bind(i_hdbc1, (BYTE *) i_data, 0, SQL_VARLEN_DATA, "", 1, 0,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);
    rc = bcp_bind(i_hdbc1, (BYTE *) &i_im_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(i_hdbc1);

    time_start = (TimeNow() / MILLI);

    item_rows_loaded = 0;

    for (i_id = 1; i_id <= max_items; i_id++)
    {
        i_im_id = RandomNumber(1L, 10000L);
        MakeAlphaStringPadded(14, 24, I_NAME_LEN, i_name);
        i_price = ((float) RandomNumber(100L, 10000L))/100.0;
        MakeOriginalAlphaString(26, 50, I_DATA_LEN, i_data, 10);

        rc = bcp_sendrow(i_hdbc1);
        if (rc != SUCCEED)
            HandleErrorDBC(i_hdbc1);

        item_rows_loaded++;
        CheckForCommit(i_hdbc1, i_hstmt1, item_rows_loaded, "item",
&time_start);
    }

    rcint = bcp_done(i_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(i_hdbc1);

    printf("Finished loading item table.\n");

    SQLFreeStmt(i_hstmt1, SQL_DROP);
    SQLDisconnect(i_hdbc1);
    SQLFreeConnect(i_hdbc1);

    // if build index after load
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxitmcl");
}

```

```

//=====
//
// Function   : LoadWarehouse
//
// Loads WAREHOUSE table and loads Stock and District as Warehouses are created
//
//=====
void LoadWarehouse()
{
    int         i;
    long        w_id;
    char        w_name[W_NAME_LEN+1];
    char        w_street_1[ADDRESS_LEN+1];
    char        w_street_2[ADDRESS_LEN+1];
    char        w_city[ADDRESS_LEN+1];
    char        w_state[STATE_LEN+1];
    char        w_zip[ZIP_LEN+1];
    double      w_tax;
    double      w_ytd;
    char        name[20];
    long        time_start;
    RETCODE     rc;
    DBINT       rcint;
    char        bcphint[128];
    char        err_log_path[256];

    // Seed with unique number
    seed(2);

    printf("Loading warehouse table...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxwarc1");

    InitString(w_name, W_NAME_LEN+1);
    InitAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

    sprintf(name, "%s..%s", aptr->database, "warehouse");

    strcpy(err_log_path, aptr->log_path);
    strcat(err_log_path, "warehouse.err");
    rc = bcp_init(w_hdbc1, name, NULL, err_log_path, DB_IN);

    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (w_id), ROWS_PER_BATCH = %d",
aptr->num_warehouses);
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
    }

    i = 0;
    rc = bcp_bind(w_hdbc1, (BYTE *) &w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);
}

```

```

        rc = bcp_bind(w_hdbc1, (BYTE *) &w_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, ++i);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) &w_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, ++i);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) w_name, 0, W_NAME_LEN, NULL, 0, 0, ++i);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) w_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
++i);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) w_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
++i);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) w_city, 0, ADDRESS_LEN, NULL, 0, 0, ++i);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) w_state, 0, STATE_LEN, NULL, 0, 0, ++i);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) w_zip, 0, ZIP_LEN, NULL, 0, 0, ++i);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);

        time_start = (TimeNow() / MILLI);

        warehouse_rows_loaded = 0;

w_id++) for (w_id = (long)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
        {
            MakeAlphaStringPadded(6,10, W_NAME_LEN, w_name);

            MakeAddress(w_street_1, w_street_2, w_city, w_state, w_zip);

            w_tax = ((float) RandomNumber(0L,2000L))/10000.00;

            w_ytd = 300000.00;

            rc = bcp_sendrow(w_hdbc1);
            if (rc != SUCCEED)
                HandleErrorDBC(w_hdbc1);

            warehouse_rows_loaded++;
            CheckForCommit(w_hdbc1, i_hstmt1, warehouse_rows_loaded,
"warehouse", &time_start);
        }

        rcint = bcp_done(w_hdbc1);
        if (rcint < 0)
            HandleErrorDBC(w_hdbc1);

        printf("Finished loading warehouse table.\n");

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxwarcl");

```

```

        stock_rows_loaded = 0;
        district_rows_loaded = 0;

        District();
        Stock();
    }

//=====
//
// Function   : District
//
//=====
void District()
{
    int         i;
    short      d_id;
    long       d_w_id;
    char       d_name[D_NAME_LEN+1];
    char       d_street_1[ADDRESS_LEN+1];
    char       d_street_2[ADDRESS_LEN+1];
    char       d_city[ADDRESS_LEN+1];
    char       d_state[STATE_LEN+1];
    char       d_zip[ZIP_LEN+1];
    double     d_tax;
    double     d_ytd;
    long       char      name[20];
    long       d_next_o_id;
    long       time_start;
    long       w_id;
    RETCODE   rc;
    DBINT     rcint;
    char       bcphint[128];
    char       err_log_path[256];

    // Seed with unique number
    seed(4);

    printf("Loading district table...\n");

    // build index before load
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxdiscl");

    InitString(d_name, D_NAME_LEN+1);
    InitAddress(d_street_1, d_street_2, d_city, d_state, d_zip);
    sprintf(name, "%s.%s", aptr->database, "district");

    strcpy(err_log_path, aptr->log_path);
    strcat(err_log_path, "district.err");
    rc = bcp_init(w_hdbc1, name, NULL, err_log_path, DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(w_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        sprintf(bcphint, "tablock, order (d_w_id, d_id), ROWS_PER_BATCH
= %u", (aptr->num_warehouses * 10));
        rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
        if (rc != SUCCEED)
            HandleErrorDBC(w_hdbc1);
    }

    i = 0;

```

```

        rc = bcp_bind(w_hdbc1, (BYTE *) &d_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, ++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) &d_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) &d_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, ++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) &d_next_o_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) &d_tax, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, ++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) d_name, 0, D_NAME_LEN, NULL, 0, 0, ++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) d_street_1, 0, ADDRESS_LEN, NULL, 0, 0,
++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) d_street_2, 0, ADDRESS_LEN, NULL, 0, 0,
++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) d_city, 0, ADDRESS_LEN, NULL, 0, 0, ++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) d_state, 0, STATE_LEN, NULL, 0, 0, ++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);
        rc = bcp_bind(w_hdbc1, (BYTE *) d_zip, 0, ZIP_LEN, NULL, 0, 0, ++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(w_hdbc1);

        d_ytd = 30000.0;

        d_next_o_id = orders_per_district+1;

        time_start = (TimeNow() / MILLI);

        for (w_id = aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
        {
            d_w_id = w_id;

            for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
            {
                MakeAlphaStringPadded(6,10,D_NAME_LEN, d_name);

                MakeAddress(d_street_1, d_street_2, d_city, d_state,

d_zip);

                d_tax = ((float) RandomNumber(0L,2000L))/10000.00;

                rc = bcp_sendrow(w_hdbc1);
                if (rc != SUCCEEDED)

```

```

            HandleErrorDBC(w_hdbc1);
            district_rows_loaded++;
            CheckForCommit(w_hdbc1, w_hstmt1,
district_rows_loaded, "district", &time_start);
        }
    }

    rcint = bcp_done(w_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(w_hdbc1);

    printf("Finished loading district table.\n");

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
        BuildIndex("idxdiscl");

    return;
}

//=====
//
// Function : Stock
//
//=====
void Stock()
{
    int i;
    long s_i_id;
    long s_w_id;
    short s_quantity;
    char s_dist_01[S_DIST_LEN+1];
    char s_dist_02[S_DIST_LEN+1];
    char s_dist_03[S_DIST_LEN+1];
    char s_dist_04[S_DIST_LEN+1];
    char s_dist_05[S_DIST_LEN+1];
    char s_dist_06[S_DIST_LEN+1];
    char s_dist_07[S_DIST_LEN+1];
    char s_dist_08[S_DIST_LEN+1];
    char s_dist_09[S_DIST_LEN+1];
    char s_dist_10[S_DIST_LEN+1];
    long s_ytd;
    short s_order_cnt;
    short s_remote_cnt;
    char s_data[S_DATA_LEN+1];
    short len;
    char name[20];
    long time_start;
    RETCODE rc;
    DBINT rcint;
    char bcp[128];
    char err_log_path[256];

    // Seed with unique number
    seed(3);

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
        BuildIndex("idxstkcl");

    sprintf(name, "%s..%s", aptr->database, "stock");

```



```

strcpy(err_log_path,aptr->log_path);
strcat(err_log_path,"stock.err");
rc = bcp_init(w_hdbc1, name, NULL, err_log_path, DB_IN);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (s_i_id, s_w_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 100000));
rc = bcp_control(w_hdbc1, BCPHINTS, (void*) bcphint);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
}

i = 0;
rc = bcp_bind(w_hdbc1, (BYTE *) &s_i_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) &s_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) &s_quantity, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, ++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) &s_ytd, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) &s_order_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, ++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) &s_remote_cnt, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT2, ++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) s_data, 0, SQL_VARLEN_DATA, "", 1, 0,
++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_01, 0, S_DIST_LEN, NULL, 0, 0,
++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_02, 0, S_DIST_LEN, NULL, 0, 0,
++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_03, 0, S_DIST_LEN, NULL, 0, 0,
++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_04, 0, S_DIST_LEN, NULL, 0, 0,
++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_05, 0, S_DIST_LEN, NULL, 0, 0,
++i);
if (rc != SUCCEEDED)

```

```

    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_06, 0, S_DIST_LEN, NULL, 0, 0,
++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_07, 0, S_DIST_LEN, NULL, 0, 0,
++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_08, 0, S_DIST_LEN, NULL, 0, 0,
++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_09, 0, S_DIST_LEN, NULL, 0, 0,
++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);
rc = bcp_bind(w_hdbc1, (BYTE *) s_dist_10, 0, S_DIST_LEN, NULL, 0, 0,
++i);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

s_ytd = s_order_cnt = s_remote_cnt = 0;

time_start = (TimeNow() / MILLI);

printf("...Loading stock table\n");

for (s_i_id=1; s_i_id <= max_items; s_i_id++)
{
    for (s_w_id = (long)aptr->starting_warehouse; s_w_id <= aptr-
>num_warehouses; s_w_id++)
    {
        s_quantity = (short)RandomNumber(10L,100L);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_01);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_02);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_03);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_04);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_05);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_06);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_07);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_08);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_09);
len = MakeAlphaString(24,24,S_DIST_LEN, s_dist_10);

len = MakeOriginalAlphaString(26,50, S_DATA_LEN,
s_data,10);

rc = bcp_sendrow(w_hdbc1);
if (rc != SUCCEEDED)
    HandleErrorDBC(w_hdbc1);

stock_rows_loaded++;
CheckForCommit_Big(w_hdbc1, w_hstmt1,
stock_rows_loaded, "stock", &time_start);
}
}

rcint = bcp_done(w_hdbc1);
if (rcint < 0)
    HandleErrorDBC(w_hdbc1);

```

```

printf("Finished loading stock table.\n");

SQLFreeStmt(w_hstmt1, SQL_DROP);
SQLDisconnect(w_hdbc1);
SQLFreeConnect(w_hdbc1);

// if build index after load...
if ((aptr->build_index == 1) && (aptr->index_order == 0))
    BuildIndex("idxstkcl");

return;
}

//=====
//
// Function   : LoadCustomer
//
//=====
void LoadCustomer()
{
    LOADER_TIME_STRUCT    customer_time_start;
    LOADER_TIME_STRUCT    history_time_start;
    long                  w_id;
    short                  d_id;
    DWORD                  dwThreadID[MAX_CUSTOMER_THREADS];
    HANDLE                  hThread[MAX_CUSTOMER_THREADS];
    char                    name[20];
    RETCODE                  rc;
    DBINT                    rcint;
    char                    bcphint[128];
    char                    cmd[256];
    int                      num_procs;
    char                    err_log_path_cust[256];
    char                    err_log_path_hist[256];

    // Seed with unique number
    seed(5);

    printf("Loading customer and history tables...\n");

    // if build index before load...
    if ((aptr->build_index == 1) && (aptr->index_order == 1))
    {
        BuildIndex("idxcuscl");
        // check the number of processors on this system
        // if 8 or more processors, then build index on History.
        // if less than 8 processors, do not build the index
        num_procs = atoi(getenv( "NUMBER_OF_PROCESSORS" ));
        if ( num_procs >= 8 )
            BuildIndex("idxhiscl");
    }

    // Initialize bulk copy
    sprintf(name, "%s..%s", aptr->database, "customer");

    strcpy(err_log_path_cust, aptr->log_path);
    strcat(err_log_path_cust, "customer.err");
    rc = bcp_init(c_hdbc1, name, NULL, err_log_path_cust, DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    if ((aptr->build_index == 1) && (aptr->index_order == 1))

```

```

        {
            sprintf(bcphint, "tablock, order (c_w_id, c_d_id, c_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
            rc = bcp_control(c_hdbc1, BCPHINTS, (void*) bcphint);
            if (rc != SUCCEED)
                HandleErrorDBC(c_hdbc1);
        }

    sprintf(name, "%s..%s", aptr->database, "history");

    rc = bcp_init(c_hdbc2, name, NULL, "logs\\history.err", DB_IN);
    strcpy(err_log_path_hist, aptr->log_path);
    strcat(err_log_path_hist, "history.err");
    rc = bcp_init(c_hdbc2, name, NULL, err_log_path_hist, DB_IN);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    sprintf(bcphint, "tablock");
    rc = bcp_control(c_hdbc2, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

    customer_rows_loaded = 0;
    history_rows_loaded = 0;

    CustomerBufInit();

    customer_time_start.time_start = (TimeNow()) / MILLI;
    history_time_start.time_start = (TimeNow()) / MILLI;

    for (w_id = (long)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
w_id++)
    {
        for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
        {
            CustomerBufLoad(d_id, w_id);

            // Start parallel loading threads here...
            // Start customer table thread
            printf("...Loading customer table for: d_id = %d, w_id
= %d\n", d_id, w_id);

            hThread[0] = CreateThread(NULL,
0,
(LPTHREAD_START_ROUTINE) LoadCustomerTable,
&customer_time_start,
0,
&dwThreadID[0]);

            if (hThread[0] == NULL)
            {
                printf("Error, failed in creating creating
thread = 0.\n");
                exit(-1);
            }

            // Start History table thread

```

```

        printf("...Loading history table for: d_id = %d, w_id
= %d\n", d_id, w_id);

        hThread[1] = CreateThread(NULL,

0,

(LPTHREAD_START_ROUTINE) LoadHistoryTable,

&history_time_start,

0,

&dwThreadID[1]);

        if (hThread[1] == NULL)
        {
            printf("Error, failed in creating creating
thread = 1.\n");
            exit(-1);
        }

        WaitForSingleObject( hThread[0], INFINITE );
        WaitForSingleObject( hThread[1], INFINITE );

        if (CloseHandle(hThread[0]) == FALSE)
        {
            printf("Error, failed in closing customer
thread handle with errno: %d\n", GetLastError());
        }

        if (CloseHandle(hThread[1]) == FALSE)
        {
            printf("Error, failed in closing history
thread handle with errno: %d\n", GetLastError());
        }
    }

    // flush the bulk connection
    rcint = bcp_done(c_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(c_hdbc1);

    rcint = bcp_done(c_hdbc2);
    if (rcint < 0)
        HandleErrorDBC(c_hdbc2);

    printf("Finished loading customer table.\n");

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))
    {
        BuildIndex("idxcusc1");
        // check the number of processors on this system
        // if 8 or more processors, then build index on History.
        // if less than 8 processors, do not build the index
        num_procs = atoi(getenv( "NUMBER_OF_PROCESSORS" ));
        if (num_procs >= 8)
            BuildIndex("idxhisc1");
    }

    // build non-clustered index

```

```

        if (aptr->build_index == 1)
            BuildIndex("idxcuscnc");

        // Output the NURAND used for the loader into C_FIRST for C_ID = 1,
        // C_W_ID = 1, and C_D_ID = 1
        sprintf(cmd, "osql -S%s -U%s -P%s -d%s -e -Q\"update customer set c_first
= 'C_LOAD = %d' where c_id = 1 and c_w_id = 1 and c_d_id = 1\" > %snurand_load.log",
            aptr->server,
            aptr->user,
            aptr->password,
            aptr->database,
            LOADER_NURAND_C,
            aptr->log_path);

        system(cmd);

        SQLFreeStmt(c_hstmt1, SQL_DROP);
        SQLDisconnect(c_hdbc1);
        SQLFreeConnect(c_hdbc1);

        SQLFreeStmt(c_hstmt2, SQL_DROP);
        SQLDisconnect(c_hdbc2);
        SQLFreeConnect(c_hdbc2);

        return;
    }

    //=====
    //
    // Function : CustomerBufInit
    //
    //=====
    void CustomerBufInit()
    {
        long i;

        for (i=0;i<customers_per_district;i++)
        {
            customer_buf[i].c_id = 0;
            customer_buf[i].c_d_id = 0;
            customer_buf[i].c_w_id = 0;

            strcpy(customer_buf[i].c_first,"");
            strcpy(customer_buf[i].c_middle,"");
            strcpy(customer_buf[i].c_last,"");
            strcpy(customer_buf[i].c_street_1,"");
            strcpy(customer_buf[i].c_street_2,"");
            strcpy(customer_buf[i].c_city,"");
            strcpy(customer_buf[i].c_state,"");
            strcpy(customer_buf[i].c_zip,"");
            strcpy(customer_buf[i].c_phone,"");
            strcpy(customer_buf[i].c_credit,"");

            customer_buf[i].c_credit_lim = 0;
            customer_buf[i].c_discount = (float) 0;

            strcpy(customer_buf[i].c_balance,"");

            customer_buf[i].c_ytd_payment = 0;
            customer_buf[i].c_payment_cnt = 0;
            customer_buf[i].c_delivery_cnt = 0;

            strcpy(customer_buf[i].c_data,"");

```

```

        customer_buf[i].h_amount = 0;

        strcpy(customer_buf[i].h_data, "");
    }
}

//=====
//
// Function   : CustomerBufLoad
//
// Fills shared buffer for HISTORY and CUSTOMER
//=====
void CustomerBufLoad(int d_id, long w_id)
{
    long                i;
    CUSTOMER_SORT_STRUCT  c[CUSTOMERS_PER_DISTRICT];

    for (i=0;i<customers_per_district;i++)
    {
        if (i < 1000)
            LastName(i, c[i].c_last);
        else
            LastName(NURand(255,0,999,LOADER_NURAND_C),
c[i].c_last);

            MakeAlphaStringPadded(8,16,FIRST_NAME_LEN, c[i].c_first);

            c[i].c_id = i+1;
    }

    printf("...Loading customer buffer for: d_id = %d, w_id = %d\n",
        d_id, w_id);

    for (i=0;i<customers_per_district;i++)
    {
        customer_buf[i].c_d_id = d_id;
        customer_buf[i].c_w_id = w_id;
        customer_buf[i].h_amount = 10.0;
        customer_buf[i].c_ytd_payment = 10.0;
        customer_buf[i].c_payment_cnt = 1;
        customer_buf[i].c_delivery_cnt = 0;
        customer_buf[i].c_id = c[i].c_id;
        strcpy(customer_buf[i].c_first, c[i].c_first);
        strcpy(customer_buf[i].c_last, c[i].c_last);
        customer_buf[i].c_middle[0] = 'O';
        customer_buf[i].c_middle[1] = 'E';
        MakeAddress(customer_buf[i].c_street_1,
            customer_buf[i].c_street_2,
            customer_buf[i].c_city,
            customer_buf[i].c_state,
            customer_buf[i].c_zip);
        MakeNumberString(16, 16, PHONE_LEN, customer_buf[i].c_phone);

        if (RandomNumber(1L, 100L) > 10)
            customer_buf[i].c_credit[0] = 'G';
        else
            customer_buf[i].c_credit[0] = 'B';
        customer_buf[i].c_credit[1] = 'C';
        customer_buf[i].c_credit_lim = 50000.0;
        customer_buf[i].c_discount = ((float) RandomNumber(0L, 5000L)) /
10000.0;

        strcpy(customer_buf[i].c_balance, "-10.0");
    }
}

```

```

        MakeAlphaStringPadded(300, 500, C_DATA_LEN,
customer_buf[i].c_data);

        // Generate HISTORY data
        MakeAlphaStringPadded(12, 24, H_DATA_LEN,
customer_buf[i].h_data);
    }
}

//=====
//
// Function   : LoadCustomerTable
//
//=====
void LoadCustomerTable(LOADER_TIME_STRUCT *customer_time_start)
{
    long                i;
    long                c_id;
    short               c_d_id;
    long                c_w_id;
    char                c_first[FIRST_NAME_LEN+1];
    char                c_middle[MIDDLE_NAME_LEN+1];
    char                c_last[LAST_NAME_LEN+1];
    char                c_street_1[ADDRESS_LEN+1];
    char                c_street_2[ADDRESS_LEN+1];
    char                c_city[ADDRESS_LEN+1];
    char                c_state[STATE_LEN+1];
    char                c_zip[ZIP_LEN+1];
    char                c_phone[PHONE_LEN+1];
    char                c_credit[CREDIT_LEN+1];
    double              c_credit_lim;
    double              c_discount;
    char                c_balance[6];
    double              c_ytd_payment;
    short               c_payment_cnt;
    short               c_delivery_cnt;
    char                c_data[C_DATA_LEN+1];
    char                c_since[C_SINCE_LEN+1];
    RETCODE              rc;

    i = 0;
    rc = bcp_bind(c_hdbc1, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) &c_discount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) &c_credit_lim, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_last, 0, LAST_NAME_LEN, NULL, 0, 0, ++i);
    if (rc != SUCCEED)

```

```

        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_first, 0, FIRST_NAME_LEN, NULL, 0, 0,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_credit, 0, CREDIT_LEN, NULL, 0, 0, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_balance, 0, 5, NULL, 0, SQLCHARACTER, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) &c_ytd_payment, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) &c_payment_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) &c_delivery_cnt, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_street_1, 0, ADDRESS_LEN, NULL, 0, 0, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_street_2, 0, ADDRESS_LEN, NULL, 0, 0, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_city, 0, ADDRESS_LEN, NULL, 0, 0, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_state, 0, STATE_LEN, NULL, 0, 0, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_zip, 0, ZIP_LEN, NULL, 0, 0, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_phone, 0, PHONE_LEN, NULL, 0, 0, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) &c_since, 0, C_SINCE_LEN, NULL, 0,
SQLCHARACTER, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_middle, 0, MIDDLE_NAME_LEN, NULL, 0, 0,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);
    rc = bcp_bind(c_hdbc1, (BYTE *) c_data, 0, C_DATA_LEN, NULL, 0, 0, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

for (i = 0; i < customers_per_district; i++)
{
    c_id = customer_buf[i].c_id;
    c_d_id = customer_buf[i].c_d_id;
    c_w_id = customer_buf[i].c_w_id;

    strcpy(c_first, customer_buf[i].c_first);
    strcpy(c_middle, customer_buf[i].c_middle);
    strcpy(c_last, customer_buf[i].c_last);
    strcpy(c_street_1, customer_buf[i].c_street_1);

```

```

    strcpy(c_street_2, customer_buf[i].c_street_2);
    strcpy(c_city, customer_buf[i].c_city);
    strcpy(c_state, customer_buf[i].c_state);
    strcpy(c_zip, customer_buf[i].c_zip);
    strcpy(c_phone, customer_buf[i].c_phone);
    strcpy(c_credit, customer_buf[i].c_credit);

    FormatDate(&c_since);

    c_credit_lim = customer_buf[i].c_credit_lim;
    c_discount = customer_buf[i].c_discount;
    strcpy(c_balance, customer_buf[i].c_balance);
    c_ytd_payment = customer_buf[i].c_ytd_payment;
    c_payment_cnt = customer_buf[i].c_payment_cnt;
    c_delivery_cnt = customer_buf[i].c_delivery_cnt;
    strcpy(c_data, customer_buf[i].c_data);

    // Send data to server
    rc = bcp_sendrow(c_hdbc1);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc1);

    customer_rows_loaded++;
    CheckForCommit(c_hdbc1, c_hstmt1, customer_rows_loaded,
"customer", &customer_time_start->time_start);
}

//=====
//
// Function : LoadHistoryTable
//
//=====
void LoadHistoryTable(LOADER_TIME_STRUCT *history_time_start)
{
    long    long    c_id;        i;
    short   short   c_d_id;
           long    c_w_id;
           double  h_amount;
    char    char    h_data[H_DATA_LEN+1];
           char    h_date[H_DATE_LEN+1];
           RETCODE rc;

    i = 0;
    rc = bcp_bind(c_hdbc2, (BYTE *) &c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);
    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);
    rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);
    rc = bcp_bind(c_hdbc2, (BYTE *) &c_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(c_hdbc2);

```

```

        rc = bcp_bind(c_hdbc2, (BYTE *) &c_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc2);
        rc = bcp_bind(c_hdbc2, (BYTE *) &h_date, 0, H_DATE_LEN, NULL, 0,
SQLCHARACTER, ++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc2);
        rc = bcp_bind(c_hdbc2, (BYTE *) &h_amount, 0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8,
++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc2);
        rc = bcp_bind(c_hdbc2, (BYTE *) h_data, 0, H_DATA_LEN, NULL, 0, 0, ++i);
        if (rc != SUCCEEDED)
            HandleErrorDBC(c_hdbc2);

for (i = 0; i < customers_per_district; i++)
{
    c_id = customer_buf[i].c_id;
    c_d_id = customer_buf[i].c_d_id;
    c_w_id = customer_buf[i].c_w_id;
    h_amount = customer_buf[i].h_amount;
    strcpy(h_data, customer_buf[i].h_data);

    FormatDate(&h_date);

    // send to server
    rc = bcp_sendrow(c_hdbc2);
    if (rc != SUCCEEDED)
        HandleErrorDBC(c_hdbc2);

    history_rows_loaded++;
    CheckForCommit(c_hdbc2, c_hstmt2, history_rows_loaded,
"history", &history_time_start->time_start);
}
}

//=====
//
// Function   : LoadOrders
//
//=====
void LoadOrders()
{
    LOADER_TIME_STRUCT    orders_time_start;
    LOADER_TIME_STRUCT    new_order_time_start;
    LOADER_TIME_STRUCT    order_line_time_start;
    long                   w_id;
    short                  d_id;
    DWORD                  dwThreadID[MAX_ORDER_THREADS];
    HANDLE                  hThread[MAX_ORDER_THREADS];
    char                    name[20];
    RETCODE                 rc;
    char                    bcphint[128];
    char                    err_log_path_ord[256];
    char                    err_log_path_nord[256];
    char                    err_log_path_ordl[256];

    // seed with unique number
    seed(6);

    printf("Loading orders...\n");

```

```

// if build index before load...
if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    BuildIndex("idxordcl");
    BuildIndex("idxnodel");
    BuildIndex("idxodlcl");
}

// initialize bulk copy
sprintf(name, "%s..%s", aptr->database, "orders");

rc = bcp_init(o_hdbc1, name, NULL, "logs\\orders.err", DB_IN);
strcpy(err_log_path_ord, aptr->log_path);
strcat(err_log_path_ord, "orders.err");
rc = bcp_init(o_hdbc1, name, NULL, err_log_path_ord, DB_IN);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc1);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (o_w_id, o_d_id, o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 30000));
    rc = bcp_control(o_hdbc1, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc1);
}

sprintf(name, "%s..%s", aptr->database, "new_order");

rc = bcp_init(o_hdbc2, name, NULL, "logs\\neword.err", DB_IN);
strcpy(err_log_path_nord, aptr->log_path);
strcat(err_log_path_nord, "neword.err");
rc = bcp_init(o_hdbc2, name, NULL, err_log_path_nord, DB_IN);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc2);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (no_w_id, no_d_id, no_o_id),
ROWS_PER_BATCH = %u", (aptr->num_warehouses * 9000));
    rc = bcp_control(o_hdbc2, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc2);
}

sprintf(name, "%s..%s", aptr->database, "order_line");

rc = bcp_init(o_hdbc3, name, NULL, "logs\\ordline.err", DB_IN);
strcpy(err_log_path_ordl, aptr->log_path);
strcat(err_log_path_ordl, "ordline.err");
rc = bcp_init(o_hdbc3, name, NULL, err_log_path_ordl, DB_IN);
if (rc != SUCCEEDED)
    HandleErrorDBC(o_hdbc3);

if ((aptr->build_index == 1) && (aptr->index_order == 1))
{
    sprintf(bcphint, "tablock, order (ol_w_id, ol_d_id, ol_o_id,
ol_number), ROWS_PER_BATCH = %u", (aptr->num_warehouses * 300000));
    rc = bcp_control(o_hdbc3, BCPHINTS, (void*) bcphint);
    if (rc != SUCCEEDED)
        HandleErrorDBC(o_hdbc3);
}

```

```

orders_rows_loaded      = 0;
new_order_rows_loaded  = 0;
order_line_rows_loaded  = 0;

OrdersBufInit();

orders_time_start.time_start = (TimeNow() / MILLI);
new_order_time_start.time_start = (TimeNow() / MILLI);
order_line_time_start.time_start = (TimeNow() / MILLI);

w_id++)
for (w_id = (long)aptr->starting_warehouse; w_id <= aptr->num_warehouses;
    {
        for (d_id = 1; d_id <= DISTRICT_PER_WAREHOUSE; d_id++)
        {
            OrdersBufLoad(d_id, w_id);

            // start parallel loading threads here...
            // start Orders table thread
            printf("...Loading Order Table for: d_id = %d, w_id =
%d\n", d_id, w_id);

            hThread[0] = CreateThread(NULL,

            0,

            (LPTHREAD_START_ROUTINE) LoadOrdersTable,

            &orders_time_start,

            0,

            &dwThreadID[0]);

            if (hThread[0] == NULL)
            {
                printf("Error, failed in creating creating
thread = 0.\n");
                exit(-1);
            }

            // start NewOrder table thread
            printf("...Loading New-Order Table for: d_id = %d,
w_id = %d\n", d_id, w_id);

            hThread[1] = CreateThread(NULL,

            0,

            (LPTHREAD_START_ROUTINE) LoadNewOrderTable,

            &new_order_time_start,

            0,

            &dwThreadID[1]);

            if (hThread[1] == NULL)
            {
                printf("Error, failed in creating creating
thread = 1.\n");
                exit(-1);
            }
        }
    }

```

```

}

// start Order-Line table thread
printf("...Loading Order-Line Table for: d_id = %d,
w_id = %d\n", d_id, w_id);

hThread[2] = CreateThread(NULL,

0,

(LPTHREAD_START_ROUTINE) LoadOrderLineTable,

&order_line_time_start,

0,

&dwThreadID[2]);

if (hThread[2] == NULL)
{
    printf("Error, failed in creating creating
thread = 2.\n");
    exit(-1);
}

WaitForSingleObject( hThread[0], INFINITE );
WaitForSingleObject( hThread[1], INFINITE );
WaitForSingleObject( hThread[2], INFINITE );

if (CloseHandle(hThread[0]) == FALSE)
{
    printf("Error, failed in closing Orders
thread handle with errno: %d\n", GetLastError());
}

if (CloseHandle(hThread[1]) == FALSE)
{
    printf("Error, failed in closing NewOrder
thread handle with errno: %d\n", GetLastError());
}

if (CloseHandle(hThread[2]) == FALSE)
{
    printf("Error, failed in closing OrderLine
thread handle with errno: %d\n", GetLastError());
}

}

printf("Finished loading orders.\n");

return;
}

//=====
//
// Function   : OrdersBufInit
//
// Clears shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====
void OrdersBufInit()
{

```

```

int    i;
int    j;

for (i=0;i<orders_per_district;i++)
{
    orders_buf[i].o_id = 0;
    orders_buf[i].o_d_id = 0;
    orders_buf[i].o_w_id = 0;
    orders_buf[i].o_c_id = 0;
    orders_buf[i].o_carrier_id = 0;
    orders_buf[i].o_ol_cnt = 0;
    orders_buf[i].o_all_local = 0;

    for (j=0;j<=14;j++)
    {
        orders_buf[i].o_ol[j].ol = 0;
        orders_buf[i].o_ol[j].ol_i_id = 0;
        orders_buf[i].o_ol[j].ol_supply_w_id = 0;
        orders_buf[i].o_ol[j].ol_quantity = 0;
        orders_buf[i].o_ol[j].ol_amount = 0;
        strcpy(orders_buf[i].o_ol[j].ol_dist_info,"");
    }
}

//=====
//
// Function   : OrdersBufLoad
//
// Fills shared buffer for ORDERS, NEWORDER, and ORDERLINE
//
//=====
void OrdersBufLoad(short d_id, long w_id)
{
    int    cust[ORDERS_PER_DISTRICT+1];
    long   o_id;
    long   ol;

    printf("...Loading Order Buffer for: d_id = %d, w_id = %d\n",
           d_id, w_id);

    GetPermutation(cust, orders_per_district);

    for (o_id=0;o_id<orders_per_district;o_id++)
    {
        // Generate ORDER and NEW-ORDER data
        orders_buf[o_id].o_d_id = d_id;
        orders_buf[o_id].o_w_id = w_id;
        orders_buf[o_id].o_id = o_id+1;
        orders_buf[o_id].o_c_id = cust[o_id+1];
        orders_buf[o_id].o_ol_cnt = (short)RandomNumber(5L, 15L);

        if (o_id < first_new_order)
        {
            orders_buf[o_id].o_carrier_id =
(short)RandomNumber(1L, 10L);
            orders_buf[o_id].o_all_local = 1;
        }
        else
        {
            orders_buf[o_id].o_carrier_id = 0;
            orders_buf[o_id].o_all_local = 1;
        }
    }
}

```

```

}
for (ol=0; ol<orders_buf[o_id].o_ol_cnt; ol++)
{
    orders_buf[o_id].o_ol[ol].ol = ol+1;
    orders_buf[o_id].o_ol[ol].ol_i_id = RandomNumber(1L,
max_items);
    orders_buf[o_id].o_ol[ol].ol_supply_w_id = w_id;
    orders_buf[o_id].o_ol[ol].ol_quantity = 5;
    MakeAlphaString(24, 24, OL_DIST_INFO_LEN,
&orders_buf[o_id].o_ol[ol].ol_dist_info);

    // Generate ORDER-LINE data
    if (o_id < first_new_order)
    {
        orders_buf[o_id].o_ol[ol].ol_amount = 0;
        // Added to insure ol_delivery_d set
properly during load
        FormatDate(&orders_buf[o_id].o_ol[ol].ol_delivery_d);
    }
    else
    {
        orders_buf[o_id].o_ol[ol].ol_amount =
RandomNumber(1,999999)/100.0;
        // Added to insure ol_delivery_d set
properly during load
        // odbc datetime format
        strcpy(orders_buf[o_id].o_ol[ol].ol_delivery_d,"1899-12-31 00:00:00.000");
    }
}

//=====
//
// Function   : LoadOrdersTable
//
//=====
void LoadOrdersTable(LOADER_TIME_STRUCT *orders_time_start)
{
    int    i;
    long   o_id;
    short  o_d_id;
    long   o_w_id;

    long   o_c_id;
    short  o_carrier_id;
    short  o_ol_cnt;
    short  o_all_local;

    char   o_entry_d[O_ENTRY_D_LEN+1];
    RETCODE rc;
    DBINT  rcint;

    // bind ORDER data
    i = 0;
    rc = bcp_bind(o_hdbc1, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);
}

```



```

rc = bcp_bind(o_hdbc1, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);
rc = bcp_bind(o_hdbc1, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);
rc = bcp_bind(o_hdbc1, (BYTE *) &o_c_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);
rc = bcp_bind(o_hdbc1, (BYTE *) &o_carrier_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);
rc = bcp_bind(o_hdbc1, (BYTE *) &o_ol_cnt, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);
rc = bcp_bind(o_hdbc1, (BYTE *) &o_all_local, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);
rc = bcp_bind(o_hdbc1, (BYTE *) &o_entry_d, 0, O_ENTRY_D_LEN, NULL, 0,
SQLCHARACTER, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

for (i = 0; i < orders_per_district; i++)
{
    o_id      = orders_buf[i].o_id;
    o_d_id    = orders_buf[i].o_d_id;
    o_w_id    = orders_buf[i].o_w_id;
    o_c_id    = orders_buf[i].o_c_id;
    o_carrier_id = orders_buf[i].o_carrier_id;
    o_ol_cnt  = orders_buf[i].o_ol_cnt;
    o_all_local = orders_buf[i].o_all_local;

    FormatDate(&o_entry_d);

    // send data to server
    rc = bcp_sendrow(o_hdbc1);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    orders_rows_loaded++;
    CheckForCommit(o_hdbc1, o_hstmt1, orders_rows_loaded, "orders",
&orders_time_start->time_start);
}

if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
{
    rcint = bcp_done(o_hdbc1);
    if (rcint < 0)
        HandleErrorDBC(o_hdbc1);

    SQLFreeStmt(o_hstmt1, SQL_DROP);
    SQLDisconnect(o_hdbc1);
    SQLFreeConnect(o_hdbc1);

    // if build index after load...
    if ((aptr->build_index == 1) && (aptr->index_order == 0))

```

```

        BuildIndex("idxordc1");

        // build non-clustered index
        if (aptr->build_index == 1)
            BuildIndex("idxordnc");
    }
}

//=====
//
// Function   : LoadNewOrderTable
//
//=====
void LoadNewOrderTable(LOADER_TIME_STRUCT *new_order_time_start)
{
    long      o_id;      i;
    short     o_d_id;
    long      o_w_id;
    RETCODE   rc;
    DBINT     rcint;

    // Bind NEW-ORDER data
    i = 0;
    rc = bcp_bind(o_hdbc2, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);
    rc = bcp_bind(o_hdbc2, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);
    rc = bcp_bind(o_hdbc2, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    for (i = first_new_order; i < last_new_order; i++)
    {
        o_id      = orders_buf[i].o_id;
        o_d_id    = orders_buf[i].o_d_id;
        o_w_id    = orders_buf[i].o_w_id;

        rc = bcp_sendrow(o_hdbc2);
        if (rc != SUCCEED)
            HandleErrorDBC(o_hdbc2);

        new_order_rows_loaded++;
        CheckForCommit_Big(o_hdbc2, o_hstmt2, new_order_rows_loaded,
"new_order", &new_order_time_start->time_start);
    }

    if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc2);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc2);

        SQLFreeStmt(o_hstmt2, SQL_DROP);
        SQLDisconnect(o_hdbc2);
        SQLFreeConnect(o_hdbc2);

        // if build index after load...

```

```

        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxmodcl");
    }
}

//=====
//
// Function   : LoadOrderLineTable
//
//=====
void LoadOrderLineTable(LOADER_TIME_STRUCT *order_line_time_start)
{
    long          i;
    long          j;
    long          o_id;
    short         o_d_id;
    long          o_w_id;
    double        ol;
    long          ol_i_id;
    long          ol_supply_w_id;
    short         ol_quantity;
    double        ol_amount;
    char          ol_dist_info[DIST_INFO_LEN+1];
    char          ol_delivery_d[OL_DELIVERY_D_LEN+1];
    RETCODE       rc;
    DBINT         rcint;

    // bind ORDER-LINE data
    i = 0;
    rc = bcp_bind(o_hdbc3, (BYTE *) &o_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
    rc = bcp_bind(o_hdbc3, (BYTE *) &o_d_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT2,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
    rc = bcp_bind(o_hdbc3, (BYTE *) &o_w_id, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT4, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
    rc = bcp_bind(o_hdbc3, (BYTE *) &ol, 0, SQL_VARLEN_DATA, NULL, 0, SQLFLT8,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_i_id, 0, SQL_VARLEN_DATA, NULL, 0, SQLINT4,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_delivery_d, 0, OL_DELIVERY_D_LEN,
NULL, 0, SQLCHARACTER, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_amount, 0, SQL_VARLEN_DATA, NULL, 0,
SQLFLT8, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_supply_w_id, 0, SQL_VARLEN_DATA, NULL,
0, SQLINT4, ++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
    rc = bcp_bind(o_hdbc3, (BYTE *) &ol_quantity, 0, SQL_VARLEN_DATA, NULL, 0,
SQLINT2, ++i);
}

```

```

    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);
    rc = bcp_bind(o_hdbc3, (BYTE *) ol_dist_info, 0, DIST_INFO_LEN, NULL, 0, 0,
++i);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    for (i = 0; i < orders_per_district; i++)
    {
        o_id   = orders_buf[i].o_id;
        o_d_id = orders_buf[i].o_d_id;
        o_w_id = orders_buf[i].o_w_id;

        for (j=0; j < orders_buf[i].o_ol_cnt; j++)
        {
            ol           = orders_buf[i].o_ol[j].ol;
            ol_i_id      = orders_buf[i].o_ol[j].ol_i_id;
            ol_supply_w_id = orders_buf[i].o_ol[j].ol_supply_w_id;
            ol_quantity  = orders_buf[i].o_ol[j].ol_quantity;
            ol_amount    = orders_buf[i].o_ol[j].ol_amount;

            strcpy(ol_delivery_d, orders_buf[i].o_ol[j].ol_delivery_d);

            strcpy(ol_dist_info, orders_buf[i].o_ol[j].ol_dist_info);

            rc = bcp_sendrow(o_hdbc3);
            if (rc != SUCCEED)
                HandleErrorDBC(o_hdbc3);

            order_line_rows_loaded++;

            CheckForCommit_Big(o_hdbc3, o_hstmt3,
order_line_rows_loaded, "order_line", &order_line_time_start->time_start);
        }
    }

    if ((o_w_id == aptr->num_warehouses) && (o_d_id == 10))
    {
        rcint = bcp_done(o_hdbc3);
        if (rcint < 0)
            HandleErrorDBC(o_hdbc3);

        SQLFreeStmt(o_hstmt3, SQL_DROP);
        SQLDisconnect(o_hdbc3);
        SQLFreeConnect(o_hdbc3);

        // if build index after load...
        if ((aptr->build_index == 1) && (aptr->index_order == 0))
            BuildIndex("idxodlcl");
    }
}

//=====
//
// Function   : GetPermutation
//
//=====
void GetPermutation(int perm[], int n)
{
    int i, r, t;
}

```

```

    for (i=1;i<=n;i++)
        perm[i] = i;

    for (i=1;i<=n;i++)
    {
        r = RandomNumber(i,n);
        t = perm[i];
        perm[i] = perm[r];
        perm[r] = t;
    }
}

//=====
//
// Function   : CheckForCommit
//
//=====
void CheckForCommit(HDBC hdbc,
                   HSTMT hstmt,
                   long rows_loaded,
                   char *table_name,
                   long *time_start)
{
    long time_end, time_diff;

    if ( !(rows_loaded % aptr->batch) )
    {
        time_end = (TimeNow() / MILLI);
        time_diff = time_end - *time_start;

        printf("--> Loaded %ld rows into %s in %ld sec - Total = %d (%.2f
rps)\n",
                aptr->batch,
                table_name,
                time_diff,
                rows_loaded,
                (float) aptr->batch / (time_diff ? time_diff
: 1L));

        *time_start = time_end;
    }

    return;
}

//=====
//
// Function   : CheckForCommit_Big
//
//=====
void CheckForCommit_Big(HDBC hdbc,
                       HSTMT hstmt,
                       double rows_loaded,
                       char *table_name,
                       long *time_start)
{
    long time_end, time_diff;

    if ( !(fmod(rows_loaded,aptr->batch) ) )
    {
        time_end = (TimeNow() / MILLI);

```

```

        time_diff = time_end - *time_start;

        printf("--> Loaded %ld rows into %s in %ld sec - Total = %.0f
(%.2f rps)\n",
                aptr->batch,
                table_name,
                time_diff,
                rows_loaded,
                (float) aptr->batch / (time_diff ? time_diff
: 1L));

        *time_start = time_end;
    }

    return;
}

//=====
//
// Function   : OpenConnections
//
//=====
void OpenConnections()
{
    RETCODE          rc;

    char              szDriverString[300];
    char              szDriverStringOut[1024];
    SQLSMALLINT       cbDriverStringOut;

    SQLAllocHandle(SQL_HANDLE_ENV, SQL_NULL_HANDLE, &henv );
    SQLSetEnvAttr(henv, SQL_ATTR_ODBC_VERSION, (void*)SQL_OV_ODBC3, 0 );

    SQLAllocHandle(SQL_HANDLE_DBC, henv , &i_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &w_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &c_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc1);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc2);
    SQLAllocHandle(SQL_HANDLE_DBC, henv , &o_hdbc3);

    SQLSetConnectAttr(i_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(w_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(c_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(c_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc1, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc2, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );
    SQLSetConnectAttr(o_hdbc3, SQL_COPT_SS_BCP, (void *)SQL_BCP_ON,
SQL_IS_INTEGER );

    // Open connections to SQL Server
    // Connection 1
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

```

```

                                aptr->server,
                                aptr->user,
                                aptr->password,
                                aptr->database );

rc = SQLSetConnectOption (i_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(i_hdbc1);

rc = SQLDriverConnect ( i_hdbc1,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );

if ( (rc != SUCCEED) &&
      (rc != SQL_SUCCESS_WITH_INFO) )
{
    HandleErrorDBC(i_hdbc1);
    printf("TPC-C Loader aborted!\n");
    exit(9);
}

// Connection 2
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                                aptr->server,
                                aptr->user,
                                aptr->password,
                                aptr->database );

rc = SQLSetConnectOption (w_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(w_hdbc1);

rc = SQLDriverConnect ( w_hdbc1,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );

if ( (rc != SUCCEED) &&
      (rc != SQL_SUCCESS_WITH_INFO) )
{
    HandleErrorDBC(w_hdbc1);
    printf("TPC-C Loader aborted!\n");
    exit(9);
}

```

```

// Connection 3
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                                aptr->server,
                                aptr->user,
                                aptr->password,
                                aptr->database );

rc = SQLSetConnectOption (c_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc1);

rc = SQLDriverConnect ( c_hdbc1,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );

if ( (rc != SUCCEED) &&
      (rc != SQL_SUCCESS_WITH_INFO) )
{
    HandleErrorDBC(c_hdbc1);
    printf("TPC-C Loader aborted!\n");
    exit(9);
}

// Connection 4
sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,
                                aptr->server,
                                aptr->user,
                                aptr->password,
                                aptr->database );

rc = SQLSetConnectOption (c_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);
if (rc != SUCCEED)
    HandleErrorDBC(c_hdbc2);

rc = SQLDriverConnect ( c_hdbc2,
                        NULL,
                        (SQLCHAR*)&szDriverString[0] ,
                        SQL_NTS,
                        (SQLCHAR*)&szDriverStringOut[0],
                        sizeof(szDriverStringOut),
                        &cbDriverStringOut,
                        SQL_DRIVER_NOPROMPT );

if ( (rc != SUCCEED) &&
      (rc != SQL_SUCCESS_WITH_INFO) )
{
    HandleErrorDBC(c_hdbc2);
    printf("TPC-C Loader aborted!\n");
}

```

```

        exit(9);
    }

    // Connection 5
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

    rc = SQLSetConnectOption (o_hdbc1, SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc1);

    rc = SQLDriverConnect ( o_hdbc1,

        NULL,

        (SQLCHAR*)&szDriverString[0] ,

        SQL_NTS,

        (SQLCHAR*)&szDriverStringOut[0],

        sizeof(szDriverStringOut),

        &cbDriverStringOut,

        SQL_DRIVER_NOPROMPT );
    if ( (rc != SUCCEED) &&
        (rc != SQL_SUCCESS_WITH_INFO) )
    {
        HandleErrorDBC(o_hdbc1);
        printf("TPC-C Loader aborted!\n");
        exit(9);
    }

    // Connection 6
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

    rc = SQLSetConnectOption (o_hdbc2, SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc2);

    rc = SQLDriverConnect ( o_hdbc2,

        NULL,

        (SQLCHAR*)&szDriverString[0] ,

        SQL_NTS,

        (SQLCHAR*)&szDriverStringOut[0],

        sizeof(szDriverStringOut),

        &cbDriverStringOut,

        SQL_DRIVER_NOPROMPT );
    if ( (rc != SUCCEED) &&
        (rc != SQL_SUCCESS_WITH_INFO) )

```

```

    {
        HandleErrorDBC(o_hdbc2);
        printf("TPC-C Loader aborted!\n");
        exit(9);
    }

    // Connection 7
    sprintf( szDriverString , "DRIVER={SQL
Server};SERVER=%s;UID=%s;PWD=%s;DATABASE=%s" ,

        aptr->server,
        aptr->user,
        aptr->password,
        aptr->database );

    rc = SQLSetConnectOption (o_hdbc3, SQL_PACKET_SIZE, aptr->pack_size);
    if (rc != SUCCEED)
        HandleErrorDBC(o_hdbc3);

    rc = SQLDriverConnect ( o_hdbc3,

        NULL,

        (SQLCHAR*)&szDriverString[0] ,

        SQL_NTS,

        (SQLCHAR*)&szDriverStringOut[0],

        sizeof(szDriverStringOut),

        &cbDriverStringOut,

        SQL_DRIVER_NOPROMPT );
    if ( (rc != SUCCEED) &&
        (rc != SQL_SUCCESS_WITH_INFO) )
    {
        HandleErrorDBC(o_hdbc3);
        printf("TPC-C Loader aborted!\n");
        exit(9);
    }
}

//=====
//
// Function name: BuildIndex
//
//=====
void BuildIndex(char *index_script)
{
    char cmd[256];

    printf("Starting index creation: %s\n",index_script);

    sprintf(cmd, "osql -S%s -U%s -P%s -e -i%s\\%s.sql > %s%s.log",
        aptr->server,
        aptr->user,
        aptr->password,
        aptr->index_script_path,
        index_script,
        aptr->log_path,
        index_script);

    system(cmd);

    printf("Finished index creation: %s\n",index_script);
}

```

```

}

//=====
//
// Function name: HandleErrorDBC
//
//=====
void HandleErrorDBC (SQLHDBC hdbc1)
{
    SQLCHAR          SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLLEN           NativeError;
    SQLSMALLINT i, MsgLen;
    SQLRETURN rc2;
    char             timebuf[128];
    char             datebuf[128];
    char             err_log_path[256];
    FILE             *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_DBC , hdbc1, i, SqlState ,
    &NativeError,
                                Msg, sizeof(Msg) , &MsgLen )) !=
    SQL_NO_DATA )
    {
        sprintf( szLastError , "%s" , Msg );

        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\n==>SQLState: %s\n" , datebuf, timebuf,
    szLastError, SqlState);

        strcpy(err_log_path,aptr->log_path);
        strcat(err_log_path,"tpccldr.err");
        fp1 = fopen(err_log_path,"a+");
        if (fp1 == NULL)
            printf("ERROR: Unable to open errorlog file.\n");
        else
        {
            fprintf(fp1, "[%s : %s] %s\nSQLState: %s\n" , datebuf,
    timebuf, szLastError, SqlState);
            fclose(fp1);
        }

        i++;
    }
}

//=====
//
// Function : HandleErrorSTMT
//
//=====
void HandleErrorSTMT (HSTMT hstmt1)
{
    SQLCHAR          SqlState[6], Msg[SQL_MAX_MESSAGE_LENGTH];
    SQLLEN           NativeError;
    SQLSMALLINT i, MsgLen;
    SQLRETURN rc2;
    char             timebuf[128];
    char             datebuf[128];
    char             err_log_path[256];

```

```

    FILE             *fp1;

    i = 1;
    while (( rc2 = SQLGetDiagRec(SQL_HANDLE_STMT , hstmt1, i, SqlState ,
    &NativeError,
                                Msg, sizeof(Msg) , &MsgLen )) !=
    SQL_NO_DATA )
    {
        if (total_db_errors >= MAX_SQL_ERRORS)
        {
            printf(">>>> Maximum SQL errors of %d exceeded.
    Terminating TPCCLDR.<<<<<\n",total_db_errors);
            exit(9);
        }
        total_db_errors++;

        sprintf( szLastError , "%s" , Msg );

        _strtime(timebuf);
        _strdate(datebuf);

        printf( "[%s : %s] %s\nSQLState: %s\n" , datebuf, timebuf,
    szLastError, SqlState);

        strcpy(err_log_path,aptr->log_path);
        strcat(err_log_path,"tpccldr.err");
        fp1 = fopen(err_log_path,"a+");
        if (fp1 == NULL)
            printf("ERROR: Unable to open errorlog file.\n");
        else
        {
            fprintf(fp1, "[%s : %s] %s\nSQLState: %s\n" , datebuf,
    timebuf, szLastError, SqlState);
            fclose(fp1);
        }

        i++;
    }
}

//=====
//
// Function : FormatDate
//
//=====
void FormatDate ( char* szTimeCOutput )
{
    struct tm when;
    time_t now;

    time( &now );
    when = *localtime( &now );

    mktime( &when );

    // odbc datetime format
    strftime( szTimeCOutput , 30 , "%Y-%m-%d %H:%M:%S.000" , &when );

    return;
}

```

Appendix C: Tunable Parameters

Microsoft SQL Server 2005 Enterprise x64 Edition Installation Procedures

Microsoft SQL Server 2005 Enterprise x64 Edition
Installation Procedures
Type of installation: custom
During the custom installation, use the default
settings for all except the following two areas:
Services accounts:
SQL Server - local system account
SQL Server Agent - local system account
Set the sort order/collation as Latin1_General / BIN

Microsoft SQL Server 2005 Enterprise x64 Edition Startup Commands

```
sqlservr.exe -c -x -T3502 -T8011 -T8012 -T8018 -T8019
-T661 -T836 -T834
Where:
-c Start SQL Server independently of the
Windows NT Service Control Manager
-x Disables the keeping of CPU time and cache-
hit ratio statistics
-T3502-Prints a message to the SQL Server log at the
start and end of each checkpoint
-T8011-Disable diagnostics for resource monitor
-T8012-Disable ring buffer for scheduler
-T8018-Disable exceptions ring buffer
-T8019-Disable stack collection for exception ring
buffer
-T661-Disable ghost writer
-T836-Make use of all physical memory
```

-T834-Large Pages

File locations:
sqlservr.exe - C:\Program Files\Microsoft SQL
Server\MSSQL.1\MSSQL\Binn
ERRORLOG - C:\Program Files\Microsoft SQL
Server\MSSQL.1\MSSQL\LOG

Microsoft SQL Server Configuration Parameters

```
1> 2> 3> 4> 5> 6> 7> 8> 9> 10> 11> 12> -----
-----
--
-- File: VERSION.SQL
--
-- Microsoft TPC-C Benchmark Kit Ver. 4.62
--
-- Copyright Microsoft, 2005
--
-- - Extracts current version of SQL Server
--
-----
USE master
1> 2> 3> 4> 5>
SELECT CONVERT(char(20),
SERVERPROPERTY('ProductVersion')),
CONVERT(char(20),
SERVERPROPERTY('ProductLevel')),
CONVERT(char(29), SERVERPROPERTY('Edition'))
-----
9.00.3042.00 SP2 Enterprise
(1 row affected)
1> 2> 3>
SELECT CONVERT(char(30), GETDATE(), 21)
-----
2007-08-13 17:29:26.730
(1 row affected)
1>
1> 2> 3> 4> 5> 6> 7> 8> 9> 10> 11> 12> 13> 14>
```

```
-----
-----
--
-- File: CONFIG.SQL
--
-- Microsoft TPC-C Benchmark Kit Ver. 4.62
--
-- Copyright Microsoft, 2005
--
-- - Collects SQL Server configuration
parameters --
-----
-----
PRINT ' '
SELECT CONVERT(char(30), GETDATE(), 21)
PRINT ' '
-----
-----
2007-08-13 17:29:26.873
(1 row affected)
1> 2> 3> Configuration option 'show advanced options'
changed from 1 to 1. Run the RECONFIGURE statement to
install.
sp_configure 'show advanced',1
1> 2> 3>
RECONFIGURE WITH OVERRIDE
1> 2> 3>
sp_configure
name minimum
maximum config_value run_value
-----
-----
Ad Hoc Distributed Queries 0
1 0 0
affinity I/O mask -2147483648
2147483647 0 0
affinity mask -2147483648
2147483647 65535 65535
affinity64 I/O mask -2147483648
2147483647 0 0
affinity64 mask -2147483648
2147483647 0 0
Agent XPs 0
1 0 0
allow updates 0
1 0 0
awe enabled 0
1 0 0
blocked process threshold 0
86400 0 0
c2 audit mode 0
1 0 0
clr enabled 0
1 0 0
```

```

common criteria compliance enabled          0
1      0      0
cost threshold for parallelism             0
32767      5      5
cross db ownership chaining               0
1      0      0
cursor threshold                          -1
2147483647      -1      -1
Database Mail XPs                         0
1      0      0
default full-text language                0
2147483647      1033      1033
default language                          0
9999      0      0
default trace enabled                     0
1      1      1
disallow results from triggers            0
1      0      0
fill factor (%)                           0
100      0      0
ft crawl bandwidth (max)                  0
32767      100      100
ft crawl bandwidth (min)                  0
32767      0      0
ft notify bandwidth (max)                 0
32767      100      100
ft notify bandwidth (min)                 0
32767      0      0
in-doubt xact resolution                   0
2      0      0
index create memory (KB)                   704
2147483647      704      704
lightweight pooling                        0
1      1      1
locks                                      5000
2147483647      0      0
max degree of parallelism                  0
64      1      1
max full-text crawl range                  0
256      4      4
max server memory (MB)                    16
2147483647      126600      126600
max text repl size (B)                     0
2147483647      65536      65536
max worker threads                         128
32767      950      950
media retention                            0
365      0      0
min memory per query (KB)                  512
2147483647      512      512
min server memory (MB)                     0
2147483647      0      0
nested triggers                           0
1      1      1
network packet size (B)                    512
32767      2048      2048
Ole Automation Procedures                  0
1      0      0
open objects                              0
2147483647      0      0
PH timeout (s)                            1
3600      60      60

```

```

precompute rank                           0
1      0      0
priority boost                             0
1      1      1
query governor cost limit                 0
2147483647      0      0
query wait (s)                            -1
2147483647      -1      -1
recovery interval (min)                   0
32767      32767      32767
remote access                             0
1      1      1
remote admin connections                  0
1      0      0
remote login timeout (s)                   0
2147483647      20      20
remote proc trans                         0
1      0      0
remote query timeout (s)                   0
2147483647      600      600
Replication XPs                           0
1      0      0
scan for startup procs                    0
1      0      0
server trigger recursion                   0
1      1      1
set working set size                       0
1      0      0
show advanced options                     0
1      1      1
SMO and DMO XPs                           0
1      1      1
SQL Mail XPs                              0
1      0      0
transform noise words                      0
1      0      0
two digit year cutoff                      1753
9999      2049      2049
user connections                           0
32767      0      0
user options                              0
32767      0      0
Web Assistant Procedures                   0
1      0      0
xp_cmdshell                               0
1      0      0
1>

```

Microsoft SQL Server Node Configuration Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\90\NodeConfiguration

```

```

Class Name: <NO CLASS>
Last Write Time: 6/20/2007 - 5:19 PM

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\90\NodeConfiguration\Node0
Class Name: <NO CLASS>
Last Write Time: 6/20/2007 - 5:19 PM
Value 0
Name: CPUMask
Type: REG_DWORD
Data: 0xF

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\90\NodeConfiguration\Node1
Class Name: <NO CLASS>
Last Write Time: 6/20/2007 - 5:19 PM
Value 0
Name: CPUMask
Type: REG_DWORD
Data: 0xF0

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\90\NodeConfiguration\Node2
Class Name: <NO CLASS>
Last Write Time: 6/20/2007 - 5:19 PM
Value 0
Name: CPUMask
Type: REG_DWORD
Data: 0xF00

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\90\NodeConfiguration\Node3
Class Name: <NO CLASS>
Last Write Time: 6/20/2007 - 5:19 PM
Value 0
Name: CPUMask
Type: REG_DWORD
Data: 0xF000

```

Microsoft SQL Server Image File Execution Configuration Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows

```



```

NT\CurrentVersion\Image File Execution
Options\sqlservr.exe
Class Name: <NO CLASS>
Last Write Time: 7/12/2007 - 7:58 AM
Value 0
Name: UseLargePages
Type: REG_DWORD
Data: 0x1

```

Microsoft SQL Server Super Socket Configuration Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\MSSQL.1\MSSQLServer\SuperSocketNetLib
Class Name: <NO CLASS>
Last Write Time: 6/20/2007 - 9:57 AM
Value 0
Name: ForceEncryption
Type: REG_DWORD
Data: 0
Value 1
Name: HideInstance
Type: REG_DWORD
Data: 0
Value 2
Name: Certificate
Type: REG_SZ
Data:
Value 3
Name: DisplayName
Type: REG_SZ
Data: SQL Server Network Configuration

```

```

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\MSSQL.1\MSSQLServer\SuperSocketNetLib\AdminCon
nection
Class Name: <NO CLASS>
Last Write Time: 6/20/2007 - 9:57 AM
Value 0
Name: DisplayName
Type: REG_SZ
Data: Dedicated Administrative
Connection

```

```

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\MSSQL.1\MSSQLServer\SuperSocketNetLib\AdminCon
nection\Tcp
Class Name: <NO CLASS>
Last Write Time: 6/20/2007 - 9:57 AM
Value 0
Name: TcpDynamicPorts
Type: REG_SZ
Data: 1434
Value 1
Name: DisplayName
Type: REG_SZ
Data: TCP/IP

```

```

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\MSSQL.1\MSSQLServer\SuperSocketNetLib\Np
Class Name: <NO CLASS>
Last Write Time: 6/20/2007 - 9:57 AM
Value 0
Name: Enabled
Type: REG_DWORD
Data: 0

```

```

Value 1
Name: PipeName
Type: REG_SZ
Data: \\.\pipe\sql\query

```

```

Value 2
Name: DisplayName
Type: REG_SZ
Data: Named Pipes

```

```

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\MSSQL.1\MSSQLServer\SuperSocketNetLib\Sm
Class Name: <NO CLASS>
Last Write Time: 6/20/2007 - 9:57 AM
Value 0
Name: Enabled
Type: REG_DWORD
Data: 0x1

```

```

Value 1
Name: DisplayName
Type: REG_SZ
Data: Shared Memory

```

```

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\MSSQL.1\MSSQLServer\SuperSocketNetLib\Tcp
Class Name: <NO CLASS>
Last Write Time: 6/20/2007 - 5:19 PM
Value 0
Name: Enabled
Type: REG_DWORD
Data: 0x1

```

```

Value 1
Name: ListenOnAllIPs
Type: REG_DWORD
Data: 0x1

```

```

Value 2
Name: NoDelay
Type: REG_DWORD
Data: 0

```

```

Value 3
Name: KeepAlive
Type: REG_DWORD
Data: 0x7530

```

```

Value 4
Name: DisplayName
Type: REG_SZ
Data: TCP/IP

```

```

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\MSSQL.1\MSSQLServer\SuperSocketNetLib\Tcp\IP1
Class Name: <NO CLASS>
Last Write Time: 6/21/2007 - 8:41 AM

```

```

Value 0
Name: Enabled
Type: REG_DWORD
Data: 0x1

```

```

Value 1
Name: Active
Type: REG_DWORD
Data: 0x1

```

```

Value 2
Name: TcpPort
Type: REG_SZ
Data: 2004

```

```

Value 3
Name: TcpDynamicPorts
Type: REG_SZ
Data:

```

```

Value 4
Name: DisplayName
Type: REG_SZ
Data: Specific IP Address

```

```

Value 5
Name: IpAddress
Type: REG_SZ
Data: 130.168.208.20

```

```

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL
Server\MSSQL.1\MSSQLServer\SuperSocketNetLib\Tcp\IP2
Class Name: <NO CLASS>
Last Write Time: 6/21/2007 - 8:41 AM

```

Value 0
 Name: Enabled
 Type: REG_DWORD
 Data: 0x1

Value 1
 Name: Active
 Type: REG_DWORD
 Data: 0x1

Value 2
 Name: TcpPort
 Type: REG_SZ
 Data: 2003

Value 3
 Name: TcpDynamicPorts
 Type: REG_SZ
 Data:

Value 4
 Name: DisplayName
 Type: REG_SZ
 Data: Specific IP Address

Value 5
 Name: IPAddress
 Type: REG_SZ
 Data: 130.122.208.21

Key Name:
 HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL Server\MSSQL.1\MSSQLServer\SuperSocketNetLib\Tcp\IP3
 Class Name: <NO CLASS>
 Last Write Time: 6/21/2007 - 8:41 AM

Value 0
 Name: Enabled
 Type: REG_DWORD
 Data: 0x1

Value 1
 Name: Active
 Type: REG_DWORD
 Data: 0x1

Value 2
 Name: TcpPort
 Type: REG_SZ
 Data: 2002

Value 3
 Name: TcpDynamicPorts
 Type: REG_SZ
 Data:

Value 4
 Name: DisplayName
 Type: REG_SZ
 Data: Specific IP Address

Value 5
 Name: IPAddress

Type: REG_SZ
 Data: 130.120.208.30

Key Name:
 HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL Server\MSSQL.1\MSSQLServer\SuperSocketNetLib\Tcp\IP4
 Class Name: <NO CLASS>
 Last Write Time: 6/21/2007 - 8:41 AM

Value 0
 Name: Enabled
 Type: REG_DWORD
 Data: 0x1

Value 1
 Name: Active
 Type: REG_DWORD
 Data: 0x1

Value 2
 Name: TcpPort
 Type: REG_SZ
 Data: 2001

Value 3
 Name: TcpDynamicPorts
 Type: REG_SZ
 Data:

Value 4
 Name: DisplayName
 Type: REG_SZ
 Data: Specific IP Address

Value 5
 Name: IPAddress
 Type: REG_SZ
 Data: 130.121.208.31

Key Name:
 HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL Server\MSSQL.1\MSSQLServer\SuperSocketNetLib\Tcp\IP5
 Class Name: <NO CLASS>
 Last Write Time: 6/20/2007 - 5:19 PM

Value 0
 Name: Enabled
 Type: REG_DWORD
 Data: 0x1

Value 1
 Name: Active
 Type: REG_DWORD
 Data: 0x1

Value 2
 Name: TcpPort
 Type: REG_SZ
 Data: 1433

Value 3
 Name: TcpDynamicPorts
 Type: REG_SZ

Data:

Value 4
 Name: DisplayName
 Type: REG_SZ
 Data: Specific IP Address

Value 5
 Name: IPAddress
 Type: REG_SZ
 Data: 127.0.0.0

Key Name:
 HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL Server\MSSQL.1\MSSQLServer\SuperSocketNetLib\Tcp\IPAL1
 Class Name: <NO CLASS>
 Last Write Time: 6/20/2007 - 5:23 PM

Value 0
 Name: TcpPort
 Type: REG_SZ
 Data: 2001[0x1],2002[0x2],2003[0x4],2004[0x8]

Value 1
 Name: TcpDynamicPorts
 Type: REG_SZ
 Data:

Value 2
 Name: DisplayName
 Type: REG_SZ
 Data: Any IP Address

Key Name:
 HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Microsoft SQL Server\MSSQL.1\MSSQLServer\SuperSocketNetLib\Via
 Class Name: <NO CLASS>
 Last Write Time: 6/20/2007 - 9:57 AM

Value 0
 Name: Enabled
 Type: REG_DWORD
 Data: 0

Value 1
 Name: DefaultServerPort
 Type: REG_SZ
 Data: 0:1433

Value 2
 Name: ListenInfo
 Type: REG_SZ
 Data: 0:1433

Value 3
 Name: DisplayName
 Type: REG_SZ
 Data: VIA

IRQ 29 Smart Array P800 Controller (Non-Miniport)

IRQ 29 PCI standard PCI-to-PCI bridge

IRQ 29 Smart Array P800 Controller (Non-Miniport)

Memory Address 0xA0000-0xBFFFF PCI bus
 Memory Address 0xA0000-0xBFFFF ATI ES1000

I/O Port 0x00007000-0x00007FFF PCI standard
 PCI-to-PCI bridge
 I/O Port 0x00007000-0x00007FFF Smart Array
 P800 Controller (Non-Miniport)

Memory Address 0xFCF00000-0xFD8FFFFF PCI standard
 PCI-to-PCI bridge
 Memory Address 0xFCF00000-0xFD8FFFFF PCI standard
 PCI-to-PCI bridge

Memory Address 0xFA000000-0xFBFFFFFF PCI standard
 PCI-to-PCI bridge
 Memory Address 0xFA000000-0xFBFFFFFF PCI standard
 PCI-to-PCI bridge
 Memory Address 0xFA000000-0xFBFFFFFF HP NC373i
 Virtual Bus Device

Memory Address 0xF8000000-0xFBFFFFFF PCI standard
 PCI-to-PCI bridge
 Memory Address 0xF8000000-0xFBFFFFFF PCI standard
 PCI-to-PCI bridge
 Memory Address 0xF8000000-0xFBFFFFFF PCI standard
 PCI-to-PCI bridge
 Memory Address 0xF8000000-0xFBFFFFFF HP NC373i
 Virtual Bus Device

I/O Port 0x00004000-0x00004FFF PCI standard
 PCI-to-PCI bridge
 I/O Port 0x00004000-0x00004FFF Smart Array
 P400 Controller

I/O Port 0x0000C000-0x0000CFFF PCI standard
 PCI-to-PCI bridge
 I/O Port 0x0000C000-0x0000CFFF Smart Array
 BUMPER LITE Controller (Non-Miniport)

I/O Port 0x00008000-0x0000CFFF PCI standard
 PCI-to-PCI bridge
 I/O Port 0x00008000-0x0000CFFF PCI standard
 PCI-to-PCI bridge
 I/O Port 0x00008000-0x0000CFFF PCI standard
 PCI-to-PCI bridge
 I/O Port 0x00008000-0x0000CFFF Smart Array
 P800 Controller (Non-Miniport)

I/O Port 0x0000D000-0x0000FFFF PCI standard
 PCI-to-PCI bridge
 I/O Port 0x0000D000-0x0000FFFF PCI standard
 PCI-to-PCI bridge
 I/O Port 0x0000D000-0x0000FFFF PCI standard
 PCI-to-PCI bridge
 I/O Port 0x0000D000-0x0000FFFF Smart Array
 P800 Controller (Non-Miniport)

[DMA]

Resource Device Status
 Channel 7 Direct memory access controller OK

[Forced Hardware]

Device PNP Device ID

[I/O]

Resource Device Status
 0x00000000-0x00000CF7 PCI bus OK
 0x00000000-0x00000CF7 Direct memory access
 controller OK
 0x0000D000-0x0000FFFF PCI bus OK
 0x0000D000-0x0000FFFF PCI standard PCI-to-PCI
 bridge OK
 0x0000D000-0x0000FFFF PCI standard PCI-to-PCI
 bridge OK
 0x0000D000-0x0000FFFF PCI standard PCI-to-PCI
 bridge OK
 0x0000D000-0x0000FFFF Smart Array P800
 Controller (Non-Miniport) OK
 0x0000F000-0x0000FFFF PCI standard PCI-to-PCI
 bridge OK
 0x0000F000-0x0000FFFF Smart Array P800
 Controller (Non-Miniport) OK
 0x0000E000-0x0000EFFF PCI standard PCI-to-PCI
 bridge OK
 0x0000E000-0x0000EFFF Smart Array P800
 Controller (Non-Miniport) OK
 0x00008000-0x0000CFFF PCI standard PCI-to-PCI
 bridge OK
 0x00008000-0x0000CFFF PCI standard PCI-to-PCI
 bridge OK
 0x00008000-0x0000CFFF PCI standard PCI-to-PCI
 bridge OK
 0x00008000-0x0000CFFF Smart Array P800
 Controller (Non-Miniport) OK
 0x0000C000-0x0000CFFF PCI standard PCI-to-PCI
 bridge OK
 0x0000C000-0x0000CFFF Smart Array BUMPER LITE
 Controller (Non-Miniport) OK
 0x0000B000-0x0000BFFF PCI standard PCI-to-PCI
 bridge OK
 0x0000B000-0x0000BFFF Smart Array BUMPER LITE
 Controller (Non-Miniport) OK
 0x00009000-0x00009FFF PCI standard PCI-to-PCI
 bridge OK
 0x00009000-0x00009FFF Smart Array P800
 Controller (Non-Miniport) OK
 0x0000A000-0x0000AFFF PCI standard PCI-to-PCI
 bridge OK
 0x0000A000-0x0000AFFF Smart Array BUMPER LITE
 Controller (Non-Miniport) OK
 0x00005000-0x00007FFF PCI standard PCI-to-PCI
 bridge OK
 0x00005000-0x00007FFF PCI standard PCI-to-PCI
 bridge OK

0x00005000-0x00007FFF PCI standard PCI-to-PCI
 bridge OK
 0x00005000-0x00007FFF Smart Array P800
 Controller (Non-Miniport) OK
 0x00007000-0x00007FFF PCI standard PCI-to-PCI
 bridge OK
 0x00007000-0x00007FFF Smart Array P800
 Controller (Non-Miniport) OK
 0x00006000-0x00006FFF PCI standard PCI-to-PCI
 bridge OK
 0x00006000-0x00006FFF Smart Array P800
 Controller (Non-Miniport) OK
 0x00004000-0x00004FFF PCI standard PCI-to-PCI
 bridge OK
 0x00004000-0x00004FFF Smart Array P400
 Controller OK
 0x00001000-0x0000101F Standard Universal PCI
 to USB Host Controller OK
 0x00001020-0x0000103F Standard Universal PCI
 to USB Host Controller OK
 0x00001040-0x0000105F Standard Universal PCI
 to USB Host Controller OK
 0x00001060-0x0000107F Standard Universal PCI
 to USB Host Controller OK
 0x00003000-0x000030FF ATI ES1000 OK
 0x000003B0-0x000003BB ATI ES1000 OK
 0x000003C0-0x000003DF ATI ES1000 OK
 0x00002800-0x000028FF Base System Device OK
 0x00003400-0x000034FF Base System Device OK
 0x00003800-0x0000381F Standard Universal PCI
 to USB Host Controller OK
 0x00000070-0x00000077 Motherboard resources
 OK
 0x00000408-0x0000040F Motherboard resources
 OK
 0x000004D0-0x000004D1 Motherboard resources
 OK
 0x00000020-0x0000003F Motherboard resources
 OK
 0x000000A0-0x000000BF Motherboard resources
 OK
 0x00000090-0x0000009F Motherboard resources
 OK
 0x00000050-0x00000053 Motherboard resources
 OK
 0x00000700-0x0000071F Motherboard resources
 OK
 0x00000800-0x0000081F Motherboard resources
 OK
 0x00000840-0x0000087F Motherboard resources
 OK
 0x00000900-0x0000097F Motherboard resources
 OK
 0x00000010-0x0000001F Motherboard resources
 OK
 0x00000C80-0x00000C83 Motherboard resources
 OK

0x0000CD4-0x0000CD7	Motherboard resources	
OK		
0x0000F50-0x0000F58	Motherboard resources	
OK		
0x00000F0-0x00000F0	Motherboard resources	
OK		
0x0000CA0-0x0000CA1	Motherboard resources	
OK		
0x0000CA4-0x0000CA5	Motherboard resources	
OK		
0x0000CA2-0x0000CA3	OK	
0x0000040-0x0000043	System timer	OK
0x0000080-0x000008F	Direct memory access	
controller	OK	
0x00000C0-0x00000DF	Direct memory access	
controller	OK	
0x0000061-0x0000061	System speaker	OK
0x0000060-0x0000060	Standard 101/102-Key or	
Microsoft Natural PS/2 Keyboard	OK	
0x0000064-0x0000064	Standard 101/102-Key or	
Microsoft Natural PS/2 Keyboard	OK	
0x000002E-0x000002F	Extended IO Bus	OK
0x0000620-0x000065F	Extended IO Bus	OK
0x0000680-0x000069F	Extended IO Bus	OK
0x0000600-0x000061F	Extended IO Bus	OK
0x0000660-0x000067F	Extended IO Bus	OK
0x0000820-0x000082F	Extended IO Bus	OK
0x0000500-0x000050F	Standard Dual Channel	
PCI IDE Controller	OK	
0x000001F0-0x000001F7	Primary IDE Channel	OK
0x000003F6-0x000003F6	Primary IDE Channel	OK
0x00000170-0x00000177	Secondary IDE Channel	
OK		
0x00000376-0x00000376	Secondary IDE Channel	
OK		
[IRQs]		
Resource	Device	Status
IRQ 9	Microsoft ACPI-Compliant System	OK
IRQ 16	PCI standard PCI-to-PCI bridge	OK
IRQ 16	HP NC373i Virtual Bus Device	OK
IRQ 16	PCI standard PCI-to-PCI bridge	OK
IRQ 16	Smart Array P400 Controller	OK
IRQ 16	Standard Universal PCI to USB Host	OK
Controller	OK	
IRQ 16	Standard Enhanced PCI to USB Host	OK
Controller	OK	
IRQ 17	PCI standard PCI-to-PCI bridge	OK

IRQ 17	HP NC373i Virtual Bus Device	OK
IRQ 17	Standard Universal PCI to USB Host	OK
Controller	OK	
IRQ 28	PCI standard PCI-to-PCI bridge	OK
IRQ 28	PCI standard PCI-to-PCI bridge	OK
IRQ 28	PCI standard PCI-to-PCI bridge	OK
IRQ 28	Smart Array P800 Controller (Non-Miniport)	OK
IRQ 30	PCI standard PCI-to-PCI bridge	OK
IRQ 30	Smart Array P800 Controller (Non-Miniport)	OK
IRQ 31	PCI standard PCI-to-PCI bridge	OK
IRQ 31	Smart Array P800 Controller (Non-Miniport)	OK
IRQ 31	PCI standard PCI-to-PCI bridge	OK
IRQ 31	Smart Array P800 Controller (Non-Miniport)	OK
IRQ 31	PCI standard PCI-to-PCI bridge	OK
IRQ 31	Smart Array P800 Controller (Non-Miniport)	OK
IRQ 33	PCI standard PCI-to-PCI bridge	OK
IRQ 33	PCI standard PCI-to-PCI bridge	OK
IRQ 33	Smart Array P800 Controller (Non-Miniport)	OK
IRQ 34	PCI standard PCI-to-PCI bridge	OK
IRQ 34	Smart Array BUMPER LITE Controller (Non-Miniport)	OK
IRQ 34	PCI standard PCI-to-PCI bridge	OK
IRQ 34	Smart Array P800 Controller (Non-Miniport)	OK
IRQ 35	PCI standard PCI-to-PCI bridge	OK
IRQ 35	Smart Array BUMPER LITE Controller (Non-Miniport)	OK
IRQ 35	PCI standard PCI-to-PCI bridge	OK
IRQ 35	Smart Array BUMPER LITE Controller (Non-Miniport)	OK
IRQ 29	PCI standard PCI-to-PCI bridge	OK
IRQ 29	Smart Array P800 Controller (Non-Miniport)	OK
IRQ 29	PCI standard PCI-to-PCI bridge	OK
IRQ 29	Smart Array P800 Controller (Non-Miniport)	OK
IRQ 18	Standard Universal PCI to USB Host	OK
Controller	OK	
IRQ 19	Standard Universal PCI to USB Host	OK
Controller	OK	
IRQ 23	ATI ES1000	OK
IRQ 10	Base System Device	OK
IRQ 10	PCI Device	OK
IRQ 7	Base System Device	OK
IRQ 22	Standard Universal PCI to USB Host	OK
Controller	OK	

IRQ 0	System timer	OK
IRQ 1	Standard 101/102-Key or Microsoft Natural	
PS/2 Keyboard	OK	
IRQ 12	PS/2 Compatible Mouse	OK
IRQ 14	Primary IDE Channel	OK
[Memory]		
Resource	Device	Status
0xA0000-0xBFFFF	PCI bus	OK
0xA0000-0xBFFFF	ATI ES1000	OK
0xD0000000-0xDFFFFFFF	PCI bus	OK
0xF0000000-0xFEBFFFFFFF	PCI bus	OK
0xF7F00000-0xFBFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xF8000000-0xFBFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xF8000000-0xFBFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xF8000000-0xFBFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xF8000000-0xFBFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xF8000000-0xFBFFFFFFF	HP NC373i Virtual Bus	
Device	OK	
0xFA000000-0xFBFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xFA000000-0xFBFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xFA000000-0xFBFFFFFFF	HP NC373i Virtual Bus	
Device	OK	
0xFD900000-0xFDFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xFD9E0000-0xFD9FFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xFDA00000-0xFDFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xFDA00000-0xFDFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xFDE00000-0xFDFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xFDF00000-0xFDFFFFFFFF	Smart Array P800	
Controller (Non-Miniport)	OK	
0xFDEF0000-0xFDEF0FFF	Smart Array P800	
Controller (Non-Miniport)	OK	
0xFDC00000-0xFDDFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xFDD00000-0xFDDFFFFFFF	Smart Array P800	
Controller (Non-Miniport)	OK	
0xFDCF0000-0xFDCF0FFF	Smart Array P800	
Controller (Non-Miniport)	OK	
0xFDB00000-0xFDBFFFFFFF	Smart Array P800	
Controller (Non-Miniport)	OK	
0xFDAF0000-0xFDAF0FFF	Smart Array P800	
Controller (Non-Miniport)	OK	
0xFCE00000-0xFD8FFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xFCEE0000-0xFCEFFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xFCF00000-0xFD8FFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xFCF00000-0xFD8FFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	
0xFD700000-0xFD8FFFFFFF	PCI standard PCI-to-PCI	
bridge	OK	

```

0xFD800000-0xFD8FFFFF Smart Array BUMPER LITE
Controller (Non-Miniport) OK
0xFD7F0000-0xFD7F0FFF Smart Array BUMPER LITE
Controller (Non-Miniport) OK
0xFD500000-0xFD6FFFFF PCI standard PCI-to-PCI
bridge OK
0xFD600000-0xFD6FFFFF Smart Array BUMPER LITE
Controller (Non-Miniport) OK
0xFD5F0000-0xFD5F0FFF Smart Array BUMPER LITE
Controller (Non-Miniport) OK
0xFD000000-0xFD0FFFFF Smart Array P800
Controller (Non-Miniport) OK
0xFCFF0000-0xFCFF0FFF Smart Array P800
Controller (Non-Miniport) OK
0xFD100000-0xFD2FFFFF PCI standard PCI-to-PCI
bridge OK
0xFD200000-0xFD2FFFFF Smart Array P800
Controller (Non-Miniport) OK
0xFD1F0000-0xFD1F0FFF Smart Array P800
Controller (Non-Miniport) OK
0xFD300000-0xFD4FFFFF PCI standard PCI-to-PCI
bridge OK
0xFD400000-0xFD4FFFFF Smart Array BUMPER LITE
Controller (Non-Miniport) OK
0xFD3F0000-0xFD3F0FFF Smart Array BUMPER LITE
Controller (Non-Miniport) OK
0xFC700000-0xFCDFFFFF PCI standard PCI-to-PCI
bridge OK
0xFC7E0000-0xFC7FFFFF PCI standard PCI-to-PCI
bridge OK
0xFC800000-0xFCDFFFFF PCI standard PCI-to-PCI
bridge OK
0xFC800000-0xFCDFFFFF PCI standard PCI-to-PCI
bridge OK
0xFCC00000-0xFCDFFFFF PCI standard PCI-to-PCI
bridge OK
0xFCD00000-0xFCDFFFFF Smart Array P800
Controller (Non-Miniport) OK
0xFCCF0000-0xFCCF0FFF Smart Array P800
Controller (Non-Miniport) OK
0xFCA00000-0xFCBFFFFF PCI standard PCI-to-PCI
bridge OK
0xFCB00000-0xFCBFFFFF Smart Array P800
Controller (Non-Miniport) OK
0xFCAF0000-0xFCAF0FFF Smart Array P800
Controller (Non-Miniport) OK
0xFC900000-0xFC9FFFFF Smart Array P800
Controller (Non-Miniport) OK
0xFC8F0000-0xFC8F0FFF Smart Array P800
Controller (Non-Miniport) OK
0xF7D00000-0xF7EFFFFF PCI standard PCI-to-PCI
bridge OK
0xF7E00000-0xF7EFFFFF Smart Array P400
Controller OK
0xF7DF0000-0xF7DF0FFF Smart Array P400
Controller OK
0xF7AF0000-0xF7AF03FF Standard Enhanced PCI
to USB Host Controller OK
0xD8000000-0xDFFFFFFF ATI ES1000 OK

0xF7CF0000-0xF7CFFFFF ATI ES1000 OK

```

```

0xF7CE0000-0xF7CE01FF Base System Device OK
0xF7CD0000-0xF7CD07FF Base System Device OK
0xF7CC0000-0xF7CC1FFF Base System Device OK
0xF7C00000-0xF7C7FFFF Base System Device OK
0xF7BF0000-0xF7BF00FF PCI Device OK
0xE0000000-0xEFFFFFFF Motherboard resources
OK
0xFE000000-0xFEFFFFFF Motherboard resources
OK
0xFED00000-0xFED003FF High precision event
timer OK

[Components]

[Multimedia]

[Audio Codecs]
CODEC Manufacturer Description
Status File Version Size
Creation Date
c:\windows\system32\msg711.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSG711.ACM
5.2.3790.1830 (srv03_spl_rtm.050324-1447)
13.50 KB (13,824 bytes) 11/30/2005
6:00 AM
c:\windows\system32\msadp32.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSADP32.ACM
5.2.3790.1830 (srv03_spl_rtm.050324-1447)
23.50 KB (24,064 bytes) 11/30/2005
6:00 AM
c:\windows\system32\tsssoft32.acm DSP GROUP,
INC. OK
C:\WINDOWS\system32\TSSOFT32.ACM
1.01 13.50 KB (13,824 bytes)
11/30/2005 6:00 AM
c:\windows\system32\msgsm32.acm Microsoft
Corporation OK
C:\WINDOWS\system32\MSGSM32.ACM
5.2.3790.1830 (srv03_spl_rtm.050324-1447)
34.50 KB (35,328 bytes) 11/30/2005
6:00 AM
c:\windows\system32\imaadp32.acm Microsoft
Corporation OK
C:\WINDOWS\system32\IMAADP32.ACM
5.2.3790.1830 (srv03_spl_rtm.050324-1447)
24.00 KB (24,576 bytes) 11/30/2005

6:00 AM
[Video Codecs]

```

```

CODEC Manufacturer Description
Status File Version Size
Creation Date
c:\windows\system32\msrle32.dll Microsoft
Corporation OK
C:\WINDOWS\system32\MSRLE32.DLL
5.2.3790.1830 (srv03_spl_rtm.050324-1447)
15.50 KB (15,872 bytes) 11/30/2005
6:00 AM
c:\windows\system32\iyuv_32.dll Microsoft
Corporation OK
C:\WINDOWS\system32\IYUV_32.DLL
5.2.3790.1830 (srv03_spl_rtm.050324-1447)
52.50 KB (53,760 bytes) 3/24/2005
11:19 AM
c:\windows\system32\msyuv.dll Microsoft Corporation
OK
C:\WINDOWS\system32\MSYUV.DLL 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 21.00 KB (21,504 bytes)
3/24/2005 11:21 AM
c:\windows\system32\msvidc32.dll Microsoft
Corporation OK
C:\WINDOWS\system32\MSVIDC32.DLL
5.2.3790.1830 (srv03_spl_rtm.050324-1447)
43.00 KB (44,032 bytes) 11/30/2005
6:00 AM
c:\windows\system32\tsbuyv.dll Microsoft
Corporation OK
C:\WINDOWS\system32\TSBUYV.DLL
5.2.3790.1830 (srv03_spl_rtm.050324-1447)
12.50 KB (12,800 bytes) 3/24/2005
11:34 AM

[CD-ROM]
Item Value
Drive D:
Description CD-ROM Drive
Media Loaded No
Media Type CD-ROM
Name TEAC DW-224E-V
Manufacturer (Standard CD-ROM drives)
Status OK
Transfer Rate Not Available
SCSI Target ID 0
PNP Device ID IDE\CDROMTEAC_DW-224E-
V_____C_CA_____5&5FD9AC6&0&0.0.0

Driver c:\windows\system32\drivers\cdrom.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 75.50 KB
(77,312 bytes), 11/30/2005 6:00 AM)

[Sound Device]
Item Value

[Display]
Item Value
Name ATI ES1000
PNP Device ID
PCI\VEN_1002&DEV_515E&SUBSYS_31FB103C&REV_0
2\4&2014205D&0&18F0

```

Adapter Type ATI ES1000 (0x515E), ATI Technologies Inc. compatible
 Adapter Description ATI ES1000
 Adapter RAM 64.00 MB (67,108,864 bytes)
 Installed Drivers ati2dvag.dll
 Driver Version 6.14.10.6606
 INF File oem17.inf (ati2mtag_RN50 section)
 Color Planes 1
 Color Table Entries 4294967296
 Resolution 1024 x 768 x 60 hertz
 Bits/Pixel 32
 Memory Address 0xD8000000-0xDFFFFFFF
 I/O Port 0x00003000-0x000030FF
 Memory Address 0xF7CF0000-0xF7CFFFFF
 IRQ Channel IRQ 23
 I/O Port 0x000003B0-0x000003BB
 I/O Port 0x000003C0-0x000003DF
 Memory Address 0xA0000-0xBF000
 Driver c:\windows\system32\drivers\ati2mtag.sys (6.14.10.6606, 2.11 MB (2,210,304 bytes), 8/7/2007 8:08 AM)

[Infrared]

Item Value

[Input]

[Keyboard]

Item Value
 Description USB Human Interface Device
 Name Enhanced (101- or 102-key)
 Layout 00000409
 PNP Device ID USB\VID_03F0&PID_1027&MI_00\7&2CD6FDA9&0&00
 00
 Number of Function Keys 12
 Driver c:\windows\system32\drivers\hidusb.sys (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 18.50 KB (18,944 bytes), 11/30/2005 6:00 AM)
 Description Standard 101/102-Key or Microsoft Natural PS/2 Keyboard
 Name Enhanced (101- or 102-key)
 Layout 00000409
 PNP Device ID ACPI\PNP0303\4&2AA4AD3D&0
 Number of Function Keys 12
 I/O Port 0x00000060-0x00000060
 I/O Port 0x00000064-0x00000064
 IRQ Channel IRQ 1
 Driver c:\windows\system32\drivers\i8042prt.sys (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 91.00 KB (93,184 bytes), 11/30/2005 6:00 AM)

[Pointing Device]

Item Value
 Hardware Type USB Human Interface Device
 Number of Buttons 5
 Status OK

PNP Device ID USB\VID_03F0&PID_1027&MI_01\7&2CD6FDA9&0&001
 Power Management Supported No
 Double Click Threshold 6
 Handedness Right Handed Operation
 Driver c:\windows\system32\drivers\hidusb.sys (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 18.50 KB (18,944 bytes), 11/30/2005 6:00 AM)
 Hardware Type PS/2 Compatible Mouse
 Number of Buttons 5
 Status OK
 PNP Device ID ACPI\PNP0F13\4&2AA4AD3D&0
 Power Management Supported No
 Double Click Threshold 6
 Handedness Right Handed Operation
 IRQ Channel IRQ 12
 Driver c:\windows\system32\drivers\i8042prt.sys (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 91.00 KB (93,184 bytes), 11/30/2005 6:00 AM)

[Modem]

Item Value

[Network]

[Adapter]

Item Value
 Name [00000001] RAS Async Adapter
 Adapter Type Not Available
 Product Type RAS Async Adapter
 Installed Yes
 PNP Device ID Not Available
 Last Reset 8/8/2007 2:47 PM
 Index 1
 Service Name AsyncMac
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Name [00000002] WAN Miniport (L2TP)
 Adapter Type Not Available
 Product Type WAN Miniport (L2TP)
 Installed Yes
 PNP Device ID ROOT\MS_L2TPMINIPORT\0000
 Last Reset 8/8/2007 2:47 PM
 Index 2
 Service Name Rasl2tp
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available

DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Driver c:\windows\system32\drivers\rasl2tp.sys (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 132.00 KB (135,168 bytes), 11/30/2005 6:00 AM)

Name [00000003] WAN Miniport (PPTP)
 Adapter Type Wide Area Network (WAN)
 Product Type WAN Miniport (PPTP)
 Installed Yes
 PNP Device ID ROOT\MS_PPTPMINIPORT\0000
 Last Reset 8/8/2007 2:47 PM
 Index 3
 Service Name PptpMiniport
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 50:50:54:50:30:30
 Driver c:\windows\system32\drivers\rasppptp.sys (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 117.50 KB (120,320 bytes), 11/30/2005 6:00 AM)

Name [00000004] WAN Miniport (PPPOE)
 Adapter Type Wide Area Network (WAN)
 Product Type WAN Miniport (PPPOE)
 Installed Yes
 PNP Device ID ROOT\MS_PPPOEMINIPORT\0000
 Last Reset 8/8/2007 2:47 PM
 Index 4
 Service Name Raspppoe
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 33:50:6F:45:30:30
 Driver c:\windows\system32\drivers\raspppoe.sys (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 67.50 KB (69,120 bytes), 11/30/2005 6:00 AM)

Name [00000005] Direct Parallel
 Adapter Type Not Available
 Product Type Direct Parallel
 Installed Yes
 PNP Device ID ROOT\MS_PTMINIPORT\0000
 Last Reset 8/8/2007 2:47 PM
 Index 5
 Service Name Raspti
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available

Driver c:\windows\system32\drivers\raspti.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 30.50 KB
(31,232 bytes), 11/30/2005 6:00 AM)

Name [00000006] WAN Miniport (IP)
Adapter Type Not Available
Product Type WAN Miniport (IP)
Installed Yes
PNP Device ID ROOT\MS_NDISWANIP\0000
Last Reset 8/8/2007 2:47 PM
Index 6
Service Name NdisWan
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

Driver c:\windows\system32\drivers\ndiswan.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 157.50 KB
(161,280 bytes), 11/30/2005 6:00 AM)

Name [00000007] HP NC373i Multifunction Gigabit
Server Adapter
Adapter Type Not Available
Product Type HP NC373i Multifunction Gigabit
Server Adapter
Installed Yes
PNP Device ID Not Available
Last Reset 8/8/2007 2:47 PM
Index 7
Service Name l2nd
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled Yes
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

Name [00000008] HP NC373i Multifunction Gigabit
Server Adapter
Adapter Type Not Available
Product Type HP NC373i Multifunction Gigabit
Server Adapter
Installed Yes
PNP Device ID Not Available
Last Reset 8/8/2007 2:47 PM
Index 8
Service Name l2nd
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

Name [00000009] HP NC373i Multifunction Gigabit
Server Adapter
Adapter Type Not Available
Product Type HP NC373i Multifunction Gigabit
Server Adapter
Installed Yes
PNP Device ID Not Available
Last Reset 8/8/2007 2:47 PM
Index 9
Service Name l2nd
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

Name [00000010] HP NC373i Multifunction Gigabit
Server Adapter
Adapter Type Not Available
Product Type HP NC373i Multifunction Gigabit
Server Adapter
Installed Yes
PNP Device ID Not Available
Last Reset 8/8/2007 2:47 PM
Index 10
Service Name l2nd
IP Address Not Available
IP Subnet Not Available
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address Not Available

Name [00000011] HP NC373i Multifunction Gigabit
Server Adapter
Adapter Type Ethernet 802.3
Product Type HP NC373i Multifunction Gigabit
Server Adapter
Installed Yes
PNP Device ID B06BDRV\L2ND&PCI_164C14E4&SUBSYS_7038103C&R
EV_12\8&1D0839D4&0&20050600
Last Reset 8/8/2007 2:47 PM
Index 11
Service Name l2nd
IP Address 130.168.208.20, 130.122.208.21
IP Subnet 255.255.0.0, 255.255.0.0
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 00:16:35:82:80:F8
Driver c:\windows\system32\drivers\bxnd52a.sys
(3.4.10.0 built by: WinDDK, 62.50 KB (64,000 bytes),
6/20/2007 8:36 AM)

Name [00000012] HP NC373i Multifunction Gigabit
Server Adapter
Adapter Type Ethernet 802.3
Product Type HP NC373i Multifunction Gigabit
Server Adapter
Installed Yes
PNP Device ID B06BDRV\L2ND&PCI_164C14E4&SUBSYS_7038103C&R
EV_12\8&8818209&0&20050800
Last Reset 8/8/2007 2:47 PM
Index 12
Service Name l2nd
IP Address 130.120.208.30, 130.121.208.31
IP Subnet 255.255.0.0, 255.255.0.0
Default IP Gateway Not Available
DHCP Enabled No
DHCP Server Not Available
DHCP Lease Expires Not Available
DHCP Lease Obtained Not Available
MAC Address 00:16:35:82:80:FA
Driver c:\windows\system32\drivers\bxnd52a.sys
(3.4.10.0 built by: WinDDK, 62.50 KB (64,000 bytes),
6/20/2007 8:36 AM)

[Protocol]

Item	Value
Name	MSAFD Tcpip [TCP/IP]
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	16 bytes
Maximum Message Size	0 bytes
Message Oriented	No
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	Yes
Supports Graceful Closing	Yes
Supports Guaranteed Bandwidth	No
Supports Multicasting	No
Name	MSAFD Tcpip [UDP/IP]
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	16 bytes
Maximum Message Size	63.93 KB (65,467 bytes)
Message Oriented	Yes
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No

Supports Multicasting Yes

Name RSVP UDP Service Provider
 Connectionless Service Yes
 Guarantees Delivery No
 Guarantees Sequencing No
 Maximum Address Size 16 bytes
 Maximum Message Size 63.93 KB (65,467 bytes)

Message Oriented Yes
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting Yes
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption Yes
 Supports Expedited Data No
 Supports Graceful Closing No
 Supports Guaranteed Bandwidth No
 Supports Multicasting Yes

Name RSVP TCP Service Provider
 Connectionless Service No
 Guarantees Delivery Yes
 Guarantees Sequencing Yes
 Maximum Address Size 16 bytes
 Maximum Message Size 0 bytes
 Message Oriented No
 Minimum Address Size 16 bytes
 Pseudo Stream Oriented No
 Supports Broadcasting No
 Supports Connect Data No
 Supports Disconnect Data No
 Supports Encryption Yes
 Supports Expedited Data Yes
 Supports Graceful Closing Yes
 Supports Guaranteed Bandwidth No
 Supports Multicasting No

[WinSock]

Item Value
 File c:\windows\system32\wsock32.dll
 Size 24.50 KB (25,088 bytes)
 Version 5.2.3790.1830 (srv03_sp1_rtm.050324-1447)

[Ports]

[Serial]

Item Value

[Parallel]

Item Value

[Storage]

[Drives]

Item Value
 Drive C:
 Description Local Fixed Disk
 Compressed No
 File System NTFS
 Size 33.88 GB (36,381,306,880 bytes)
 Free Space 24.78 GB (26,612,502,528 bytes)

Volume Name
 Volume Serial Number 64A01FE7

Drive D:
 Description CD-ROM Disc

Drive E:
 Description Local Fixed Disk
 Compressed Not Available
 File System Not Available
 Size Not Available
 Free Space Not Available
 Volume Name Not Available
 Volume Serial Number Not Available

Drive S:
 Description Local Fixed Disk
 Compressed No
 File System NTFS
 Size 1.48 TB (1,627,947,384,832 bytes)
 Free Space 1.18 TB (1,300,114,321,408 bytes)

Volume Name back5
 Volume Serial Number 0C6D43BA

Drive T:
 Description Local Fixed Disk
 Compressed No
 File System NTFS
 Size 1.48 TB (1,627,947,384,832 bytes)
 Free Space 1.18 TB (1,300,111,106,048 bytes)

Volume Name back6
 Volume Serial Number 8C745A0C

Drive U:
 Description Local Fixed Disk
 Compressed No
 File System NTFS
 Size 1.48 TB (1,627,947,384,832 bytes)
 Free Space 1.18 TB (1,300,114,386,944 bytes)

Volume Name back7
 Volume Serial Number 987FA162

Drive V:
 Description Local Fixed Disk
 Compressed No
 File System NTFS
 Size 1.48 TB (1,627,947,384,832 bytes)
 Free Space 1.18 TB (1,300,114,386,944 bytes)

Volume Name back8

Volume Serial Number 308888BB

Drive W:
 Description Local Fixed Disk
 Compressed No
 File System NTFS
 Size 1.48 TB (1,627,947,384,832 bytes)
 Free Space 1.18 TB (1,300,114,386,944 bytes)

Volume Name back1
 Volume Serial Number 58A58F25

Drive X:
 Description Local Fixed Disk
 Compressed No
 File System NTFS
 Size 1.48 TB (1,627,947,384,832 bytes)
 Free Space 1.18 TB (1,300,105,474,048 bytes)

Volume Name back2
 Volume Serial Number 30B14DAD

Drive Y:
 Description Local Fixed Disk
 Compressed No
 File System NTFS
 Size 1.48 TB (1,627,947,384,832 bytes)
 Free Space 1.18 TB (1,300,114,386,944 bytes)

Volume Name back3
 Volume Serial Number C8BA8385

Drive Z:
 Description Local Fixed Disk
 Compressed No
 File System NTFS
 Size 1.48 TB (1,627,947,384,832 bytes)
 Free Space 1.18 TB (1,300,114,386,944 bytes)

Volume Name back4
 Volume Serial Number 24C64937

[Disks]

Item Value
 Description \\.\PHYSICALDRIVE39
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 137.69 GB (147,841,182,720 bytes)
 Total Cylinders 17,974
 Total Sectors 288,752,310
 Total Tracks 4,583,370
 Tracks/Cylinder 255
 Partition Disk #39, Partition #0

Partition Size 137.69 GB (147,840,827,392 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE40
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 99.61 GB (106,953,315,840 bytes)
Total Cylinders 13,003
Total Sectors 208,893,195
Total Tracks 3,315,765
Tracks/Cylinder 255
Partition Disk #40, Partition #0
Partition Size 99.61 GB (106,952,654,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE41
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 97.65 GB (104,855,869,440 bytes)
Total Cylinders 12,748
Total Sectors 204,796,620
Total Tracks 3,250,740
Tracks/Cylinder 255
Partition Disk #41, Partition #0
Partition Size 97.65 GB (104,855,502,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE42
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 21.48 GB (23,063,685,120 bytes)
Total Cylinders 2,804
Total Sectors 45,046,260

Total Tracks 715,020
Tracks/Cylinder 255
Partition Disk #42, Partition #0
Partition Size 21.48 GB (23,063,429,120 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE43
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 1.48 TB (1,627,947,417,600 bytes)
Total Cylinders 197,920
Total Sectors 3,179,584,800
Total Tracks 50,469,600
Tracks/Cylinder 255
Partition Disk #43, Partition #0
Partition Size 1.48 TB (1,627,947,385,344 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE34
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 137.69 GB (147,841,182,720 bytes)
Total Cylinders 17,974
Total Sectors 288,752,310
Total Tracks 4,583,370
Tracks/Cylinder 255
Partition Disk #34, Partition #0
Partition Size 137.69 GB (147,840,827,392 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE35
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63

Size 99.61 GB (106,953,315,840 bytes)
Total Cylinders 13,003
Total Sectors 208,893,195
Total Tracks 3,315,765
Tracks/Cylinder 255
Partition Disk #35, Partition #0
Partition Size 99.61 GB (106,952,654,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE36
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 97.65 GB (104,855,869,440 bytes)
Total Cylinders 12,748
Total Sectors 204,796,620
Total Tracks 3,250,740
Tracks/Cylinder 255
Partition Disk #36, Partition #0
Partition Size 97.65 GB (104,855,502,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE37
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 21.48 GB (23,063,685,120 bytes)
Total Cylinders 2,804
Total Sectors 45,046,260
Total Tracks 715,020
Tracks/Cylinder 255
Partition Disk #37, Partition #0
Partition Size 21.48 GB (23,063,429,120 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE38
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available

SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 1.48 TB (1,627,947,417,600 bytes)
 Total Cylinders 197,920
 Total Sectors 3,179,584,800
 Total Tracks 50,469,600
 Tracks/Cylinder 255
 Partition Disk #38, Partition #0
 Partition Size 1.48 TB (1,627,947,385,344 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE5
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 137.69 GB (147,841,182,720 bytes)
 Total Cylinders 17,974
 Total Sectors 288,752,310
 Total Tracks 4,583,370
 Tracks/Cylinder 255
 Partition Disk #5, Partition #0
 Partition Size 137.69 GB (147,840,827,392 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE6
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 99.61 GB (106,953,315,840 bytes)
 Total Cylinders 13,003
 Total Sectors 208,893,195
 Total Tracks 3,315,765
 Tracks/Cylinder 255
 Partition Disk #6, Partition #0
 Partition Size 99.61 GB (106,953,703,424 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE7
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk

Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 97.65 GB (104,855,869,440 bytes)
 Total Cylinders 12,748
 Total Sectors 204,796,620
 Total Tracks 3,250,740
 Tracks/Cylinder 255
 Partition Disk #7, Partition #0
 Partition Size 97.65 GB (104,855,502,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE8
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 21.48 GB (23,063,685,120 bytes)
 Total Cylinders 2,804
 Total Sectors 45,046,260
 Total Tracks 715,020
 Tracks/Cylinder 255
 Partition Disk #8, Partition #0
 Partition Size 21.48 GB (23,063,429,120 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE9
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 1.48 TB (1,627,947,417,600 bytes)
 Total Cylinders 197,920
 Total Sectors 3,179,584,800
 Total Tracks 50,469,600
 Tracks/Cylinder 255
 Partition Disk #9, Partition #0
 Partition Size 1.48 TB (1,627,947,385,344 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE16
 Manufacturer Not Available
 Model Not Available

Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 137.69 GB (147,841,182,720 bytes)
 Total Cylinders 17,974
 Total Sectors 288,752,310
 Total Tracks 4,583,370
 Tracks/Cylinder 255
 Partition Disk #16, Partition #0
 Partition Size 137.69 GB (147,840,827,392 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE17
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 99.61 GB (106,953,315,840 bytes)
 Total Cylinders 13,003
 Total Sectors 208,893,195
 Total Tracks 3,315,765
 Tracks/Cylinder 255
 Partition Disk #17, Partition #0
 Partition Size 99.61 GB (106,952,654,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE18
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 97.65 GB (104,855,869,440 bytes)
 Total Cylinders 12,748
 Total Sectors 204,796,620
 Total Tracks 3,250,740
 Tracks/Cylinder 255
 Partition Disk #18, Partition #0
 Partition Size 97.65 GB (104,855,502,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE19
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 21.48 GB (23,063,685,120 bytes)
 Total Cylinders 2,804
 Total Sectors 45,046,260
 Total Tracks 715,020
 Tracks/Cylinder 255
 Partition Disk #19, Partition #0
 Partition Size 21.48 GB (23,063,429,120 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE15
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 1.53 TB (1,687,597,148,160 bytes)
 Total Cylinders 205,172
 Total Sectors 3,296,088,180
 Total Tracks 52,318,860
 Tracks/Cylinder 255
 Partition Disk #15, Partition #0
 Partition Size 1.53 TB (1,687,596,040,192 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE20
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 137.69 GB (147,841,182,720 bytes)
 Total Cylinders 17,974
 Total Sectors 288,752,310
 Total Tracks 4,583,370
 Tracks/Cylinder 255
 Partition Disk #20, Partition #0

Partition Size 137.69 GB (147,840,827,392 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE21
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 99.61 GB (106,953,315,840 bytes)
 Total Cylinders 13,003
 Total Sectors 208,893,195
 Total Tracks 3,315,765
 Tracks/Cylinder 255
 Partition Disk #21, Partition #0
 Partition Size 99.61 GB (106,952,654,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE22
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 97.65 GB (104,855,869,440 bytes)
 Total Cylinders 12,748
 Total Sectors 204,796,620
 Total Tracks 3,250,740
 Tracks/Cylinder 255
 Partition Disk #22, Partition #0
 Partition Size 97.65 GB (104,855,502,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE23
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 21.48 GB (23,063,685,120 bytes)
 Total Cylinders 2,804
 Total Sectors 45,046,260

Total Tracks 715,020
 Tracks/Cylinder 255
 Partition Disk #23, Partition #0
 Partition Size 21.48 GB (23,063,429,120 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE24
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 1.48 TB (1,627,947,417,600 bytes)
 Total Cylinders 197,920
 Total Sectors 3,179,584,800
 Total Tracks 50,469,600
 Tracks/Cylinder 255
 Partition Disk #24, Partition #0
 Partition Size 1.48 TB (1,627,947,385,344 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE25
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 137.69 GB (147,841,182,720 bytes)
 Total Cylinders 17,974
 Total Sectors 288,752,310
 Total Tracks 4,583,370
 Tracks/Cylinder 255
 Partition Disk #25, Partition #0
 Partition Size 137.69 GB (147,840,827,392 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE26
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63

Size 99.61 GB (106,953,315,840 bytes)
Total Cylinders 13,003
Total Sectors 208,893,195
Total Tracks 3,315,765
Tracks/Cylinder 255
Partition Disk #26, Partition #0
Partition Size 99.61 GB (106,952,654,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE27
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 97.65 GB (104,855,869,440 bytes)
Total Cylinders 12,748
Total Sectors 204,796,620
Total Tracks 3,250,740
Tracks/Cylinder 255
Partition Disk #27, Partition #0
Partition Size 97.65 GB (104,855,502,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE28
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 21.48 GB (23,063,685,120 bytes)
Total Cylinders 2,804
Total Sectors 45,046,260
Total Tracks 715,020
Tracks/Cylinder 255
Partition Disk #28, Partition #0
Partition Size 21.48 GB (23,063,429,120 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE29
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available

SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 1.48 TB (1,627,947,417,600 bytes)
Total Cylinders 197,920
Total Sectors 3,179,584,800
Total Tracks 50,469,600
Tracks/Cylinder 255
Partition Disk #29, Partition #0
Partition Size 1.48 TB (1,627,947,385,344 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE0
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 137.69 GB (147,841,182,720 bytes)
Total Cylinders 17,974
Total Sectors 288,752,310
Total Tracks 4,583,370
Tracks/Cylinder 255
Partition Disk #0, Partition #0
Partition Size 137.69 GB (147,840,827,392 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE1
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 99.61 GB (106,953,315,840 bytes)
Total Cylinders 13,003
Total Sectors 208,893,195
Total Tracks 3,315,765
Tracks/Cylinder 255
Partition Disk #1, Partition #0
Partition Size 99.61 GB (106,952,654,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE2
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk

Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 97.65 GB (104,855,869,440 bytes)
Total Cylinders 12,748
Total Sectors 204,796,620
Total Tracks 3,250,740
Tracks/Cylinder 255
Partition Disk #2, Partition #0
Partition Size 97.65 GB (104,855,502,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE3
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 21.48 GB (23,063,685,120 bytes)
Total Cylinders 2,804
Total Sectors 45,046,260
Total Tracks 715,020
Tracks/Cylinder 255
Partition Disk #3, Partition #0
Partition Size 21.48 GB (23,063,429,120 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE4
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 1.48 TB (1,627,947,417,600 bytes)
Total Cylinders 197,920
Total Sectors 3,179,584,800
Total Tracks 50,469,600
Tracks/Cylinder 255
Partition Disk #4, Partition #0
Partition Size 1.48 TB (1,627,947,385,344 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE44
Manufacturer Not Available
Model Not Available

Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 137.69 GB (147,841,182,720 bytes)
 Total Cylinders 17,974
 Total Sectors 288,752,310
 Total Tracks 4,583,370
 Tracks/Cylinder 255
 Partition Disk #44, Partition #0
 Partition Size 137.69 GB (147,840,827,392 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE45
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 99.61 GB (106,953,315,840 bytes)
 Total Cylinders 13,003
 Total Sectors 208,893,195
 Total Tracks 3,315,765
 Tracks/Cylinder 255
 Partition Disk #45, Partition #0
 Partition Size 99.61 GB (106,952,654,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE46
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 97.65 GB (104,855,869,440 bytes)
 Total Cylinders 12,748
 Total Sectors 204,796,620
 Total Tracks 3,250,740
 Tracks/Cylinder 255
 Partition Disk #46, Partition #0
 Partition Size 97.65 GB (104,855,502,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE47
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 21.48 GB (23,063,685,120 bytes)
 Total Cylinders 2,804
 Total Sectors 45,046,260
 Total Tracks 715,020
 Tracks/Cylinder 255
 Partition Disk #47, Partition #0
 Partition Size 21.48 GB (23,063,429,120 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE48
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 1.48 TB (1,627,947,417,600 bytes)
 Total Cylinders 197,920
 Total Sectors 3,179,584,800
 Total Tracks 50,469,600
 Tracks/Cylinder 255
 Partition Disk #48, Partition #0
 Partition Size 1.48 TB (1,627,947,385,344 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE10
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 137.69 GB (147,841,182,720 bytes)
 Total Cylinders 17,974
 Total Sectors 288,752,310
 Total Tracks 4,583,370
 Tracks/Cylinder 255
 Partition Disk #10, Partition #0

Partition Size 137.69 GB (147,847,118,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE11
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 99.61 GB (106,953,315,840 bytes)
 Total Cylinders 13,003
 Total Sectors 208,893,195
 Total Tracks 3,315,765
 Tracks/Cylinder 255
 Partition Disk #11, Partition #0
 Partition Size 99.61 GB (106,953,703,424 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE12
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 97.65 GB (104,855,869,440 bytes)
 Total Cylinders 12,748
 Total Sectors 204,796,620
 Total Tracks 3,250,740
 Tracks/Cylinder 255
 Partition Disk #12, Partition #0
 Partition Size 97.66 GB (104,856,551,424 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE13
 Manufacturer Not Available
 Model Not Available
 Bytes/Sector 512
 Media Loaded Yes
 Media Type Fixed hard disk
 Partitions 1
 SCSI Bus Not Available
 SCSI Logical Unit Not Available
 SCSI Port Not Available
 SCSI Target ID Not Available
 Sectors/Track 63
 Size 21.48 GB (23,063,685,120 bytes)
 Total Cylinders 2,804
 Total Sectors 45,046,260

Total Tracks 715,020
Tracks/Cylinder 255
Partition Disk #13, Partition #0
Partition Size 21.48 GB (23,063,429,120 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE14
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 1.48 TB (1,627,947,417,600 bytes)
Total Cylinders 197,920
Total Sectors 3,179,584,800
Total Tracks 50,469,600
Tracks/Cylinder 255
Partition Disk #14, Partition #0
Partition Size 1.48 TB (1,627,947,385,344 bytes)

Partition Starting Offset 32,256 bytes

Description \\.\PHYSICALDRIVE30
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 137.69 GB (147,841,182,720 bytes)
Total Cylinders 17,974
Total Sectors 288,752,310
Total Tracks 4,583,370
Tracks/Cylinder 255
Partition Disk #30, Partition #0
Partition Size 137.69 GB (147,840,827,392 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE31
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63

Size 99.61 GB (106,953,315,840 bytes)
Total Cylinders 13,003
Total Sectors 208,893,195
Total Tracks 3,315,765
Tracks/Cylinder 255
Partition Disk #31, Partition #0
Partition Size 99.61 GB (106,952,654,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE32
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 97.65 GB (104,855,869,440 bytes)
Total Cylinders 12,748
Total Sectors 204,796,620
Total Tracks 3,250,740
Tracks/Cylinder 255
Partition Disk #32, Partition #0
Partition Size 97.65 GB (104,855,502,848 bytes)

Partition Starting Offset 131,072 bytes

Description \\.\PHYSICALDRIVE33
Manufacturer Not Available
Model Not Available
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus Not Available
SCSI Logical Unit Not Available
SCSI Port Not Available
SCSI Target ID Not Available
Sectors/Track 63
Size 21.48 GB (23,063,685,120 bytes)
Total Cylinders 2,804
Total Sectors 45,046,260
Total Tracks 715,020
Tracks/Cylinder 255
Partition Disk #33, Partition #0
Partition Size 21.48 GB (23,063,429,120 bytes)

Partition Starting Offset 131,072 bytes

Description Disk drive
Manufacturer (Standard disk drives)
Model HP LOGICAL VOLUME SCSI Disk Device
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus 0
SCSI Logical Unit 0

SCSI Port 2
SCSI Target ID 4
Sectors/Track 32
Size 33.89 GB (36,385,505,280 bytes)
Total Cylinders 8,709
Total Sectors 71,065,440
Total Tracks 2,220,795
Tracks/Cylinder 255
Partition Disk #49, Partition #0
Partition Size 33.88 GB (36,381,310,976 bytes)

Partition Starting Offset 16,384 bytes

[SCSI]

Item Value
Name Smart Array P800 Controller (Non-Miniport)

Manufacturer Hewlett-Packard
Status OK
PNP Device ID PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_03\6&2D3CC7DB&0&00000010
Memory Address 0xFDF00000-0xFDF00000
I/O Port 0x0000F000-0x0000FFFF
Memory Address 0xFDEF0000-0xFDEF0000
IRQ Channel IRQ 30
Driver c:\windows\system32\drivers\hpqciissb.sys (5.18.2.64 Build 1 (AMD64) built by: RobertVC, 56.50 KB (57,856 bytes), 6/20/2007 1:15 PM)

Name Smart Array P800 Controller (Non-Miniport)

Manufacturer Hewlett-Packard
Status OK
PNP Device ID PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_03\6&34D91D7D&0&00080010
Memory Address 0xFDD00000-0xFDD00000
I/O Port 0x0000E000-0x0000EFFF
Memory Address 0xFDCF0000-0xFDCF0000
IRQ Channel IRQ 31
Driver c:\windows\system32\drivers\hpqciissb.sys (5.18.2.64 Build 1 (AMD64) built by: RobertVC, 56.50 KB (57,856 bytes), 6/20/2007 1:15 PM)

Name Smart Array P800 Controller (Non-Miniport)

Manufacturer Hewlett-Packard
Status OK
PNP Device ID PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_03\6&FD36652&0&00480010
Memory Address 0xFDB00000-0xFDB00000
I/O Port 0x0000D000-0x0000DFFF
Memory Address 0xFDAF0000-0xFDAF0000
IRQ Channel IRQ 31
Driver c:\windows\system32\drivers\hpqciissb.sys (5.18.2.64 Build 1 (AMD64) built by: RobertVC, 56.50 KB (57,856 bytes), 6/20/2007 1:15 PM)

Name Smart Array BUMPER LITE Controller (Non-Miniport)

```

Manufacturer      Hewlett-Packard
Status           OK
PNP Device ID    PCI\VEN_103C&DEV_3230&SUBSYS_3237103C&REV_0
3\6&25161807&0&00080020
Memory Address   0xFD800000-0xFD8FFFFF
I/O Port        0x0000C000-0x0000CFFF
Memory Address   0xFD7F0000-0xFD7F0FFF
IRQ Channel      IRQ 34
Driver           c:\windows\system32\drivers\hpgcissb.sys
(5.18.2.64 Build 1 (AMD64) built by: RobertVC, 56.50
KB (57,856 bytes), 6/20/2007 1:15 PM)

Name            Smart Array BUMPER LITE Controller (Non-
Miniport)
Manufacturer     Hewlett-Packard
Status           OK
PNP Device ID    PCI\VEN_103C&DEV_3230&SUBSYS_3237103C&REV_0
3\6&D0AAD5F&0&00100020
Memory Address   0xFD600000-0xFD6FFFFF
I/O Port        0x0000B000-0x0000BFFF
Memory Address   0xFD5F0000-0xFD5F0FFF
IRQ Channel      IRQ 35
Driver           c:\windows\system32\drivers\hpgcissb.sys
(5.18.2.64 Build 1 (AMD64) built by: RobertVC, 56.50
KB (57,856 bytes), 6/20/2007 1:15 PM)

Name            Smart Array P800 Controller (Non-Miniport)

Manufacturer     Hewlett-Packard
Status           OK
PNP Device ID    PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&266ABA75&0&00400020
Memory Address   0xFD000000-0xFD0FFFFF
I/O Port        0x00008000-0x0000CFFF
Memory Address   0xFCFF0000-0xFCFF0FFF
IRQ Channel      IRQ 33
Driver           c:\windows\system32\drivers\hpgcissb.sys
(5.18.2.64 Build 1 (AMD64) built by: RobertVC, 56.50
KB (57,856 bytes), 6/20/2007 1:15 PM)

Name            Smart Array P800 Controller (Non-Miniport)

Manufacturer     Hewlett-Packard
Status           OK
PNP Device ID    PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&1060DC&0&00480020
Memory Address   0xFD200000-0xFD2FFFFF
I/O Port        0x00009000-0x00009FFF
Memory Address   0xFD1F0000-0xFD1F0FFF
IRQ Channel      IRQ 34
Driver           c:\windows\system32\drivers\hpgcissb.sys
(5.18.2.64 Build 1 (AMD64) built by: RobertVC, 56.50
KB (57,856 bytes), 6/20/2007 1:15 PM)

Name            Smart Array BUMPER LITE Controller (Non-
Miniport)
Manufacturer     Hewlett-Packard
Status           OK

```

```

PNP Device ID    PCI\VEN_103C&DEV_3230&SUBSYS_3237103C&REV_0
3\6&239FC03B&0&00500020
Memory Address   0xFD400000-0xFD4FFFFF
I/O Port        0x0000A000-0x0000AFFF
Memory Address   0xFD3F0000-0xFD3F0FFF
IRQ Channel      IRQ 35
Driver           c:\windows\system32\drivers\hpgcissb.sys
(5.18.2.64 Build 1 (AMD64) built by: RobertVC, 56.50
KB (57,856 bytes), 6/20/2007 1:15 PM)

Name            Smart Array P800 Controller (Non-Miniport)

Manufacturer     Hewlett-Packard
Status           OK
PNP Device ID    PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&26310812&0&00000030
Memory Address   0xFCDD0000-0xFCDDFFFF
I/O Port        0x00007000-0x00007FFF
Memory Address   0xFCDC0000-0xFCDC0FFF
IRQ Channel      IRQ 28
Driver           c:\windows\system32\drivers\hpgcissb.sys
(5.18.2.64 Build 1 (AMD64) built by: RobertVC, 56.50
KB (57,856 bytes), 6/20/2007 1:15 PM)

Name            Smart Array P800 Controller (Non-Miniport)

Manufacturer     Hewlett-Packard
Status           OK
PNP Device ID    PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&4A133F&0&00080030
Memory Address   0xFCB00000-0xFCBFFFFF
I/O Port        0x00006000-0x00006FFF
Memory Address   0xFCAF0000-0xFCAF0FFF
IRQ Channel      IRQ 29
Driver           c:\windows\system32\drivers\hpgcissb.sys
(5.18.2.64 Build 1 (AMD64) built by: RobertVC, 56.50
KB (57,856 bytes), 6/20/2007 1:15 PM)

Name            Smart Array P800 Controller (Non-Miniport)

Manufacturer     Hewlett-Packard
Status           OK
PNP Device ID    PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&16DF261B&0&00480030
Memory Address   0xFC900000-0xFC9FFFFF
I/O Port        0x00005000-0x00007FFF
Memory Address   0xFC8F0000-0xFC8F0FFF
IRQ Channel      IRQ 29
Driver           c:\windows\system32\drivers\hpgcissb.sys
(5.18.2.64 Build 1 (AMD64) built by: RobertVC, 56.50
KB (57,856 bytes), 6/20/2007 1:15 PM)

Name            Smart Array P400 Controller
Manufacturer     Hewlett-Packard Company
Status           OK
PNP Device ID    PCI\VEN_103C&DEV_3230&SUBSYS_3234103C&REV_0
3\4&187919FE&0&00E0
Memory Address   0xF7E00000-0xF7EFFFFF

```

```

I/O Port        0x00004000-0x00004FFF
Memory Address   0xF7DF0000-0xF7DF0FFF
IRQ Channel      IRQ 16
Driver           c:\windows\system32\drivers\hpciss2.sys
(6.6.0.64 Build 5 (x86-64) built by: buildsrv, 59.30
KB (60,728 bytes), 6/20/2007 4:57 PM)

[IDE]

Item            Value
Name            Standard Dual Channel PCI IDE Controller

Manufacturer     (Standard IDE ATA/ATAPI
controllers)
Status           OK
PNP Device ID    PCI\VEN_8086&DEV_269E&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&F9
I/O Port        0x00000500-0x0000050F
Driver           c:\windows\system32\drivers\pciide.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 6.00 KB
(6,144 bytes), 11/30/2005 6:00 AM)

Name            Primary IDE Channel
Manufacturer     (Standard IDE ATA/ATAPI
controllers)
Status           OK
PNP Device ID    PCIIDE\IDECHANNEL\4&56E2F28&0&0

I/O Port        0x000001F0-0x000001F7
I/O Port        0x000003F6-0x000003F6
IRQ Channel      IRQ 14
Driver           c:\windows\system32\drivers\ataapi.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 145.00 KB
(148,480 bytes), 11/30/2005 6:00 AM)

Name            Secondary IDE Channel
Manufacturer     (Standard IDE ATA/ATAPI
controllers)
Status           OK
PNP Device ID    PCIIDE\IDECHANNEL\4&56E2F28&0&1

I/O Port        0x00000170-0x00000177
I/O Port        0x00000376-0x00000376
Driver           c:\windows\system32\drivers\ataapi.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 145.00 KB
(148,480 bytes), 11/30/2005 6:00 AM)

[Printing]

Name            Driver            Port Name Server Name

[Problem Devices]

Device          PNP Device ID      Error Code
Base System Device
PCI\VEN_0E11&DEV_B203&SUBSYS_3305103C&REV_0
3\4&2014205D&0&20F0 The drivers for this device are
not installed.
Base System Device
PCI\VEN_0E11&DEV_B204&SUBSYS_3305103C&REV_0
3\4&2014205D&0&22F0 The drivers for this device are
not installed.

```


PCI Device
 PCI\VEN_103C&DEV_3302&SUBSYS_3305103C&REV_0
 0\4&2014205D&0&26F0 The drivers for this device are
 not installed.
 Not Available ACPI\IPI0001\0 The drivers
 for this device are not installed.

[USB]

Device PNP Device ID
 Standard Universal PCI to USB Host Controller
 PCI\VEN_8086&DEV_2688&SUBSYS_31FE103C&REV_0
 9\3&61AAA01&0&E8
 Standard Universal PCI to USB Host Controller
 PCI\VEN_8086&DEV_2689&SUBSYS_31FE103C&REV_0
 9\3&61AAA01&0&E9
 Standard Universal PCI to USB Host Controller
 PCI\VEN_8086&DEV_268A&SUBSYS_31FE103C&REV_0
 9\3&61AAA01&0&EA
 Standard Universal PCI to USB Host Controller
 PCI\VEN_8086&DEV_268B&SUBSYS_31FE103C&REV_0
 9\3&61AAA01&0&EB
 Standard Enhanced PCI to USB Host Controller
 PCI\VEN_8086&DEV_268C&SUBSYS_31FE103C&REV_0
 9\3&61AAA01&0&EF
 Standard Universal PCI to USB Host Controller
 PCI\VEN_103C&DEV_3300&SUBSYS_3305103C&REV_0
 0\4&2014205D&0&24F0

[Software Environment]

[System Drivers]

Name	Description	File	Type	Started	Start Mode	State	Status	Error Control	Accept	Pause
abiosdsk	Abiosdsk	Not Available	Kernel Driver	No	Disabled	Stopped	OK			
acpi	Microsoft ACPI Driver	c:\windows\system32\drivers\acpi.sys	Kernel Driver	Running	OK	Normal	No			Yes
acpiec	ACPIEC	c:\windows\system32\drivers\acpiec.sys	Kernel Driver	Stopped	OK	Normal	No			No
adpu160m	adpu160m	Not Available	Kernel Driver	No	Disabled	Stopped	OK			
adpu320	adpu320	Not Available	Kernel Driver	No	Disabled	Stopped	OK			
afd	AFD	c:\windows\system32\drivers\afd.sys	Kernel Driver	Running	OK	Normal	No			Yes

aic78u2	aic78u2	Not Available	Kernel Driver	No	Disabled	Stopped	OK			
aic78xx	aic78xx	Not Available	Kernel Driver	No	Disabled	Stopped	OK			
aliide	AliIde	Not Available	Kernel Driver	No	Disabled	Stopped	OK			
amdide	AmdIde	Not Available	Kernel Driver	No	Disabled	Stopped	OK			
arc	arc	Not Available	Kernel Driver	No	Disabled	Stopped	OK			
asynccmac	RAS Asynchronous Media Driver	c:\windows\system32\drivers\asynccmac.sys	Kernel Driver	Stopped	OK	Normal	No			No
atapi	Standard IDE/ESDI Hard Disk Controller	c:\windows\system32\drivers\atapi.sys	Kernel Driver	Running	OK	Normal	No			Yes
atdisk	Atdisk	Not Available	Kernel Driver	No	Disabled	Stopped	OK			
ati2mtag	ati2mtag	c:\windows\system32\drivers\ati2mtag.sys	Kernel Driver	Running	OK	Ignore	No			Yes
atmarpc	ATM ARP Client Protocol	c:\windows\system32\drivers\atmarpc.sys	Kernel Driver	Stopped	OK	Normal	No			No
audstub	Audio Stub Driver	c:\windows\system32\drivers\audstub.sys	Kernel Driver	Running	OK	Normal	No			Yes
b06bdvrv	HP Virtual Bus Device	c:\windows\system32\drivers\bxvbdv.sys	Kernel Driver	Running	OK	Normal	No			Yes
b06diag	HP NC370 Diag Driver	c:\windows\system32\drivers\bxdiaga.sys	Kernel Driver	Stopped	OK	Normal	No			No
beep	Beep	c:\windows\system32\drivers\beep.sys	Kernel Driver	Running	OK	Normal	No			Yes
cdac15ba	CdaC15BA	c:\windows\system32\drivers\cdac15ba.sys	Kernel Driver	Running	OK	Normal	No			Yes

cdad10ba	CdaD10BA	c:\windows\system32\drivers\cdad10ba.sys	Kernel Driver	Running	OK	Normal	No			Yes
cdfs	Cdfs	c:\windows\system32\drivers\cdfs.sys	File System Driver	Running	OK	Normal	No			Yes
cdrom	CD-ROM Driver	c:\windows\system32\drivers\cdrom.sys	Kernel Driver	Running	OK	Normal	No			Yes
changer	Changer	Not Available	Kernel Driver	No	System	Stopped	OK			
clusdisk	Cluster Disk Driver	c:\windows\system32\drivers\clusdisk.sys	Kernel Driver	Stopped	OK	Normal	No			No
cmdide	CmdIde	Not Available	Kernel Driver	No	Disabled	Stopped	OK			
cpqccissm	cpqccissm	Not Available	Kernel Driver	No	Disabled	Stopped	OK			
cpqteam	HP Network Configuration Utility	c:\windows\system32\drivers\cpqteam.sys	Kernel Driver	Stopped	OK	Normal	No			No
crocdisk	CRC Disk Filter Driver	c:\windows\system32\drivers\crocdisk.sys	Kernel Driver	Running	OK	Normal	No			Yes
dfsdriver	DfsDriver	c:\windows\system32\drivers\dfs.sys	File System Driver	Running	OK	Normal	No			Yes
disk	Disk Driver	c:\windows\system32\drivers\disk.sys	Kernel Driver	Running	OK	Normal	No			Yes
dmboot	dmboot	c:\windows\system32\drivers\dmboot.sys	Kernel Driver	Stopped	OK	Normal	No			No
dmio	Logical Disk Manager Driver	c:\windows\system32\drivers\dmio.sys	Kernel Driver	Running	OK	Normal	No			Yes
dmload	dmload	c:\windows\system32\drivers\dmload.sys	Kernel Driver							

	Running	OK	Normal	No	Yes
dpti2o	dpti2o	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
elxstor	elxstor	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
em	em				
	\??\c:\windows\system32\drivers\em.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
fastfat	Fastfat				
	c:\windows\system32\drivers\fastfat.sys				
	File System Driver	No	Disabled		
	Stopped	OK	Normal	No	No
fdc	Floppy Disk Controller Driver				
	c:\windows\system32\drivers\fdc.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
fips	Fips				
	c:\windows\system32\drivers\fips.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
flpydisk	Floppy Disk Driver				
	c:\windows\system32\drivers\flpydisk.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
fltMgr	FltMgr				
	c:\windows\system32\drivers\fltMgr.sys				
	File System Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
ftdisk	Volume Manager Driver				
	c:\windows\system32\drivers\ftdisk.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
gpc	Generic Packet Classifier				
	c:\windows\system32\drivers\msgpc.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
hidusb	Microsoft HID Class Driver				
	c:\windows\system32\drivers\hidusb.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Ignore	No	Yes
hpcisss	hpcisss				
	c:\windows\system32\drivers\hpcisss.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
hpcisss2	HpCISSs2				
	c:\windows\system32\drivers\hpcisss2.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes

hpqcissb	Smart Array Controllers Non-Miniport Bus Driver				
	c:\windows\system32\drivers\hpqcissb.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
hpqcissd	Smart Array Controllers Non-Miniport Disk Driver				
	c:\windows\system32\drivers\hpqcissd.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
http	HTTP				
	c:\windows\system32\drivers\http.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
i2omgmt	i2omgmt	Not Available	Kernel Driver		
	No	System	Stopped	OK	
	Normal	No	No		
i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver				
	c:\windows\system32\drivers\i8042prt.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
iirsp	iirsp	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
imapi	CD-Burning Filter Driver				
	c:\windows\system32\drivers\imapi.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
intelide	IntelIde	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
intelppm	Intel Processor Driver				
	c:\windows\system32\drivers\intelppm.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
ip6fw	IPv6 Windows Firewall Driver				
	c:\windows\system32\drivers\ip6fw.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
ipfilterdriver	IP Traffic Filter Driver				
	c:\windows\system32\drivers\ipfltdrv.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
ipinip	IP in IP Tunnel Driver				
	c:\windows\system32\drivers\ipinip.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
ipnat	IP Network Address Translator				
	c:\windows\system32\drivers\ipnat.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
ipsec	IPSEC driver				
	c:\windows\system32\drivers\ipsec.sys				
	Kernel Driver	Yes	System		

isapnp	PnP ISA/EISA Bus Driver				
	c:\windows\system32\drivers\isapnp.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Critical	No	Yes
kbdclass	Keyboard Class Driver				
	c:\windows\system32\drivers\kbdclass.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
kbdhid	Keyboard HID Driver				
	c:\windows\system32\drivers\kbdhid.sys				
	Kernel Driver	Yes	System		
	Running	OK	Ignore	No	Yes
ksecdd	KSecDD				
	c:\windows\system32\drivers\ksecdd.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
ksthunk	Kernel Streaming WOW64 Thunk Service				
	c:\windows\system32\drivers\ksthunk.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
l2nd	HP NC370 Multifunction Gigabit Server Adapter				
	c:\windows\system32\drivers\bxnd52a.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
lp6nds35	lp6nds35	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
mnmd	mnmd				
	c:\windows\system32\drivers\mnmd.sys				
	Kernel Driver	Yes	System		
	Running	OK	Ignore	No	Yes
modem	Modem				
	c:\windows\system32\drivers\modem.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Ignore	No	No
mouclass	Mouse Class Driver				
	c:\windows\system32\drivers\mouclass.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
mouhid	Mouse HID Driver				
	c:\windows\system32\drivers\mouhid.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Ignore	No	Yes
mountmgr	Mount Point Manager				
	c:\windows\system32\drivers\mountmgr.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
mraid35x	mraid35x	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		

mrxdav	WebDav Client Redirector c:\windows\system32\drivers\mrxdav.sys File System Driver No Manual Stopped OK Normal No No
mrxsmb	MRXSMB c:\windows\system32\drivers\mrxsmb.sys File System Driver Yes System Running OK Normal No Yes
msfs	Msfs c:\windows\system32\drivers\msfs.sys File System Driver Yes System Running OK Normal No Yes
mssmbios	Microsoft System Management BIOS Driver c:\windows\system32\drivers\mssmbios.sys Kernel Driver Yes Manual Running OK Normal No Yes
mup	Mup c:\windows\system32\drivers\mup.sys File System Driver Yes Boot Running OK Normal No Yes
ndis	NDIS System Driver c:\windows\system32\drivers\ndis.sys Kernel Driver Yes Boot Running OK Normal No Yes
ndistapi	Remote Access NDIS TAPI Driver c:\windows\system32\drivers\ndistapi.sys Kernel Driver Yes Manual Running OK Normal No Yes
ndisuio	NDIS Usermode I/O Protocol c:\windows\system32\drivers\ndisuio.sys Kernel Driver No Manual Stopped OK Normal No No
ndiswan	Remote Access NDIS WAN Driver c:\windows\system32\drivers\ndiswan.sys Kernel Driver Yes Manual Running OK Normal No Yes
ndproxy	NDIS Proxy c:\windows\system32\drivers\ndproxy.sys Kernel Driver Yes Manual Running OK Normal No Yes
netbios	NetBIOS Interface c:\windows\system32\drivers\netbios.sys File System Driver Yes System Running OK Normal No Yes
netbt	NetBios over Tcpip c:\windows\system32\drivers\netbt.sys Kernel Driver Yes System Running OK Normal No Yes
nfrd960	nfrd960 Not Available Kernel Driver No Disabled Stopped OK Normal No No

npfs	Npfs c:\windows\system32\drivers\npfs.sys File System Driver Yes System Running OK Normal No Yes
ntfs	Ntfs c:\windows\system32\drivers\ntfs.sys File System Driver Yes Disabled Running OK Normal No Yes
null	Null c:\windows\system32\drivers\null.sys Kernel Driver Yes System Running OK Normal No Yes
parport	Parport c:\windows\system32\drivers\parport.sys Kernel Driver No Manual Stopped OK Ignore No No
partmgr	Partition Manager c:\windows\system32\drivers\partmgr.sys Kernel Driver Yes Boot Running OK Normal No Yes
pci	PCI Bus Driver c:\windows\system32\drivers\pci.sys Kernel Driver Yes Boot Running OK Critical No Yes
pciide	PCIIde c:\windows\system32\drivers\pciide.sys Kernel Driver Yes Boot Running OK Normal No Yes
pcmcia	Pcmcia c:\windows\system32\drivers\pcmcia.sys Kernel Driver No Disabled Stopped OK Normal No No
pdcomp	PDCOMP Not Available Kernel Driver No Manual Stopped OK Ignore No No
pdframe	PDFRAME Not Available Kernel Driver No Manual Stopped OK Ignore No No
pdreli	PDRELI Not Available Kernel Driver No Manual Stopped OK Ignore No No
pdrframe	PDRFRAME Not Available Kernel Driver No Manual Stopped OK Ignore No No
pmxdrv	pmxdrv c:\windows\system32\drivers\pmxdrv.sys Kernel Driver No Manual Stopped OK Normal No No
pptpminiport	WAN Miniport (PPTP) c:\windows\system32\drivers\raspptp.sys Kernel Driver Yes Manual Running OK Normal No Yes

ptilink	Direct Parallel Link Driver c:\windows\system32\drivers\ptilink.sys Kernel Driver Yes Manual Running OK Normal No Yes
ql2300	ql2300 Not Available Kernel Driver No Disabled Stopped OK Normal No No
rasacd	Remote Access Auto Connection Driver c:\windows\system32\drivers\rasacd.sys Kernel Driver Yes System Running OK Normal No Yes
rasl2tp	WAN Miniport (L2TP) c:\windows\system32\drivers\rasl2tp.sys Kernel Driver Yes Manual Running OK Normal No Yes
rasppoe	Remote Access PPPOE Driver c:\windows\system32\drivers\rasppoe.sys Kernel Driver Yes Manual Running OK Normal No Yes
raspti	Direct Parallel c:\windows\system32\drivers\raspti.sys Kernel Driver Yes Manual Running OK Normal No Yes
rdbss	Rdbss c:\windows\system32\drivers\rdbss.sys File System Driver Yes System Running OK Normal No Yes
rdpcdd	RDPCDD c:\windows\system32\drivers\rdpcdd.sys Kernel Driver Yes System Running OK Ignore No Yes
rdpdr	Terminal Server Device Redirector Driver c:\windows\system32\drivers\rdpdr.sys Kernel Driver Yes Manual Running OK Normal No Yes
rdpwd	RDPWD c:\windows\system32\drivers\rdpwd.sys Kernel Driver Yes Manual Running OK Ignore No Yes
redbook	Digital CD Audio Playback Filter Driver c:\windows\system32\drivers\redbook.sys Kernel Driver Yes System Running OK Normal No Yes
secdrv	Security Driver c:\windows\system32\drivers\secdrv.sys Kernel Driver Yes Auto Running OK Normal No Yes
serenum	Serenum Filter Driver c:\windows\system32\drivers\serenum.sys Kernel Driver No Manual Stopped OK Normal No No

```

serial Serial port driver
c:\windows\system32\drivers\serial.sys
Kernel Driver No System
Stopped OK Ignore No No

sfloppy Sfloppy
c:\windows\system32\drivers\sfloppy.sys
Kernel Driver No System
Stopped OK Ignore No No

simbad Simbad Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

srv Srv
c:\windows\system32\drivers\srv.sys
File System Driver Yes Manual
Running OK Normal No Yes

swenum Software Bus Driver
c:\windows\system32\drivers\swenum.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

symc8xx symc8xx Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

symmpi symmpi Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

sym_hi sym_hi Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

sym_u3 sym_u3 Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

tcpip TCP/IP Protocol Driver
c:\windows\system32\drivers\tcpip.sys
Kernel Driver Yes System
Running OK Normal No Yes

tdpipe TDIPIPE
c:\windows\system32\drivers\tdpipe.sys
Kernel Driver No Manual
Stopped OK Ignore No No

tdtcp TDTCIP
c:\windows\system32\drivers\tdtcp.sys
Kernel Driver Yes Manual
Running OK Ignore No Yes

termdd Terminal Device Driver
c:\windows\system32\drivers\termdd.sys
Kernel Driver Yes System
Running OK Normal No Yes

toside TosIde Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

udfs Udfs
c:\windows\system32\drivers\udfs.sys
File System Driver No Disabled
Stopped OK Normal No No

```

```

ultra ultra Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

update Microcode Update Driver
c:\windows\system32\drivers\update.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

usbccgp Microsoft USB Generic Parent Driver
c:\windows\system32\drivers\usbccgp.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

usbehci Microsoft USB 2.0 Enhanced Host Controller
Miniport Driver
c:\windows\system32\drivers\usbehci.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

usbhub Microsoft USB Standard Hub Driver
c:\windows\system32\drivers\usbhub.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

usbstor USB Mass Storage Driver
c:\windows\system32\drivers\usbstor.sys
Kernel Driver No Manual
Stopped OK Normal No No

usbuhci Microsoft USB Universal Host Controller
Miniport Driver
c:\windows\system32\drivers\usbuhci.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

vga vga
c:\windows\system32\drivers\vgapnp.sys
Kernel Driver No Manual
Stopped OK Ignore No No

vgasave VGA Display Controller.
c:\windows\system32\drivers\vga.sys
Kernel Driver Yes System
Running OK Ignore No Yes

viaide ViaIde Not Available Kernel Driver
No Disabled Stopped OK
Normal No No

volsnap Storage volumes
c:\windows\system32\drivers\volsnap.sys
Kernel Driver Yes Boot
Running OK Normal No Yes

wanarp Remote Access IP ARP Driver
c:\windows\system32\drivers\wanarp.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

wdf01000 Wdf01000
c:\windows\system32\drivers\wdf01000.sys
Kernel Driver Yes Manual
Running OK Normal No Yes

```

```

wdica WDICA Not Available Kernel Driver
No Manual Stopped OK
Ignore No No

wlbs Network Load Balancing
c:\windows\system32\drivers\wlbs.sys
Kernel Driver No Manual
Stopped OK Normal No No

[Signed Drivers]

Device Name Signed Device Class
Driver Version Driver Date
Manufacturer INF Name Driver Name
Device ID

Microsoft System Management BIOS Driver Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\SYSTEM\0002

Microcode Update Device Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\SYSTEM\0001

Plug and Play Software Device Enumerator Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\SYSTEM\0000

Terminal Server Mouse Driver Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\RDP_MOU\0000

Terminal Server Keyboard Driver Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\RDP_KBD\0000

Terminal Server Device Redirector Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available ROOT\RDPDR\0000

Direct Parallel Yes NET 5.2.3790.1830
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_PTMINIPORT\0000
WAN Miniport (PPTP) Yes NET 5.2.3790.1830
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_PPTPMINIPORT\0000
WAN Miniport (PPPOE) Yes NET
5.2.3790.1830 10/1/2002 Microsoft
netrasa.inf Not Available
ROOT\MS_PPPOEMINIPORT\0000
WAN Miniport (IP) Yes NET 5.2.3790.1830
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_NDISWANIP\0000
WAN Miniport (L2TP) Yes NET 5.2.3790.1830
10/1/2002 Microsoft netrasa.inf Not
Available ROOT\MS_L2TPMINIPORT\0000
Video Codecs Yes MEDIA 5.2.3790.1830
10/1/2002 (Standard system devices)
wave.inf Not Available
ROOT\MEDIA\MS_MMVID

Legacy Video Capture Devices Yes MEDIA
5.2.3790.1830 10/1/2002 (Standard
system devices) wave.inf Not Available
ROOT\MEDIA\MS_MMVCD

```

Media Control Devices	Yes	MEDIA	
5.2.3790.1830	10/1/2002 (Standard		
system devices)	wave.inf	Not Available	
ROOT\MEDIA\MS_MMMCI			
Legacy Audio Drivers	Yes	MEDIA	
5.2.3790.1830	10/1/2002 (Standard		
system devices)	wave.inf	Not Available	
ROOT\MEDIA\MS_MMDRV			
Audio Codecs	Yes	MEDIA	5.2.3790.1830
10/1/2002 (Standard system devices)	wave.inf	Not Available	
ROOT\MEDIA\MS_MMACHM			
Remote Access IP ARP Driver	Not Available		
LEGACYDRIVER	Not Available		Not
Available	Not Available		Not
Available	ROOT\LEGACY_WANARP\0000		Not
volsnap	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_VOLSNAP\0000			
VGA Display Controller.	Not Available		
LEGACYDRIVER	Not Available		Not
Available	Not Available		Not
Available	ROOT\LEGACY_VGASAVE\0000		Not
TDTCP	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_TDTCP\0000			
TCP/IP Protocol Driver	Not Available		
LEGACYDRIVER	Not Available		Not
Available	Not Available		Not
Available	ROOT\LEGACY_TCPIP\0000		Not
Security Driver	Not Available	LEGACYDRIVER	
Not Available	Not Available		Not
Available	Not Available		Not
Available	ROOT\LEGACY_SECDRV\0000		Not
RDPWD	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_RDPWD\0000			
RDP added	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_RDP added\0000			
Remote Access Auto Connection Driver	Not Available		
LEGACYDRIVER	Not Available		Not
Available	Not Available		Not
Available	ROOT\LEGACY_RASACD\0000		Not
pmxdrv	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_PMXDRV\0000			
Partition Manager	Not Available	LEGACYDRIVER	
Not Available	Not Available		Not
Available	Not Available		Not
Available	ROOT\LEGACY_PARTMGR\0000		Not
Null	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_NULL\0000			
NetBios over Tcpip	Not Available	LEGACYDRIVER	
Not Available	Not Available		Not

Available	Not Available	Not Available	
Available	ROOT\LEGACY_NETBT\0000		
NDProxy	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_NDPROXY\0000			
NDIS Usermode I/O Protocol	Not Available		
LEGACYDRIVER	Not Available		Not
Available	Not Available		Not
Available	ROOT\LEGACY_NDISUIO\0000		Not
Remote Access NDIS TAPI Driver	Not Available		
LEGACYDRIVER	Not Available		Not
Available	Not Available		Not
Available	ROOT\LEGACY_NDISTAPI\0000		Not
NDIS System Driver	Not Available	LEGACYDRIVER	
Not Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
mountmgr	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_MOUNTMGR\0000			
mmmd	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_MMMD\0000			
ksecdd	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_KSE added\0000			
IPSEC driver	Not Available	LEGACYDRIVER	
Not Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
Available	ROOT\LEGACY_IPSEC\0000		Not
IP Network Address Translator	Not Available		
LEGACYDRIVER	Not Available		Not
Available	Not Available		Not
Available	ROOT\LEGACY_IPNAT\0000		Not
hpciss	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_HPCISS\0000			
Generic Packet Classifier	Not Available		
LEGACYDRIVER	Not Available		Not
Available	Not Available		Not
Available	ROOT\LEGACY_GPC\0000		Not
Fips	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_FIPS\0000			
em	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
Available	ROOT\LEGACY_EM\0000		Not
dmload	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_DMLOAD\0000			
dmboot	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_DMBOOT\0000			
CRC Disk Filter Driver	Not Available		
LEGACYDRIVER	Not Available		Not

Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_CRCDISK\0000		
CdaD10BA	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_CDAD10BA\0000			
CdaC15BA	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_CDAC15BA\0000			
Beep	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_BEEP\0000			
AFD	Not Available	LEGACYDRIVER	Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
Available	Not Available		Not
ROOT\LEGACY_AFD\0000			
Generic volume	Yes	VOLUME	5.2.3790.1830
10/1/2002 Microsoft	volume.inf		Not
Available			
STORAGE\VOLUME\1&30A96598&0&SIGNATUREF04AF0			
4A0FFSET4000LENGTH8787EC000			
Generic volume	Yes	VOLUME	5.2.3790.1830
10/1/2002 Microsoft	volume.inf		Not
Available			
STORAGE\VOLUME\1&30A96598&0&SIGNATURE76500F			
6A0FFSET7E00LENGTH17B0939C200			
Generic volume	Yes	VOLUME	5.2.3790.1830
10/1/2002 Microsoft	volume.inf		Not
Available			
STORAGE\VOLUME\1&30A96598&0&SIGNATURE76500F			
950FFSET20000LENGTH55EB00000			
Generic volume	Yes	VOLUME	5.2.3790.1830
10/1/2002 Microsoft	volume.inf		Not
Available			
STORAGE\VOLUME\1&30A96598&0&SIGNATURE76500F			
940FFSET20000LENGTH1869E00000			
Generic volume	Yes	VOLUME	5.2.3790.1830
10/1/2002 Microsoft	volume.inf		Not
Available			
STORAGE\VOLUME\1&30A96598&0&SIGNATURE8C38B4			
8D0FFSET20000LENGTH18E6E00000			
Generic volume	Yes	VOLUME	5.2.3790.1830
10/1/2002 Microsoft	volume.inf		Not
Available			
STORAGE\VOLUME\1&30A96598&0&SIGNATURE8C38B4			
8C0FFSET20000LENGTH226C000000			
Generic volume	Yes	VOLUME	5.2.3790.1830
10/1/2002 Microsoft	volume.inf		Not
Available			
STORAGE\VOLUME\1&30A96598&0&SIGNATURE76500F			
360FFSET7E00LENGTH17B0939C200			
Generic volume	Yes	VOLUME	5.2.3790.1830
10/1/2002 Microsoft	volume.inf		Not
Available			
STORAGE\VOLUME\1&30A96598&0&SIGNATURE76500F			
6F0FFSET20000LENGTH55EB00000			
Generic volume	Yes	VOLUME	5.2.3790.1830
10/1/2002 Microsoft	volume.inf		Not
Available			
STORAGE\VOLUME\1&30A96598&0&SIGNATURE76500F			
6E0FFSET20000LENGTH1869E00000			

STORAGE\VOLUME\1&30A96598&0&SIGNATURE76500F
93OFFSET20000LENGTH55EB00000
Generic volume Yes VOLUME 5.2.3790.1830
10/1/2002 Microsoft volume.inf Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE76500F
92OFFSET20000LENGTH18E6E00000
Generic volume Yes VOLUME 5.2.3790.1830
10/1/2002 Microsoft volume.inf Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE8C38B4
87OFFSET20000LENGTH18E6E00000
Generic volume Yes VOLUME 5.2.3790.1830
10/1/2002 Microsoft volume.inf Not Available
STORAGE\VOLUME\1&30A96598&0&SIGNATURE8C38B4
86OFFSET20000LENGTH226C000000
Volume Manager Yes SYSTEM 5.2.3790.1830
10/1/2002 (Standard system devices)
machine.inf Not Available
ROOT\FTDISK\0000
Logical Disk Manager Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
ROOT\DMIO\0000
ACPI Fixed Feature Button Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\FIXEDBUTTON\2&DABA3FF&0
ACPI Thermal Zone Yes SYSTEM 5.2.3790.1830
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\THERMALZONE\THM0
Secondary IDE Channel Yes HDC
5.2.3790.1830 10/1/2002 (Standard IDE
ATA/ATAPI controllers) mshdc.inf Not Available
PCIIDE\IDECHANNEL\4&56E2F28&0&1
CD-ROM Drive Yes CDROM 5.2.3790.1830
10/1/2002 (Standard CD-ROM drives)
cdrom.inf Not Available
IDE\CDROMTEAC_DW-224E-
V_____C.A_____5&5FD9AC6&0&0.0.0
Primary IDE Channel Yes HDC 5.2.3790.1830
10/1/2002 (Standard IDE ATA/ATAPI
controllers) mshdc.inf Not Available
PCIIDE\IDECHANNEL\4&56E2F28&0&0
Standard Dual Channel PCI IDE Controller Yes
HDC 5.2.3790.1830 10/1/2002
(Standard IDE ATA/ATAPI controllers)
mshdc.inf Not Available
PCI\VEN_8086&DEV_269E&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&F9
Extended IO Bus Yes SYSTEM 5.2.3790.1830
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A06\4&2AA4AD3D&0
PS/2 Compatible Mouse Yes MOUSE
5.2.3790.1830 10/1/2002 Microsoft
msmouse.inf Not Available
ACPI\PNP0F13\4&2AA4AD3D&0
Standard 101/102-Key or Microsoft Natural PS/2
Keyboard Yes KEYBOARD 5.2.3790.1830

10/1/2002 (Standard keyboards)
keyboard.inf Not Available
ACPI\PNP0303\4&2AA4AD3D&0
System speaker Yes SYSTEM 5.2.3790.1830
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0800\4&2AA4AD3D&0
Direct memory access controller Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
ACPI\PNP0200\4&2AA4AD3D&0
High precision event timer Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\PNP0103\0
System timer Yes SYSTEM 5.2.3790.1830
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0100\4&2AA4AD3D&0
Not Available Not Available Not Available
Not Available Not Available Not Available Not Available
Available Not Available Not Available
ACPI\IPI0001\0
Motherboard resources Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
ACPI\PNP0C02\0
PCI standard ISA bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_2670&SUBSYS_00000000&REV_0
9\3&61AAA01&0&F8
PCI Device Not Available UNKNOWN Not
Available Not Available Not Available Not Available
Available Not Available
PCI\VEN_103C&DEV_3302&SUBSYS_3305103C&REV_0
0\4&2014205D&0&26F0
Generic USB Hub Yes USB 5.2.3790.1830
10/1/2002 (Generic USB Hub) usb.inf Not
Available USB\VID_03F0&PID_1327\6&18FFBC52&0&2
HID-compliant mouse Yes MOUSE 5.2.3790.1830
10/1/2002 Microsoft msmouse.inf Not
Available
HID\VID_03F0&PID_1027&MI_01\8&25B103E6&0&00
00
USB Human Interface Device Yes HIDCLASS
5.2.3790.1830 10/1/2002 (Standard
system devices) input.inf Not Available
USB\VID_03F0&PID_1027&MI_01\7&2CD6FDA9&0&00
01
HID Keyboard Device Yes KEYBOARD 5.2.3790.1830
10/1/2002 (Standard keyboards)
keyboard.inf Not Available
HID\VID_03F0&PID_1027&MI_00\8&DED77A1&0&000
0
USB Human Interface Device Yes HIDCLASS
5.2.3790.1830 10/1/2002 (Standard
system devices) input.inf Not Available
USB\VID_03F0&PID_1027&MI_00\7&2CD6FDA9&0&00
00
USB Composite Device Yes USB
5.2.3790.1830 10/1/2002 (Standard USB

Host Controller) usb.inf Not Available
USB\VID_03F0&PID_1027\6&18FFBC52&0&1
USB Root Hub Yes USB 5.2.3790.1830
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\5&26BC3420&0
Standard Universal PCI to USB Host Controller Yes
USB 5.2.3790.1830 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_103C&DEV_3300&SUBSYS_3305103C&REV_0
0\4&2014205D&0&24F0
Base System Device Not Available UNKNOWN Not
Available Not Available Not Available Not Available
Not Available Not Available
PCI\VEN_0E11&DEV_B204&SUBSYS_3305103C&REV_0
3\4&2014205D&0&22F0
Base System Device Not Available UNKNOWN Not
Available Not Available Not Available Not Available
Not Available Not Available
PCI\VEN_0E11&DEV_B203&SUBSYS_3305103C&REV_0
3\4&2014205D&0&20F0
Plug and Play Monitor Yes MONITOR
5.2.3790.1830 10/1/2002 (Standard
monitor types) monitor.inf Not Available
DISPLAY\AV00402\5&E64F3B&0&10000080&01&03
Default Monitor Yes MONITOR 5.2.3790.1830
10/1/2002 (Standard monitor types)
monitor.inf Not Available
DISPLAY\DEFAULT_MONITOR\5&E64F3B&0&10000001
&01&03
ATI ES1000 Yes DISPLAY 8.24.3.0
4/5/2006 ATI Technologies Inc.
oeml7.inf Not Available
PCI\VEN_1002&DEV_515E&SUBSYS_31FB103C&REV_0
2\4&2014205D&0&18F0
Intel(R) 82801 PCI Bridge - 244E Yes
SYSTEM 5.2.3790.1830 10/1/2002
Intel machine.inf Not Available
PCI\VEN_8086&DEV_244E&SUBSYS_00000000&REV_D
9\3&61AAA01&0&F0
USB Root Hub Yes USB 5.2.3790.1830
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB20\4&392538C3&0
Standard Enhanced PCI to USB Host Controller Yes
USB 5.2.3790.1830 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_268C&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&EF
USB Root Hub Yes USB 5.2.3790.1830
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&41C0314&0
Standard Universal PCI to USB Host Controller Yes
USB 5.2.3790.1830 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_268B&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&EB

```

USB Root Hub Yes USB 5.2.3790.1830
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&A54F890&0
Standard Universal PCI to USB Host Controller Yes
USB 5.2.3790.1830 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_268A&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&EA
USB Root Hub Yes USB 5.2.3790.1830
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&37897620&0
Standard Universal PCI to USB Host Controller Yes
USB 5.2.3790.1830 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_2689&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&E9
USB Root Hub Yes USB 5.2.3790.1830
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&7353027&0
Standard Universal PCI to USB Host Controller Yes
USB 5.2.3790.1830 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_2688&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&E8
Disk drive Yes DISKDRIVE 5.2.3790.1830
10/1/2002 (Standard disk drives)
disk.inf Not Available
SCSI\DISK&VEN_HP&PROD_LOGICAL_VOLUME&REV_2.
08\5&C8B13FA&0&040
HP Virtual LUN Yes SYSTEM 5.2.3790.1830
10/1/2002 Compaq scsidev.inf Not
Available
SCSI\OTHER&VEN_COMPAQ&PROD_SCSI_COMMUNICATE
&REV_CIS2\5&C8B13FA&0&000
Smart Array P400 Controller Yes SCSIADAPTER
6.6.0.64 3/20/2007 Hewlett-Packard Company
oem10.inf Not Available
PCI\VEN_103C&DEV_3230&SUBSYS_3234103C&REV_0
3\4&187919FE&0&00E0
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_8086&DEV_2690&SUBSYS_00000000&REV_0
9\3&61AAA01&0&E0
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_3610&SUBSYS_00000000&REV_0
1\3&61AAA01&0&B0
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_360F&SUBSYS_00000000&REV_0
1\3&61AAA01&0&A8
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard

```

```

system devices) machine.inf Not Available
PCI\VEN_8086&DEV_360E&SUBSYS_00000000&REV_0
1\3&61AAA01&0&98
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_360D&SUBSYS_00000000&REV_0
1\3&61AAA01&0&8B
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_360C&SUBSYS_00000000&REV_0
1\3&61AAA01&0&88
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_360B&SUBSYS_00000000&REV_0
1\3&61AAA01&0&87
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_360A&SUBSYS_00000000&REV_0
1\3&61AAA01&0&86
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_3609&SUBSYS_00000000&REV_0
1\3&61AAA01&0&85
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_3608&SUBSYS_00000000&REV_0
1\3&61AAA01&0&84
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_3607&SUBSYS_00000000&REV_0
1\3&61AAA01&0&83
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_3606&SUBSYS_00000000&REV_0
1\3&61AAA01&0&82
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_3605&SUBSYS_00000000&REV_0
1\3&61AAA01&0&81
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_3604&SUBSYS_00000000&REV_0
1\3&61AAA01&0&80
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_8086&DEV_3603&SUBSYS_00000000&REV_0
1\3&61AAA01&0&7F
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&5
4612BC&0&0400000400000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&5
4612BC&0&0300000400000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&5
4612BC&0&0200000400000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&5
4612BC&0&0100000400000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available

```

```

HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&5
4612BC&0&0000000400000000
Smart Array P800 Controller (Non-Miniport) No
SCSIADAPTER 5.18.2.64 1/23/2006
Hewlett-Packard oem11.inf Not Available
PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&16DF261B&0&00480030
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\5&D7EE50A&0&480030
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
69390B5&0&0400004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
69390B5&0&0300004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
69390B5&0&0200004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
69390B5&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
69390B5&0&0000004000000000
Smart Array P800 Controller (Non-Miniport) No
SCSIADAPTER 5.18.2.64 1/23/2006
Hewlett-Packard oem11.inf Not Available
PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&4A133F&0&0080030
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\5&D7EE50A&0&080030
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
86C1187&0&0400004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
86C1187&0&0300004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available

```



```

HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
86C1187&0&0200004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
86C1187&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
86C1187&0&0000004000000000
Smart Array P800 Controller (Non-Miniport) No
SCSIADAPTER 5.18.2.64 1/23/2006
Hewlett-Packard oem11.inf Not Available
PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&26310812&0&00000030
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\5&D7EE50A&0&00000030
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\4&3A6C1E79&0&0030
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_8086&DEV_3609&SUBSYS_00000000&REV_0
1\3&61AAA01&0&30
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_8086&DEV_3608&SUBSYS_00000000&REV_0
1\3&61AAA01&0&28
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&C
5353F8&0&0300004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&C
5353F8&0&0200004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&C
5353F8&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&C
5353F8&0&0000004000000000
Smart Array BUMPER LITE Controller (Non-Miniport) No
SCSIADAPTER 5.18.2.64 1/23/2006

```

```

Hewlett-Packard oem11.inf Not Available
PCI\VEN_103C&DEV_3230&SUBSYS_3237103C&REV_0
3\6&239FC03B&0&00500020
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\5&1896B7CC&0&500020
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
8803D3A&0&0400004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
8803D3A&0&0300004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
8803D3A&0&0200004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
8803D3A&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
8803D3A&0&0000004000000000
Smart Array P800 Controller (Non-Miniport) No
SCSIADAPTER 5.18.2.64 1/23/2006
Hewlett-Packard oem11.inf Not Available
PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&1060DC&0&00480020
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\5&1896B7CC&0&480020
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
264DBAA&0&0400004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
264DBAA&0&0300004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
264DBAA&0&0200004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available

```

```

HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
264DBAA&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
264DBAA&0&0000004000000000
Smart Array P800 Controller (Non-Miniport) No
SCSIADAPTER 5.18.2.64 1/23/2006
Hewlett-Packard oem11.inf Not Available
PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&266ABA75&0&00400020
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\5&1896B7CC&0&400020
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
C297700&0&0300004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
C297700&0&0200004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
C297700&0&0100004000000000
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
C297700&0&0000004000000000
Smart Array BUMPER LITE Controller (Non-Miniport) No
SCSIADAPTER 5.18.2.64 1/23/2006
Hewlett-Packard oem11.inf Not Available
PCI\VEN_103C&DEV_3230&SUBSYS_3237103C&REV_0
3\6&D0AAD5F&0&00100020
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\5&1896B7CC&0&100020
Smart Array Logical Volume No DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oem12.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
CC6C638&0&0000004000000000
Smart Array BUMPER LITE Controller (Non-Miniport) No
SCSIADAPTER 5.18.2.64 1/23/2006
Hewlett-Packard oem11.inf Not Available
PCI\VEN_103C&DEV_3230&SUBSYS_3237103C&REV_0
3\6&25161807&0&00080020
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available

```

```

PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\5&1896B7CC&0&080020
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available
PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\4&10B72E73&0&0020
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available
PCI\VEN_8086&DEV_3607&SUBSYS_00000000&REV_0
1\3&61AAA01&0&20
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available
PCI\VEN_8086&DEV_3606&SUBSYS_00000000&REV_0
1\3&61AAA01&0&18
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&8
5E16E&0&0400004000000000
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&8
5E16E&0&0300004000000000
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&8
5E16E&0&0200004000000000
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&8
5E16E&0&0100004000000000
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&8
5E16E&0&0000004000000000
Smart Array P800 Controller (Non-Miniport) No
SCSIADAPTER 5.18.2.64 1/23/2006
Hewlett-Packard oeml1.inf Not Available
PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&FD36652&0&00480010
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available
PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\5&373EA348&0&480010
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
A93D419&0&0400004000000000
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard

```

```

oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
A93D419&0&0300004000000000
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
A93D419&0&0200004000000000
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
A93D419&0&0100004000000000
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&1
A93D419&0&0000004000000000
Smart Array P800 Controller (Non-Miniport) No
SCSIADAPTER 5.18.2.64 1/23/2006
Hewlett-Packard oeml1.inf Not Available
PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&34D91D7&0&00080010
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available
PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\5&373EA348&0&080010
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
A3E53A4&0&0400004000000000
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
A3E53A4&0&0300004000000000
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
A3E53A4&0&0200004000000000
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
A3E53A4&0&0100004000000000
Smart Array Logical Volume             No      DISKDRIVE
5.12.2.64 1/23/2005 Hewlett-Packard
oeml2.inf Not Available
HPQCISS\DISK&VEN_HP&PROD_LOGICAL_VOLUME\7&2
A3E53A4&0&0000004000000000
Smart Array P800 Controller (Non-Miniport) No
SCSIADAPTER 5.18.2.64 1/23/2006
Hewlett-Packard oeml1.inf Not Available
PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_0
3\6&2D3CC7DB&0&00000010
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available

```

```

PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\5&373EA348&0&000010
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available
PCI\VEN_10B5&DEV_8533&SUBSYS_00000000&REV_A
A\4&18FDC193&0&0010
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available
PCI\VEN_8086&DEV_3605&SUBSYS_00000000&REV_0
1\3&61AAA01&0&10
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available
PCI\VEN_8086&DEV_350C&SUBSYS_00000000&REV_0
1\4&1C28C1D&0&0308
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available
PCI\VEN_8086&DEV_3518&SUBSYS_00000000&REV_0
1\5&E0AB67A&0&100008
HP NC373i Multifunction Gigabit Server Adapter Yes
NET 3.4.10.0 5/25/2007 Hewlett-
Packard Company oeml3.inf Not Available
B06BDRV\L2ND&PCI_164C14E4&SUBSYS_7038103C&R
EV_12\8&8818209&0&20050800
HP NC373i Virtual Bus Device Yes SYSTEM
3.4.10.0 5/22/2007 Hewlett-Packard Company
oeml6.inf Not Available
PCI\VEN_14E4&DEV_164C&SUBSYS_7038103C&REV_1
2\7&5E3615B&0&0000080008
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available
PCI\VEN_1166&DEV_0103&SUBSYS_00000000&REV_C
3\6&17790229&0&00080008
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available
PCI\VEN_8086&DEV_3514&SUBSYS_00000000&REV_0
1\5&E0AB67A&0&080008
HP NC373i Multifunction Gigabit Server Adapter Yes
NET 3.4.10.0 5/25/2007 Hewlett-
Packard Company oeml3.inf Not Available
B06BDRV\L2ND&PCI_164C14E4&SUBSYS_7038103C&R
EV_12\8&1D0839D4&0&20050600
HP NC373i Virtual Bus Device Yes SYSTEM
3.4.10.0 5/22/2007 Hewlett-Packard Company
oeml6.inf Not Available
PCI\VEN_14E4&DEV_164C&SUBSYS_7038103C&REV_1
2\7&2E6F32A9&0&0000000008
PCI standard PCI-to-PCI bridge          Yes
SYSTEM 5.2.3790.1830                    10/1/2002
(Standard system devices)                machine.inf
Not Available

```

```

PCI\VEN_1166&DEV_0103&SUBSYS_00000000&REV_C
3\6&363D1B6C&0&00000000
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_8086&DEV_3510&SUBSYS_00000000&REV_0
1\5&E0AB67A&0&00000008
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_8086&DEV_3500&SUBSYS_00000000&REV_0
1\4&1C28C1D&0&000008
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_8086&DEV_3604&SUBSYS_00000000&REV_0
1\3&61AAA01&0&08
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_3600&SUBSYS_00000000&REV_0
1\3&61AAA01&0&00
PCI bus Yes SYSTEM 5.2.3790.1830
10/1/2002 (Standard system devices)
machine.inf Not Available
ACPI\PNP0A03\2&DABA3FF&0
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\27
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\26
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\25
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\24
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\19
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\18
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\17
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\16
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available

```

```

ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\11
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\10
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\9
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\8
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\3
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\2
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\1
Intel Processor Yes PROCESSOR 5.2.3790.1830
10/1/2002 Intel cpu.inf Not Available
ACPI\GENUINEINTEL_-
_EM64T_FAMILY_6_MODEL_15\0
Microsoft ACPI-Compliant System Yes
SYSTEM 5.2.3790.1830 10/1/2002
Microsoft acpi.inf Not Available
ACPI_HAL\PNP0C08\0
ACPI Multiprocessor x64-based PC Yes
COMPUTER 5.2.3790.1830 10/1/2002
(Standard computers) hal.inf Not
Available
ROOT\ACPI_HAL\0000
Not Available Not Available Not Available
Not Available Not Available Not Available
Available Not Available Not Available
HTREE\ROOT\0

[Environment Variables]
Variable Value User Name
ComSpec %SystemRoot%\system32\cmd.exe <SYSTEM>
Path C:\Program
Files\HP\NCU;%SystemRoot%\system32;%SystemRoot%;%Syst
emRoot%\System32\Wbem\C:\Program Files
(x86)\Microsoft SQL Server\80\Tools\Binn\;C:\Program
Files\Microsoft SQL Server\90\Tools\Binn\;C:\Program
Files (x86)\Microsoft SQL
Server\90\Tools\Binn\;C:\Program Files
(x86)\Microsoft SQL Server\90\DTS\Binn\;C:\Program
Files (x86)\Microsoft SQL
Server\90\Tools\Binn\VSShell\Common7\IDE\;C:\Program
Files (x86)\Microsoft Visual Studio
8\Common7\IDE\PrivateAssemblies\;c:\Program
Files\Microsoft SQL Server\90\DTS\Binn\ <SYSTEM>
windir %SystemRoot% <SYSTEM>
FP_NO_HOST_CHECK NO <SYSTEM>
OS Windows_NT <SYSTEM>

```

```

PROCESSOR_ARCHITECTURE AMD64 <SYSTEM>
PROCESSOR_LEVEL 6 <SYSTEM>
PROCESSOR_IDENTIFIER EM64T Family 6 Model 15
Stepping 11, GenuineIntel <SYSTEM>
PROCESSOR_REVISION 0f0b <SYSTEM>
NUMBER_OF_PROCESSORS 16 <SYSTEM>
ClusterLog C:\WINDOWS\Cluster\cluster.log
<SYSTEM>
PATHEXT .COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF
;.WSH <SYSTEM>
TEMP %SystemRoot%\TEMP <SYSTEM>
TMP %SystemRoot%\TEMP <SYSTEM>
lib C:\Program Files\SQLXML 4.0\bin\
<SYSTEM>
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\SYSTEM
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\SYSTEM
TEMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\NETWORK SERVICE
TMP %USERPROFILE%\Local Settings\Temp NT
AUTHORITY\NETWORK SERVICE
TEMP %USERPROFILE%\Local Settings\Temp
WARSHIP\Administrator
TMP %USERPROFILE%\Local Settings\Temp
WARSHIP\Administrator

[Print Jobs]
Document Size Owner Notify Status
Time Submitted Start Time
Until Time Elapsed Time
Pages Printed Job ID Priority
Parameters Driver Print
Processor Host Print Queue Data Type Name

[Network Connections]
Local Name Remote Name Type
Status User Name

[Running Tasks]
Name Path Process ID Priority Min
Working Set Max Working Set Start Time
Version Size File Date
system idle process Not Available 0 0
Not Available Not Available Not Available
Available Not Available Not Available Not
system Not Available 4 8 0
1413120 Not Available Not Available
Not Available Not Available
smss.exe Not Available 864 11
204800 1413120 8/8/2007 2:52 PM Not
Available Not Available Not Available
csrss.exe Not Available 420 13 Not
Available Not Available 8/8/2007 2:52 PM Not
Available Not Available Not Available
winlogon.exe c:\windows\system32\winlogon.exe
604 13 204800 1413120
8/8/2007 2:53 PM 5.2.3790.1830

```

```

(srv03_spl_rtm.050324-1447) 901.00 KB (922,624
bytes) 11/30/2005 6:00 AM
services.exe c:\windows\system32\services.exe
820 9 204800 1413120
8/8/2007 2:53 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 216.50 KB (221,696
bytes) 11/30/2005 6:00 AM
lsass.exe c:\windows\system32\lsass.exe 892 9
204800 1413120 8/8/2007 2:53 PM
5.2.3790.1830 (srv03_spl_rtm.050324-1447)
14.00 KB (14,336 bytes) 11/30/2005
6:00 AM
svchost.exe c:\windows\system32\svchost.exe
372 8 204800 1413120
8/8/2007 2:53 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 24.50 KB (25,088 bytes)
11/30/2005 6:00 AM
svchost.exe Not Available 532 8
Not Available Not Available
8/8/2007 2:53 PM Not Available Not
Available Not Available
svchost.exe Not Available 636 8
Not Available Not Available
8/8/2007 2:53 PM Not Available Not
Available Not Available
svchost.exe c:\windows\system32\svchost.exe
692 8 204800 1413120
8/8/2007 2:53 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 24.50 KB (25,088 bytes)
11/30/2005 6:00 AM
msdtc.exe Not Available 1220 8 Not
Available Not Available 8/8/2007 2:53 PM Not
Available Not Available Not Available
svchost.exe c:\windows\system32\svchost.exe
1408 8 204800 1413120
8/8/2007 2:53 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 24.50 KB (25,088 bytes)
11/30/2005 6:00 AM
svchost.exe c:\windows\system32\svchost.exe
1916 8 204800 1413120
8/8/2007 2:53 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 24.50 KB (25,088 bytes)
11/30/2005 6:00 AM
wmiprvse.exe Not Available 392 8
Not Available Not Available
8/8/2007 2:54 PM Not Available Not
Available Not Available
logon.scr Not Available 524 4 Not
Available Not Available 8/8/2007 3:03 PM Not
Available Not Available Not Available
csrss.exe Not Available 1276 13 Not
Available Not Available 8/8/2007 3:08 PM Not
Available Not Available Not Available
winlogon.exe c:\windows\system32\winlogon.exe
2024 13 204800 1413120
8/8/2007 3:08 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 901.00 KB (922,624
bytes) 11/30/2005 6:00 AM
rdpclip.exe c:\windows\system32\rdpclip.exe
1880 8 204800 1413120
8/8/2007 3:08 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 99.00 KB (101,376
bytes) 6/19/2007 4:26 PM

```

```

explorer.exe c:\windows\explorer.exe
1016 8 204800 1413120
8/8/2007 3:08 PM 6.00.3790.1830
(srv03_spl_rtm.050324-1447) 1.30 MB (1,364,480
bytes) 11/30/2005 6:00 AM
cpqteam.exe c:\program
files\hp\ncu\cpqteam.exe 668 8
204800 1413120 8/8/2007 3:08 PM
8.70.0.15 81.50 KB (83,456 bytes)
6/28/2007 1:10 PM
helpctr.exe
c:\windows\pchealth\helpctr\binaries\helpctr
.exe 192 8 204800 1413120
8/8/2007 3:08 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 1.30 MB (1,363,456
bytes) 6/19/2007 4:28 PM
wmiprvse.exe Not Available 2036 8
Not Available Not Available
8/8/2007 3:08 PM Not Available Not
Available Not Available
helpsvc.exe
c:\windows\pchealth\helpctr\binaries\helpsv
c.exe 516 8 204800 1413120
8/8/2007 3:08 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 1.52 MB (1,591,296
bytes) 6/19/2007 4:28 PM

[Loaded Modules]
Name Version Size File Date Manufacturer
Path
winlogon 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
901.00 KB (922,624 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\winlogon.exe
ntdll 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.20 MB (1,257,472 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\ntdll.dll
kernel32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.43 MB (1,500,160 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\kernel32.dll
advapi32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.00 MB (1,051,136 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\advapi32.dll
rpcrt4 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.63 MB (1,714,176 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\rpcrt4.dll
crypt32 5.131.3790.1830 (srv03_spl_rtm.050324-1447)
1.36 MB (1,428,992 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\crypt32.dll
msasn1 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
152.50 KB (156,160 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msasn1.dll
msvcrt 7.0.3790.1830 (srv03_spl_rtm.050324-1447)
508.00 KB (520,192 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msvcrt.dll

```

```

user32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.04 MB (1,085,952 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\user32.dll
gdi32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
592.00 KB (606,208 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\gdi32.dll
nddeapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
25.00 KB (25,600 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\nddeapi.dll
profmap 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
36.00 KB (36,864 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\profmap.dll
netapi32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
589.00 KB (603,136 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\netapi32.dll
userenv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.02 MB (1,069,056 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\userenv.dll
psapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
29.00 KB (29,696 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\psapi.dll
regapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
108.50 KB (111,104 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\regapi.dll
secur32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
120.00 KB (122,880 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\secur32.dll
setupapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.45 MB (1,523,200 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\setupapi.dll
version 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
28.00 KB (28,672 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\version.dll
winsta 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
89.00 KB (91,136 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\winsta.dll
ws2_32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
176.50 KB (180,736 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\ws2_32.dll
ws2help 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
30.50 KB (31,232 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\ws2help.dll
msgina 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.14 MB (1,193,472 bytes) 11/30/2005
Microsoft Corporation
c:\windows\system32\msgina.dll
shsvcs 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
193.50 KB (198,144 bytes) 11/30/2005

```

6:00 AM Microsoft Corporation
c:\windows\system32\shsvcs.dll
shlwapi 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
606.50 KB (621,056 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\shlwapi.dll
sfc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
6.00 KB (6,144 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\sfc.dll
sfc_os 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
183.50 KB (187,904 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\sfc_os.dll
wintrust 5.131.3790.1830 (srv03_spl_rtm.050324-1447)
297.50 KB (304,640 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\wintrust.dll
imagehlp 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
57.50 KB (58,880 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\imagehlp.dll
ole32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
2.43 MB (2,543,616 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\ole32.dll
comctl32 6.0 (srv03_spl_rtm.050324-1447)
1.51 MB (1,584,128 bytes) 6/19/2007
12:14 PM Microsoft Corporation
c:\windows\winsxs\amd64_microsoft.windows.c
ommon-controls_6595b64144ccf1df_6.0.3790.1830_x-
ww_aced72af\comctl32.dll
winscard 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
230.00 KB (235,520 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\winscard.dll
wtsapi32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
29.00 KB (29,696 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\wtsapi32.dll
sxs 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.91 MB (2,003,968 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\sxs.dll
winmm 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
303.50 KB (310,784 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\winmm.dll
shell32 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
10.01 MB (10,492,416 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\shell32.dll
wldap32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
390.00 KB (399,360 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\wldap32.dll
rsaenh 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
241.96 KB (247,768 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\rsaenh.dll
cscdll 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
151.50 KB (155,136 bytes) 11/30/2005

6:00 AM Microsoft Corporation
c:\windows\system32\cscdll.dll
dimntfy 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
28.00 KB (28,672 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\dimntfy.dll
wlnotify 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
148.00 KB (151,552 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\wlnotify.dll
mpr 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
115.00 KB (117,760 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\mpr.dll
oleaut32 5.2.3790.1830 1.06 MB (1,116,160
bytes) 11/30/2005 6:00 AM Microsoft Corporation
c:\windows\system32\oleaut32.dll
winspool 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
247.00 KB (252,928 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\winspool.drv
comctl32 5.82 (srv03_spl_rtm.050324-1447)
934.50 KB (956,928 bytes) 6/19/2007
12:14 PM Microsoft Corporation
c:\windows\winsxs\amd64_microsoft.windows.c
ommon-controls_6595b64144ccf1df_5.82.3790.1830_x-
ww_4d792d2a\comctl32.dll
uxtheme 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
494.50 KB (506,368 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\uxtheme.dll
services 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
216.50 KB (221,696 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\services.exe
ncobjapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
80.00 KB (81,920 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\ncobjapi.dll
msvcp60 7.0.3790.1830 (srv03_spl_rtm.050324-1447)
919.50 KB (941,568 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msvcp60.dll
scesrv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
594.50 KB (608,768 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\scesrv.dll
authz 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
167.00 KB (171,008 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\authz.dll
umpnpgmr 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
205.00 KB (209,920 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\umpnpgmr.dll
eventlog 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
127.00 KB (130,048 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\eventlog.dll
lsass 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
14.00 KB (14,336 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\lsass.exe

lsasrv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.50 MB (1,568,256 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\lsasrv.dll
ntdsapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
127.50 KB (130,560 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\ntdsapi.dll
dnsapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
297.50 KB (304,640 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\dnsapi.dll
samlib 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
69.00 KB (70,656 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\samlib.dll
samsrv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.01 MB (1,059,328 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\samsrv.dll
cryptdll 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
47.00 KB (48,128 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\cryptdll.dll
msprvs 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
47.50 KB (48,640 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msprvs.dll
kerberos 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
698.00 KB (714,752 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\kerberos.dll
msvl_0 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
253.00 KB (259,072 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msvl_0.dll
iphlpapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
177.00 KB (181,248 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\iphlpapi.dll
netlogon 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
666.00 KB (681,984 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\netlogon.dll
w32time 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
400.50 KB (410,112 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\w32time.dll
schannel 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
248.00 KB (253,952 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\schannel.dll
wdigest 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
130.50 KB (133,632 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\wdigest.dll
rassfm 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
36.00 KB (36,864 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\rassfm.dll
kdcsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
409.00 KB (418,816 bytes) 11/30/2005

6:00 AM Microsoft Corporation
c:\windows\system32\kdcsvc.dll
ntdsa 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
2.81 MB (2,948,096 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\ntdsa.dll
esent 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
2.26 MB (2,366,976 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\esent.dll
ntdsatq 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
51.00 KB (52,224 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\ntdsatq.dll
mswsock 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
478.00 KB (489,472 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\mswsock.dll
scecli 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
308.00 KB (315,392 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\scecli.dll
ws03res 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
794.00 KB (813,056 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\ws03res.dll
hnetcfg 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
561.00 KB (574,464 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\hnetcfg.dll
wshtcpip 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
29.00 KB (29,696 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\wshtcpip.dll
pstorsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
36.00 KB (36,864 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\pstorsvc.dll
psbase 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
124.00 KB (126,976 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\psbase.dll
dssenh 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
226.96 KB (232,408 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\dssenh.dll
svchost 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
24.50 KB (25,088 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\svchost.exe
rpcss 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
672.00 KB (688,128 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\rpcss.dll
xpsp2res 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
2.77 MB (2,899,456 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\xpsp2res.dll
clbcatq 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
865.00 KB (885,760 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\clbcatq.dll

comres 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
779.50 KB (798,208 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\comres.dll
ntmarta 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
222.50 KB (227,840 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\ntmarta.dll
wkssvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
221.00 KB (226,304 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\wkssvc.dll
wiarpc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
57.00 KB (58,368 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\wiarpc.dll
aelupsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
31.50 KB (32,256 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\aelupsvc.dll
apphelp 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
241.00 KB (246,784 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\apphelp.dll
dmserver 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
36.50 KB (37,376 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\dmserver.dll
cryptsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
114.00 KB (116,736 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\cryptsvc.dll
certcli 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
372.00 KB (380,928 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\certcli.dll
atl 3.05.2284.96.50 KB (98,816 bytes)
11/30/2005 6:00 AM Microsoft Corporation
c:\windows\system32\atl.dll
vssapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.26 MB (1,320,960 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\vssapi.dll
srvsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
156.50 KB (160,256 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\srvsvc.dll
es 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
357.00 KB (365,568 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\es.dll
wmisvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
227.00 KB (232,448 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\wbem\wmisvc.dll
sens 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
63.50 KB (65,024 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\sens.dll
comsvcs 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
2.06 MB (2,156,544 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\comsvcs.dll

browser 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
125.50 KB (128,512 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\browser.dll
netrap 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
26.00 KB (26,624 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\netrap.dll
wbemcore 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.24 MB (1,299,968 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\wbem\wbemcore.dll
esscli 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
626.50 KB (641,536 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\wbem\esscli.dll
wbemcomn 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
524.00 KB (536,576 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\wbem\wbemcomn.dll
fastprox 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
866.50 KB (887,296 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\wbem\fastprox.dll
wmiutils 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
171.00 KB (175,104 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\wbem\wmiutils.dll
repdrvfs 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
353.50 KB (361,984 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\wbem\repdrvfs.dll
wmiprvsd 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
743.00 KB (760,832 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\wbem\wmiprvsd.dll
wbemess 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
532.50 KB (545,280 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\wbem\wbemess.dll
ncprov 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
73.00 KB (74,752 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\wbem\ncprov.dll
wbemsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
58.00 KB (59,392 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\wbem\wbemsvc.dll
wbemcons 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
65.50 KB (67,072 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\wbem\wbemcons.dll
actxprxy 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
220.50 KB (225,792 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\actxprxy.dll
netman 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
457.00 KB (467,968 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\netman.dll
mprapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
154.50 KB (158,208 bytes) 11/30/2005

6:00 AM Microsoft Corporation
c:\windows\system32\mprapi.dll
activeds 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
348.50 KB (356,864 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\activeds.dll
adslrpc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
240.50 KB (246,272 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\adslrpc.dll
credui 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
202.00 KB (206,848 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\credui.dll
rtutils 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
66.00 KB (67,584 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\rtutils.dll
netshell 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
2.32 MB (2,437,120 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\netshell.dll
clusapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
127.00 KB (130,048 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\clusapi.dll
rasapi32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
410.00 KB (419,840 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\rasapi32.dll
rasman 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
95.50 KB (97,792 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\rasman.dll
tapi32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
332.50 KB (340,480 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\tapi32.dll
wininet 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
1.13 MB (1,186,304 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\wininet.dll
wzcsapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
49.00 KB (50,176 bytes) 3/24/2005
11:35 AM Microsoft Corporation
c:\windows\system32\wzcsapi.dll
wzcsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
492.00 KB (503,808 bytes) 3/24/2005
11:35 AM Microsoft Corporation
c:\windows\system32\wzcsvc.dll
wmi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
5.50 KB (5,632 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\wmi.dll
dhcpcsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
219.00 KB (224,256 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\dhcpcsvc.dll
netcfgx 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.29 MB (1,354,240 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\netcfgx.dll

winipsec 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
52.50 KB (53,760 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\winipsec.dll
wbemprox 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
38.00 KB (38,912 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\wbem\wbemprox.dll
rasdlg 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
859.50 KB (880,128 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\rasdlg.dll
rasadhlp 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
12.00 KB (12,288 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\rasadhlp.dll
pchsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
76.00 KB (77,824 bytes) 6/19/2007
4:28 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\pchsvc
.dll
ersvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
31.00 KB (31,744 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\ersvc.dll
termsrv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
354.50 KB (363,008 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\termsrv.dll
icaapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
27.50 KB (28,160 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\icaapi.dll
mstlsapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
187.00 KB (191,488 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\mstlsapi.dll
rdpwsx 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
170.13 KB (174,216 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\rdpwsx.dll
rdpsnd 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
25.00 KB (25,600 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\rdpsnd.dll
scredir 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
38.50 KB (39,424 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\scredir.dll
cscui 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
441.00 KB (451,584 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\cscui.dll
msacm32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
31.00 KB (31,744 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msacm32.drv
msacm32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
112.00 KB (114,688 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msacm32.dll
imaadp32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
24.00 KB (24,576 bytes) 11/30/2005

6:00 AM Microsoft Corporation
c:\windows\system32\imaadp32.acm
msadp32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
23.50 KB (24,064 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msadp32.acm
msg711 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
13.50 KB (13,824 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msg711.acm
msgsm32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
34.50 KB (35,328 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msgsm32.acm
tssoft32 1.01 13.50 KB (13,824 bytes)
11/30/2005 6:00 AM DSP GROUP, INC.
c:\windows\system32\tssoft32.acm
tsd32 1.03 24.50 KB (25,088 bytes)
11/30/2005 6:00 AM DSP GROUP, INC.
c:\windows\system32\tsd32.dll
rdpclip 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
99.00 KB (101,376 bytes) 6/19/2007
4:26 PM Microsoft Corporation
c:\windows\system32\rdpclip.exe
wsock32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
24.50 KB (25,088 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\wsock32.dll
urlmon 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
1.02 MB (1,074,176 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\urlmon.dll
explorer 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
1.30 MB (1,364,480 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\explorer.exe
browseui 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
1.53 MB (1,601,536 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\browseui.dll
shdocvw 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
2.30 MB (2,416,128 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\shdocvw.dll
cryptui 5.131.3790.1830 (srv03_spl_rtm.050324-1447)
705.50 KB (722,432 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\cryptui.dll
themeui 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
530.50 KB (543,232 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\themeui.dll
msimg32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
6.50 KB (6,656 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msimg32.dll
linkinfo 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
30.00 KB (30,720 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\linkinfo.dll
ntshrui 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
184.00 KB (188,416 bytes) 11/30/2005

```

6:00 AM Microsoft Corporation
c:\windows\system32\ntshrui.dll
webcheck 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
439.00 KB (449,536 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\webcheck.dll
stobject 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
142.50 KB (145,920 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\stobject.dll
batmeter 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
41.50 KB (42,496 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\batmeter.dll
powrprof 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
32.50 KB (33,280 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\powrprof.dll
drprov 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
24.00 KB (24,576 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\drprov.dll
ntlanman 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
71.50 KB (73,216 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\ntlanman.dll
netui0 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
130.00 KB (133,120 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\netui0.dll
netuil 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
338.50 KB (346,624 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\netuil.dll
davclnt 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
38.00 KB (38,912 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\davclnt.dll
cpqteam 8.70.0.15 81.50 KB (83,456 bytes)
6/28/2007 1:10 PM Hewlett-Packard Company
c:\program files\hp\ncu\cpqteam.exe
helpctr 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.30 MB (1,363,456 bytes) 6/19/2007
4:28 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpctr.exe
hcappres 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
7.50 KB (7,680 bytes) 6/19/2007
4:28 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\hcappres.dll
itss 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
208.00 KB (212,992 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\itss.dll
msxml3 8.70.1104.0 2.04 MB (2,141,184
bytes) 11/30/2005 6:00 AM Microsoft Corporation
c:\windows\system32\msxml3.dll
pchshell 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
155.00 KB (158,720 bytes) 6/19/2007
4:28 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\pchshell.dll

```

```

mlang 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
686.00 KB (702,464 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\mlang.dll
mshtml 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
5.65 MB (5,928,448 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\mshtml.dll
msls31 3.10.349.0 357.00 KB (365,568
bytes) 11/30/2005 6:00 AM Microsoft Corporation
c:\windows\system32\msls31.dll
msimtf 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
380.50 KB (389,632 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msimtf.dll
msctf 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
617.50 KB (632,320 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\msctf.dll
shdoclc 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
589.50 KB (603,648 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\shdoclc.dll
jscript 5.6.0.8827 974.50 KB (997,888
bytes) 11/30/2005 6:00 AM Microsoft Corporation
c:\windows\system32\jscript.dll
imm32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
208.00 KB (212,992 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\imm32.dll
mshtmlmled 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
905.50 KB (927,232 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\mshtmlmled.dll
vbscript 5.6.0.8827 646.50 KB (662,016
bytes) 11/30/2005 6:00 AM Microsoft Corporation
c:\windows\system32\vbscript.dll
msinfo 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
636.00 KB (651,264 bytes) 6/19/2007
4:28 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\msinfo
.dll
mfc42u 6.50.9146.0 1.39 MB (1,462,272
bytes) 11/30/2005 6:00 AM Microsoft Corporation
c:\windows\system32\mfc42u.dll
comdlg32 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
446.50 KB (457,216 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\comdlg32.dll
riched32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
7.00 KB (7,168 bytes) 11/30/2005
6:00 AM Microsoft Corporation
c:\windows\system32\riched32.dll
riched20 5.31.23.1224 1.10 MB (1,157,120
bytes) 11/30/2005 6:00 AM Microsoft Corporation
c:\windows\system32\riched20.dll
helpsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.52 MB (1,591,296 bytes) 6/19/2007
4:28 PM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\helpsvc.exe
c.exe
[Services]

```

```

Display Name Name State Start Mode
Service Type Path Error Control
Start Name Tag ID
Application Experience Lookup Service AeLookupSvc
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Alerter Alerter Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Application Layer Gateway Service ALG
Stopped Manual Own Process
c:\windows\system32\alg.exe Normal NT
AUTHORITY\LocalService 0
Application Management AppMgmt Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
ASP.NET State Service aspnet_state
Stopped Manual Own Process
c:\windows\microsoft.net\framework64\v2.0.5
0727\aspnet_state.exe Normal NT
AUTHORITY\NetworkService 0
Windows Audio AudioSrv Stopped Disabled
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Background Intelligent Transfer Service BITS
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Computer Browser Browser Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Indexing Service CSvc Stopped Disabled
Share Process
c:\windows\system32\cisvc.exe Normal
LocalSystem 0
ClipBook ClipSrv Stopped Disabled Own Process
c:\windows\system32\clipsrv.exe
Normal LocalSystem 0
.NET Runtime Optimization Service v2.0.50727_X86
clr_optimization_v2.0.50727_32
Stopped Manual Own Process
c:\windows\microsoft.net\framework\v2.0.507
27\mscorlib.exe Ignore LocalSystem 0
.NET Runtime Optimization Service v2.0.50727_x64
clr_optimization_v2.0.50727_64
Stopped Manual Own Process
c:\windows\microsoft.net\framework64\v2.0.5
0727\mscorlib.exe Ignore LocalSystem 0
COM+ System Application COMSysApp Stopped
Manual Own Process
c:\windows\system32\dllhost.exe
/processid:{02d4b3f1-fd88-11d1-960d-00805fc79235}
Normal LocalSystem 0
Cryptographic Services CryptSvc Running
Auto Share Process

```



```

c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
DCOM Server Process Launcher DcomLaunch
Running Auto Share Process
c:\windows\system32\svchost.exe -k
dcomlaunch Normal LocalSystem 0
Distributed File System Dfs Stopped
Manual Own Process
c:\windows\system32\dfsrv.exe
Normal LocalSystem 0
DHCP Client Dhcp Stopped Disabled
Share Process
c:\windows\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Logical Disk Manager Administrative Service
dmdadmin Stopped Manual Share Process
c:\windows\system32\dmdadmin.exe /com
Normal LocalSystem 0
Logical Disk Manager dmserver Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
DNS Client Dnscache Running Auto
Share Process
c:\windows\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Error Reporting Service ERSvc Running
Auto Share Process
c:\windows\system32\svchost.exe -k winerr
Ignore LocalSystem 0
Event Log Eventlog Running Auto Share Process
c:\windows\system32\services.exe
Normal LocalSystem 0
COM+ Event System EventSystem Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Help and Support helpsvc Running Manual
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Human Interface Device Access HidServ Stopped
Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
HTTP SSL HTTPFilter Stopped Manual
Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
IAS Jet Database Access IASJet Stopped
Manual Share Process
c:\windows\syswow64\svchost.exe -k iasjet
Normal LocalSystem 0
IMAPI CD-Burning COM Service ImapiService
Stopped Disabled Own Process
c:\windows\system32\imapi.exe Normal
LocalSystem 0
Intersite Messaging IsmServ Stopped Disabled Own
Process c:\windows\system32\ismserv.exe
Normal LocalSystem 0

```

```

Kerberos Key Distribution Center kdc
Stopped Disabled Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Server lanmanserver Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Workstation lanmanworkstation Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
License Logging LicenseService Stopped
Disabled Own Process
c:\windows\system32\llssrv.exe
Normal NT AUTHORITY\NetworkService 0
TCP/IP NetBIOS Helper LmHosts Stopped
Disabled Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Messenger Messenger Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
NetMeeting Remote Desktop Sharing mmshrvc
Stopped Disabled Own Process
c:\windows\system32\mmshrvc.exe
Normal LocalSystem 0
Distributed Transaction Coordinator MSDTC
Running Auto Own Process
c:\windows\system32\msdtc.exe Normal NT
AUTHORITY\NetworkService 0
SQL Server FullText Search (MSSQLSERVER)
msftesql Stopped Disabled Own Process
"c:\program files\microsoft sql
server\mssql.1\mssql\bin\msftesql.exe" -s:mssql.1 -
f:mssqlserver Normal LocalSystem 0
Windows Installer MSIServer Stopped Manual
Share Process
c:\windows\system32\msiexec.exe /v
Normal LocalSystem 0
SQL Server (MSSQLSERVER) MSSQLSERVER
Stopped Manual Own Process
"c:\program files\microsoft sql
server\mssql.1\mssql\bin\sqlservr.exe" -smssqlserver
Normal LocalSystem 0
SQL Server Active Directory Helper
MSSQLServerADHelper Stopped Disabled Own
Process "c:\program files\microsoft sql
server\90\shared\sqladhlp90.exe" Normal NT
AUTHORITY\NetworkService 0
Network DDE NetDDE Stopped Disabled
Share Process
c:\windows\system32\netdde.exe
Normal LocalSystem 0
Network DDE DSDM NetDDEdsdm Stopped
Disabled Share Process
c:\windows\system32\netdde.exe
Normal LocalSystem 0

```

```

Net Logon Netlogon Stopped Manual Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Network Connections Netman Running Manual
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Network Location Awareness (NLA) Nla
Running Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
File Replication NtFrs Stopped Manual Own
Process c:\windows\system32\ntfrs.exe Ignore
LocalSystem 0
NT LM Security Support Provider NtLmSsp
Stopped Manual Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Removable Storage NtmsSvc Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Office Source Engine ose Stopped
Manual Own Process "c:\program
files (x86)\common files\microsoft shared\source
engine\ose.exe" Normal LocalSystem 0
Plug and Play PlugPlay Running Auto
Share Process
c:\windows\system32\services.exe
Normal LocalSystem 0
IPSEC Services PolicyAgent Stopped
Disabled Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Protected Storage ProtectedStorage Running
Auto Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Remote Access Auto Connection Manager RasAuto
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Access Connection Manager RasMan
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Desktop Help Session Manager RDSessMgr
Stopped Manual Own Process
c:\windows\system32\sessmgr.exe
Normal LocalSystem 0
Routing and Remote Access RemoteAccess
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Registry RemoteRegistry Stopped
Disabled Share Process
c:\windows\system32\svchost.exe -k regsvc
Normal NT AUTHORITY\LocalService 0
Remote Procedure Call (RPC) Locator RpcLocator
Stopped Manual Own Process
c:\windows\system32\locator.exe

```

```

Normal NT AUTHORITY\NetworkService 0
Remote Procedure Call (RPC) RpcSs Running
Auto Share Process
c:\windows\system32\svchost.exe -k rpcss
Normal NT AUTHORITY\NetworkService 0
Resultant Set of Policy Provider RSoPProv
Stopped Manual Share Process
c:\windows\system32\rsopprov.exe
Normal LocalSystem 0
Special Administration Console Helper sacsvr
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netvcs
Normal LocalSystem 0
Security Accounts Manager SamSs Running
Auto Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Smart Card SCardSvr Stopped Manual
Share Process
c:\windows\system32\scardsvr.exe
Ignore NT AUTHORITY\LocalService 0
Task Scheduler Schedule Stopped Disabled
Share Process
c:\windows\system32\svchost.exe -k netvcs
Normal LocalSystem 0
Secondary Logon seclogon Stopped Disabled
Share Process
c:\windows\system32\svchost.exe -k netvcs
Ignore LocalSystem 0
System Event Notification SENS Running
Auto Share Process
c:\windows\system32\svchost.exe -k netvcs
Normal LocalSystem 0
Windows Firewall/Internet Connection Sharing (ICS)
SharedAccess Stopped Disabled
Share Process
c:\windows\system32\svchost.exe -k netvcs
Normal LocalSystem 0
Shell Hardware Detection ShellHWDetection
Running Auto Share Process
c:\windows\system32\svchost.exe -k netvcs
Ignore LocalSystem 0
Print Spooler Spooler Stopped Disabled Own
Process c:\windows\system32\spoolsv.exe
Normal LocalSystem 0
SQL Server Browser SQLBrowser Stopped
Disabled Own Process "c:\program
files(x86)\microsoft sql
server\90\shared\sqlbrowser.exe"
Normal
LocalSystem 0
SQL Server Agent (MSSQLSERVER)
SQLSERVERAGENT Stopped Manual Own
Process "c:\program files\microsoft sql
server\mssql.1\mssql\bin\sqlagent90.exe" -i
mssqlserver
Normal LocalSystem 0
SQL Server VSS Writer SQLWriter Stopped
Manual Own Process "c:\program
files\microsoft sql server\90\shared\sqlwriter.exe"
Normal LocalSystem 0

```

```

Windows Image Acquisition (WIA) stisvc
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k imgsvc
Normal NT AUTHORITY\LocalService 0
Microsoft Software Shadow Copy Provider swprv
Stopped Manual Own Process
c:\windows\system32\svchost.exe -k swprv
Normal LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
Auto Own Process
c:\windows\system32\smlogsvc.exe
Normal NT Authority\NetworkService 0
Telephony TapiSrv Stopped Manual Share Process
c:\windows\system32\svchost.exe -k tapisrv
Normal LocalSystem 0
Terminal Services TermService Running
Manual Share Process
c:\windows\system32\svchost.exe -k termsvcs
Normal LocalSystem 0
Themes Themes Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netvcs
Normal LocalSystem 0
Telnet TlntSvr Stopped Disabled Own Process
c:\windows\system32\tlntsvr.exe
Normal NT AUTHORITY\LocalService 0
Distributed Link Tracking Server TrkSvr
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netvcs
Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netvcs
Normal LocalSystem 0
Terminal Services Session Directory Tssdis
Stopped Disabled Own Process
c:\windows\system32\tssdis.exe
Normal LocalSystem 0
Windows User Mode Driver Framework UMWdf
Stopped Manual Own Process
c:\windows\system32\wdmfrg.exe
Normal NT AUTHORITY\LocalService 0
Uninterruptible Power Supply UPS Stopped
Manual Own Process
c:\windows\system32\ups.exe Normal NT
AUTHORITY\LocalService 0
Virtual Disk Service vds Stopped
Manual Own Process
c:\windows\system32\vds.exe Normal
LocalSystem 0
Volume Shadow Copy VSS Stopped Manual Own
Process c:\windows\system32\vssvc.exe Normal
LocalSystem 0
Windows Time W32Time Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
WebClient WebClient Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k

```

```

localservice Normal NT
AUTHORITY\LocalService 0
WinHTTP Web Proxy Auto-Discovery Service
WinHttpAutoProxySvc Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Windows Management Instrumentation winmgmt
Running Auto Share Process
c:\windows\system32\svchost.exe -k netvcs
Ignore LocalSystem 0
Portable Media Serial Number Service WmdmPmSN
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netvcs
Normal LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netvcs
Normal LocalSystem 0
WMI Performance Adapter WmiApSrv Stopped
Manual Own Process
c:\windows\system32\wbem\wmiaprv.exe
Normal LocalSystem 0
Automatic Updates wuauerv Stopped Disabled
Share Process
c:\windows\system32\svchost.exe -k netvcs
Normal LocalSystem 0
Wireless Configuration WZCVC Stopped
Disabled Share Process
c:\windows\system32\svchost.exe -k netvcs
Normal LocalSystem 0
Network Provisioning Service xmlprov Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k netvcs
Normal LocalSystem 0

[Program Groups]

Group Name Name User Name
Accessories Default User:Accessories
Accessories\Accessibility Default
User:Accessories\Accessibility Default User
Accessories\Entertainment Default
User:Accessories\Entertainment Default User
Startup Default User:Startup Default User
Accessories All Users:Accessories All
Users
Accessories\Accessibility All
Users:Accessories\Accessibility All Users
Accessories\Communications All
Users:Accessories\Communications All Users
Accessories\Entertainment All
Users:Accessories\Entertainment All Users
Accessories\System Tools All
Users:Accessories\System Tools All Users
Administrative Tools All
Users:Administrative Tools All Users

```

```

HP System Tools      All Users:HP System Tools      All
Users
HP System Tools\HP Array Configuration Utility  All
Users:HP System Tools\HP Array Configuration Utility
All Users
Microsoft SQL Server 2005      All Users:Microsoft SQL
Server 2005      All Users
Microsoft SQL Server 2005\Analysis Services      All
Users:Microsoft SQL Server 2005\Analysis Services All
Users
Microsoft SQL Server 2005\Configuration Tools      All
Users:Microsoft SQL Server 2005\Configuration Tools
All Users
Microsoft SQL Server 2005\Documentation and Tutorials
All Users:Microsoft SQL Server
2005\Documentation and Tutorials      All Users
Microsoft SQL Server 2005\Documentation and
Tutorials\Tutorials All Users:Microsoft SQL Server
2005\Documentation and Tutorials\Tutorials      All
Users
Microsoft SQL Server 2005\Performance Tools      All
Users:Microsoft SQL Server 2005\Performance Tools All
Users
Microsoft Visual Studio 2005 All Users:Microsoft
Visual Studio 2005 All Users
Microsoft Visual Studio 2005\Visual Studio Tools All
Users:Microsoft Visual Studio 2005\Visual Studio
Tools      All Users
SelfTest All Users:SelfTest All Users
Startup All Users:Startup All Users
Accessories      NT AUTHORITY\SYSTEM:Accessories
NT AUTHORITY\SYSTEM
Accessories\Accessibility      NT
AUTHORITY\SYSTEM
Accessories\Entertainment      NT
AUTHORITY\SYSTEM:Accessories\Entertainment      NT
AUTHORITY\SYSTEM
Startup NT AUTHORITY\SYSTEM:Startup      NT
AUTHORITY\SYSTEM
Accessories      WARSHIP\Administrator:Accessories
WARSHIP\Administrator
Accessories\Accessibility
WARSHIP\Administrator:Accessories\Accessibi
lity
WARSHIP\Administrator
Accessories\Entertainment
WARSHIP\Administrator:Accessories\Entertain
ment
WARSHIP\Administrator
Administrative Tools
WARSHIP\Administrator:Administrative Tools
WARSHIP\Administrator
Startup
WARSHIP\Administrator:Startup
WARSHIP\Administrator

[Startup Programs]

Program      Command      User Name      Location
desktop      desktop.ini      NT AUTHORITY\SYSTEM
Startup
desktop      desktop.ini      WARSHIP\Administrator
Startup
desktop      desktop.ini      .DEFAULT      Startup

```

```

desktop      desktop.ini      All Users Common
Startup
CPQTEAM      "c:\program files\hp\ncu\cpqteam.exe" All
Users
ion\Run      HKLM\SOFTWARE\Microsoft\Windows\CurrentVers

[OLE Registration]

Object      Local Server
Sound (OLE2)      sndrec32.exe
Media Clip      mplay32.exe
Video Clip      mplay32.exe /avi
MIDI Sequence      mplay32.exe /mid
Sound      Not Available
Media Clip      Not Available
WordPad Document      "%programfiles%\windows
nt\accessories\wordpad.exe"
Bitmap Image      mspaint.exe

[Windows Error Reporting]

Time      Type      Details

[Internet Settings]

[Internet Explorer]

[ Following are sub-categories of this main category
]
[Summary]

Item      Value
Version      6.0.3790.1830
Build      63790.1830
Application Path      C:\Program Files\Internet
Explorer
Language      English (United States)
Active Printer      Not Available

Cipher Strength      128-bit
Content Advisor      Disabled
IEAK Install      No

[File Versions]

File      Version      Size      Date      Path
Company
actxprxy.dll      6.0.3790.1830      221 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
advpack.dll      6.0.3790.1830      146 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
asctrls.ocx      6.0.3790.1830      147 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation

```

```

browselc.dll      6.0.3790.1830      63 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
browseui.dll      6.0.3790.1830      1,564 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
cdfview.dll      6.0.3790.1830      216 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
comctl32.dll      5.82.3790.1830      935 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
dxtrans.dll      6.3.3790.1830      320 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
dxtmsft.dll      6.3.3790.1830      549 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
iecont.dll      <File Missing>      Not Available
Not Available      Not Available      Not
Available
iecontlc.dll      <File Missing>      Not Available
Not Available      Not Available      Not
Available
iedkcs32.dll      16.0.3790.1830      417 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
iepeers.dll      6.0.3790.1830      361 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
iesetup.dll      6.0.3790.1830      71 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
ieuinit.inf      Not Available      24 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Not Available
iexplore.exe      6.0.3790.1830      94 KB
11/30/2005 7:00:00 AM
C:\Program
Files\Internet Explorer      Microsoft Corporation
imgutil.dll      6.0.3790.1830      61 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
inetcp1.cpl      6.0.3790.1830      428 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
inetcp1c.dll      6.0.3790.1830      110 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
inseng.dll      6.0.3790.1830      147 KB
11/30/2005 7:00:00 AM

```

```

C:\WINDOWS\system32 Microsoft Corporation
mlang.dll 6.0.3790.1830      686 KB  11/30/2005
7:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
msencode.dll <File Missing> Not Available
Not Available Not Available Not
Available
mshta.exe 6.0.3790.1830      38 KB  11/30/2005
7:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
mshtml.dll 6.0.3790.1830      5,790 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mshtml.tlb 6.0.3790.1830      1,320 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mshtml.ed.dll 6.0.3790.1830      906 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mshtmlr.dll 6.0.3790.1830      56 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msident.dll 6.0.3790.1830      69 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msidntld.dll 6.0.3790.1830      16 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msieftp.dll 6.0.3790.1830      369 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
msrating.dll 6.0.3790.1830      240 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
mstime.dll 6.0.3790.1830      878 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
occache.dll 6.0.3790.1830      126 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
proctexe.ocx <File Missing> Not Available
Not Available Not Available Not
Available
sendmail.dll 6.0.3790.1830      64 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shdoclc.dll 6.0.3790.1830      590 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation

```

```

shdocv.dll 6.0.3790.1830      2,360 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shfolder.dll 6.0.3790.1830      34 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
shlwapi.dll 6.0.3790.1830      607 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
tdc.ocx 1.3.0.3130      91 KB  11/30/2005
7:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
url.dll 6.0.3790.1830      40 KB  11/30/2005
7:00:00 AM C:\WINDOWS\system32 Microsoft
Corporation
urlmon.dll 6.0.3790.1830      1,049 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
webcheck.dll 6.0.3790.1830      439 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation
wininet.dll 6.0.3790.1830      1,159 KB
11/30/2005 7:00:00 AM
C:\WINDOWS\system32 Microsoft Corporation

[Connectivity]

Item Value
Connection Preference Never dial

LAN Settings

AutoConfigProxy wininet.dll
AutoProxyDetectMode Disabled
AutoConfigURL
Proxy Disabled
ProxyServer
ProxyOverride

[Cache]

[ Following are sub-categories of this main category ]
[Summary]

Item Value
Page Refresh Type Automatic
Temporary Internet Files Folder C:\Documents
and Settings\Administrator\Local Settings\Temporary
Internet Files
Total Disk Space Not Available
Available Disk Space Not Available
Maximum Cache Size Not Available
Available Cache Size Not Available

[List of Objects]

```

```

Program File Status CodeBase
No cached object information available

```

```

[Content]

[ Following are sub-categories of this main category ]
[Summary]

```

```

Item Value
Content Advisor Disabled

```

```

[Personal Certificates]

```

```

Issued To Issued By Validity Signature Algorithm
No personal certificate information available

```

```

[Other People Certificates]

```

```

Issued To Issued By Validity Signature Algorithm
No other people certificate information available

```

```

[Publishers]

```

```

Name
No publisher information available

```

```

[Security]

```

```

Zone Security Level
My Computer Custom
Local intranet Custom
Trusted sites Custom
Internet High
Restricted sites Custom

```

Server Bus Performance Driver Registry Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpgcissb
Class Name: <NO CLASS>
Last Write Time: 8/20/2007 - 8:59 AM
Value 0
Name: Type
Type: REG_DWORD
Data: 0x1

Value 1
Name: Start
Type: REG_DWORD

```

Data: 0

Value 2
 Name: ErrorControl
 Type: REG_DWORD
 Data: 0x1

Value 3
 Name: Tag
 Type: REG_DWORD
 Data: 0x102

Value 4
 Name: ImagePath
 Type: REG_EXPAND_SZ
 Data: system32\DRIVERS\hpgcissb.sys

Value 5
 Name: DisplayName
 Type: REG_SZ
 Data: Smart Array Controllers Non-Miniport Bus Driver

Value 6
 Name: Group
 Type: REG_SZ
 Data: port

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\hpgcissb\Parameters
 Class Name: <NO CLASS>
 Last Write Time: 8/14/2007 - 5:16 PM

Value 0
 Name: CompletionMode
 Type: REG_DWORD
 Data: 0x2

Value 1
 Name: CosTimerRate
 Type: REG_DWORD
 Data: 0x2

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\hpgcissb\Parameters\Controller3
 Class Name: <NO CLASS>
 Last Write Time: 6/21/2007 - 9:49 AM

Value 0
 Name: CompletionMode
 Type: REG_DWORD
 Data: 0x1

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\hpgcissb\Security
 Class Name: <NO CLASS>
 Last Write Time: 6/21/2007 - 7:46 AM

Value 0
 Name: Security

Type: REG_BINARY

Data:
 00000000 01 00 14 80 b8 00 00 00 - c4 00 00 00 14
 00 00 00Ä.....
 00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02
 80 14 00 0.....
 00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00
 00 00 00 ý.....
 00000030 02 00 88 00 06 00 00 00 - 00 00 14 00 fd
 01 02 00ý...
 00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 00
 00 18 00
 00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20
 00 00 00 ý.....
 00000060 20 02 00 00 00 00 14 00 - 8d 01 02 00 01
 01 00 00
 00000070 00 00 00 05 04 00 00 00 - 00 00 14 00 8d
 01 02 00
 00000080 01 01 00 00 00 00 05 - 06 00 00 00 00
 00 14 00
 00000090 00 01 00 00 01 01 00 00 - 00 00 00 05 0b
 00 00 00
 000000a0 00 00 18 00 fd 01 02 00 - 01 02 00 00 00
 00 00 05ý.....
 000000b0 20 02 00 00 23 02 00 00 - 01 01 00 00 00
 00 00 05 ..#.....
 000000c0 12 00 00 00 01 01 00 00 - 00 00 00 05 12
 00 00 00
 Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\hpgcissb\Enum
 Class Name: <NO CLASS>
 Last Write Time: 8/20/2007 - 8:59 AM

Value 0
 Name: 0
 Type: REG_SZ
 Data: PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_03\6&2d3cc7db&0&00000010

Value 1
 Name: Count
 Type: REG_DWORD
 Data: 0xb

Value 2
 Name: NextInstance
 Type: REG_DWORD
 Data: 0xb

Value 3
 Name: 1
 Type: REG_SZ
 Data: PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_03\6&34d91d7d&0&00080010

Value 4
 Name: 2
 Type: REG_SZ

Data:
 PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_03\6&fd36652&0&00480010

Value 5
 Name: 3
 Type: REG_SZ
 Data: PCI\VEN_103C&DEV_3230&SUBSYS_3237103C&REV_03\6&25161807&0&00080020

Value 6
 Name: 4
 Type: REG_SZ
 Data: PCI\VEN_103C&DEV_3230&SUBSYS_3237103C&REV_03\6&d0aad5f&0&0100020

Value 7
 Name: 5
 Type: REG_SZ
 Data: PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_03\6&266aba75&0&00400020

Value 8
 Name: 6
 Type: REG_SZ
 Data: PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_03\6&1060dc&0&00480020

Value 9
 Name: 7
 Type: REG_SZ
 Data: PCI\VEN_103C&DEV_3230&SUBSYS_3237103C&REV_03\6&239fc03b&0&00500020

Value 10
 Name: 8
 Type: REG_SZ
 Data: PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_03\6&26310812&0&00000030

Value 11
 Name: 9
 Type: REG_SZ
 Data: PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_03\6&4a133f&0&00080030

Value 12
 Name: 10
 Type: REG_SZ
 Data: PCI\VEN_103C&DEV_3230&SUBSYS_3223103C&REV_03\6&16df261b&0&00480030

Server Disk Device Performance Driver Registry Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissd
Class Name: <NO CLASS>
Last Write Time: 8/20/2007 - 8:59 AM
Value 0
Name: Type
Type: REG_DWORD
Data: 0x1

Value 1
Name: Start
Type: REG_DWORD
Data: 0

Value 2
Name: ErrorControl
Type: REG_DWORD
Data: 0x1

Value 3
Name: Tag
Type: REG_DWORD
Data: 0x102

Value 4
Name: ImagePath
Type: REG_EXPAND_SZ
Data: system32\DRIVERS\hpqcissd.sys

Value 5
Name: DisplayName
Type: REG_SZ
Data: Smart Array Controllers Non-
Miniport Disk Driver

Value 6
Name: Group
Type: REG_SZ
Data: Primary Disk

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissd\Security
Class Name: <NO CLASS>
Last Write Time: 6/21/2007 - 7:47 AM
Value 0
Name: Security

```

```

Type: REG_BINARY
Data:
00000000 01 00 14 80 b8 00 00 00 - c4 00 00 00 14
00 00 00 .....Ã.....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02
80 14 00 0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00
00 00 00 ý.....
00000030 02 00 88 00 06 00 00 00 - 00 00 14 00 fd
01 02 00 .....ý...
00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 00
00 18 00 .....
00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20
00 00 00 ý.....
00000060 20 02 00 00 00 00 14 00 - 8d 01 02 00 01
01 00 00 .....
00000070 00 00 00 05 04 00 00 00 - 00 00 14 00 8d
01 02 00 .....
00000080 01 01 00 00 00 00 05 - 06 00 00 00 00
00 14 00 .....
00000090 00 01 00 00 01 01 00 00 - 00 00 00 05 0b
00 00 00 .....
000000a0 00 00 18 00 fd 01 02 00 - 01 02 00 00 00
00 00 05 .....ý.....
000000b0 20 00 00 00 23 02 00 00 - 01 01 00 00 00
00 00 05 ...#.....
000000c0 12 00 00 00 01 01 00 00 - 00 00 00 05 12
00 00 00 .....

```

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
hpqcissd\Enum
Class Name: <NO CLASS>
Last Write Time: 8/20/2007 - 8:59 AM
Value 0
Name: 0
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&2a3e53a4&0&
0000004000000000

Value 1
Name: Count
Type: REG_DWORD
Data: 0x31

Value 2
Name: NextInstance
Type: REG_DWORD
Data: 0x31

Value 3
Name: 1
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&2a3e53a4&0&
0100004000000000

Value 4
Name: 2
Type: REG_SZ

```

```

Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&2a3e53a4&0&
0200004000000000

Value 5
Name: 3
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&2a3e53a4&0&
0300004000000000

Value 6
Name: 4
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&2a3e53a4&0&
0400004000000000

Value 7
Name: 5
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&1a93d419&0&
0000004000000000

Value 8
Name: 6
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&1a93d419&0&
0100004000000000

Value 9
Name: 7
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&1a93d419&0&
0200004000000000

Value 10
Name: 8
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&1a93d419&0&
0300004000000000

Value 11
Name: 9
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&1a93d419&0&
0400004000000000

Value 12
Name: 10
Type: REG_SZ
Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&85e16e&0&00
00004000000000

Value 13
Name: 11
Type: REG_SZ

```

Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&85e16e&0&01
00004000000000

Value 14

Name: 12
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&85e16e&0&02
00004000000000

Value 15

Name: 13
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&85e16e&0&03
00004000000000

Value 16

Name: 14
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&85e16e&0&04
00004000000000

Value 17

Name: 15
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&1cc6c638&0&
0000004000000000

Value 18

Name: 16
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&1c297700&0&
0000004000000000

Value 19

Name: 17
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&1c297700&0&
0100004000000000

Value 20

Name: 18
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&1c297700&0&
0200004000000000

Value 21

Name: 19
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&1c297700&0&
0300004000000000

Value 22

Name: 20
Type: REG_SZ

Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&2264dbaa&0&
0000004000000000

Value 23

Name: 21
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&2264dbaa&0&
0100004000000000

Value 24

Name: 22
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&2264dbaa&0&
0200004000000000

Value 25

Name: 23
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&2264dbaa&0&
0300004000000000

Value 26

Name: 24
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&2264dbaa&0&
0400004000000000

Value 27

Name: 25
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&28803d3a&0&
0000004000000000

Value 28

Name: 26
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&28803d3a&0&
0100004000000000

Value 29

Name: 27
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&28803d3a&0&
0200004000000000

Value 30

Name: 28
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&28803d3a&0&
0300004000000000

Value 31

Name: 29
Type: REG_SZ

Data:
HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&28803d3a&0&
0400004000000000

Value 32

Name: 30
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&c5353f8&0&0
00004000000000

Value 33

Name: 31
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&c5353f8&0&0
10004000000000

Value 34

Name: 32
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&c5353f8&0&0
20004000000000

Value 35

Name: 33
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&c5353f8&0&0
30004000000000

Value 36

Name: 34
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&186c187&0&
0000004000000000

Value 37

Name: 35
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&186c187&0&
0100004000000000

Value 38

Name: 36
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&186c187&0&
0200004000000000

Value 39

Name: 37
Type: REG_SZ
Data:

HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&186c187&0&
0300004000000000

Value 40

Name: 38
Type: REG_SZ

Data:
 HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&186c1187&0&0400004000000000

Value 41
 Name: 39
 Type: REG_SZ
 Data:
 HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&169390b5&0&0000004000000000

Value 42
 Name: 40
 Type: REG_SZ
 Data:
 HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&169390b5&0&0100004000000000

Value 43
 Name: 41
 Type: REG_SZ
 Data:
 HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&169390b5&0&0200004000000000

Value 44
 Name: 42
 Type: REG_SZ
 Data:
 HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&169390b5&0&0300004000000000

Value 45
 Name: 43
 Type: REG_SZ
 Data:
 HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&169390b5&0&0400004000000000

Value 46
 Name: 44
 Type: REG_SZ
 Data:
 HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&54612bc&0&0000004000000000

Value 47
 Name: 45
 Type: REG_SZ
 Data:
 HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&54612bc&0&0100004000000000

Value 48
 Name: 46
 Type: REG_SZ
 Data:
 HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&54612bc&0&0200004000000000

Value 49
 Name: 47
 Type: REG_SZ

Data:
 HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&54612bc&0&0300004000000000

Value 50
 Name: 48
 Type: REG_SZ
 Data:
 HPQCISS\Disk&VEN_HP&PROD_LOGICAL_VOLUME\7&54612bc&0&0400004000000000

Server Network Driver Registry Parameters (NIC 1)

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class\{4D36E97D-E325-11CE-BFC1-08002BE10318}\0153
 Class Name: <NO CLASS>
 Last Write Time: 7/24/2007 - 9:44 AM

Value 0
 Name: create_pdo_flag
 Type: REG_SZ
 Data: 4

Value 1
 Name: target_ips
 Type: REG_SZ
 Data: 1500

Value 2
 Name: optimize_ips
 Type: REG_SZ
 Data: 0

Value 3
 Name: mtu
 Type: REG_SZ
 Data: 1500

Value 4
 Name: InfPath
 Type: REG_SZ
 Data: oem16.inf

Value 5
 Name: InfSection
 Type: REG_SZ
 Data: NC373i_inst_amd64

Value 6
 Name: ProviderName
 Type: REG_SZ
 Data: Hewlett-Packard Company

Value 7
 Name: DriverDateData
 Type: REG_BINARY
 Data:
 00 c0 ee 23 04 9c c7 01 -
 .Åi#..Ç.

Value 8
 Name: DriverDate
 Type: REG_SZ
 Data: 5-22-2007

Value 9
 Name: DriverVersion
 Type: REG_SZ
 Data: 3.4.10.0

Value 10
 Name: MatchingDeviceId
 Type: REG_SZ
 Data: pci\ven_14e4&dev_164c&subsys_7038103c

Value 11
 Name: DriverDesc
 Type: REG_SZ
 Data: HP NC373i Virtual Bus Device

Value 12
 Name: CoInstallers32
 Type: REG_MULTI_SZ
 Data: wdfcoinstaller01005.dll,
 WdfCoInstaller

Value 13
 Name: enable_fir
 Type: REG_SZ
 Data: 0

Value 14
 Name: wol_cap
 Type: REG_SZ
 Data: 3

Value 15
 Name: *SpeedDuplex
 Type: REG_SZ
 Data: 0

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class\{4D36E97D-E325-11CE-BFC1-08002BE10318}\0153\ndi
 Class Name: <NO CLASS>
 Last Write Time: 7/9/2007 - 3:04 AM

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class\{4D36E97D-E325-11CE-BFC1-08002BE10318}\0153\ndi\params
 Class Name: <NO CLASS>
 Last Write Time: 7/24/2007 - 9:44 AM

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class
 \{4D36E97D-E325-11CE-BFC1-08002BE10318}\0153\ndi\params*SpeedDuplex
 Class Name: <NO CLASS>
 Last Write Time: 7/24/2007 - 9:44 AM
 Value 0
 Name: paramDesc
 Type: REG_SZ
 Data: Speed & Duplex
 Value 1
 Name: default
 Type: REG_SZ
 Data: 0
 Value 2
 Name: type
 Type: REG_SZ
 Data: enum

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class
 \{4D36E97D-E325-11CE-BFC1-08002BE10318}\0153\ndi\params*SpeedDuplex\enum
 Class Name: <NO CLASS>
 Last Write Time: 7/24/2007 - 9:44 AM
 Value 0
 Name: 0
 Type: REG_SZ
 Data: Auto
 Value 1
 Name: 1
 Type: REG_SZ
 Data: 10 Mb Half
 Value 2
 Name: 2
 Type: REG_SZ
 Data: 10 Mb Full

Value 3
 Name: 3
 Type: REG_SZ
 Data: 100 Mb Half
 Value 4
 Name: 4
 Type: REG_SZ
 Data: 100 Mb Full

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class
 \{4D36E97D-E325-11CE-BFC1-08002BE10318}\0153\ndi\params\mtu
 Class Name: <NO CLASS>
 Last Write Time: 7/24/2007 - 9:44 AM
 Value 0
 Name: paramdesc

Type: REG_SZ
 Data: Jumbo Mtu
 Value 1
 Name: default
 Type: REG_SZ
 Data: 1500
 Value 2
 Name: type
 Type: REG_SZ
 Data: dword
 Value 3
 Name: min
 Type: REG_SZ
 Data: 1500
 Value 4
 Name: max
 Type: REG_SZ
 Data: 9000
 Value 5
 Name: step
 Type: REG_SZ
 Data: 500
 Value 6
 Name: base
 Type: REG_SZ
 Data: 10

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class
 \{4D36E97D-E325-11CE-BFC1-08002BE10318}\0153\ndi\params\wol_cap
 Class Name: <NO CLASS>
 Last Write Time: 7/24/2007 - 9:44 AM
 Value 0
 Name: paramDesc
 Type: REG_SZ
 Data: Wake Up Capabilities
 Value 1
 Name: default
 Type: REG_SZ
 Data: 3
 Value 2
 Name: type
 Type: REG_SZ
 Data: enum
 Value 3
 Name: control
 Type: REG_SZ
 Data: 1

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class

\{4D36E97D-E325-11CE-BFC1-08002BE10318}\0153\ndi\params\wol_cap\enum
 Class Name: <NO CLASS>
 Last Write Time: 7/24/2007 - 9:44 AM
 Value 0
 Name: 0
 Type: REG_SZ
 Data: None
 Value 1
 Name: 1
 Type: REG_SZ
 Data: Magic Packet
 Value 2
 Name: 2
 Type: REG_SZ
 Data: Wake Up Frame
 Value 3
 Name: 3
 Type: REG_SZ
 Data: Both

Server Network Driver Registry Parameters (NIC 2)

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class
 \{4D36E97D-E325-11CE-BFC1-08002BE10318}\0153
 Class Name: <NO CLASS>
 Last Write Time: 7/24/2007 - 9:44 AM
 Value 0
 Name: create_pdo_flag
 Type: REG_SZ
 Data: 4
 Value 1
 Name: target_ips
 Type: REG_SZ
 Data: 1500
 Value 2
 Name: optimize_ips
 Type: REG_SZ
 Data: 0
 Value 3
 Name: mtu
 Type: REG_SZ
 Data: 1500
 Value 4

Name: InfPath
Type: REG_SZ
Data: oem16.inf

Value 5
Name: InfSection
Type: REG_SZ
Data: NC373i_inst_amd64

Value 6
Name: ProviderName
Type: REG_SZ
Data: Hewlett-Packard Company

Value 7
Name: DriverDateData
Type: REG_BINARY
Data: 00 c0 ee 23 04 9c c7 01 -
.âi#..ç.

Value 8
Name: DriverDate
Type: REG_SZ
Data: 5-22-2007

Value 9
Name: DriverVersion
Type: REG_SZ
Data: 3.4.10.0

Value 10
Name: MatchingDeviceId
Type: REG_SZ
Data: pci\ven_14e4&dev_164c&subsys_7038103c

Value 11
Name: DriverDesc
Type: REG_SZ
Data: HP NC373i Virtual Bus Device

Value 12
Name: CoInstallers32
Type: REG_MULTI_SZ
Data: wdfcoinstaller01005.dll,
WdfCoInstaller

Value 13
Name: enable_fir
Type: REG_SZ
Data: 0

Value 14
Name: wol_cap
Type: REG_SZ
Data: 3

Value 15
Name: *SpeedDuplex
Type: REG_SZ
Data: 0

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class
\{4D36E97D-E325-11CE-BFC1-08002BE10318}\0153\ndi
Class Name: <NO CLASS>
Last Write Time: 7/9/2007 - 3:04 AM

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class
\{4D36E97D-E325-11CE-BFC1-
08002BE10318}\0153\ndi\params
Class Name: <NO CLASS>
Last Write Time: 7/24/2007 - 9:44 AM

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class
\{4D36E97D-E325-11CE-BFC1-
08002BE10318}\0153\ndi\params
Class Name: <NO CLASS>
Last Write Time: 7/24/2007 - 9:44 AM

Value 0
Name: paramDesc
Type: REG_SZ
Data: Speed & Duplex

Value 1
Name: default
Type: REG_SZ
Data: 0

Value 2
Name: type
Type: REG_SZ
Data: enum

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class
\{4D36E97D-E325-11CE-BFC1-
08002BE10318}\0153\ndi\params
Class Name: <NO CLASS>
Last Write Time: 7/24/2007 - 9:44 AM

Value 0
Name: 0
Type: REG_SZ
Data: Auto

Value 1
Name: 1
Type: REG_SZ
Data: 10 Mb Half

Value 2
Name: 2
Type: REG_SZ
Data: 10 Mb Full

Value 3
Name: 3
Type: REG_SZ
Data: 100 Mb Half

Value 4

Name: 4
Type: REG_SZ
Data: 100 Mb Full

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class
\{4D36E97D-E325-11CE-BFC1-
08002BE10318}\0153\ndi\params\mtu
Class Name: <NO CLASS>
Last Write Time: 7/24/2007 - 9:44 AM

Value 0
Name: paramdesc
Type: REG_SZ
Data: Jumbo Mtu

Value 1
Name: default
Type: REG_SZ
Data: 1500

Value 2
Name: type
Type: REG_SZ
Data: dword

Value 3
Name: min
Type: REG_SZ
Data: 1500

Value 4
Name: max
Type: REG_SZ
Data: 9000

Value 5
Name: step
Type: REG_SZ
Data: 500

Value 6
Name: base
Type: REG_SZ
Data: 10

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class
\{4D36E97D-E325-11CE-BFC1-
08002BE10318}\0153\ndi\params\wol_cap
Class Name: <NO CLASS>
Last Write Time: 7/24/2007 - 9:44 AM

Value 0
Name: paramDesc
Type: REG_SZ
Data: Wake Up Capabilities

Value 1
Name: default
Type: REG_SZ
Data: 3

```

Value 2
Name: type
Type: REG_SZ
Data: enum

Value 3
Name: control
Type: REG_SZ
Data: 1

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\ControlSet001\Control\Class
\{4D36E97D-E325-11CE-BFC1-
08002BE10318}\0153\ndi\params\wol_cap\enum
Class Name: <NO CLASS>
Last Write Time: 7/24/2007 - 9:44 AM

Value 0
Name: 0
Type: REG_SZ
Data: None

Value 1
Name: 1
Type: REG_SZ
Data: Magic Packet

Value 2
Name: 2
Type: REG_SZ
Data: Wake Up Frame

Value 3
Name: 3
Type: REG_SZ
Data: Both

```

Web Client Hardware Configuration

```

System Information report written at: 08/08/07
14:30:39
System Name: N1
[System Summary]

Item      Value
OS Name   Microsoft(R) Windows(R) Server 2003,
Standard Edition
Version   5.2.3790 Service Pack 1 Build 3790
OS Manufacturer   Microsoft Corporation
System Name   CL145
System Manufacturer HP
System Model   ProLiant DL360 G5
System Type   X86-based PC

```

```

Processor x86 Family 6 Model 15 Stepping 6
GenuineIntel ~2000 Mhz
Processor x86 Family 6 Model 15 Stepping 6
GenuineIntel ~2000 Mhz
BIOS Version/Date HP P58, 6/26/2007
SMBIOS Version 2.3
Windows Directory C:\WINDOWS
System Directory C:\WINDOWS\system32
Boot Device \Device\HarddiskVolume1
Locale United States
Hardware Abstraction Layer Version =
"5.2.3790.1830 (srv03_spl_rtm.050324-1447)"
User Name Not Available
Time Zone Central Daylight Time
Total Physical Memory 1,024.00 MB
Available Physical Memory 836.08 MB
Total Virtual Memory 2.41 GB
Available Virtual Memory 2.34 GB
Page File Space 1.50 GB
Page File C:\pagefile.sys

[Hardware Resources]

[Conflicts/Sharing]

Resource Device
I/O Port 0x00000000-0x00000CF7 PCI bus
I/O Port 0x00000000-0x00000CF7 Direct memory
access controller

IRQ 5 Base System Device
IRQ 5 PCI Device

I/O Port 0x00002F8-0x00002FF Motherboard
resources
I/O Port 0x00002F8-0x00002FF
Communications Port (COM2)

IRQ 16 PCI standard PCI-to-PCI bridge
IRQ 16 Smart Array P400i Controller
IRQ 16 Standard Universal PCI to USB Host
Controller
IRQ 16 Standard Enhanced PCI to USB Host
Controller

IRQ 17 PCI standard PCI-to-PCI bridge
IRQ 17 Standard Universal PCI to USB Host
Controller

IRQ 18 PCI standard PCI-to-PCI bridge
IRQ 18 HP NC373i Virtual Bus Device
IRQ 18 Standard Universal PCI to USB Host
Controller

IRQ 19 HP NC373i Virtual Bus Device
IRQ 19 Standard Universal PCI to USB Host
Controller

Memory Address 0xA0000-0xBFFFF PCI bus
Memory Address 0xA0000-0xBFFFF Standard VGA
Graphics Adapter

```

```

Memory Address 0xFA000000-0xFBFFFFFF PCI standard
PCI-to-PCI bridge
Memory Address 0xFA000000-0xFBFFFFFF PCI standard
PCI-to-PCI bridge
Memory Address 0xFA000000-0xFBFFFFFF HP NC373i
Virtual Bus Device

Memory Address 0xF8000000-0xF9FFFFFF PCI standard
PCI-to-PCI bridge
Memory Address 0xF8000000-0xF9FFFFFF PCI standard
PCI-to-PCI bridge
Memory Address 0xF8000000-0xF9FFFFFF HP NC373i
Virtual Bus Device

I/O Port 0x00004000-0x00004FFF PCI standard
PCI-to-PCI bridge
I/O Port 0x00004000-0x00004FFF Smart Array
P400i Controller

[DMA]

Resource Device Status
Channel 7 Direct memory access controller OK

[Forced Hardware]

Device PNP Device ID

[I/O]

Resource Device Status
0x00000000-0x00000CF7 PCI bus OK
0x00000000-0x00000CF7 Direct memory access
controller OK
0x00000D00-0x0000FFFF PCI bus OK
0x00004000-0x00004FFF PCI standard PCI-to-PCI
bridge OK
0x00004000-0x00004FFF Smart Array P400i
Controller OK
0x00001000-0x0000101F Standard Universal PCI
to USB Host Controller OK
0x00001020-0x0000103F Standard Universal PCI
to USB Host Controller OK
0x00001040-0x0000105F Standard Universal PCI
to USB Host Controller OK
0x00001060-0x0000107F Standard Universal PCI
to USB Host Controller OK
0x00003000-0x000030FF Standard VGA Graphics
Adapter OK
0x00003B0-0x00003BB Standard VGA Graphics
Adapter OK
0x00003C0-0x00003DF Standard VGA Graphics
Adapter OK
0x00002800-0x000028FF Base System Device OK
0x00003400-0x000034FF Base System Device OK
0x00003800-0x0000381F Standard Universal PCI
to USB Host Controller OK

```

0x00000A79-0x00000A79	ISAPNP Read Data Port	
OK		
0x00000279-0x00000279	ISAPNP Read Data Port	
OK		
0x00000274-0x00000277	ISAPNP Read Data Port	
OK		
0x00000070-0x00000077	Motherboard resources	
OK		
0x00000408-0x0000040F	Motherboard resources	
OK		
0x000004D0-0x000004D1	Motherboard resources	
OK		
0x00000020-0x0000003F	Motherboard resources	
OK		
0x000000A0-0x000000BF	Motherboard resources	
OK		
0x00000090-0x0000009F	Motherboard resources	
OK		
0x00000050-0x00000053	Motherboard resources	
OK		
0x00000700-0x0000071F	Motherboard resources	
OK		
0x00000800-0x0000083F	Motherboard resources	
OK		
0x00000900-0x0000097F	Motherboard resources	
OK		
0x00000010-0x0000001F	Motherboard resources	
OK		
0x00000C80-0x00000C83	Motherboard resources	
OK		
0x00000CD4-0x00000CD7	Motherboard resources	
OK		
0x00000F50-0x00000F58	Motherboard resources	
OK		
0x000000F0-0x000000F0	Motherboard resources	
OK		
0x00000CA0-0x00000CA1	Motherboard resources	
OK		
0x00000CA4-0x00000CA5	Motherboard resources	
OK		
0x000002F8-0x000002FF	Motherboard resources	
OK		
0x000002F8-0x000002FF	Communications Port	
(COM2)		
OK		
0x00000CA2-0x00000CA3	System timer	OK
0x00000040-0x00000043	System timer	OK
0x00000080-0x0000008F	Direct memory access	
controller		OK
0x000000C0-0x000000DF	Direct memory access	
controller		OK
0x00000061-0x00000061	System speaker	OK
0x00000060-0x00000060	Standard 101/102-Key or	
Microsoft Natural PS/2 Keyboard		OK
0x00000064-0x00000064	Standard 101/102-Key or	
Microsoft Natural PS/2 Keyboard		OK
0x0000002E-0x0000002F	Extended IO Bus	OK
0x0000004E-0x0000004F	Extended IO Bus	OK
0x00000620-0x0000065F	Extended IO Bus	OK

0x00000680-0x0000069F	Extended IO Bus	OK
0x00000600-0x0000061F	Extended IO Bus	OK
0x00000660-0x0000067F	Extended IO Bus	OK
0x00000300-0x0000030F	Extended IO Bus	OK
0x000003F8-0x000003FF	Communications Port	
(COM1)		OK
0x00000500-0x0000050F	Standard Dual Channel	
PCI IDE Controller		OK
0x000001F0-0x000001F7	Primary IDE Channel	OK
0x000003F6-0x000003F6	Primary IDE Channel	OK
0x00000170-0x00000177	Secondary IDE Channel	
OK		
0x00000376-0x00000376	Secondary IDE Channel	
OK		
[IRQs]		
Resource Device Status		
IRQ 9 Microsoft ACPI-Compliant System		OK
IRQ 16 PCI standard PCI-to-PCI bridge		OK
IRQ 16 Smart Array P400i Controller		OK
IRQ 16 Standard Universal PCI to USB Host		OK
Controller		
IRQ 16 Standard Enhanced PCI to USB Host		OK
Controller		
IRQ 17 PCI standard PCI-to-PCI bridge		OK
IRQ 17 Standard Universal PCI to USB Host		OK
Controller		
IRQ 18 PCI standard PCI-to-PCI bridge		OK
IRQ 18 HP NC373i Virtual Bus Device		OK
IRQ 18 Standard Universal PCI to USB Host		OK
Controller		
IRQ 19 HP NC373i Virtual Bus Device		OK
IRQ 19 Standard Universal PCI to USB Host		OK
Controller		
IRQ 5 Base System Device		OK
IRQ 5 PCI Device		OK
IRQ 10 Base System Device		OK
IRQ 22 Standard Universal PCI to USB Host		OK
Controller		
IRQ 0 System timer		OK
IRQ 1 Standard 101/102-Key or Microsoft Natural		OK
PS/2 Keyboard		
IRQ 12 PS/2 Compatible Mouse		OK
IRQ 4 Communications Port (COM1)		OK
IRQ 14 Primary IDE Channel		OK
IRQ 3 Communications Port (COM2)		OK
[Memory]		
Resource Device Status		
0xA0000-0xBFFFF	PCI bus	OK

0xA0000-0xBFFFF	Standard VGA Graphics Adapter	OK
0x40000000-0xDFFFFFFF	PCI bus	OK
0xF0000000-0xFEFFFFFF	PCI bus	OK
0xFDF00000-0xFDFFFFFF	PCI standard PCI-to-PCI	
bridge		OK
0xFDD00000-0xFDEFFFFFF	PCI standard PCI-to-PCI	
bridge		OK
0xFDE00000-0xFDEFFFFFF	Smart Array P400i	
Controller		OK
0xFDD00000-0xFDD0FFF	Smart Array P400i	
Controller		OK
0xF8000000-0xF9FFFFFF	PCI standard PCI-to-PCI	
bridge		OK
0xF8000000-0xF9FFFFFF	PCI standard PCI-to-PCI	
bridge		OK
0xF8000000-0xF9FFFFFF	HP NC373i Virtual Bus	
Device		OK
0xFA000000-0xFBFFFFFF	PCI standard PCI-to-PCI	
bridge		OK
0xFA000000-0xFBFFFFFF	PCI standard PCI-to-PCI	
bridge		OK
0xFA000000-0xFBFFFFFF	HP NC373i Virtual Bus	
Device		OK
0xF7DF0000-0xF7DF03FF	Standard Enhanced PCI	
to USB Host Controller		OK
0xD8000000-0xDFFFFFFF	Standard VGA Graphics	
Adapter		OK
0xF7FF0000-0xF7FFFFFF	Standard VGA Graphics	
Adapter		OK
0xF7FE0000-0xF7FE01FF	Base System Device	OK
0xF7FD0000-0xF7FD07FF	Base System Device	OK
0xF7FC0000-0xF7FC1FFF	Base System Device	OK
0xF7F00000-0xF7F7FFFF	Base System Device	OK
0xF7EF0000-0xF7EF00FF	PCI Device	OK
0xE0000000-0xEFFFFFFF	Motherboard resources	
OK		
0xFE000000-0xFEFFFFFF	Motherboard resources	
OK		
0xFED00000-0xFED003FF	High precision event	
timer		OK
[Components]		
[Multimedia]		
[Audio Codecs]		
CODEC Manufacturer Description		
Status File Version Size		
Creation Date		
c:\windows\system32\sl_anet.acm	Sipro Lab	
Telecom Inc.	Sipro Lab Telecom Audio Codec	OK
C:\WINDOWS\system32\SL_ANET.ACM		

```

3.02      84.00 KB (86,016 bytes)
12/16/2005 6:15 AM
c:\windows\system32\msadp32.acm      Microsoft
Corporation                          OK
C:\WINDOWS\system32\MSADP32.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
14.50 KB (14,848 bytes)      12/16/2005
6:15 AM
c:\windows\system32\msaud32.acm      Microsoft
Corporation                          Windows Media Audio Codec OK
C:\WINDOWS\system32\MSAUD32.ACM
8.00.00.4487      288.00 KB (294,912
bytes)
12/16/2005 6:15 AM
c:\windows\system32\msg723.acm      Microsoft
Corporation                          OK
C:\WINDOWS\system32\MSG723.ACM
5.2.3790.1830      120.00 KB (122,880
bytes)
7/31/2007 11:34 AM
c:\windows\system32\tssoft32.acm      DSP GROUP,
INC.                                  OK
C:\WINDOWS\system32\TSSOFT32.ACM
1.01      9.50 KB (9,728 bytes)
12/16/2005 6:15 AM
c:\windows\system32\msgsm32.acm      Microsoft
Corporation                          OK
C:\WINDOWS\system32\MSGSM32.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
20.50 KB (20,992 bytes)      12/16/2005
6:15 AM
c:\windows\system32\imaadp32.acm      Microsoft
Corporation                          OK
C:\WINDOWS\system32\IMAADP32.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
15.50 KB (15,872 bytes)      12/16/2005
6:15 AM
c:\windows\system32\msg711.acm      Microsoft
Corporation                          OK
C:\WINDOWS\system32\MSG711.ACM
5.2.3790.0 (srv03_rtm.030324-2048)
10.00 KB (10,240 bytes)      12/16/2005
6:15 AM
c:\windows\system32\l3codeca.acm      Fraunhofer
Institut Integrierte Schaltungen IIS Fraunhofer
IIS MPEG Layer-3 Codec OK
C:\WINDOWS\system32\L3CODECA.ACM      1,
9, 0, 0305      284.00 KB (290,816 bytes)
12/16/2005 6:15 AM

[Video Codecs]

CODEC      Manufacturer      Description
Status File      Version Size
Creation Date

c:\windows\system32\msh261.drv      Microsoft
Corporation                          OK
C:\WINDOWS\system32\MSH261.DRV
5.2.3790.1830      184.00 KB (188,416
bytes)
7/31/2007 11:34 AM
c:\windows\system32\tsbyuv.dll      Microsoft
Corporation                          OK
C:\WINDOWS\system32\TSBYUV.DLL
5.2.3790.0 (srv03_rtm.030324-2048)

```

```

8.00 KB (8,192 bytes)      3/24/2003
7:50 PM
c:\windows\system32\msyuv.dll Microsoft Corporation
OK
C:\WINDOWS\system32\MSYUV.DLL 5.2.3790.0
(srv03_rtm.030324-2048)      16.50 KB (16,896 bytes)
3/24/2003 7:49 PM
c:\windows\system32\msvidc32.dll      Microsoft
Corporation                          OK
C:\WINDOWS\system32\MSVIDC32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
26.50 KB (27,136 bytes)      12/16/2005
6:15 AM
c:\windows\system32\msrle32.dll      Microsoft
Corporation                          OK
C:\WINDOWS\system32\MSRLE32.DLL
5.2.3790.0 (srv03_rtm.030324-2048)
10.50 KB (10,752 bytes)      12/16/2005
6:15 AM
c:\windows\system32\iyuv_32.dll      Microsoft
Corporation                          OK
C:\WINDOWS\system32\IYUV_32.DLL
5.2.3790.1830 (srv03_spl_rtm.050324-1447)
46.50 KB (47,616 bytes)      3/24/2005
12:05 PM
c:\windows\system32\msh263.drv      Microsoft
Corporation                          OK
C:\WINDOWS\system32\MSH263.DRV
5.2.3790.1830      288.00 KB (294,912
bytes)
3/24/2005 12:07 PM

[CD-ROM]

Item Value
Drive D:
Description CD-ROM Drive
Media Loaded No
Media Type CD-ROM
Name TEAC CD-224E
Manufacturer (Standard CD-ROM drives)
Status OK
Transfer Rate Not Available
SCSI Target ID 0
PNP Device ID IDE\CDROMTEAC_CD-
224E
9.9A\5&5FD9AC6&0&
0.0.0
Driver c:\windows\system32\drivers\cdrom.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 51.00 KB
(52,224 bytes), 12/16/2005 6:15 AM)

[Sound Device]

Item Value
Name Standard VGA Graphics Adapter
PNP Device ID PCI\VEN_1002&DEV_515E&SUBSYS_31FB103C&REV_0
2\4&2014205D&0&18F0
Adapter Type ATI ES1000, (Standard display
types) compatible

```

```

Adapter Description Standard VGA Graphics Adapter
Adapter RAM      32.00 MB (33,554,432 bytes)
Installed Drivers
vga.dll,framebuf.dll,vga256.dll,vga64k.dll

Driver Version      5.2.3790.1830
INF File      display.inf (vga section)
Color Planes      1
Color Table Entries 4294967296
Resolution      800 x 600 x 1 hertz
Bits/Pixel      32
Memory Address      0xD8000000-0xDFFFFFFF
I/O Port      0x00003000-0x000030FF
Memory Address      0xF7FF0000-0xF7FFFFFF
I/O Port      0x000003B0-0x000003BB
I/O Port      0x000003C0-0x000003DF
Memory Address      0xA0000-0xBFFFF
Driver c:\windows\system32\drivers\vgapnp.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 23.50 KB
(24,064 bytes), 6/26/2007 12:35 PM)

[Infrared]

Item Value

[Input]

[Keyboard]

Item Value
Description USB Human Interface Device
Name Enhanced (101- or 102-key)
Layout 00000409
PNP Device ID USB\VID_03F0&PID_1027&MI_00\7&2CD6FDA9&0&00
00
Number of Function Keys 12
Driver c:\windows\system32\drivers\hidusb.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 11.50 KB (11,776
bytes), 12/16/2005 6:15 AM)

Description Standard 101/102-Key or Microsoft
Natural PS/2 Keyboard
Name Enhanced (101- or 102-key)
Layout 00000409
PNP Device ID ACPI\PNP0303\4&2AA4AD3D&0
Number of Function Keys 12
I/O Port 0x00000060-0x00000060
I/O Port 0x00000064-0x00000064
IRQ Channel IRQ 1
Driver c:\windows\system32\drivers\i8042prt.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 54.50 KB
(55,808 bytes), 12/16/2005 6:15 AM)

[Pointing Device]

Item Value
Hardware Type USB Human Interface Device
Number of Buttons 5
Status OK

```

PNP Device ID
 USB\VID_03F0&PID_1027&MI_01\7&2CD6FDA9&0&00
 01
 Power Management Supported No
 Double Click Threshold 6
 Handedness Right Handed Operation
 Driver c:\windows\system32\drivers\hidusb.sys
 (5.2.3790.0 (srv03_spl_rtm.050324-2048), 11.50 KB (11,776
 bytes), 12/16/2005 6:15 AM)

Hardware Type PS/2 Compatible Mouse
 Number of Buttons 5
 Status OK
 PNP Device ID ACPI\PNP0F13\4&2AA4AD3D&0
 Power Management Supported No
 Double Click Threshold 6
 Handedness Right Handed Operation
 IRQ Channel IRQ 12
 Driver c:\windows\system32\drivers\i8042prt.sys
 (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 54.50 KB
 (55,808 bytes), 12/16/2005 6:15 AM)

[Modem]

Item Value

[Network]

[Adapter]

Item Value
 Name [00000001] RAS Async Adapter
 Adapter Type Not Available
 Product Type RAS Async Adapter
 Installed Yes
 PNP Device ID Not Available
 Last Reset 8/8/2007 12:48 PM
 Index 1
 Service Name AsyncMac
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available

Name [00000002] WAN Miniport (L2TP)
 Adapter Type Not Available
 Product Type WAN Miniport (L2TP)
 Installed Yes
 PNP Device ID ROOT\MS_L2TPMINIPOINT\0000
 Last Reset 8/8/2007 12:48 PM
 Index 2
 Service Name Rasl2tp
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available

DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Driver c:\windows\system32\drivers\rasl2tp.sys
 (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 66.00 KB
 (67,584 bytes), 12/16/2005 6:15 AM)

Name [00000003] WAN Miniport (PPTP)
 Adapter Type Wide Area Network (WAN)
 Product Type WAN Miniport (PPTP)
 Installed Yes
 PNP Device ID ROOT\MS_PPTPMINIPOINT\0000
 Last Reset 8/8/2007 12:48 PM
 Index 3
 Service Name PptpMiniport
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 50:50:54:50:30:30
 Driver c:\windows\system32\drivers\rasppptp.sys
 (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 61.00 KB
 (62,464 bytes), 12/16/2005 6:15 AM)

Name [00000004] WAN Miniport (PPPOE)
 Adapter Type Wide Area Network (WAN)
 Product Type WAN Miniport (PPPOE)
 Installed Yes
 PNP Device ID ROOT\MS_PPPOEMINIPOINT\0000
 Last Reset 8/8/2007 12:48 PM
 Index 4
 Service Name Raspppoe
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 33:50:6F:45:30:30
 Driver c:\windows\system32\drivers\raspppoe.sys
 (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 40.00 KB
 (40,960 bytes), 12/16/2005 6:15 AM)

Name [00000005] Direct Parallel
 Adapter Type Not Available
 Product Type Direct Parallel
 Installed Yes
 PNP Device ID ROOT\MS_PTIMINIPOINT\0000
 Last Reset 8/8/2007 12:48 PM
 Index 5
 Service Name Raspti
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available

Driver c:\windows\system32\drivers\raspti.sys
 (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 19.50 KB
 (19,968 bytes), 12/16/2005 6:15 AM)

Name [00000006] WAN Miniport (IP)
 Adapter Type Not Available
 Product Type WAN Miniport (IP)
 Installed Yes
 PNP Device ID ROOT\MS_NDISWANIP\0000
 Last Reset 8/8/2007 12:48 PM
 Index 6
 Service Name NdisWan
 IP Address Not Available
 IP Subnet Not Available
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address Not Available
 Driver c:\windows\system32\drivers\ndiswan.sys
 (5.2.3790.1830 (srv03_spl_rtm.050324-1447), 91.00 KB
 (93,184 bytes), 12/16/2005 6:15 AM)

Name [00000007] HP NC373i Multifunction Gigabit
 Server Adapter
 Adapter Type Ethernet 802.3
 Product Type HP NC373i Multifunction Gigabit
 Server Adapter
 Installed Yes
 PNP Device ID
 B06BDRV\L2ND&PCI_164C14E4&SUBSYS_7038103C&R
 EV_12\6&30C55FC0&0&20050300
 Last Reset 8/8/2007 12:48 PM
 Index 7
 Service Name 12nd
 IP Address 130.168.40.145
 IP Subnet 255.255.0.0
 Default IP Gateway Not Available
 DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 00:19:BB:26:4D:42
 Driver c:\windows\system32\drivers\bxnd52x.sys
 (2.8.13.0 built by: WinDDK, 48.50 KB (49,664 bytes),
 7/31/2007 3:36 PM)

Name [00000008] HP NC373i Multifunction Gigabit
 Server Adapter
 Adapter Type Ethernet 802.3
 Product Type HP NC373i Multifunction Gigabit
 Server Adapter
 Installed Yes
 PNP Device ID
 B06BDRV\L2ND&PCI_164C14E4&SUBSYS_7038103C&R
 EV_12\6&29511DBC0&0&20050500
 Last Reset 8/8/2007 12:48 PM
 Index 8
 Service Name 12nd
 IP Address 130.172.11.145
 IP Subnet 255.255.0.0
 Default IP Gateway Not Available

DHCP Enabled No
 DHCP Server Not Available
 DHCP Lease Expires Not Available
 DHCP Lease Obtained Not Available
 MAC Address 00:19:BB:26:4D:AE
 Driver c:\windows\system32\drivers\bxnd52x.sys
 (2.8.13.0 built by: WinDDK, 48.50 KB (49,664 bytes),
 7/31/2007 3:36 PM)

[Protocol]

Item	Value
Name	MSAFD Tcpip [TCP/IP]
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	16 bytes
Maximum Message Size	0 bytes
Message Oriented	No
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	Yes
Supports Graceful Closing	Yes
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Name	MSAFD Tcpip [UDP/IP]
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	16 bytes
Maximum Message Size	63.93 KB (65,467 bytes)

Message Oriented	Yes
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	Yes

Name	RSVP UDP Service Provider
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	16 bytes
Maximum Message Size	63.93 KB (65,467 bytes)

Message Oriented	Yes
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	Yes

Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	Yes

Name	RSVP TCP Service Provider
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	16 bytes
Maximum Message Size	0 bytes
Message Oriented	No
Minimum Address Size	16 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	Yes
Supports Expedited Data	Yes
Supports Graceful Closing	Yes
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Name	MSAFD NetBIOS
[\Device\NetBT_Tcpip_{12B9D0FF-BBA9-40EF-B5AF-AAA0BC74FBAC}]	SEQPACKET 3
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	20 bytes
Maximum Message Size	62.50 KB (64,000 bytes)

Message Oriented	Yes
Minimum Address Size	20 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Name	MSAFD NetBIOS
[\Device\NetBT_Tcpip_{12B9D0FF-BBA9-40EF-B5AF-AAA0BC74FBAC}]	DATAGRAM 3
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	20 bytes
Maximum Message Size	62.50 KB (64,000 bytes)

Message Oriented	Yes
Minimum Address Size	20 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No

Supports Multicasting	No
-----------------------	----

Name	MSAFD NetBIOS
[\Device\NetBT_Tcpip_{E6E120C5-688B-415E-8941-B16E4D702868}]	SEQPACKET 0
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	20 bytes
Maximum Message Size	62.50 KB (64,000 bytes)

Message Oriented	Yes
Minimum Address Size	20 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Name	MSAFD NetBIOS
[\Device\NetBT_Tcpip_{E6E120C5-688B-415E-8941-B16E4D702868}]	DATAGRAM 0
Connectionless Service	Yes
Guarantees Delivery	No
Guarantees Sequencing	No
Maximum Address Size	20 bytes
Maximum Message Size	62.50 KB (64,000 bytes)

Message Oriented	Yes
Minimum Address Size	20 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	Yes
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No
Supports Multicasting	No

Name	MSAFD NetBIOS
[\Device\NetBT_Tcpip_{49682552-C57C-4562-A252-9BBC9ABAF8A}]	SEQPACKET 1
Connectionless Service	No
Guarantees Delivery	Yes
Guarantees Sequencing	Yes
Maximum Address Size	20 bytes
Maximum Message Size	62.50 KB (64,000 bytes)

Message Oriented	Yes
Minimum Address Size	20 bytes
Pseudo Stream Oriented	No
Supports Broadcasting	No
Supports Connect Data	No
Supports Disconnect Data	No
Supports Encryption	No
Supports Expedited Data	No
Supports Graceful Closing	No
Supports Guaranteed Bandwidth	No

```

Supports Multicasting      No

Name      MSAFD NetBIOS
[Device\NetBT_Tcpip_{49682552-C57C-4562-A252-9BBC9ABAFE8A}] DATAGRAM 1
Connectionless Service    Yes
Guarantees Delivery No
Guarantees Sequencing     No
Maximum Address Size      20 bytes
Maximum Message Size      62.50 KB (64,000 bytes)

Message Oriented      Yes
Minimum Address Size    20 bytes
Pseudo Stream Oriented No
Supports Broadcasting   Yes
Supports Connect Data   No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting   No

Name      MSAFD NetBIOS
[Device\NetBT_Tcpip_{27E1D772-4D9A-4EDF-931C-1B5E0277AE81}] SEQPACKET 2
Connectionless Service    No
Guarantees Delivery Yes
Guarantees Sequencing     Yes
Maximum Address Size      20 bytes
Maximum Message Size      62.50 KB (64,000 bytes)

Message Oriented      Yes
Minimum Address Size    20 bytes
Pseudo Stream Oriented No
Supports Broadcasting   No
Supports Connect Data   No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No
Supports Multicasting   No

Name      MSAFD NetBIOS
[Device\NetBT_Tcpip_{27E1D772-4D9A-4EDF-931C-1B5E0277AE81}] DATAGRAM 2
Connectionless Service    Yes
Guarantees Delivery No
Guarantees Sequencing     No
Maximum Address Size      20 bytes
Maximum Message Size      62.50 KB (64,000 bytes)

Message Oriented      Yes
Minimum Address Size    20 bytes
Pseudo Stream Oriented No
Supports Broadcasting   Yes
Supports Connect Data   No
Supports Disconnect Data No
Supports Encryption No
Supports Expedited Data No
Supports Graceful Closing No
Supports Guaranteed Bandwidth No

```

```

Supports Multicasting      No

[WinSock]

Item      Value
File      c:\windows\system32\winsock.dll
Size      2.80 KB (2,864 bytes)
Version   3.10

File      c:\windows\system32\wsock32.dll
Size      22.00 KB (22,528 bytes)
Version   5.2.3790.0 (srv03_rtm.030324-2048)

[Ports]

[Serial]

Item      Value
Name      Communications Port (COM2)
Status    OK
PNP Device ID      ROOT\*PNP0501\1_0_17_1_0_0
Maximum Input Buffer Size      0
Maximum Output Buffer Size    No
Settable Baud Rate Yes
Settable Data Bits Yes
Settable Flow Control Yes
Settable Parity Yes
Settable Parity Check Yes
Settable Stop Bits Yes
Settable RLSD Yes
Supports RLSD Yes
Supports 16 Bit Mode No
Supports Special Characters No
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity None
Busy No
Abort Read/Write on Error No
Binary Mode Enabled Yes
Continue Xmit on XOff No
CTS Outflow Control No
Discard NULL Bytes No
DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled No
Event Character 0
Parity Check Enabled No
RTS Flow Control Type Enable
XOff Character 19
XOffXmit Threshold 512
XOn Character 17
XOnXmit Threshold 2048
XOnXOff InFlow Control 0
XOnXOff OutFlow Control 0
IRQ Channel IRQ 4
I/O Port 0x000002F8-0x000002FF
IRQ Channel IRQ 3

```

```

Driver      c:\windows\system32\drivers\serial.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 64.00 KB
(65,536 bytes), 12/16/2005 6:15 AM)

Name      Communications Port (COM1)
Status    OK
PNP Device ID      ACPI\PNP0501\0
Maximum Input Buffer Size      0
Maximum Output Buffer Size    No
Settable Baud Rate Yes
Settable Data Bits Yes
Settable Flow Control Yes
Settable Parity Yes
Settable Parity Check Yes
Settable Stop Bits Yes
Settable RLSD Yes
Supports RLSD Yes
Supports 16 Bit Mode No
Supports Special Characters No
Baud Rate 9600
Bits/Byte 8
Stop Bits 1
Parity None
Busy No
Abort Read/Write on Error No
Binary Mode Enabled Yes
Continue Xmit on XOff No
CTS Outflow Control No
Discard NULL Bytes No
DSR Outflow Control 0
DSR Sensitivity 0
DTR Flow Control Type Enable
EOF Character 0
Error Replace Character 0
Error Replacement Enabled No
Event Character 0
Parity Check Enabled No
RTS Flow Control Type Enable
XOff Character 19
XOffXmit Threshold 512
XOn Character 17
XOnXmit Threshold 2048
XOnXOff InFlow Control 0
XOnXOff OutFlow Control 0
IRQ Channel IRQ 4
I/O Port 0x000003F8-0x000003FF
Driver      c:\windows\system32\drivers\serial.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 64.00 KB
(65,536 bytes), 12/16/2005 6:15 AM)

[Parallel]

Item      Value

[Storage]

[Drives]

Item      Value
Drive     C:
Description      Local Fixed Disk

```


Compressed No
File System NTFS
Size 33.88 GB (36,381,306,880 bytes)
Free Space 27.85 GB (29,903,630,336 bytes)

Volume Name
Volume Serial Number DCED8BD7

Drive D:
Description CD-ROM Disc

[Disks]

Item Value
Description Disk drive
Manufacturer (Standard disk drives)
Model HP LOGICAL VOLUME SCSI Disk Device
Bytes/Sector 512
Media Loaded Yes
Media Type Fixed hard disk
Partitions 1
SCSI Bus 0
SCSI Logical Unit 0
SCSI Port 2
SCSI Target ID 4
Sectors/Track 32
Size 33.89 GB (36,385,505,280 bytes)
Total Cylinders 8,709
Total Sectors 71,065,440
Total Tracks 2,220,795
Tracks/Cylinder 255
Partition Disk #0, Partition #0
Partition Size 33.88 GB (36,381,310,976 bytes)

Partition Starting Offset 16,384 bytes

[SCSI]

Item Value
Name Smart Array P400i Controller
Manufacturer Hewlett-Packard Company
Status OK
PNP Device ID
PCI\VEN_103C&DEV_3230&SUBSYS_3235103C&REV_0
1\4&EFC3E79&0&0018
Memory Address 0xFDE00000-0xFDEFFFFFF
I/O Port 0x00004000-0x00004FFF
Memory Address 0xFDDF0000-0xFDDF0FFF
IRQ Channel IRQ 16
Driver c:\windows\system32\drivers\hpciss2.sys
(5.8.0.32 Build 10 (x86) built by: WINBUILD1, 37.50
KB (38,400 bytes), 12/31/1979 6:00 PM)

[IDE]

Item Value
Name Standard Dual Channel PCI IDE Controller

Manufacturer (Standard IDE ATA/ATAPI
controllers)
Status OK

PNP Device ID
PCI\VEN_8086&DEV_269E&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&E9
I/O Port 0x00000500-0x0000050F
Driver c:\windows\system32\drivers\pciide.sys
(5.2.3790.0 (srv03_rtm.030324-2048), 5.50 KB (5,632
bytes), 12/16/2005 6:15 AM)

Name Primary IDE Channel
Manufacturer (Standard IDE ATA/ATAPI
controllers)
Status OK
PNP Device ID PCIIDE\IDECHANNEL\4&56E2F28&0&0

I/O Port 0x000001F0-0x000001F7
I/O Port 0x000003F6-0x000003F6
IRQ Channel IRQ 14
Driver c:\windows\system32\drivers\atapi.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 93.50 KB
(95,744 bytes), 12/16/2005 6:15 AM)

Name Secondary IDE Channel
Manufacturer (Standard IDE ATA/ATAPI
controllers)
Status OK
PNP Device ID PCIIDE\IDECHANNEL\4&56E2F28&0&1

I/O Port 0x00000170-0x00000177
I/O Port 0x00000376-0x00000376
Driver c:\windows\system32\drivers\atapi.sys
(5.2.3790.1830 (srv03_spl_rtm.050324-1447), 93.50 KB
(95,744 bytes), 12/16/2005 6:15 AM)

[Printing]

Name Driver Port Name Server Name

[Problem Devices]

Device PNP Device ID Error Code
Base System Device
3\4&2014205D&0&22F0 The drivers for this device are
not installed.
Base System Device
PCI\VEN_0E11&DEV_B203&SUBSYS_3305103C&REV_0
3\4&2014205D&0&22F0 The drivers for this device are
not installed.
PCI Device
PCI\VEN_103C&DEV_3302&SUBSYS_3305103C&REV_0
0\4&2014205D&0&26F0 The drivers for this device are
not installed.
Not Available ACPI\IPI0001\0 The drivers
for this device are not installed.

[USB]

Device PNP Device ID
Standard Universal PCI to USB Host Controller
PCI\VEN_8086&DEV_2688&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&E8
USB Root Hub USB\ROOT_HUB\4&7353027&0

Standard Universal PCI to USB Host Controller
PCI\VEN_8086&DEV_2689&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&E9
USB Root Hub USB\ROOT_HUB\4&37897620&0
Standard Universal PCI to USB Host Controller
PCI\VEN_8086&DEV_268A&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&EA
USB Root Hub USB\ROOT_HUB\4&A54F890&0
Standard Universal PCI to USB Host Controller
PCI\VEN_8086&DEV_268B&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&EB
USB Root Hub USB\ROOT_HUB\4&41C0314&0
Standard Enhanced PCI to USB Host Controller
PCI\VEN_8086&DEV_268C&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&EF
USB Root Hub USB\ROOT_HUB20\4&392538C3&0
Standard Universal PCI to USB Host Controller
PCI\VEN_103C&DEV_3300&SUBSYS_3305103C&REV_0
0\4&2014205D&0&24F0
USB Root Hub USB\ROOT_HUB\5&26BC3420&0
USB Composite Device
USB\VID_03F0&PID_1027\6&18FFBC52&0&1
USB Human Interface Device
USB\VID_03F0&PID_1027&MI_00\7&2CD6FDA9&0&00
00
HID Keyboard Device
HID\VID_03F0&PID_1027&MI_00\8&DED77A1&0&000
0
USB Human Interface Device
USB\VID_03F0&PID_1027&MI_01\7&2CD6FDA9&0&00
01
HID-compliant mouse
HID\VID_03F0&PID_1027&MI_01\8&25B103E6&0&00
00
Generic USB Hub
USB\VID_03F0&PID_1327\6&18FFBC52&0&2

[Software Environment]

[System Drivers]

Name	Description	File	Type
	Started	Start Mode	State
	Status	Error Control	Accept Pause
	Accept Stop		
abiosdsk	Abiosdsk	Not Available	Kernel Driver
	No	Disabled Stopped	OK
	Ignore	No	No
acpi	Microsoft ACPI Driver	c:\windows\system32\drivers\acpi.sys	
	Kernel Driver	Yes	Boot
	Running	OK	Normal No Yes
acpiec	ACPIEC	c:\windows\system32\drivers\acpiec.sys	
	Kernel Driver	No	Disabled
	Stopped	OK	Normal No No
adpu160m	adpu160m	Not Available	Kernel Driver
	No	Disabled Stopped	OK
	Normal	No	No

adpu320	adpu320	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
afcnt	afcnt	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
afd	AFD							
	c:\windows\system32\drivers\afd.sys							
	Kernel Driver	Yes	System					
	Running	OK	Normal	No	Yes			
aic78u2	aic78u2	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
aic78xx	aic78xx	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
aliide	AliIde	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
amdide	AmdIde	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
arc	arc	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
asynmac	RAS Asynchronous Media Driver							
	c:\windows\system32\drivers\asynmac.sys							
	Kernel Driver	No	Manual					
	Stopped	OK	Normal	No	No			
atapi	Standard IDE/ESDI Hard Disk Controller							
	c:\windows\system32\drivers\atapi.sys							
	Kernel Driver	Yes	Boot					
	Running	OK	Normal	No	Yes			
atdisk	Atdisk	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Ignore	No	No					
atmarpc	ATM ARP Client Protocol							
	c:\windows\system32\drivers\atmarpc.sys							
	Kernel Driver	No	Manual					
	Stopped	OK	Normal	No	No			
audstub	Audio Stub Driver							
	c:\windows\system32\drivers\audstub.sys							
	Kernel Driver	Yes	Manual					
	Running	OK	Normal	No	Yes			
b06bdrv	HP Virtual Bus Device							
	c:\windows\system32\drivers\bxbvbdx.sys							
	Kernel Driver	Yes	Boot					
	Running	OK	Normal	No	Yes			
beep	Beep							
	c:\windows\system32\drivers\beep.sys							
	Kernel Driver	Yes	System					
	Running	OK	Normal	No	Yes			
cbidf2k	cbidf2k							
	c:\windows\system32\drivers\cbidf2k.sys							
	Kernel Driver	No	Disabled					

cd20xrt	cd20xrt	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
cdfs	Cdfs							
	c:\windows\system32\drivers\cdfs.sys							
	File System Driver	Yes	Disabled					
	Running	OK	Normal	No	Yes			
cdrom	CD-ROM Driver							
	c:\windows\system32\drivers\cdrom.sys							
	Kernel Driver	Yes	System					
	Running	OK	Normal	No	Yes			
changer	Changer	Not Available	Kernel Driver					
	No	System	Stopped	OK				
	Ignore	No	No					
clusdisk	Cluster Disk Driver							
	c:\windows\system32\drivers\clusdisk.sys							
	Kernel Driver	No	Disabled					
	Stopped	OK	Normal	No	No			
cmdide	CmdIde	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
cpqarray	Cpqarray	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
cpqarray2	cpqarray2	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
cpqcissm	cpqcissm	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
cpqfcalm	cpqfcalm	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
crdisk	CRC Disk Filter Driver							
	c:\windows\system32\drivers\crdisk.sys							
	Kernel Driver	Yes	Boot					
	Running	OK	Normal	No	Yes			
dac960nt	dac960nt	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
dellcerc	dellcerc	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
dfsdriver	DfsDriver							
	c:\windows\system32\drivers\dfs.sys							
	File System Driver	Yes	Boot					
	Running	OK	Normal	No	Yes			
disk	Disk Driver							
	c:\windows\system32\drivers\disk.sys							
	Kernel Driver	Yes	Boot					
	Running	OK	Normal	No	Yes			
dmbboot	dmbboot							
	c:\windows\system32\drivers\dmbboot.sys							
	Kernel Driver	No	Disabled					

dmio	Logical Disk Manager Driver							
	c:\windows\system32\drivers\dmio.sys							
	Kernel Driver	Yes	Boot					
	Running	OK	Normal	No	Yes			
dmload	dmload							
	c:\windows\system32\drivers\dmload.sys							
	Kernel Driver	Yes	Boot					
	Running	OK	Normal	No	Yes			
dpti2o	dpti2o	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
elxstor	elxstor	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
fastfat	Fastfat							
	c:\windows\system32\drivers\fastfat.sys							
	File System Driver	No	Disabled					
	Stopped	OK	Normal	No	No			
fdc	Fdc							
	c:\windows\system32\drivers\fdc.sys							
	Kernel Driver	No	System					
	Stopped	OK	Ignore	No	No			
fips	Fips							
	c:\windows\system32\drivers\fips.sys							
	Kernel Driver	Yes	System					
	Running	OK	Normal	No	Yes			
flpydisk	Flpydisk							
	c:\windows\system32\drivers\flpydisk.sys							
	Kernel Driver	No	System					
	Stopped	OK	Ignore	No	No			
fltmgr	FltMgr							
	c:\windows\system32\drivers\fltmgr.sys							
	File System Driver	Yes	Boot					
	Running	OK	Normal	No	Yes			
ftdisk	Volume Manager Driver							
	c:\windows\system32\drivers\ftdisk.sys							
	Kernel Driver	Yes	Boot					
	Running	OK	Normal	No	Yes			
gpc	Generic Packet Classifier							
	c:\windows\system32\drivers\msgpc.sys							
	Kernel Driver	Yes	Manual					
	Running	OK	Normal	No	Yes			
hidusb	Microsoft HID Class Driver							
	c:\windows\system32\drivers\hidusb.sys							
	Kernel Driver	Yes	Manual					
	Running	OK	Ignore	No	Yes			
hpciss	hpciss	Not Available	Kernel Driver					
	No	Disabled	Stopped	OK				
	Normal	No	No					
hpciss2	HpCISs2							
	c:\windows\system32\drivers\hpciss2.sys							

	Kernel Driver	Yes	Boot		
	Running OK	Normal	No	Yes	
hpn	hpn	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
hpt3xx	hpt3xx	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
http	HTTP				
	c:\windows\system32\drivers\http.sys				
	Kernel Driver	Yes	Manual		
	Running OK	Normal	No	Yes	
i2omgmt	i2omgmt	Not Available	Kernel Driver		
	No	System	Stopped	OK	
	Normal	No	No		
i2omp	i2omp	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
i8042prt	i8042 Keyboard and PS/2 Mouse Port Driver				
	c:\windows\system32\drivers\i8042prt.sys				
	Kernel Driver	Yes	System		
	Running OK	Normal	No	Yes	
iirsp	iirsp	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
imapi	CD-Burning Filter Driver				
	c:\windows\system32\drivers\imapi.sys				
	Kernel Driver	No	System		
	Stopped OK	Normal	No	No	
intelide	IntelIde	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
intelppm	Intel Processor Driver				
	c:\windows\system32\drivers\intelppm.sys				
	Kernel Driver	Yes	Manual		
	Running OK	Normal	No	Yes	
ip6fw	IPv6 Windows Firewall Driver				
	c:\windows\system32\drivers\ip6fw.sys				
	Kernel Driver	No	Manual		
	Stopped OK	Normal	No	No	
ipfilterdriver	IP Traffic Filter Driver				
	c:\windows\system32\drivers\ipfltdrv.sys				
	Kernel Driver	No	Manual		
	Stopped OK	Normal	No	No	
ipinip	IP in IP Tunnel Driver				
	c:\windows\system32\drivers\ipinip.sys				
	Kernel Driver	No	Manual		
	Stopped OK	Normal	No	No	
ipnat	IP Network Address Translator				
	c:\windows\system32\drivers\ipnat.sys				
	Kernel Driver	No	Manual		
	Stopped OK	Normal	No	No	
ipsec	IPSEC driver				
	c:\windows\system32\drivers\ipsec.sys				

	Kernel Driver	Yes	System		
	Running OK	Normal	No	Yes	
ipsraidn	ipsraidn	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
irenum	IR Enumerator Service				
	c:\windows\system32\drivers\irenum.sys				
	Kernel Driver	No	Manual		
	Stopped OK	Normal	No	No	
isapnp	PnP ISA/EISA Bus Driver				
	c:\windows\system32\drivers\isapnp.sys				
	Kernel Driver	Yes	Boot		
	Running OK	Critical	No	Yes	
kbdclass	Keyboard Class Driver				
	c:\windows\system32\drivers\kbdclass.sys				
	Kernel Driver	Yes	System		
	Running OK	Normal	No	Yes	
kbdhid	Keyboard HID Driver				
	c:\windows\system32\drivers\kbdhid.sys				
	Kernel Driver	Yes	System		
	Running OK	Ignore	No	Yes	
ksecdd	KSecDD				
	c:\windows\system32\drivers\ksecdd.sys				
	Kernel Driver	Yes	Boot		
	Running OK	Normal	No	Yes	
l2nd	HP NC370 Multifunction Gigabit Server Adapter				
	c:\windows\system32\drivers\bxnd52x.sys				
	Kernel Driver	Yes	Manual		
	Running OK	Normal	No	Yes	
lp6nds35	lp6nds35	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
mnmdd	mnmdd				
	c:\windows\system32\drivers\mnmdd.sys				
	Kernel Driver	Yes	System		
	Running OK	Ignore	No	Yes	
modem	Modem				
	c:\windows\system32\drivers\modem.sys				
	Kernel Driver	No	Manual		
	Stopped OK	Ignore	No	No	
mouclass	Mouse Class Driver				
	c:\windows\system32\drivers\mouclass.sys				
	Kernel Driver	Yes	System		
	Running OK	Normal	No	Yes	
mouhid	Mouse HID Driver				
	c:\windows\system32\drivers\mouhid.sys				
	Kernel Driver	Yes	Manual		
	Running OK	Ignore	No	Yes	
mountmgr	Mount Point Manager				
	c:\windows\system32\drivers\mountmgr.sys				
	Kernel Driver	Yes	Boot		

	Running	OK	Normal	No	Yes
mraid35x	mraid35x	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
mrxdav	WebDav Client Redirector				
	c:\windows\system32\drivers\mrxdav.sys				
	File System Driver	No	Manual		
	Stopped OK	Normal	No	No	
mrxsmb	MRXSMB				
	c:\windows\system32\drivers\mrxsmb.sys				
	File System Driver	Yes	System		
	Running OK	Normal	No	Yes	
msfs	Msfs				
	c:\windows\system32\drivers\msfs.sys				
	File System Driver	Yes	System		
	Running OK	Normal	No	Yes	
mssmbios	Microsoft System Management BIOS Driver				
	c:\windows\system32\drivers\mssmbios.sys				
	Kernel Driver	Yes	Manual		
	Running OK	Normal	No	Yes	
mup	Mup				
	c:\windows\system32\drivers\mup.sys				
	File System Driver	Yes	Boot		
	Running OK	Normal	No	Yes	
ndis	NDIS System Driver				
	c:\windows\system32\drivers\ndis.sys				
	Kernel Driver	Yes	Boot		
	Running OK	Normal	No	Yes	
ndistapi	Remote Access NDIS TAPI Driver				
	c:\windows\system32\drivers\ndistapi.sys				
	Kernel Driver	Yes	Manual		
	Running OK	Normal	No	Yes	
ndisuio	NDIS Usermode I/O Protocol				
	c:\windows\system32\drivers\ndisuio.sys				
	Kernel Driver	Yes	Manual		
	Running OK	Normal	No	Yes	
ndiswan	Remote Access NDIS WAN Driver				
	c:\windows\system32\drivers\ndiswan.sys				
	Kernel Driver	Yes	Manual		
	Running OK	Normal	No	Yes	
ndproxy	NDIS Proxy				
	c:\windows\system32\drivers\ndproxy.sys				
	Kernel Driver	Yes	Manual		
	Running OK	Normal	No	Yes	
netbios	NetBIOS Interface				
	c:\windows\system32\drivers\netbios.sys				
	File System Driver	Yes	System		
	Running OK	Normal	No	Yes	
netbt	NetBios over Tcpip				
	c:\windows\system32\drivers\netbt.sys				
	Kernel Driver	Yes	System		

	Running	OK	Normal	No	Yes
nfrd960	nfrd960	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
npfs	Npfs				
	c:\windows\system32\drivers\npfs.sys				
	File System Driver	Yes	System		
	Running	OK	Normal	No	Yes
ntfs	Ntfs				
	c:\windows\system32\drivers\ntfs.sys				
	File System Driver	Yes	Disabled		
	Running	OK	Normal	No	Yes
null	Null				
	c:\windows\system32\drivers\null.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
parport	Parport				
	c:\windows\system32\drivers\parport.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Ignore	No	No
partmgr	Partition Manager				
	c:\windows\system32\drivers\partmgr.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
pci	PCI Bus Driver				
	c:\windows\system32\drivers\pci.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Critical	No	Yes
pciide	PCIIde				
	c:\windows\system32\drivers\pciide.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
pcmcia	Pcmcia				
	c:\windows\system32\drivers\pcmcia.sys				
	Kernel Driver	No	Disabled		
	Stopped	OK	Normal	No	No
pdcomp	PDCOMP	Not Available	Kernel Driver		
	No	Manual	Stopped	OK	
	Ignore	No	No		
pdframe	PDFRAME	Not Available	Kernel Driver		
	No	Manual	Stopped	OK	
	Ignore	No	No		
pdreli	PDRELI	Not Available	Kernel Driver		
	No	Manual	Stopped	OK	
	Ignore	No	No		
pdrframe	PDRFRAME	Not Available	Kernel Driver		
	No	Manual	Stopped	OK	
	Ignore	No	No		
perc2	perc2	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
perc2hib	perc2hib	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		

pptpminiport	WAN Miniport (PPTP)				
	c:\windows\system32\drivers\rasppptp.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
ptilink	Direct Parallel Link Driver				
	c:\windows\system32\drivers\ptilink.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
ql1080	ql1080	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql10wnt	Ql10wnt	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql12160	ql12160	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql1240	ql1240	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql1280	ql1280	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql2100	ql2100	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql2200	ql2200	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
ql2300	ql2300	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
rasacd	Remote Access Auto Connection Driver				
	c:\windows\system32\drivers\rasacd.sys				
	Kernel Driver	Yes	System		
	Running	OK	Normal	No	Yes
rasl2tp	WAN Miniport (L2TP)				
	c:\windows\system32\drivers\rasl2tp.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
raspppoe	Remote Access PPPOE Driver				
	c:\windows\system32\drivers\raspppoe.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
raspti	Direct Parallel				
	c:\windows\system32\drivers\raspti.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
rdbss	Rdbss				
	c:\windows\system32\drivers\rdbss.sys				
	File System Driver	Yes	System		
	Running	OK	Normal	No	Yes
rdpcdd	RDPcDD				
	c:\windows\system32\drivers\rdpcdd.sys				
	Kernel Driver	Yes	System		

Running	OK	Ignore	No	Yes
rdpdr	Terminal Server Device Redirector Driver			
	c:\windows\system32\drivers\rdpdr.sys			
	Kernel Driver	Yes	Manual	
	Running	OK	Normal	No
rdpwd	RDPWD			
	c:\windows\system32\drivers\rdpwd.sys			
	Kernel Driver	Yes	Manual	
	Running	OK	Ignore	No
redbook	Digital CD Audio Playback Filter Driver			
	c:\windows\system32\drivers\redbook.sys			
	Kernel Driver	Yes	System	
	Running	OK	Normal	No
secdrv	Secdrv			
	c:\windows\system32\drivers\secdrv.sys			
	Kernel Driver	No	Manual	
	Stopped	OK	Normal	No
serenum	Serenum Filter Driver			
	c:\windows\system32\drivers\serenum.sys			
	Kernel Driver	Yes	Manual	
	Running	OK	Normal	No
serial	Serial port driver			
	c:\windows\system32\drivers\serial.sys			
	Kernel Driver	Yes	System	
	Running	OK	Ignore	No
sfloppy	Sfloppy			
	c:\windows\system32\drivers\sfloppy.sys			
	Kernel Driver	No	System	
	Stopped	OK	Ignore	No
simbad	Simbad	Not Available	Kernel Driver	
	No	Disabled	Stopped	OK
	Normal	No	No	
srv	Srv			
	c:\windows\system32\drivers\srv.sys			
	File System Driver	Yes	Manual	
	Running	OK	Normal	No
startdss	HP ProLiant Virtual Install Disk Support Driver			
	c:\windows\system32\drivers\startdss.sys			
	Kernel Driver	No	Disabled	
	Stopped	OK	Normal	No
swenum	Software Bus Driver			
	c:\windows\system32\drivers\swenum.sys			
	Kernel Driver	Yes	Manual	
	Running	OK	Normal	No
symc810	symc810	Not Available	Kernel Driver	
	No	Disabled	Stopped	OK
	Normal	No	No	
symc8xx	symc8xx	Not Available	Kernel Driver	
	No	Disabled	Stopped	OK
	Normal	No	No	

symmpi	symmpi	Not Available	Kernel Driver			
	No	Disabled	Stopped	OK		
	Normal	No	No			
sym_hi	sym_hi	Not Available	Kernel Driver			
	No	Disabled	Stopped	OK		
	Normal	No	No			
sym_u3	sym_u3	Not Available	Kernel Driver			
	No	Disabled	Stopped	OK		
	Normal	No	No			
tcPIP	TCP/IP Protocol Driver					
	c:\windows\system32\drivers\tcpip.sys					
	Kernel Driver	Yes	System			
	Running	OK	Normal	No	Yes	
tdpipe	TDPIPE					
	c:\windows\system32\drivers\tdpipe.sys					
	Kernel Driver	No	Manual			
	Stopped	OK	Ignore	No	No	
tdtcp	TDTCP					
	c:\windows\system32\drivers\tdtcp.sys					
	Kernel Driver	Yes	Manual			
	Running	OK	Ignore	No	Yes	
termdd	Terminal Device Driver					
	c:\windows\system32\drivers\termdd.sys					
	Kernel Driver	Yes	System			
	Running	OK	Normal	No	Yes	
toside	TosIde	Not Available	Kernel Driver			
	No	Disabled	Stopped	OK		
	Normal	No	No			
udfs	Udfs					
	c:\windows\system32\drivers\udfs.sys					
	File System Driver	No	Disabled			
	Stopped	OK	Normal	No	No	
ultra	ultra	Not Available	Kernel Driver			
	No	Disabled	Stopped	OK		
	Normal	No	No			
update	Microcode Update Driver					
	c:\windows\system32\drivers\update.sys					
	Kernel Driver	Yes	Manual			
	Running	OK	Normal	No	Yes	
usbccgp	Microsoft USB Generic Parent Driver					
	c:\windows\system32\drivers\usbccgp.sys					
	Kernel Driver	Yes	Manual			
	Running	OK	Normal	No	Yes	
usbhci	Microsoft USB 2.0 Enhanced Host Controller					
	Miniport Driver					
	c:\windows\system32\drivers\usbhci.sys					
	Kernel Driver	Yes	Manual			
	Running	OK	Normal	No	Yes	
usbhUB	Microsoft USB Standard Hub Driver					
	c:\windows\system32\drivers\usbhUB.sys					
	Kernel Driver	Yes	Manual			
	Running	OK	Normal	No	Yes	
usbstor	USB Mass Storage Driver					
	c:\windows\system32\drivers\usbstor.sys					

Kernel Driver	No	Manual			
Stopped	OK	Normal	No	No	
usbuhci	Microsoft USB Universal Host Controller				
	Miniport Driver				
	c:\windows\system32\drivers\usbuhci.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
vga	vga				
	c:\windows\system32\drivers\vgapnp.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Ignore	No	Yes
vgasave	VGA Display Controller.				
	c:\windows\system32\drivers\vga.sys				
	Kernel Driver	No	System		
	Stopped	OK	Ignore	No	No
viaide	ViaIde	Not Available	Kernel Driver		
	No	Disabled	Stopped	OK	
	Normal	No	No		
volsnap	Storage volumes				
	c:\windows\system32\drivers\volsnap.sys				
	Kernel Driver	Yes	Boot		
	Running	OK	Normal	No	Yes
wanarp	Remote Access IP ARP Driver				
	c:\windows\system32\drivers\wanarp.sys				
	Kernel Driver	Yes	Manual		
	Running	OK	Normal	No	Yes
wdica	WDICA	Not Available	Kernel Driver		
	No	Manual	Stopped	OK	
	Ignore	No	No		
wlbs	Network Load Balancing				
	c:\windows\system32\drivers\wlbs.sys				
	Kernel Driver	No	Manual		
	Stopped	OK	Normal	No	No
[Signed Drivers]					
Device Name	Signed	Device Class			
Driver Version	Manufacturer	Driver Date	INF Name	Driver Name	
Device ID					
Communications Port	Yes	PORTS	5.2.3790.0		
10/1/2002 (Standard port types)					
msports.inf		Not Available			
ROOT*PNP0501\1_0_17_1_0_0					
Microsoft System Management BIOS Driver	Yes				
SYSTEM	5.2.3790.1830	10/1/2002			
(Standard system devices)		machine.inf			
Not Available		ROOT\SYSTEM\0002			
Update Device	Yes	SYSTEM			
5.2.3790.1830		10/1/2002 (Standard			
system devices)	machine.inf	Not Available			
ROOT\SYSTEM\0001					
Plug and Play Software Device Enumerator		Yes			
SYSTEM	5.2.3790.1830	10/1/2002			
(Standard system devices)	machine.inf				
Not Available		ROOT\SYSTEM\0000			

Terminal Server Mouse Driver	Yes	SYSTEM			
5.2.3790.1830		10/1/2002 (Standard			
system devices)	machine.inf	Not Available			
ROOT\RDP_MOU\0000					
Terminal Server Keyboard Driver	Yes				
SYSTEM	5.2.3790.1830	10/1/2002			
(Standard system devices)		machine.inf			
Not Available		ROOT\RDP_KBD\0000			
Terminal Server Device Redirector	Yes				
SYSTEM	5.2.3790.1830	10/1/2002			
(Standard system devices)		machine.inf			
Not Available		ROOT\RDPDR\0000			
Direct Parallel	Yes	NET	5.2.3790.1830		
10/1/2002 Microsoft		netrasa.inf			
Available		ROOT\MS_PTMINIPORT\0000			
WAN Miniport (PPTP)	Yes	NET	5.2.3790.1830		
10/1/2002 Microsoft		netrasa.inf			
Available		ROOT\MS_PPTPMINIPORT\0000			
WAN Miniport (PPPOE)	Yes	NET			
5.2.3790.1830		10/1/2002 Microsoft			
netrasa.inf		Not Available			
ROOT\MS_PPPOEMINIPORT\0000					
WAN Miniport (IP)	Yes	NET	5.2.3790.1830		
10/1/2002 Microsoft		netrasa.inf			
Available		ROOT\MS_NDISWANIP\0000			
WAN Miniport (L2TP)	Yes	NET	5.2.3790.1830		
10/1/2002 Microsoft		netrasa.inf			
Available		ROOT\MS_L2TPMINIPORT\0000			
Video Codecs	Yes	MEDIA	5.2.3790.0		
10/1/2002 (Standard system devices)					
wave.inf		Not Available			
ROOT\MEDIA\MS_MMVID					
Legacy Video Capture Devices	Yes	MEDIA			
5.2.3790.0		10/1/2002 (Standard			
system devices)	wave.inf	Not Available			
ROOT\MEDIA\MS_MMVCD					
Media Control Devices	Yes	MEDIA			
5.2.3790.0		10/1/2002 (Standard			
system devices)	wave.inf	Not Available			
ROOT\MEDIA\MS_MMCIC					
Legacy Audio Drivers	Yes	MEDIA			
5.2.3790.0		10/1/2002 (Standard			
system devices)	wave.inf	Not Available			
ROOT\MEDIA\MS_MMDRV					
Audio Codecs	Yes	MEDIA	5.2.3790.0		
10/1/2002 (Standard system devices)					
wave.inf		Not Available			
ROOT\MEDIA\MS_MMACM					
Remote Access IP ARP Driver	Not Available				
LEGACYDRIVER		Not Available			
Available	Not Available	Not Available			
Available		ROOT\LEGACY_WANARP\0000			
volsnap	Not Available	LEGACYDRIVER			
Available	Not Available	Not Available			
Available	Not Available	Not Available			
Available	Not Available	Not Available			
Update Device	Yes	SYSTEM			
5.2.3790.1830		10/1/2002 (Standard			
system devices)	machine.inf	Not Available			
ROOT\SYSTEM\0001					
Plug and Play Software Device Enumerator		Yes			
SYSTEM	5.2.3790.1830	10/1/2002			
(Standard system devices)	machine.inf				
Not Available		ROOT\SYSTEM\0000			
TCP/IP Protocol Driver		Not Available			
LEGACYDRIVER		Not Available			
		Not Available			

Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_TCPIP\0000		
HP ProLiant Virtual Install Disk Support Driver	Not Available	Not	Not
Available	LEGACYDRIVER	Not Available	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_STARTDSS\0000		
RDPWD	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	ROOT\LEGACY_RDPWD\0000	
RDPCCD	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	ROOT\LEGACY_RDPCCD\0000	
Remote Access Auto Connection Driver	Not Available		
LEGACYDRIVER	Not Available	Not	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_RASACD\0000		
Partition Manager	Not Available	LEGACYDRIVER	Not
Not Available	Not Available	Not Available	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_PARTMGR\0000		
Null	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	ROOT\LEGACY_NULL\0000	
NetBios over Tcpi	Not Available	LEGACYDRIVER	Not
Not Available	Not Available	Not Available	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_NETBT\0000		
NDProxy	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_NDPROXY\0000		
NDIS Usermode I/O Protocol	Not Available		
LEGACYDRIVER	Not Available	Not	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_NDISUIO\0000		
Remote Access NDIS TAPI Driver	Not Available		
LEGACYDRIVER	Not Available	Not	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_NDISTAPI\0000		
NDIS System Driver	Not Available	LEGACYDRIVER	Not
Not Available	Not Available	Not Available	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_NDIS\0000		
mountmgr	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_MOUNTMGR\0000		
mnmdd	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	ROOT\LEGACY_MNMDD\0000	
ksecdd	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	ROOT\LEGACY_KSECDD\0000	
IPSEC driver	Not Available	LEGACYDRIVER	Not
Not Available	Not Available	Not Available	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_IPSEC\0000		

IP Network Address Translator	Not Available		
LEGACYDRIVER	Not Available	Not	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_IPNAT\0000		
HTTP	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	ROOT\LEGACY_HTTP\0000	
Generic Packet Classifier	Not Available		
LEGACYDRIVER	Not Available	Not	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_GPC\0000		
Fips	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	ROOT\LEGACY_FIPS\0000	
dmload	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	ROOT\LEGACY_DMLOAD\0000	
dmboot	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	ROOT\LEGACY_DMBOOT\0000	
CRC Disk Filter Driver	Not Available		
LEGACYDRIVER	Not Available	Not	Not
Available	Not Available	Not Available	Not
Available	ROOT\LEGACY_CRCDISK\0000		
BEEP	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	ROOT\LEGACY_BEEP\0000	
AFD	Not Available	LEGACYDRIVER	Not
Available	Not Available	Not Available	Not
Available	Not Available	ROOT\LEGACY_AFD\0000	
Generic volume	Yes	VOLUME	5.2.3790.1830
10/1/2002	Microsoft	volume.inf	Not
Available			
STORAGE\VOLUME\1&30A96598&0&SIGNATURE2C602C			
60FFSET4000LENGTH8787EC000			
Volume Manager	Yes	SYSTEM	5.2.3790.1830
10/1/2002	(Standard	system devices)	
machine.inf	Not Available		
ROOT\FTDISK\0000			
Logical Disk Manager	Yes	SYSTEM	5.2.3790.1830
10/1/2002	(Standard	system devices)	
machine.inf	Not Available		
ROOT\DMIO\0000			
ACPI Fixed Feature Button	Yes	SYSTEM	5.2.3790.1830
10/1/2002	(Standard	system devices)	
machine.inf	Not Available		
ACPI\FIXEDBUTTON\2&DABA3FF&0			
ACPI Thermal Zone	Yes	SYSTEM	5.2.3790.1830
10/1/2002	(Standard	system devices)	
machine.inf	Not Available		
ACPI\THERMALZONE\THM0			
Secondary IDE Channel	Yes	HDC	5.2.3790.1830
10/1/2002	(Standard	IDE	
ATA/ATAPI	controllers)	mshdc.inf	Not Available
PCIIDE\IDECHANNEL\4&56E2F28&0&1			
CD-ROM Drive	Yes	CDROM	5.2.3790.0
10/1/2002	(Standard	CD-ROM drives)	

cdrom.inf	Not Available		
IDE\CDROMTEAC_CD-			
224E_____9.9A_____5&5FD9AC6&0&			
0.0.0			
Primary IDE Channel	Yes	HDC	5.2.3790.1830
10/1/2002	(Standard	IDE ATA/ATAPI	
controllers)	mshdc.inf	Not Available	
PCIIDE\IDECHANNEL\4&56E2F28&0&0			
Standard Dual Channel PCI IDE Controller		Yes	
HDC	5.2.3790.1830	10/1/2002	
(Standard	IDE ATA/ATAPI	controllers)	
mshdc.inf	Not Available		
PCI\VEN_8086&DEV_269E&SUBSYS_31FE103C&REV_0			
9\3&61AAA01&0&F9			
Communications Port	Yes	PORTS	5.2.3790.0
10/1/2002	(Standard	port types)	
msports.inf	Not Available		
ACPI\PNP0501\0			
Extended IO Bus	Yes	SYSTEM	5.2.3790.1830
10/1/2002	(Standard	system devices)	
machine.inf	Not Available		
ACPI\PNP0A06\4&2AA4AD3D&0			
PS/2 Compatible Mouse	Yes	MOUSE	5.2.3790.1830
10/1/2002	Microsoft		
msmouse.inf	Not Available		
ACPI\PNP0F13\4&2AA4AD3D&0			
Standard 101/102-Key or Microsoft Natural PS/2			
Keyboard	Yes	KEYBOARD	5.2.3790.0
10/1/2002	(Standard	keyboards)	
keyboard.inf	Not Available		
ACPI\PNP0303\4&2AA4AD3D&0			
System speaker	Yes	SYSTEM	5.2.3790.1830
10/1/2002	(Standard	system devices)	
machine.inf	Not Available		
ACPI\PNP0800\4&2AA4AD3D&0			
Direct memory access controller		Yes	
SYSTEM	5.2.3790.1830	10/1/2002	
(Standard	system devices)		
machine.inf	Not Available		
ACPI\PNP0200\4&2AA4AD3D&0			
High precision event timer	Yes	SYSTEM	5.2.3790.1830
10/1/2002	(Standard	system devices)	
machine.inf	Not Available		
ACPI\PNP0103\0			
System timer	Yes	SYSTEM	5.2.3790.1830
10/1/2002	(Standard	system devices)	
machine.inf	Not Available		
ACPI\PNP0100\4&2AA4AD3D&0			
Not Available	Not Available	Not Available	Not Available
Not Available	Not Available	Not Available	Not
Available	Not Available	Not Available	Not Available
ACPI\IPI001\0			
Motherboard resources	Yes	SYSTEM	5.2.3790.1830
10/1/2002	(Standard	system devices)	
machine.inf	Not Available		
ACPI\PNP0C02\0			
ISAPNP Read Data Port	Yes	SYSTEM	5.2.3790.1830
10/1/2002	(Standard	system devices)	
machine.inf	Not Available		
ISAPNP\READDATAPORT\0			
PCI standard ISA bridge	Yes	SYSTEM	5.2.3790.1830
10/1/2002	(Standard	system devices)	
machine.inf	Not Available		

```

PCI\VEN_8086&DEV_2670&SUBSYS_00000000&REV_0
9\3&61AAA01&0&F8
PCI Device Not Available UNKNOWN Not
Available Not Available Not Available Not
Available Not Available
PCI\VEN_103C&DEV_3302&SUBSYS_3305103C&REV_0
0\4&2014205D&0&26F0
Generic USB Hub Yes USB 5.2.3790.1830
10/1/2002 (Generic USB Hub) usb.inf Not
Available USB\VID_03F0&PID_1327\6&18FFBC52&0&2
HID-compliant mouse Yes MOUSE 5.2.3790.1830
10/1/2002 Microsoft msmouse.inf Not
Available
HID\VID_03F0&PID_1027&MI_01\8&25B103E6&0&00
00
USB Human Interface Device Yes HIDCLASS
5.2.3790.0 10/1/2002 (Standard
system devices) input.inf Not Available
USB\VID_03F0&PID_1027&MI_01\7&2CD6FDA9&0&00
01
HID Keyboard Device Yes KEYBOARD 5.2.3790.0
10/1/2002 (Standard keyboards)
keyboard.inf Not Available
HID\VID_03F0&PID_1027&MI_00\8&DED77A1&0&000
0
USB Human Interface Device Yes HIDCLASS
5.2.3790.0 10/1/2002 (Standard
system devices) input.inf Not Available
USB\VID_03F0&PID_1027&MI_00\7&2CD6FDA9&0&00
00
USB Composite Device Yes USB
5.2.3790.1830 10/1/2002 (Standard USB
Host Controller) usb.inf Not Available
USB\VID_03F0&PID_1027\6&18FFBC52&0&1
USB Root Hub Yes USB 5.2.3790.1830
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\5&26BC3420&0
Standard Universal PCI to USB Host Controller Yes
USB 5.2.3790.1830 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_103C&DEV_3300&SUBSYS_3305103C&REV_0
0\4&2014205D&0&24F0
Base System Device Not Available UNKNOWN Not
Available Not Available Not Available Not
Available Not Available
PCI\VEN_0E11&DEV_B204&SUBSYS_3305103C&REV_0
3\4&2014205D&0&22F0
Base System Device Not Available UNKNOWN Not
Available Not Available Not Available Not
Available Not Available
PCI\VEN_0E11&DEV_B203&SUBSYS_3305103C&REV_0
3\4&2014205D&0&20F0
Plug and Play Monitor Yes MONITOR
5.1.2001.0 6/6/2001 (Standard
monitor types) monitor.inf Not Available
DISPLAY\AV00402\5&E64F3B&0&12345678&01&03

Standard VGA Graphics Adapter Yes DISPLAY
5.2.3790.0 10/1/2002 (Standard
display types) display.inf Not Available

```

```

PCI\VEN_1002&DEV_515E&SUBSYS_31FB103C&REV_0
2\4&2014205D&0&18F0
Intel(R) 82801 PCI Bridge - 244E Yes
SYSTEM 5.2.3790.1830 10/1/2002
Intel machine.inf Not Available
PCI\VEN_8086&DEV_244E&SUBSYS_00000000&REV_D
9\3&61AAA01&0&F0
USB Root Hub Yes USB 5.2.3790.1830
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB2\04&392538C3&0
Standard Enhanced PCI to USB Host Controller Yes
USB 5.2.3790.1830 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_268C&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&EF
USB Root Hub Yes USB 5.2.3790.1830
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&41C0314&0
Standard Universal PCI to USB Host Controller Yes
USB 5.2.3790.1830 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_268B&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&EB
USB Root Hub Yes USB 5.2.3790.1830
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&A54F890&0
Standard Universal PCI to USB Host Controller Yes
USB 5.2.3790.1830 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_268A&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&EA
USB Root Hub Yes USB 5.2.3790.1830
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&37897620&0
Standard Universal PCI to USB Host Controller Yes
USB 5.2.3790.1830 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_2689&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&E9
USB Root Hub Yes USB 5.2.3790.1830
10/1/2002 (Standard USB Host Controller)
usbport.inf Not Available
USB\ROOT_HUB\4&7353027&0
Standard Universal PCI to USB Host Controller Yes
USB 5.2.3790.1830 10/1/2002
(Standard USB Host Controller)
usbport.inf Not Available
PCI\VEN_8086&DEV_2688&SUBSYS_31FE103C&REV_0
9\3&61AAA01&0&E8
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_25F6&SUBSYS_00000000&REV_B
1\3&61AAA01&0&B0

```

```

PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_25F5&SUBSYS_00000000&REV_B
1\3&61AAA01&0&A8
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_25F3&SUBSYS_00000000&REV_B
1\3&61AAA01&0&98
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_25F1&SUBSYS_00000000&REV_B
1\3&61AAA01&0&88
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_25F0&SUBSYS_00000000&REV_B
1\3&61AAA01&0&82
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_25F&SUBSYS_00000000&REV_B
1\3&61AAA01&0&81
PCI standard host CPU bridge Yes SYSTEM
5.2.3790.1830 10/1/2002 (Standard
system devices) machine.inf Not Available
PCI\VEN_8086&DEV_25F0&SUBSYS_00000000&REV_B
1\3&61AAA01&0&80
HP NC373i Multifunction Gigabit Server Adapter No
NET 2.8.13.0 6/30/2006 Hewlett-
Packard Company oem5.inf Not Available
B06BDRV\L2ND&PCI_164C14E4&SUBSYS_7038103C&R
EV_12\6&29511DBC&0&20050500
HP NC373i Virtual Bus Device No SYSTEM
2.8.14.0 7/8/2006 Hewlett-Packard Company
oem8.inf Not Available
PCI\VEN_14E4&DEV_164C&SUBSYS_7038103C&REV_1
2\5&3687280D&0&000038
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_1166&DEV_0103&SUBSYS_00000000&REV_C
3\4&8C20058&0&0038
PCI standard PCI-to-PCI bridge Yes
SYSTEM 5.2.3790.1830 10/1/2002
(Standard system devices) machine.inf
Not Available
PCI\VEN_8086&DEV_25E7&SUBSYS_00000000&REV_B
1\3&61AAA01&0&38
HP NC373i Multifunction Gigabit Server Adapter No
NET 2.8.13.0 6/30/2006 Hewlett-
Packard Company oem5.inf Not Available
B06BDRV\L2ND&PCI_164C14E4&SUBSYS_7038103C&R
EV_12\6&30C55FC0&0&20050300
HP NC373i Virtual Bus Device No SYSTEM
2.8.14.0 7/8/2006 Hewlett-Packard Company
oem8.inf Not Available
PCI\VEN_14E4&DEV_164C&SUBSYS_7038103C&REV_1
2\5&20B00FFE&0&000030

```



```

csrss.exe c:\windows\system32\csrss.exe 592 13
204800 1413120 8/8/2007 12:48 PM
5.2.3790.0 (srv03_rtm.030324-2048)
4.00 KB (4,096 bytes) 12/16/2005
6:15 AM
winlogon.exe c:\windows\system32\winlogon.exe
664 13 204800 1413120
8/8/2007 12:48 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 497.00 KB (508,928
bytes) 12/16/2005 6:15 AM
services.exe c:\windows\system32\services.exe
708 9 204800 1413120
8/8/2007 12:48 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 107.50 KB (110,080
bytes) 12/16/2005 6:15 AM
lsass.exe c:\windows\system32\lsass.exe 720 9
204800 1413120 8/8/2007 12:48 PM
5.2.3790.0 (srv03_rtm.030324-2048)
13.00 KB (13,312 bytes) 12/16/2005
6:15 AM
svchost.exe c:\windows\system32\svchost.exe
952 8 204800 1413120
8/8/2007 12:48 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 14.00 KB (14,336 bytes)
12/16/2005 6:15 AM
svchost.exe c:\windows\system32\svchost.exe
1004 8 204800 1413120
8/8/2007 12:48 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 14.00 KB (14,336 bytes)
12/16/2005 6:15 AM
svchost.exe c:\windows\system32\svchost.exe
1096 8 204800 1413120
8/8/2007 12:48 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 14.00 KB (14,336 bytes)
12/16/2005 6:15 AM
svchost.exe c:\windows\system32\svchost.exe
1112 8 204800 1413120
8/8/2007 12:48 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 14.00 KB (14,336 bytes)
12/16/2005 6:15 AM
spoolsv.exe c:\windows\system32\spoolsv.exe
1668 8 204800 1413120
8/8/2007 12:48 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 57.00 KB (58,368 bytes)
12/16/2005 6:15 AM
msdtc.exe c:\windows\system32\msdtc.exe 1700 8
204800 1413120 8/8/2007 12:48 PM
2001.12.4720.1830 (srv03_spl_rtm.050324-
1447) 6.00 KB (6,144 bytes) 7/31/2007
11:31 AM
svchost.exe c:\windows\system32\svchost.exe
1868 8 204800 1413120
8/8/2007 12:48 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 14.00 KB (14,336 bytes)
12/16/2005 6:15 AM
inetinfo.exe c:\windows\system32\inetrv\inetinfo.exe
1932 8 204800 1413120
8/8/2007 12:48 PM 6.0.3790.1830
(srv03_spl_rtm.050324-1447) 14.00 KB (14,336 bytes)
7/31/2007 4:55 PM
svchost.exe c:\windows\system32\svchost.exe
1984 8 204800 1413120

```

```

8/8/2007 12:48 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 14.00 KB (14,336 bytes)
12/16/2005 6:15 AM
svchost.exe c:\windows\system32\svchost.exe
192 8 204800 1413120
8/8/2007 12:48 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 14.00 KB (14,336 bytes)
12/16/2005 6:15 AM
svchost.exe c:\windows\system32\svchost.exe
784 8 204800 1413120
8/8/2007 12:48 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 14.00 KB (14,336 bytes)
12/16/2005 6:15 AM
svchost.exe c:\windows\system32\svchost.exe
1148 8 204800 1413120
8/8/2007 12:48 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 14.00 KB (14,336 bytes)
12/16/2005 6:15 AM
wmiprvse.exe c:\windows\system32\wbem\wmiprvse.exe
1552 8 204800 1413120
8/8/2007 12:50 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 203.00 KB (207,872
bytes) 7/31/2007 11:31 AM
logon.scr c:\windows\system32\logon.scr 428 4
204800 1413120 8/8/2007 12:58 PM
5.2.3790.1830 (srv03_spl_rtm.050324-1447)
497.50 KB (509,440 bytes) 12/16/2005
6:15 AM
wmiprvse.exe c:\windows\system32\wbem\wmiprvse.exe
1484 8 204800 1413120
8/8/2007 2:30 PM 5.2.3790.1830
(srv03_spl_rtm.050324-1447) 203.00 KB (207,872
bytes) 7/31/2007 11:31 AM

[Loaded Modules]
Name Version Size File Date Manufacturer
Path
csrss 5.2.3790.0 (srv03_rtm.030324-2048)
4.00 KB (4,096 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\csrss.exe
ntdll 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
748.50 KB (766,464 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\ntdll.dll
csrssrv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
33.00 KB (33,792 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\csrssrv.dll
basesrv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
51.50 KB (52,736 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\basesrv.dll
winsrv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
290.50 KB (297,472 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\winsrv.dll
gdi32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
273.00 KB (279,552 bytes) 12/16/2005

```

```

6:15 AM Microsoft Corporation
c:\windows\system32\gdi32.dll
advapi32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
605.50 KB (620,032 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\advapi32.dll
kernel32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1,014.00 KB (1,038,336 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\kernel32.dll
rpcrt4 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
627.00 KB (642,048 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\rpcrt4.dll
user32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
574.50 KB (588,288 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\user32.dll
sxs 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
743.50 KB (761,344 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\sxs.dll
winlogon 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
497.00 KB (508,928 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\winlogon.exe
crypt32 5.131.3790.1830 (srv03_spl_rtm.050324-1447)
582.00 KB (595,968 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\crypt32.dll
msasn1 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
56.50 KB (57,856 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\msasn1.dll
msvcrt 7.0.3790.1830 (srv03_spl_rtm.050324-1447)
340.50 KB (348,672 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\msvcrt.dll
nddeapi 5.2.3790.0 (srv03_rtm.030324-2048)
16.00 KB (16,384 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\nddeapi.dll
profmap 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
22.50 KB (23,040 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\profmap.dll
netapi32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
341.50 KB (349,696 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\netapi32.dll
userenv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
771.00 KB (789,504 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\userenv.dll
psapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
20.00 KB (20,480 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\psapi.dll
regapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
55.00 KB (56,320 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\regapi.dll

```

secur32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
64.00 KB (65,536 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\secur32.dll
setupapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.03 MB (1,079,808 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\setupapi.dll
version 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
18.00 KB (18,432 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\version.dll
winsta 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
54.50 KB (55,808 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\winsta.dll
ws2_32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
82.00 KB (83,968 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\ws2_32.dll
ws2help 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
19.50 KB (19,968 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\ws2help.dll
msgina 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.16 MB (1,211,904 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\msgina.dll
shsvcs 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
131.50 KB (134,656 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\shsvcs.dll
shlwapi 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
313.50 KB (321,024 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\shlwapi.dll
sfc 5.2.3790.0 (srv03_rtm.030324-2048)
4.50 KB (4,608 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\sfc.dll
sfc_os 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
138.00 KB (141,312 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\sfc_os.dll
wintrust 5.131.3790.1830 (srv03_spl_rtm.050324-1447)
162.00 KB (165,888 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wintrust.dll
imagehlp 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
145.50 KB (148,992 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\imagehlp.dll
ole32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.19 MB (1,245,184 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\ole32.dll
comctl32 6.0 (srv03_spl_rtm.050324-1447)
1.00 MB (1,051,136 bytes) 6/26/2007
11:53 AM Microsoft Corporation
c:\windows\winsxs\x86_microsoft.windows.com
mon-controls_6595b64144ccfd1f_6.0.3790.1830_x-
ww_7ae38ccf\comctl32.dll

winscard 5.2.3790.0 (srv03_rtm.030324-2048)
98.50 KB (100,864 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wincard.dll
wtsapi32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
19.00 KB (19,456 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wtsapi32.dll
shell32 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
7.99 MB (8,379,392 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\shell32.dll
rsaenh 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
183.98 KB (188,392 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\rsaenh.dll
wldap32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
174.50 KB (178,688 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wldap32.dll
cscdll 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
100.00 KB (102,400 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\cscdll.dll
dimntfy 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
19.00 KB (19,456 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\dimntfy.dll
wlnotify 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
94.50 KB (96,768 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wlnotify.dll
mpr 5.2.3790.0 (srv03_rtm.030324-2048)
56.00 KB (57,344 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\mpr.dll
oleaut32 5.2.3790.1830 543.00 KB (556,032
bytes) 12/16/2005 6:15 AM Microsoft Corporation
c:\windows\system32\oleaut32.dll
winmm 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
172.50 KB (176,640 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\winmm.dll
winspool 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
147.00 KB (150,528 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\winspool.drv
comctl32 5.82 (srv03_spl_rtm.050324-1447)
585.00 KB (599,040 bytes) 6/26/2007
11:53 AM Microsoft Corporation
c:\windows\winsxs\x86_microsoft.windows.com
mon-controls_6595b64144ccfd1f_5.82.3790.1830_x-
ww_lb6f474a\comctl32.dll
uxtheme 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
202.00 KB (206,848 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\uxtheme.dll
services 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
107.50 KB (110,080 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\services.exe
ncobjapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
36.00 KB (36,864 bytes) 12/16/2005

6:15 AM Microsoft Corporation
c:\windows\system32\ncobjapi.dll
msvcp60 6.05.2144.0 388.00 KB (397,312
bytes) 12/16/2005 6:15 AM Microsoft Corporation
c:\windows\system32\msvcp60.dll
sceesrv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
327.00 KB (334,848 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\sceesrv.dll
authz 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
66.50 KB (68,096 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\authz.dll
umpnpgmr 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
126.50 KB (129,536 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\umpnpgmr.dll
eventlog 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
67.50 KB (69,120 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\eventlog.dll
lsass 5.2.3790.0 (srv03_rtm.030324-2048)
13.00 KB (13,312 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\lsass.exe
lsasrv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
803.00 KB (822,272 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\lsasrv.dll
ntdsapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
71.00 KB (72,704 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\ntdsapi.dll
dnsapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
153.50 KB (157,184 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\dnsapi.dll
samlib 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
46.50 KB (47,616 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\samlib.dll
samsv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
450.50 KB (461,312 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\samsv.dll
cryptdll 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
32.00 KB (32,768 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\cryptdll.dll
msprvs 5.2.3790.0 (srv03_rtm.030324-2048)
46.50 KB (47,616 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\msprvs.dll
kerberos 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
340.50 KB (348,672 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\kerberos.dll
msvl_0 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
141.00 KB (144,384 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\msvl_0.dll
iphlpapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
92.50 KB (94,720 bytes) 12/16/2005

6:15 AM Microsoft Corporation
c:\windows\system32\iphlpapi.dll
netlogon 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
409.50 KB (419,328 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\netlogon.dll
w32time 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
222.00 KB (227,328 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\w32time.dll
schannel 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
141.00 KB (144,384 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\schannel.dll
wdigest 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
74.00 KB (75,776 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wdigest.dll
rassfm 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
23.00 KB (23,552 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\rassfm.dll
kdcsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
213.50 KB (218,624 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\kdcsvc.dll
ntdsa 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.45 MB (1,516,032 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\ntdsa.dll
esent 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1,022.50 KB (1,047,040 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\esent.dll
ntdsatq 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
29.50 KB (30,208 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\ntdsatq.dll
mswsock 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
250.50 KB (256,512 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\mswsock.dll
scecli 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
186.50 KB (190,976 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\scecli.dll
ws03res 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
793.50 KB (812,544 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\ws03res.dll
hnetcfg 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
343.50 KB (351,744 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\hnetcfg.dll
wshtcpip 5.2.3790.0 (srv03_rtm.030324-2048)
18.00 KB (18,432 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wshtcpip.dll
pstorsvc 5.2.3790.0 (srv03_rtm.030324-2048)
24.00 KB (24,576 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\pstorsvc.dll

psbase 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
84.00 KB (86,016 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\psbase.dll
w3ssl 6.0.3790.0 (srv03_rtm.030324-2048)
15.00 KB (15,360 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\w3ssl.dll
strmfilt 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
84.00 KB (86,016 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\strmfilt.dll
httpapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
24.00 KB (24,576 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\httpapi.dll
dssenh 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
139.98 KB (143,336 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\dssenh.dll
svchost 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
14.00 KB (14,336 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\svchost.exe
rpcss 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
406.00 KB (415,744 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\rpcss.dll
xpsp2res 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
2.76 MB (2,897,920 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\xpsp2res.dll
clbcatq 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
502.50 KB (514,560 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\clbcatq.dll
comres 2001.12.4720.0 (srv03_rtm.030324-2048)
778.00 KB (796,672 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\comres.dll
dhcpcsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
113.50 KB (116,224 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\dhcpcsvc.dll
dnssrslvr 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
44.50 KB (45,568 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\dnssrslvr.dll
netman 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
258.50 KB (264,704 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\netman.dll
mprapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
89.00 KB (91,136 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\mprapi.dll
activeds 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
194.00 KB (198,656 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\activeds.dll
adslsdp 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
146.00 KB (149,504 bytes) 12/16/2005

6:15 AM Microsoft Corporation
c:\windows\system32\adslsdp.dll
credui 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
162.00 KB (165,888 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\credui.dll
atl 3.05.2283 83.00 KB (84,992 bytes)
12/16/2005 6:15 AM Microsoft Corporation
c:\windows\system32\atl.dll
rtutils 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
34.50 KB (35,328 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\rtutils.dll
netshell 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.73 MB (1,812,992 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\netshell.dll
clusapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
60.00 KB (61,440 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\clusapi.dll
rasapi32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
239.50 KB (245,248 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\rasapi32.dll
rasman 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
61.50 KB (62,976 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\rasman.dll
tapi32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
179.50 KB (183,808 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\tapi32.dll
wininet 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
646.00 KB (661,504 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wininet.dll
wzcsapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
41.00 KB (41,984 bytes) 3/24/2005
12:26 PM Microsoft Corporation
c:\windows\system32\wzcsapi.dll
wzcsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
364.50 KB (373,248 bytes) 3/24/2005
12:26 PM Microsoft Corporation
c:\windows\system32\wzcsvc.dll
wmi 5.2.3790.0 (srv03_rtm.030324-2048)
6.50 KB (6,656 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wmi.dll
ntmarta 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
120.50 KB (123,392 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\ntmarta.dll
rastls 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
180.00 KB (184,320 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\rastls.dll
cryptui 5.131.3790.1830 (srv03_spl_rtm.050324-1447)
496.50 KB (508,416 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\cryptui.dll
raschap 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
119.50 KB (122,368 bytes) 12/16/2005

6:15 AM Microsoft Corporation
c:\windows\system32\raschap.dll
schedsvcs 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
197.50 KB (202,240 bytes) 7/31/2007
11:34 AM Microsoft Corporation
c:\windows\system32\schedsvcs.dll
wiarpc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
32.50 KB (33,280 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wiarpc.dll
msidle 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
6.50 KB (6,656 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\msidle.dll
audiosrv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
40.50 KB (41,472 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\audiosrv.dll
wkssvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
130.00 KB (133,120 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wkssvc.dll
aelupsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
26.00 KB (26,624 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\aelupsvc.dll
apphelp 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
146.50 KB (150,016 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\apphelp.dll
cryptsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
55.50 KB (56,832 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\cryptsvc.dll
certcli 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
227.00 KB (232,448 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\certcli.dll
vssapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
548.00 KB (561,152 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\vssapi.dll
dmserver 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
25.50 KB (26,112 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\dmserver.dll
es 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
233.00 KB (238,592 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\es.dll
pchsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
39.00 KB (39,936 bytes) 7/31/2007
11:34 AM Microsoft Corporation
c:\windows\pchealth\helpctr\binaries\pchsvc
.dll
srvsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
93.50 KB (95,744 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\srvsvc.dll
seclogon 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
18.50 KB (18,944 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\seclogon.dll

sens 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
36.50 KB (37,376 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\sens.dll
trkwks 5.2.3790.0 (srv03_rtm.030324-2048)
85.00 KB (87,040 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\trkwks.dll
wmisvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
140.00 KB (143,360 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\wmisvc.dll
comsvcs 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
1.19 MB (1,248,256 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\comsvcs.dll
browser 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
76.50 KB (78,336 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\browser.dll
netrap 5.2.3790.0 (srv03_rtm.030324-2048)
11.50 KB (11,776 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\netrap.dll
wbemcore 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
497.50 KB (509,440 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\wbemcore.dll
esscli 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
250.00 KB (256,000 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\esscli.dll
wbemcomn 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
221.00 KB (226,304 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wbem\wbemcomn.dll
fastprox 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
471.00 KB (482,304 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\fastprox.dll
wmiutils 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
93.50 KB (95,744 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\wmiutils.dll
repdrvfs 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
172.50 KB (176,640 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\repdrvfs.dll
wmiprvsd 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
404.00 KB (413,696 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\wmiprvsd.dll
wbemess 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
271.50 KB (278,016 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\wbemess.dll
ncprov 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
46.50 KB (47,616 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\ncprov.dll
wbemsvc 5.2.3790.0 (srv03_rtm.030324-2048)
42.50 KB (43,520 bytes) 7/31/2007

11:32 AM Microsoft Corporation
c:\windows\system32\wbem\wbemsvc.dll
xactsrv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
90.00 KB (92,160 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\xactsrv.dll
ntlsapi 5.2.3790.0 (srv03_rtm.030324-2048)
8.00 KB (8,192 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\ntlsapi.dll
spoolsv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
57.00 KB (58,368 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\spoolsv.exe
spoolss 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
85.00 KB (87,040 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\spoolss.dll
rasadhlp 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
7.50 KB (7,680 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\rasadhlp.dll
localspl 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
339.00 KB (347,136 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\localspl.dll
cnbjmon 5.2.3790.1224 (dnsvr\skatari).040514-1058)
46.50 KB (47,616 bytes) 3/24/2005
11:57 AM Microsoft Corporation
c:\windows\system32\cnbjmon.dll
pjlmon 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
15.00 KB (15,360 bytes) 3/24/2005
12:09 PM Microsoft Corporation
c:\windows\system32\pjlmon.dll
tcpmon 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
47.00 KB (48,128 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\tcpmon.dll
wsnmp32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
43.00 KB (44,032 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wsnmp32.dll
tcpmib 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
17.50 KB (17,920 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\tcpmib.dll
wsock32 5.2.3790.0 (srv03_rtm.030324-2048)
22.00 KB (22,528 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wsock32.dll
mgmtapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
15.50 KB (15,872 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\mgmtapi.dll
snmpapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
19.50 KB (19,968 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\snmpapi.dll
usbmon 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
17.00 KB (17,408 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\usbmon.dll

winrntr 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
17.00 KB (17,408 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\winrntr.dll
wshqos 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
24.00 KB (24,576 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\wshqos.dll
win32spl 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
100.50 KB (102,912 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\win32spl.dll
inetpp 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
75.00 KB (76,800 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\inetpp.dll
icmp 5.2.3790.0 (srv03_rtm.030324-2048)
4.50 KB (4,608 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\icmp.dll
msdtc 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
6.00 KB (6,144 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\msdtc.exe
msdtctm 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
984.50 KB (1,008,128 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\msdtctm.dll
msdtclog 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
73.50 KB (75,264 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\msdtclog.dll
msdtcprx 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
455.50 KB (466,432 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\msdtcprx.dll
mtxclu 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
77.00 KB (78,848 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\mtxclu.dll
xolehlp 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
10.50 KB (10,752 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\xolehlp.dll
resutils 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
63.50 KB (65,024 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\resutils.dll
mtxoci 2001.12.4720.1830 (srv03_spl_rtm.050324-1447)
108.50 KB (111,104 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\mtxoci.dll
ersvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
24.00 KB (24,576 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\ersvc.dll
inetinfo 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
14.00 KB (14,336 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\inetinfo.exe
iisutil 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
164.00 KB (167,936 bytes) 7/31/2007

4:55 PM Microsoft Corporation
c:\windows\system32\inetsrv\iisutil.dll
rpcref 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
4.00 KB (4,096 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\inetsrv\rpcref.dll
iisrtl 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
138.50 KB (141,824 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\iisrtl.dll
iisadmin 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
21.00 KB (21,504 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\inetsrv\iisadmin.dll
coadmin 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
62.50 KB (64,000 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\inetsrv\coadmin.dll
admwprox 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
47.00 KB (48,128 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\admwprox.dll
iiscfg 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
1.08 MB (1,133,056 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\inetsrv\iiscfg.dll
metadata 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
229.00 KB (234,496 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\inetsrv\metadata.dll
msxml3 8.70.1104.0 1.06 MB (1,107,456 bytes)
12/16/2005 6:15 AM Microsoft Corporation
c:\windows\system32\msxml3.dll
svcxext 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
43.50 KB (44,544 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\inetsrv\svcxext.dll
security 5.2.3790.0 (srv03_rtm.030324-2048)
5.50 KB (5,632 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\security.dll
iismap 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
58.50 KB (59,904 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\iismap.dll
wamreg 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
54.50 KB (55,808 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\inetsrv\wamreg.dll
regsvc 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
68.50 KB (70,144 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\regsvc.dll
iisw3adm 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
211.00 KB (216,064 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\inetsrv\iisw3adm.dll
w3cache 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
19.00 KB (19,456 bytes) 7/31/2007

4:55 PM Microsoft Corporation
c:\windows\system32\inetsrv\w3cache.dll
w3tp 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
13.00 KB (13,312 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\inetsrv\w3tp.dll
lonsint 6.0.3790.1830 (srv03_spl_rtm.050324-1447)
13.00 KB (13,312 bytes) 7/31/2007
4:55 PM Microsoft Corporation
c:\windows\system32\inetsrv\lonsint.dll
termsrv 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
239.00 KB (244,736 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\termsrv.dll
icaapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
12.50 KB (12,800 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\icaapi.dll
mstlsapi 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
116.00 KB (118,784 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\mstlsapi.dll
rdpwsx 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
101.63 KB (104,072 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\rdpwsx.dll
wmiprvse 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
203.00 KB (207,872 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\wmiprvse.exe
faultrep 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
84.50 KB (86,528 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\faultrep.dll
wmiprov 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
141.00 KB (144,384 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\wmiprov.dll
logon 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
497.50 KB (509,440 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\logon.scr
wbemprox 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
20.50 KB (20,992 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\wbemprox.dll
cimwin32 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
1.31 MB (1,372,160 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\cimwin32.dll
framedyn 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
174.50 KB (178,688 bytes) 7/31/2007
11:31 AM Microsoft Corporation
c:\windows\system32\wbem\framedyn.dll
cfgmgr32 5.2.3790.0 (srv03_rtm.030324-2048)
17.50 KB (17,920 bytes) 12/16/2005
6:15 AM Microsoft Corporation
c:\windows\system32\cfgmgr32.dll
licwmi 5.2.3790.0 (srv03_rtm.030324-2048)
58.50 KB (59,904 bytes) 7/31/2007
11:32 AM Microsoft Corporation
c:\windows\system32\licwmi.dll

```

licd11 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
439.00 KB (449,536 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\licd11.dll
ntevt 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
230.50 KB (236,032 bytes) 7/31/2007
Microsoft Corporation
11:31 AM c:\windows\system32\wbem\ntevt.dll
provthrd 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
188.00 KB (192,512 bytes) 7/31/2007
Microsoft Corporation
11:31 AM c:\windows\system32\wbem\provthrd.dll
msvcirt 7.0.3790.0 (srv03_rtm.030324-2048)
50.00 KB (51,200 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\msvcirt.dll
msinfo 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
376.00 KB (385,024 bytes) 7/31/2007
Microsoft Corporation
11:34 AM c:\windows\pchealth\helpctr\binaries\msinfo
.dll
mfc42u 6.06.8063.0 1.11 MB (1,163,776
bytes) 12/16/2005 6:15 AM Microsoft Corporation
c:\windows\system32\mfc42u.dll
odbc32 3.526.1830.0 (srv03_spl_rtm.050324-1447)
240.00 KB (245,760 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\odbc32.dll
comdlg32 6.00.3790.1830 (srv03_spl_rtm.050324-1447)
274.50 KB (281,088 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\comdlg32.dll
odbcint 3.526.1830.0 (srv03_spl_rtm.050324-1447)
92.00 KB (94,208 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\odbcint.dll
riched32 5.2.3790.0 (srv03_rtm.030324-2048)
3.50 KB (3,584 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\riched32.dll
riched20 5.31.23.1224 439.00 KB (449,536
bytes) 12/16/2005 6:15 AM Microsoft Corporation
c:\windows\system32\riched20.dll
cabinet 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
81.50 KB (83,456 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\cabinet.dll
cryptnet 5.131.3790.1830 (srv03_spl_rtm.050324-1447)
61.00 KB (62,464 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\cryptnet.dll
sensapi 5.2.3790.0 (srv03_rtm.030324-2048)
6.00 KB (6,144 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\sensapi.dll
drprov 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
14.00 KB (14,336 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\drprov.dll
ntlanman 5.2.3790.1830 (srv03_spl_rtm.050324-1447)
43.50 KB (44,544 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\ntlanman.dll

```

```

netui0 5.2.3790.0 (srv03_rtm.030324-2048)
75.50 KB (77,312 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\netui0.dll
netui1 5.2.3790.0 (srv03_rtm.030324-2048)
184.00 KB (188,416 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\netui1.dll
davclnt 5.2.3790.0 (srv03_rtm.030324-2048)
23.50 KB (24,064 bytes) 12/16/2005
Microsoft Corporation
6:15 AM c:\windows\system32\davclnt.dll

[Services]

Display Name Name State Start Mode
Service Type Path Error Control
Start Name Tag ID
Application Experience Lookup Service AeLookupSvc
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Alerter Alerter Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Application Layer Gateway Service ALG
Stopped Manual Own Process
c:\windows\system32\alg.exe Normal NT
AUTHORITY\LocalService 0
Application Management AppMgmt Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
ASP.NET State Service aspnet_state
Stopped Manual Own Process
c:\windows\microsoft.net\framework\v2.0.507
27\aspnet_state.exe Normal NT
AUTHORITY\NetworkService 0
Windows Audio AudioSrv Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Background Intelligent Transfer Service BITS
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Computer Browser Browser Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Indexing Service CiSvc Stopped Disabled
Share Process
c:\windows\system32\cisvc.exe Normal
LocalSystem 0
ClipBook ClipSrv Stopped Disabled Own Process
c:\windows\system32\clipsrv.exe
Normal LocalSystem 0
.NET Runtime Optimization Service v2.0.50727_X86
clr_optimization_v2.0.50727_32
Stopped Manual Own Process
c:\windows\microsoft.net\framework\v2.0.507

```

```

27\mscorsvw.exe Ignore LocalSystem 0
COM+ System Application COMSysApp Stopped
Manual Own Process
c:\windows\system32\dllhost.exe
/processid:{02d4b3f1-fd88-11d1-960d-00805fc79235}
Normal LocalSystem 0
Cryptographic Services CryptSvc Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
DCOM Server Process Launcher DcomLaunch
Running Auto Share Process
c:\windows\system32\svchost.exe -k
dcomlaunch Normal LocalSystem 0
Distributed File System Dfs Stopped
Manual Own Process
c:\windows\system32\dfssvc.exe
Normal LocalSystem 0
DHCP Client Dhcp Running Auto
Share Process
c:\windows\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Logical Disk Manager Administrative Service
dmdadmin Stopped Manual Share Process
c:\windows\system32\dmdadmin.exe /com
Normal LocalSystem 0
Logical Disk Manager dmserver Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
DNS Client Dnscache Running Auto
Share Process
c:\windows\system32\svchost.exe -k
networkservice Normal NT
AUTHORITY\NetworkService 0
Error Reporting Service ERSvc Running
Auto Share Process
c:\windows\system32\svchost.exe -k winerr
Ignore LocalSystem 0
Event Log Eventlog Running Auto Share Process
c:\windows\system32\services.exe
Normal LocalSystem 0
COM+ Event System EventSystem Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Help and Support helpsvc Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Human Interface Device Access HidServ Stopped
Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
HTTP SSL HTTPFilter Running Manual
Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
IIS Admin Service IISADMIN Running Auto
Share Process

```

```

c:\windows\system32\inetrv\inetinfo.exe
Normal LocalSystem 0
IMAPI CD-Burning COM Service ImapiService
Stopped Disabled Own Process
c:\windows\system32\imapi.exe Normal
LocalSystem 0
Intersite Messaging IsmServ Stopped Disabled Own
Process c:\windows\system32\ismerv.exe
Normal LocalSystem 0
Kerberos Key Distribution Center kdc
Stopped Disabled Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Server lanmanserver Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Workstation lanmanworkstation Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
License Logging LicenseService Stopped
Disabled Own Process
c:\windows\system32\llsrrv.exe
Normal NT AUTHORITY\NetworkService 0

TCP/IP NetBIOS Helper LmHosts Stopped
Disabled Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Messenger Messenger Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
NetMeeting Remote Desktop Sharing mnmsrvc
Stopped Disabled Own Process
c:\windows\system32\mnmsrvc.exe
Normal LocalSystem 0
Distributed Transaction Coordinator MSDTC
Running Auto Own Process
c:\windows\system32\msdtc.exe Normal NT
AUTHORITY\NetworkService 0
Windows Installer MSIServer Stopped Manual
Share Process
c:\windows\system32\msiexec.exe /v
Normal LocalSystem 0
Visual Studio 2005 Remote Debugger msvsmon80
Stopped Disabled Own Process
"c:\program files\microsoft visual studio
8\common7\ide\remote debugger\x86\msvsmon.exe"
/service msvsmon80 Ignore LocalSystem 0

Network DDE NetDDE Stopped Disabled
Share Process
c:\windows\system32\netdde.exe
Normal LocalSystem 0
Network DDE DSDM NetDDEdsdm Stopped
Disabled Share Process
c:\windows\system32\netdde.exe
Normal LocalSystem 0
Net Logon Netlogon Stopped Manual Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0

```

```

Network Connections Netman Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Network Location Awareness (NLA) Nla
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
File Replication NtFrS Stopped Manual Own
Process c:\windows\system32\ntfrs.exe Ignore
LocalSystem 0
NT LM Security Support Provider NtLmSsp
Stopped Manual Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Removable Storage NtmsSvc Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Office Source Engine ose Stopped
Manual Own Process "c:\program
files\common files\microsoft shared\source
engine\ose.exe" Normal LocalSystem 0

Plug and Play PlugPlay Running Auto
Share Process
c:\windows\system32\services.exe
Normal LocalSystem 0
IPSEC Services PolicyAgent Stopped
Disabled Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Protected Storage ProtectedStorage Running
Auto Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Remote Access Auto Connection Manager RasAuto
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Access Connection Manager RasMan
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Desktop Help Session Manager RDSessMgr
Stopped Manual Own Process
c:\windows\system32\sessmgr.exe
Normal LocalSystem 0
Routing and Remote Access RemoteAccess
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Remote Registry RemoteRegistry Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal NT AUTHORITY\LocalService 0

Remote Procedure Call (RPC) Locator RpcLocator
Stopped Manual Own Process
c:\windows\system32\locator.exe
Normal NT AUTHORITY\NetworkService 0

```

```

Remote Procedure Call (RPC) RpcSs Running
Auto Share Process
c:\windows\system32\svchost.exe -k rpcss
Normal NT AUTHORITY\NetworkService 0

Resultant Set of Policy Provider RSoPProv
Stopped Manual Share Process
c:\windows\system32\rsopprov.exe
Normal LocalSystem 0
Special Administration Console Helper sacsrv
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Security Accounts Manager SamSs Running
Auto Share Process
c:\windows\system32\lsass.exe Normal
LocalSystem 0
Smart Card SCardSvr Stopped Manual
Share Process
c:\windows\system32\scardsvr.exe
Ignore NT AUTHORITY\LocalService 0

Task Scheduler Schedule Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Secondary Logon seclogon Running Auto
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
System Event Notification SENS Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Windows Firewall/Internet Connection Sharing (ICS)
SharedAccess Stopped Disabled
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Shell Hardware Detection ShellHWDetection
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0
Print Spooler Spooler Running Auto Own
Process c:\windows\system32\spoolsv.exe
Normal LocalSystem 0
Windows Image Acquisition (WIA) stisvc
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k imgsvc
Normal NT AUTHORITY\LocalService 0

Microsoft Software Shadow Copy Provider swprv
Stopped Manual Own Process
c:\windows\system32\svchost.exe -k swprv
Normal LocalSystem 0
Performance Logs and Alerts SysmonLog Stopped
Auto Own Process
c:\windows\system32\smlogsvc.exe
Normal NT Authority\NetworkService 0

Telephony Tapisrv Stopped Manual Share Process
c:\windows\system32\svchost.exe -k tapisrv
Normal LocalSystem 0

```

```

Terminal Services TermService Running
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Themes Themes Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Telnet TlntSvr Stopped Disabled Own Process
c:\windows\system32\tlntsvr.exe
Normal NT AUTHORITY\LocalService 0

Distributed Link Tracking Server TrkSvr
Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Distributed Link Tracking Client TrkWks
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Terminal Services Session Directory Tssdis
Stopped Disabled Own Process
c:\windows\system32\tssdis.exe
Normal LocalSystem 0
Windows User Mode Driver Framework UMWdf
Stopped Manual Own Process
c:\windows\system32\wdfmgr.exe
Normal NT AUTHORITY\LocalService 0

Uninterruptible Power Supply UPS Stopped
Manual Own Process
c:\windows\system32\ups.exe Normal NT
AUTHORITY\LocalService 0
Virtual Disk Service vds Stopped
Manual Own Process
c:\windows\system32\vds.exe Normal
LocalSystem 0
Volume Shadow Copy VSS Stopped Manual Own
Process c:\windows\system32\vssvc.exe Normal
LocalSystem 0
Windows Time W32Time Running Auto
Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
World Wide Web Publishing Service W3SVC
Running Auto Share Process
c:\windows\system32\svchost.exe -k iissvcs
Normal LocalSystem 0
WebClient WebClient Stopped Disabled Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
WinHTTP Web Proxy Auto-Discovery Service
WinHttpAutoProxySvc Stopped Manual
Share Process
c:\windows\system32\svchost.exe -k
localservice Normal NT
AUTHORITY\LocalService 0
Windows Management Instrumentation winmgmt
Running Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Ignore LocalSystem 0

```

```

Portable Media Serial Number Service WmdmPmSN
Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Windows Management Instrumentation Driver Extensions
Wmi Stopped Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
WMI Performance Adapter WmiApSrv Stopped
Manual Own Process
c:\windows\system32\wbem\wmiaprv.exe
Normal LocalSystem 0
Automatic Updates wuauerv Stopped Disabled
Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Wireless Configuration WZCSVC Running
Auto Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0
Network Provisioning Service xmlprov Stopped
Manual Share Process
c:\windows\system32\svchost.exe -k netsvcs
Normal LocalSystem 0

[Program Groups]

Group Name Name User Name
Accessories Default User:Accessories
Default User
Accessories\Accessibility Default
User:Accessories\Accessibility Default User

Accessories\Entertainment Default
User:Accessories\Entertainment Default User

Startup Default User:Startup Default User

Accessories All Users:Accessories All
Users
Accessories\Accessibility All
Users:Accessories\Accessibility All Users
Accessories\Communications All
Users:Accessories\Communications All Users
Accessories\Entertainment All
Users:Accessories\Entertainment All Users
Accessories\System Tools All
Users:Accessories\System Tools All Users
Administrative Tools All
Users:Administrative Tools All Users
Microsoft SQL Server 2005 All Users:Microsoft SQL
Server 2005 All Users
Microsoft SQL Server 2005\Analysis Services All
Users:Microsoft SQL Server 2005\Analysis Services All
Users
Microsoft SQL Server 2005\Configuration Tools All
Users:Microsoft SQL Server 2005\Configuration Tools
All Users
Microsoft SQL Server 2005\Documentation and Tutorials
All Users:Microsoft SQL Server
2005\Documentation and Tutorials All Users
Microsoft SQL Server 2005\Documentation and
Tutorials\Tutorials All Users:Microsoft SQL Server

```

```

2005\Documentation and Tutorials\Tutorials All
Users
Microsoft SQL Server 2005\Performance Tools All
Users:Microsoft SQL Server 2005\Performance Tools All
Users
Microsoft Visual Studio 2005 All Users:Microsoft
Visual Studio 2005 All Users
Microsoft Visual Studio 2005\Visual Studio Tools All
Users:Microsoft Visual Studio 2005\Visual Studio
Tools All Users
Startup All Users:Startup All Users
Accessories NT AUTHORITY\SYSTEM:Accessories
NT AUTHORITY\SYSTEM
Accessories\Accessibility NT
AUTHORITY\SYSTEM:Accessories\Accessibility NT
AUTHORITY\SYSTEM
Accessories\Entertainment NT
AUTHORITY\SYSTEM:Accessories\Entertainment NT
AUTHORITY\SYSTEM
Startup NT AUTHORITY\SYSTEM:Startup NT
AUTHORITY\SYSTEM
Accessories CL145\Administrator:Accessories
CL145\Administrator
Accessories\Accessibility
CL145\Administrator:Accessories\Accessibili
ty CL145\Administrator
Accessories\Entertainment
CL145\Administrator:Accessories\Entertainme
nt CL145\Administrator
Administrative Tools
CL145\Administrator:Administrative Tools
CL145\Administrator
Startup CL145\Administrator:Startup
CL145\Administrator

[Startup Programs]

Program Command User Name Location
desktop desktop.ini NT AUTHORITY\SYSTEM
Startup
desktop desktop.ini .DEFAULT Startup
desktop desktop.ini All Users Common
Startup

[OLE Registration]

Object Local Server
Sound (OLE2) sndrec32.exe
Media Clip mplay32.exe
Video Clip mplay32.exe /avi
MIDI Sequence mplay32.exe /mid
Sound Not Available
Media Clip Not Available
WordPad Document "%programfiles%\windows
nt\accessories\wordpad.exe"
Windows Media Services DRM Storage object Not
Available
Bitmap Image mspaint.exe

[Windows Error Reporting]

Time Type Details

```


[Internet Settings]

[Internet Explorer]

[Following are sub-categories of this main category]
[Summary]

Item	Value
Version	6.0.3790.1830
Build	63790.1830
Application Path	C:\Program Files\Internet Explorer
Language	English (United States)
Active Printer	Not Available

Cipher Strength	128-bit
Content Advisor	Disabled
IEAK Install	No

[File Versions]

File	Version	Size	Date	Path
actxprxy.dll	6.0.3790.1830	97 KB	12/16/2005 7:15:06 AM	C:\WINDOWS\system32\Microsoft Corporation
advpack.dll	6.0.3790.1830	98 KB	12/16/2005 7:15:06 AM	C:\WINDOWS\system32\Microsoft Corporation
asctrls.ocx	6.0.3790.0	90 KB	12/16/2005 7:15:07 AM	C:\WINDOWS\system32\Microsoft Corporation
browselc.dll	6.0.3790.0	62 KB	12/16/2005 7:15:09 AM	C:\WINDOWS\system32\Microsoft Corporation
browseui.dll	6.0.3790.1830	1,009 KB	12/16/2005 7:15:09 AM	C:\WINDOWS\system32\Microsoft Corporation
cdfview.dll	6.0.3790.1830	149 KB	12/16/2005 7:15:09 AM	C:\WINDOWS\system32\Microsoft Corporation
comctl32.dll	5.82.3790.1830	585 KB	12/16/2005 7:15:10 AM	C:\WINDOWS\system32\Microsoft Corporation
dxttrans.dll	6.3.3790.1830	205 KB	12/16/2005 7:15:19 AM	C:\WINDOWS\system32\Microsoft Corporation
dxtmsft.dll	6.3.3790.1830	355 KB	12/16/2005 7:15:19 AM	C:\WINDOWS\system32\Microsoft Corporation

iecont.dll	<File Missing>	Not Available	Not Available	Not Available
iecontlc.dll	<File Missing>	Not Available	Not Available	Not Available
iedkcs32.dll	16.0.3790.1830	324 KB	12/16/2005 7:15:23 AM	C:\WINDOWS\system32\Microsoft Corporation
iepeers.dll	6.0.3790.1830	248 KB	12/16/2005 7:15:23 AM	C:\WINDOWS\system32\Microsoft Corporation
iesetup.dll	6.0.3790.1830	61 KB	12/16/2005 7:15:23 AM	C:\WINDOWS\system32\Microsoft Corporation
ieuinit.inf	Not Available	24 KB	12/16/2005 7:15:23 AM	C:\WINDOWS\system32\Not Available
iexplore.exe	6.0.3790.1830	92 KB	12/16/2005 7:15:23 AM	C:\Program Files\Internet Explorer\Microsoft Corporation
imgutil.dll	6.0.3790.1830	38 KB	12/16/2005 7:15:24 AM	C:\WINDOWS\system32\Microsoft Corporation
inetcpl.cpl	6.0.3790.1830	358 KB	12/16/2005 7:15:24 AM	C:\WINDOWS\system32\Microsoft Corporation
inetcplc.dll	6.0.3790.0	109 KB	12/16/2005 7:15:24 AM	C:\WINDOWS\system32\Microsoft Corporation
inseng.dll	6.0.3790.1830	94 KB	12/16/2005 7:15:24 AM	C:\WINDOWS\system32\Microsoft Corporation
mlang.dll	6.0.3790.1830	578 KB	12/16/2005 7:15:31 AM	C:\WINDOWS\system32\Microsoft Corporation
msencode.dll	2002.10.4.0	112 KB	12/16/2005 7:15:35 AM	C:\WINDOWS\system32\?????v??
mshta.exe	6.0.3790.1830	30 KB	12/16/2005 7:15:35 AM	C:\WINDOWS\system32\Microsoft Corporation
mshtml.dll	6.0.3790.1830	3,036 KB	12/16/2005 7:15:35 AM	C:\WINDOWS\system32\Microsoft Corporation
mshtml.tlb	6.0.3790.1830	1,320 KB	12/16/2005 7:15:35 AM	C:\WINDOWS\system32\Microsoft Corporation
mshtmlmled.dll	6.0.3790.1830	455 KB	12/16/2005 7:15:35 AM	C:\WINDOWS\system32\Microsoft Corporation

mshtmlmled.dll	6.0.3790.1830	56 KB	12/16/2005 7:15:35 AM	C:\WINDOWS\system32\Microsoft Corporation
msident.dll	6.0.3790.1830	48 KB	12/16/2005 7:15:35 AM	C:\WINDOWS\system32\Microsoft Corporation
msidntld.dll	6.0.3790.0	15 KB	12/16/2005 7:15:35 AM	C:\WINDOWS\system32\Microsoft Corporation
msieftpl.dll	6.0.3790.1830	244 KB	12/16/2005 7:15:35 AM	C:\WINDOWS\system32\Microsoft Corporation
msrating.dll	6.0.3790.1830	144 KB	12/16/2005 7:15:36 AM	C:\WINDOWS\system32\Microsoft Corporation
mstime.dll	6.0.3790.1830	523 KB	12/16/2005 7:15:36 AM	C:\WINDOWS\system32\Microsoft Corporation
occache.dll	6.0.3790.1830	94 KB	12/16/2005 7:15:40 AM	C:\WINDOWS\system32\Microsoft Corporation
proctexe.ocx	6.3.3790.1830	83 KB	12/16/2005 7:15:42 AM	C:\WINDOWS\system32\Intel Corporation
sendmail.dll	6.0.3790.1830	56 KB	12/16/2005 7:15:45 AM	C:\WINDOWS\system32\Microsoft Corporation
shdoclc.dll	6.0.3790.0	589 KB	12/16/2005 7:15:46 AM	C:\WINDOWS\system32\Microsoft Corporation
shdocvw.dll	6.0.3790.1830	1,468 KB	12/16/2005 7:15:46 AM	C:\WINDOWS\system32\Microsoft Corporation
shfolder.dll	6.0.3790.1830	25 KB	12/16/2005 7:15:46 AM	C:\WINDOWS\system32\Microsoft Corporation
shlwapi.dll	6.0.3790.1830	314 KB	12/16/2005 7:15:46 AM	C:\WINDOWS\system32\Microsoft Corporation
tdc.ocx	1.3.0.3130	58 KB	12/16/2005 7:15:52 AM	C:\WINDOWS\system32\Microsoft Corporation
url.dll	6.0.3790.1830	37 KB	12/16/2005 7:15:53 AM	C:\WINDOWS\system32\Microsoft Corporation
urlmon.dll	6.0.3790.1830	673 KB	12/16/2005 7:15:53 AM	C:\WINDOWS\system32\Microsoft Corporation
webcheck.dll	6.0.3790.1830	273 KB	12/16/2005 7:15:55 AM	

```

C:\WINDOWS\system32 Microsoft Corporation
wininet.dll        6.0.3790.1830    646 KB
                  12/16/2005 7:15:55 AM
C:\WINDOWS\system32 Microsoft Corporation

```

[Connectivity]

```

Item      Value
Connection Preference    Never dial

```

LAN Settings

```

AutoConfigProxy    Not Available
AutoProxyDetectMode Enabled
AutoConfigURL
Proxy              Disabled
ProxyServer
ProxyOverride

```

[Cache]

[Following are sub-categories of this main category]

[Summary]

```

Item      Value
Page Refresh Type    Automatic
Temporary Internet Files Folder    C:\Documents
and Settings\Default User\Local Settings\Temporary
Internet Files
Total Disk Space    Not Available
Available Disk Space    Not Available
Maximum Cache Size    Not Available
Available Cache Size    Not Available

```

[List of Objects]

```

Program File      Status    CodeBase
No cached object information available

```

[Content]

[Following are sub-categories of this main category]

[Summary]

```

Item      Value
Content Advisor    Disabled

```

[Personal Certificates]

```

Issued To Issued By Validity Signature Algorithm
No personal certificate information available

```

[Other People Certificates]

```

Issued To Issued By Validity Signature Algorithm
No other people certificate information available

```

[Publishers]

```

Name
No publisher information available

```

[Security]

```

Zone      Security Level
My Computer    Custom
Local intranet    Medium-low
Trusted sites    Medium
Internet High
Restricted sites    High

```

Microsoft COM Component Configuration Parameters

The component services tool in Windows 2003 was used to change the queue settings for the TPCC COM+ queue components. All tpcc queue components were set to enable object pooling, object construction, just in time activation, and component supports events and statistics. The construction string was Server = myserver; UID= sa; pwd=; DATABASE= tpcc; The single queue TpscAllTxn object was used, with the Min and Max both being set to 60 queues. Delivery threads were set under the TPCC key in the registry.

Internet Information Server Registry Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
InetInfo
Class Name:    <NO CLASS>
Last Write Time:    7/31/2007 - 4:55 PM

```

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
InetInfo\Parameters
Class Name:    <NO CLASS>
Last Write Time:    7/31/2007 - 5:11 PM
Value 0
Name:    ListenBackLog
Type:    REG_DWORD

```

```

Data:    0x19
Value 1
Name:    PoolThreadLimit
Type:    REG_DWORD
Data:    0xff4
Value 2
Name:    MaxPoolThreads
Type:    REG_DWORD
Data:    0x7fa
Value 3
Name:    ThreadTimeout
Type:    REG_DWORD
Data:    0x15180

```

```

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
InetInfo\Performance
Class Name:    <NO CLASS>
Last Write Time:    7/31/2007 - 4:57 PM

```

```

Value 0
Name:    Library
Type:    REG_SZ
Data:    infoctrs.dll
Value 1
Name:    Open
Type:    REG_SZ
Data:    OpenINFOPerformanceData
Value 2
Name:    Close
Type:    REG_SZ
Data:    CloseINFOPerformanceData
Value 3
Name:    Collect
Type:    REG_SZ
Data:    CollectINFOPerformanceData

```

```

Value 4
Name:    PerfIniFile
Type:    REG_SZ
Data:    infoctrs.ini

```

```

Value 5
Name:    Last Counter
Type:    REG_DWORD
Data:    0xc30

```

```

Value 6
Name:    Last Help
Type:    REG_DWORD
Data:    0xc31

```

```

Value 7
Name:    First Counter
Type:    REG_DWORD
Data:    0xbf0

```

Value 8
 Name: First Help
 Type: REG_DWORD
 Data: 0xbf1

Value 9
 Name: Object List
 Type: REG_SZ
 Data: 3056

Value 10
 Name: Library Validation Code
 Type: REG_BINARY
 Data: 00 29 90 87 bd d3 c7 01 - 00 20 00 00 00
 00 00 00 .).%çç...

Value 11
 Name: WbemAdapFileSignature
 Type: REG_BINARY
 Data: 00000000 4c c3 d3 e7 44 ca 56 e0 - f3 e8 a0 14 52
 26 fb 0f LÃççDÈVàóè .R&ù.

Value 12
 Name: WbemAdapFileTime
 Type: REG_BINARY
 Data: 52 dc 62 87 bd d3 c7 01 -
 RÛb.%çç.

Value 13
 Name: WbemAdapFileSize
 Type: REG_DWORD
 Data: 0x2000

Value 14
 Name: WbemAdapStatus
 Type: REG_DWORD
 Data: 0

World Wide Web Service Registry Parameters

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
 W3SVC
 Class Name: <NO CLASS>
 Last Write Time: 8/20/2007 - 8:52 AM
 Value 0
 Name: Type

Type: REG_DWORD
 Data: 0x20

Value 1
 Name: Start
 Type: REG_DWORD
 Data: 0x2

Value 2
 Name: ErrorControl
 Type: REG_DWORD
 Data: 0x1

Value 3
 Name: ImagePath
 Type: REG_EXPAND_SZ
 Data: %SystemRoot%\System32\svchost.exe
 -k iissvcs

Value 4
 Name: DisplayName
 Type: REG_SZ
 Data: World Wide Web Publishing Service

Value 5
 Name: DependOnService
 Type: REG_MULTI_SZ
 Data: RPCSS
 HTTPFilter
 IISADMIN

Value 6
 Name: DependOnGroup
 Type: REG_MULTI_SZ
 Data:

Value 7
 Name: ObjectName
 Type: REG_SZ
 Data: LocalSystem

Value 8
 Name: Description
 Type: REG_SZ
 Data: Provides Web connectivity and
 administration through the Internet Information
 Services Manager

Value 9
 Name: FailureActions
 Type: REG_BINARY
 Data: 00000000 80 51 01 00 01 00 00 00 - 00 00 00 00 03
 00 00 00 .Q.....
 00000010 43 00 4c 00 01 00 00 00 - 01 00 00 00 01
 00 00 00 C.L.....
 01 00 00 00 01 00 00 00 - 01 00 00 00

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
 W3SVC\Parameters

Class Name: <NO CLASS>
 Last Write Time: 7/31/2007 - 5:11 PM
 Value 0
 Name: MajorVersion
 Type: REG_DWORD
 Data: 0x6

Value 1
 Name: MinorVersion
 Type: REG_DWORD
 Data: 0

Value 2
 Name: InstallPath
 Type: REG_SZ
 Data: C:\WINDOWS\system32\inetsrv

Value 3
 Name: AccessDeniedMessage
 Type: REG_SZ
 Data: Error: Access is Denied.

Value 4
 Name: ServiceDll
 Type: REG_EXPAND_SZ
 Data: C:\WINDOWS\system32\inetsrv\iisw3adm.dll

Value 5
 Name: AcceptExOutstanding
 Type: REG_DWORD
 Data: 0x28

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
 W3SVC\Parameters\ADCLaunch
 Class Name: <NO CLASS>
 Last Write Time: 7/31/2007 - 4:55 PM

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
 W3SVC\Parameters\ADCLaunch\AdvancedDataFactory
 Class Name: <NO CLASS>
 Last Write Time: 7/31/2007 - 4:55 PM

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
 W3SVC\Parameters\ADCLaunch\RDSServer.DataFactory
 Class Name: <NO CLASS>
 Last Write Time: 7/31/2007 - 4:55 PM

Key Name:
 HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
 W3SVC\Performance
 Class Name: <NO CLASS>
 Last Write Time: 7/31/2007 - 4:57 PM
 Value 0
 Name: Library
 Type: REG_SZ
 Data: C:\WINDOWS\system32\inetsrv\w3ctr.dll

```

Value 1
Name: Open
Type: REG_SZ
Data: OpenW3PerformanceData

Value 2
Name: Close
Type: REG_SZ
Data: CloseW3PerformanceData

Value 3
Name: Collect
Type: REG_SZ
Data: CollectW3PerformanceData

Value 4
Name: PerfIniFile
Type: REG_SZ
Data: w3ctrs.ini

Value 5
Name: Last Counter
Type: REG_DWORD
Data: 0xd28

Value 6
Name: Last Help
Type: REG_DWORD
Data: 0xd29

Value 7
Name: First Counter
Type: REG_DWORD
Data: 0xc32

Value 8
Name: First Help
Type: REG_DWORD
Data: 0xc33

Value 9
Name: Object List
Type: REG_SZ
Data: 3122 3296

Value 10
Name: Library Validation Code
Type: REG_BINARY
Data: 00000000 00 56 c1 88 bd d3 c7 01 - 00 5e 00 00 00
00 00 00 .VÁ.¼ÓÇ..^.....

Value 11
Name: WbemAdapFileSignature
Type: REG_BINARY
Data: 00000000 39 e3 6c 2c b4 be 59 f5 - 17 7c c4 d5 2f
dc f7 1a 9äl,'¼Yö.|ÄÖ/Û+.

Value 12
Name: WbemAdapFileTime

```

```

Type: REG_BINARY
Data: 5e f9 42 88 bd d3 c7 01 -
^¼B.¼ÓÇ.

Value 13
Name: WbemAdapFileSize
Type: REG_DWORD
Data: 0x5e00

Value 14
Name: WbemAdapStatus
Type: REG_DWORD
Data: 0

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
W3SVC\Security
Class Name: <NO CLASS>
Last Write Time: 7/31/2007 - 4:55 PM
Value 0
Name: Security
Type: REG_BINARY
Data:
00000000 01 00 14 80 b8 00 00 00 - c4 00 00 00 14
00 00 00 .....Ä.....
00000010 30 00 00 00 02 00 1c 00 - 01 00 00 00 02
80 14 00 0.....
00000020 ff 01 0f 00 01 01 00 00 - 00 00 00 01 00
00 00 00 Ý.....
00000030 02 00 88 00 06 00 00 00 - 00 00 14 00 fd
01 02 00 .....ý...
00000040 01 01 00 00 00 00 00 05 - 12 00 00 00 00
00 18 00 .....
00000050 ff 01 0f 00 01 02 00 00 - 00 00 00 05 20
00 00 00 Ý.....
00000060 20 02 00 00 00 00 14 00 - 8d 01 02 00 01
01 00 00 .....
00000070 00 00 00 05 04 00 00 00 - 00 00 14 00 8d
01 02 00 .....
00000080 01 01 00 00 00 00 00 05 - 06 00 00 00 00
00 14 00 .....
00000090 00 01 00 00 01 01 00 00 - 00 00 00 05 0b
00 00 00 .....
000000a0 00 00 18 00 fd 01 02 00 - 01 02 00 00 00
00 00 05 ...Ý.....
000000b0 20 00 00 00 23 02 00 00 - 01 01 00 00 00
00 00 05 ...#.....
000000c0 12 00 00 00 01 01 00 00 - 00 00 00 05 12
00 00 00 .....

Key Name:
HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Services\
W3SVC\Enum
Class Name: <NO CLASS>
Last Write Time: 8/20/2007 - 8:52 AM
Value 0
Name: 0
Type: REG_SZ
Data: Root\LEGACY_W3SVC\0000

```

```

Value 1
Name: Count
Type: REG_DWORD
Data: 0x1

Value 2
Name: NextInstance
Type: REG_DWORD
Data: 0x1

```

TPCC Application Registry Parameters

```

Key Name:
HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\TPCC
Class Name: <NO CLASS>
Last Write Time: 8/21/2007 - 11:19 AM
Value 0
Name: Path
Type: REG_SZ
Data: C:\Inetpub\wwwroot\

Value 1
Name: NumberOfDeliveryThreads
Type: REG_DWORD
Data: 0x10

Value 2
Name: MaxConnections
Type: REG_DWORD
Data: 0xc350

Value 3
Name: MaxPendingDeliveries
Type: REG_DWORD
Data: 0x7d0

Value 4
Name: DB_Protocol
Type: REG_SZ
Data: ODBC

Value 5
Name: TxnMonitor
Type: REG_SZ
Data: COM

Value 6
Name: DbServer
Type: REG_SZ
Data: warship

```

Value 7
 Name: DbName
 Type: REG_SZ
 Data: tpcc

Value 8
 Name: DbUser
 Type: REG_SZ
 Data: sa

Value 9
 Name: DbPassword
 Type: REG_SZ
 Data:

Value 10
 Name: COM_SinglePool
 Type: REG_SZ
 Data: YES

Value 11
 Name: CallNoDuplicatesNewOrder
 Type: REG_DWORD
 Data: 0x1

Value 12
 Name: ConnectDelay
 Type: REG_DWORD
 Data: 0x1

Benchcraft Profile

Profile: warship_32832_36cl_3
 File Path: C:\Program
 Files\BenchCraft\warship_32832_36cl_3.xml
 Version: 5

Number of Engines: 36

Name: d2
 Description:
 Directory: c:\blog\рте2.log
 Machine: n1
 Parameter Set: FullSpeed
 Index: 1600000000
 Seed: 4678
 Configured Users: 9120
 Pipe Name: DRIVER53164609
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 1
 Additional Options:

Name: d1

Description:
 Directory: c:\blog\рте1.log
 Machine: n1
 Parameter Set: FullSpeed
 Index: 750000000
 Seed: 4678
 Configured Users: 9120
 Pipe Name: DRIVER44265281
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 0
 Additional Options:

Name: d3
 Description:
 Directory: c:\blog\рте3.log
 Machine: n1
 Parameter Set: FullSpeed
 Index: 250000000
 Seed: 4678
 Configured Users: 9120
 Pipe Name: DRIVER3439676359
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 2
 Additional Options:

Name: d4
 Description:
 Directory: c:\blog\рте4.log
 Machine: n2
 Parameter Set: FullSpeed
 Index: 300000000
 Seed: 4678
 Configured Users: 9120
 Pipe Name: DRIVER4439706187
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 1
 Additional Options:

Name: d5
 Description:
 Directory: c:\blog\рте5.log
 Machine: n2
 Parameter Set: FullSpeed
 Index: 400000000
 Seed: 4678
 Configured Users: 9120
 Pipe Name: DRIVER5346413218
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0

CLIENT_NURAND: 25
 CPU: 1
 Additional Options:

Name: d6
 Description:
 Directory: c:\blog\рте6.log
 Machine: n2
 Parameter Set: FullSpeed
 Index: 500000000
 Seed: 4678
 Configured Users: 9120
 Pipe Name: DRIVER62226046
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 2
 Additional Options:

Name: d7
 Description:
 Directory: c:\blog\рте7.log
 Machine: n19
 Parameter Set: FullSpeed
 Index: 600000000
 Seed: 4678
 Configured Users: 9120
 Pipe Name: DRIVER72289718
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 0
 Additional Options:

Name: d8
 Description:
 Directory: c:\blog\рте8.log
 Machine: n19
 Parameter Set: FullSpeed
 Index: 220000000
 Seed: 4678
 Configured Users: 9120
 Pipe Name: DRIVER82325578
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 1
 Additional Options:

Name: d9
 Description:
 Directory: c:\blog\рте9.log
 Machine: n19
 Parameter Set: FullSpeed
 Index: 800000000
 Seed: 4678
 Configured Users: 9120

Pipe Name: DRIVER92360187
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 2
Additional Options:

Name: d10
Description:
Directory: c:\blog\рте10.log
Machine: n4
Parameter Set: FullSpeed
Index: 900000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER102399796
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 0
Additional Options:

Name: d11
Description:
Directory: c:\blog\рте11.log
Machine: n4
Parameter Set: FullSpeed
Index: 1000000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER1122682203
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 1
Additional Options:

Name: d12
Description:
Directory: c:\blog\рте12.log
Machine: n4
Parameter Set: FullSpeed
Index: 1100000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER1222731546
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 2
Additional Options:

Name: d13
Description:
Directory: c:\blog\рте13.log

Machine: n5
Parameter Set: FullSpeed
Index: 1200000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER13-1439076421
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 0
Additional Options:

Name: d14
Description:
Directory: c:\blog\рте14.log
Machine: n5
Parameter Set: FullSpeed
Index: 1300000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER14-1438943656
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 1
Additional Options:

Name: d15
Description:
Directory: c:\blog\рте15.log
Machine: n5
Parameter Set: FullSpeed
Index: 1400000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER15-1438852265
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 2
Additional Options:

Name: d16
Description:
Directory: c:\blog\рте16.log
Machine: n6
Parameter Set: FullSpeed
Index: 1500000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER16-1438790906
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 0

Additional Options:

Name: d17
Description:
Directory: c:\blog\рте17.log
Machine: n6
Parameter Set: FullSpeed
Index: 2150000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER17-57150250
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 1
Additional Options:

Name: d18
Description:
Directory: c:\blog\рте18.log
Machine: n6
Parameter Set: FullSpeed
Index: 1700000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER18-57076468
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 2
Additional Options:

Name: d19
Description:
Directory: c:\blog\рте19.log
Machine: n8
Parameter Set: FullSpeed
Index: 1800000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER19-57030562
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 0
Additional Options:

Name: d20
Description:
Directory: c:\blog\рте20.log
Machine: n8
Parameter Set: FullSpeed
Index: 1900000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER20-56992625
Connect Rate: 100000

Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 1
Additional Options:

Name: d21
Description:
Directory: c:\blog\rte21.log
Machine: n8
Parameter Set: FullSpeed
Index: 2700000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER2191781
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 2
Additional Options:

Name: d22
Description:
Directory: c:\blog\rte22.log
Machine: n9
Parameter Set: FullSpeed
Index: 2100000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER221814250
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 0
Additional Options:

Name: d23
Description:
Directory: c:\blog\rte23.log
Machine: n9
Parameter Set: FullSpeed
Index: 30000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER231877968
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 1
Additional Options:

Name: d24
Description:
Directory: c:\blog\rte24.log
Machine: n9
Parameter Set: FullSpeed

Index: 40000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER242206343
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 2
Additional Options:

Name: d25
Description:
Directory: c:\blog\rte25.log
Machine: n10
Parameter Set: FullSpeed
Index: 50000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER252251500
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 0
Additional Options:

Name: d26
Description:
Directory: c:\blog\rte26.log
Machine: n10
Parameter Set: FullSpeed
Index: 60000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER262289250
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 1
Additional Options:

Name: d27
Description:
Directory: c:\blog\rte27.log
Machine: n10
Parameter Set: FullSpeed
Index: 70000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER272340437
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 2
Additional Options:

Name: d28
Description:
Directory: c:\blog\rte28.log
Machine: n11
Parameter Set: FullSpeed
Index: 80000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER282382234
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 0
Additional Options:

Name: d29
Description:
Directory: c:\blog\rte29.log
Machine: n11
Parameter Set: FullSpeed
Index: 90000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER292416328
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 1
Additional Options:

Name: d30
Description:
Directory: c:\blog\rte30.log
Machine: n11
Parameter Set: FullSpeed
Index: 100000000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER302463687
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120
Concurrency Rate: 0
CLIENT_NURAND: 25
CPU: 2
Additional Options:

Name: d31
Description:
Directory: c:\blog\rte31.log
Machine: n23
Parameter Set: FullSpeed
Index: 25500000
Seed: 4678
Configured Users: 9120
Pipe Name: DRIVER315814328
Connect Rate: 100000
Start Rate: 100000
Max. Concurrency: 9120

Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 0
 Additional Options:

 Name: d32
 Description:
 Directory: c:\blog\rte32.log
 Machine: n23
 Parameter Set: FullSpeed
 Index: 35500000
 Seed: 4678
 Configured Users: 9120
 Pipe Name: DRIVER3255892765
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 1
 Additional Options:

 Name: d33
 Description:
 Directory: c:\blog\rte33.log
 Machine: n23
 Parameter Set: FullSpeed
 Index: 45500000
 Seed: 4678
 Configured Users: 9120
 Pipe Name: DRIVER3355948500
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 2
 Additional Options:

 Name: d34
 Description:
 Directory: c:\blog\rte34.log
 Machine: n25
 Parameter Set: FullSpeed
 Index: 55500000
 Seed: 4678
 Configured Users: 9120
 Pipe Name: DRIVER3455990593
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 0
 Additional Options:

 Name: d35
 Description:
 Directory: c:\blog\rte35.log
 Machine: n25
 Parameter Set: FullSpeed
 Index: 65500000
 Seed: 4678

Configured Users: 9120
 Pipe Name: DRIVER3556027390
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 1
 Additional Options:

 Name: d36
 Description:
 Directory: c:\blog\rte36.log
 Machine: n25
 Parameter Set: FullSpeed
 Index: 75500000
 Seed: 4678
 Configured Users: 9120
 Pipe Name: DRIVER3656077062
 Connect Rate: 100000
 Start Rate: 100000
 Max. Concurrency: 9120
 Concurrency Rate: 0
 CLIENT_NURAND: 25
 CPU: 2
 Additional Options:

Number of User groups: 36

Driver Engine: d1
 IIS Server: cr135
 SQL Server: warship
 Database: tpcc
 User: sa
 Protocol: HTML
 w_id Range: 1 - 912
 w_id Min Warehouse: 1
 w_id Max Warehouse: 32832
 Scale: Normal
 User Count: 9120
 District id: 1
 Scale Down: No

 Driver Engine: d2
 IIS Server: cr135
 SQL Server: warship
 Database: tpcc
 User: sa
 Protocol: HTML
 w_id Range: 913 - 1824
 w_id Min Warehouse: 1
 w_id Max Warehouse: 32832
 Scale: Normal
 User Count: 9120
 District id: 1
 Scale Down: No

 Driver Engine: d3
 IIS Server: cr135
 SQL Server: warship
 Database: tpcc
 User: sa
 Protocol: HTML

w_id Range: 1825 - 2736
 w_id Min Warehouse: 1
 w_id Max Warehouse: 32832
 Scale: Normal
 User Count: 9120
 District id: 1
 Scale Down: No

 Driver Engine: d4
 IIS Server: cr136
 SQL Server: warship
 Database: tpcc
 User: sa
 Protocol: HTML
 w_id Range: 2737 - 3648
 w_id Min Warehouse: 1
 w_id Max Warehouse: 32832
 Scale: Normal
 User Count: 9120
 District id: 1
 Scale Down: No

 Driver Engine: d5
 IIS Server: cr136
 SQL Server: warship
 Database: tpcc
 User: sa
 Protocol: HTML
 w_id Range: 3649 - 4560
 w_id Min Warehouse: 1
 w_id Max Warehouse: 32832
 Scale: Normal
 User Count: 9120
 District id: 1
 Scale Down: No

 Driver Engine: d6
 IIS Server: cr136
 SQL Server: warship
 Database: tpcc
 User: sa
 Protocol: HTML
 w_id Range: 4561 - 5472
 w_id Min Warehouse: 1
 w_id Max Warehouse: 32832
 Scale: Normal
 User Count: 9120
 District id: 1
 Scale Down: No

 Driver Engine: d7
 IIS Server: cr137
 SQL Server: warship
 Database: tpcc
 User: sa
 Protocol: HTML
 w_id Range: 5473 - 6384
 w_id Min Warehouse: 1
 w_id Max Warehouse: 32832
 Scale: Normal
 User Count: 9120
 District id: 1
 Scale Down: No

Driver Engine: d8
IIS Server: cr137
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 6385 - 7296
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d9
IIS Server: cr137
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 7297 - 8208
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d10
IIS Server: cr138
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 8209 - 9120
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d11
IIS Server: cr138
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 9121 - 10032
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d12
IIS Server: cr138
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML

w_id Range: 10033 - 10944
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d13
IIS Server: cr139
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 10945 - 11856
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d14
IIS Server: cr139
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 11857 - 12768
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d15
IIS Server: cr139
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 12769 - 13680
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d16
IIS Server: cr140
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 13681 - 14592
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d17
IIS Server: cr140
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 14593 - 15504
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d18
IIS Server: cr140
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 15505 - 16416
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d19
IIS Server: cr141
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 16417 - 17328
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d20
IIS Server: cr141
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 17329 - 18240
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d21
IIS Server: cr141
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML

w_id Range: 18241 - 19152
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d22
IIS Server: cr145
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 19153 - 20064
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d23
IIS Server: cr145
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 20065 - 20976
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d24
IIS Server: cr145
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 20977 - 21888
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d25
IIS Server: cr133
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 21889 - 22800
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d26
IIS Server: cr133
SQL Server: tpcc
Database: warship
User: sa
Protocol: HTML
w_id Range: 22801 - 23712
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d27
IIS Server: cr133
SQL Server: tpcc
Database: warship
User: sa
Protocol: HTML
w_id Range: 23713 - 24624
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d28
IIS Server: cr134
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 24625 - 25536
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d29
IIS Server: cr134
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 25537 - 26448
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d30
IIS Server: cr134
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML

w_id Range: 26449 - 27360
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d31
IIS Server: cr131
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 27361 - 28272
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d32
IIS Server: cr131
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 28273 - 29184
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d33
IIS Server: cr131
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 29185 - 30096
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d34
IIS Server: cr132
SQL Server: warship
Database: tpcc
User: sa
Protocol: HTML
w_id Range: 30097 - 31008
w_id Min Warehouse: 1
w_id Max Warehouse: 32832
Scale: Normal
User Count: 9120
District id: 1
Scale Down: No

Driver Engine: d35
 IIS Server: crl32
 SQL Server: warship
 Database: tpcc
 User: sa
 Protocol: HTML
 w_id Range: 31009 - 31920
 w_id Min Warehouse: 1
 w_id Max Warehouse: 32832
 Scale: Normal
 User Count: 9120
 District id: 1
 Scale Down: No

Driver Engine: d36
 IIS Server: crl32
 SQL Server: warship
 Database: tpcc
 User: sa
 Protocol: HTML
 w_id Range: 31921 - 32832
 w_id Min Warehouse: 1
 w_id Max Warehouse: 32832
 Scale: Normal
 User Count: 9120
 District id: 1
 Scale Down: No

Number of Parameter Sets: 67

~Default
 Default Parameter Set

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	10.00	
12.05	18.01		0.10	5.00	0.10
			Payment	10.00	
12.05	3.01		0.10	5.00	0.10
			Delivery	1.00	
5.05	2.01		0.10	5.00	0.10
			Stock Level	1.00	
5.05	2.01		0.10	20.00	0.10
			Order Status	1.00	
10.05	2.01		0.10	5.00	0.10

Tuned Distribution

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
12.05	18.01		0.10	5.00	0.10
			Payment	43.10	
12.05	3.01		0.10	5.00	0.10
			Delivery	4.05	
5.05	2.01		0.10	5.00	0.10
			Stock Level	4.05	
5.05	2.01		0.10	20.00	0.10

Order Status 4.05
 10.05 2.01 0.10 5.00 0.10

No Think

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	10.00	
0.00	0.00		0.00	5.00	0.00
			Payment	10.00	
0.00	0.00		0.00	5.00	0.00
			Delivery	1.00	
0.00	0.00		0.00	5.00	0.00
			Stock Level	1.00	
0.00	0.00		0.00	20.00	0.00
			Order Status	1.00	
0.00	0.00		0.00	5.00	0.00

95%

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
13.00	18.01		0.10	5.00	0.10
			Payment	43.10	
13.00	3.01		0.10	5.00	0.10
			Delivery	4.05	
6.00	2.01		0.10	5.00	0.10
			Stock Level	4.05	
6.00	2.01		0.10	20.00	0.10
			Order Status	4.05	
11.00	2.01		0.10	5.00	0.10

90%

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.83	
16.00	18.01		0.10	5.00	0.10
			Payment	43.05	
16.00	3.01		0.10	5.00	0.10
			Delivery	4.04	
9.00	2.01		0.10	5.00	0.10
			Stock Level	4.04	
9.00	2.01		0.10	20.00	0.10
			Order Status	4.04	
14.00	2.01		0.10	5.00	0.10

3.0

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
36.15	0.00		0.10	5.00	0.10

Payment 43.10
 36.15 0.00 0.10 5.00 0.10
 Delivery 4.05
 15.15 0.00 0.10 5.00 0.10
 Stock Level 4.05
 15.15 0.00 0.10 20.00 0.10
 Order Status 4.05
 30.15 0.00 0.10 5.00 0.10

4.0
 4.0 tt

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
48.20	18.01		0.10	5.00	0.10
			Payment	43.10	
48.20	3.01		0.10	5.00	0.10
			Delivery	4.05	
20.20	2.01		0.10	5.00	0.10
			Stock Level	4.05	
20.20	2.01		0.10	20.00	0.10
			Order Status	4.05	
40.20	2.01		0.10	5.00	0.10

3.8
 3.8 tt

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
45.70	18.01		0.10	5.00	0.10
			Payment	43.10	
45.70	3.01		0.10	5.00	0.10
			Delivery	4.05	
19.10	2.01		0.10	5.00	0.10
			Stock Level	4.05	
19.10	2.01		0.10	20.00	0.10
			Order Status	4.05	
38.10	2.01		0.10	5.00	0.10

3.6
 3.6 tt

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.75	
43.30	18.01		0.10	5.00	0.10
			Payment	43.10	
43.30	3.01		0.10	5.00	0.10
			Delivery	4.05	
18.10	2.01		0.10	5.00	0.10
			Stock Level	4.05	
18.10	2.01		0.10	20.00	0.10
			Order Status	4.05	
36.18	2.01		0.10	5.00	0.10

3.4
 3.4 tt

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
40.90	18.01	New Order	0.10	5.00	44.75 0.10
40.90	3.01	Payment	0.10	5.00	43.10 0.10
17.10	2.01	Delivery	0.10	5.00	4.05 0.10
17.10	2.01	Stock Level	0.10	20.00	4.05 0.10
17.10	2.01	Order Status	0.10	5.00	4.05 0.10
		3.2			
		3.2 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
38.50	18.01	New Order	0.10	5.00	44.75 0.10
38.50	3.01	Payment	0.10	5.00	43.10 0.10
16.10	2.01	Delivery	0.10	5.00	4.05 0.10
16.10	2.01	Stock Level	0.10	20.00	4.05 0.10
32.10	2.01	Order Status	0.10	5.00	4.05 0.10
		2.8			
		2.8 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
33.74	18.01	New Order	0.10	5.00	44.75 0.10
33.74	3.01	Payment	0.10	5.00	43.10 0.10
14.14	2.01	Delivery	0.10	5.00	4.05 0.10
14.14	2.01	Stock Level	0.10	20.00	4.05 0.10
28.14	2.01	Order Status	0.10	5.00	4.05 0.10
		2.6			
		2.6 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
31.30	18.01	New Order	0.10	5.00	44.75 0.10
31.30	3.01	Payment	0.10	5.00	43.10 0.10
13.10	2.01	Delivery	0.10	5.00	4.05 0.10
13.10	2.01	Stock Level	0.10	20.00	4.05 0.10

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
26.10	2.01	Order Status	0.10	5.00	4.05 0.10
		2.4			
		2.4 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
28.90	18.01	New Order	0.10	5.00	44.75 0.10
28.90	3.01	Payment	0.10	5.00	43.10 0.10
12.10	2.01	Delivery	0.10	5.00	4.05 0.10
12.10	2.01	Stock Level	0.10	20.00	4.05 0.10
24.10	2.01	Order Status	0.10	5.00	4.05 0.10
		2.2			
		2.2 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
28.90	18.01	New Order	0.10	5.00	44.75 0.10
28.90	3.01	Payment	0.10	5.00	43.10 0.10
12.10	2.01	Delivery	0.10	5.00	4.05 0.10
12.10	2.01	Stock Level	0.10	20.00	4.05 0.10
24.12	2.01	Order Status	0.10	5.00	4.05 0.10
		2.0			
		2.0 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
24.10	18.01	New Order	0.10	5.00	44.75 0.10
24.10	3.01	Payment	0.10	5.00	43.10 0.10
10.10	2.01	Delivery	0.10	5.00	4.05 0.10
10.10	2.01	Stock Level	0.10	20.00	4.05 0.10
20.10	2.01	Order Status	0.10	5.00	4.05 0.10
		5.0			
		5.0 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
60.25	18.01	New Order	0.10	5.00	44.75 0.10

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
60.25	3.01	Payment	0.10	5.00	43.10 0.10
25.25	2.01	Delivery	0.10	5.00	4.05 0.10
25.25	2.01	Stock Level	0.10	20.00	4.05 0.10
50.25	2.01	Order Status	0.10	5.00	4.05 0.10
		4.5			
		4.5 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
54.20	18.01	New Order	0.10	5.00	44.75 0.10
54.20	3.01	Payment	0.10	5.00	43.10 0.10
22.70	2.01	Delivery	0.10	5.00	4.05 0.10
22.70	2.01	Stock Level	0.10	20.00	4.05 0.10
45.20	2.01	Order Status	0.10	5.00	4.05 0.10
		3.5			
		3.5 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
42.10	18.01	New Order	0.10	5.00	44.75 0.10
42.10	3.01	Payment	0.10	5.00	43.10 0.10
17.60	2.01	Delivery	0.10	5.00	4.05 0.10
17.60	2.01	Stock Level	0.10	20.00	4.05 0.10
35.10	2.01	Order Status	0.10	5.00	4.05 0.10
		1.8			
		1.8 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
21.60	18.01	New Order	0.10	5.00	44.75 0.10
21.60	3.01	Payment	0.10	5.00	43.10 0.10
9.09	2.01	Delivery	0.10	5.00	4.05 0.10
9.09	2.01	Stock Level	0.10	20.00	4.05 0.10
18.09	2.01	Order Status	0.10	5.00	4.05 0.10
		4.2			
		4.2 tt			

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
54.20	18.01	New Order	0.10	5.00	44.75 0.10
54.20	3.01	Payment	0.10	5.00	43.10 0.10
22.70	2.01	Delivery	0.10	5.00	4.05 0.10
22.70	2.01	Stock Level	0.10	20.00	4.05 0.10
45.20	2.01	Order Status	0.10	5.00	4.05 0.10
		1.6			
		1.6 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
19.20	18.01	New Order	0.10	5.00	44.75 0.10
19.20	3.01	Payment	0.10	5.00	43.10 0.10
8.08	2.01	Delivery	0.10	5.00	4.05 0.10
8.08	2.01	Stock Level	0.10	20.00	4.05 0.10
16.08	2.01	Order Status	0.10	5.00	4.05 0.10
		1.4			
		1.4 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
16.87	18.01	New Order	0.10	5.00	44.75 0.10
16.87	3.01	Payment	0.10	5.00	43.10 0.10
7.07	2.01	Delivery	0.10	5.00	4.05 0.10
7.07	2.01	Stock Level	0.10	20.00	4.05 0.10
14.07	2.01	Order Status	0.10	5.00	4.05 0.10
		1.2			
		1.2 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
14.46	18.01	New Order	0.10	5.00	44.83 0.10
14.46	3.01	Payment	0.10	5.00	43.05 0.10
6.06	2.01	Delivery	0.10	5.00	4.04 0.10
6.06	2.01	Stock Level	0.10	20.00	4.04 0.10

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.06	2.01	Order Status	0.10	5.00	4.04 0.10
		3.5			
		3.5 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
42.10	18.01	New Order	0.10	5.00	44.75 0.10
42.10	3.01	Payment	0.10	5.00	43.10 0.10
17.60	2.01	Delivery	0.10	5.00	4.05 0.10
17.60	2.01	Stock Level	0.10	20.00	4.05 0.10
35.10	2.01	Order Status	0.10	5.00	4.05 0.10
		1.9			
		1.9 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
22.89	18.01	New Order	0.10	5.00	44.75 0.10
22.89	3.01	Payment	0.10	5.00	43.10 0.10
9.59	2.01	Delivery	0.10	5.00	4.05 0.10
9.59	2.01	Stock Level	0.10	20.00	4.05 0.10
19.09	2.01	Order Status	0.10	5.00	4.05 0.10
		1.1			
		1.1 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.25	18.01	New Order	0.10	5.00	44.83 0.10
13.25	3.01	Payment	0.10	5.00	43.05 0.10
5.55	2.01	Delivery	0.10	5.00	4.04 0.10
5.55	2.01	Stock Level	0.10	20.00	4.04 0.10
11.05	2.01	Order Status	0.10	5.00	4.04 0.10
		1.05 better			
		1.05 tt better			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.65	18.01	New Order	0.10	5.00	44.92 0.10

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.65	3.01	Payment	0.10	5.00	43.01 0.10
5.30	2.01	Delivery	0.10	5.00	4.02 0.10
5.30	2.01	Stock Level	0.10	20.00	4.03 0.10
10.55	2.01	Order Status	0.10	5.00	4.02 0.10
		1.09			
		1.09 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.13	18.01	New Order	0.10	5.00	44.83 0.10
13.13	3.01	Payment	0.10	5.00	43.05 0.10
5.50	2.01	Delivery	0.10	5.00	4.04 0.10
5.50	2.01	Stock Level	0.10	20.00	4.04 0.10
10.95	2.01	Order Status	0.10	5.00	4.04 0.10
		1.08			
		1.08 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.01	18.01	New Order	0.10	5.00	44.83 0.10
13.01	3.01	Payment	0.10	5.00	43.05 0.10
5.45	2.01	Delivery	0.10	5.00	4.04 0.10
5.45	2.01	Stock Level	0.10	20.00	4.04 0.10
10.85	2.01	Order Status	0.10	5.00	4.04 0.10
		1.07			
		1.07 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.89	18.01	New Order	0.10	5.00	44.83 0.10
12.89	3.01	Payment	0.10	5.00	43.05 0.10
5.40	2.01	Delivery	0.10	5.00	4.04 0.10
5.40	2.01	Stock Level	0.10	20.00	4.04 0.10
10.75	2.01	Order Status	0.10	5.00	4.04 0.10
		1.06			
		1.06 tt			

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.77	18.01	New Order	0.10	5.00	44.83 0.10
12.77	3.01	Payment	0.10	5.00	43.05 0.10
5.35	2.01	Delivery	0.10	5.00	4.04 0.10
5.35	2.01	Stock Level	0.10	20.00	4.04 0.10
10.65	2.01	Order Status	0.10	5.00	4.04 0.10
		1.15			
		1.15 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.85	18.01	New Order	0.10	5.00	44.75 0.10
13.85	3.01	Payment	0.10	5.00	43.10 0.10
5.80	2.01	Delivery	0.10	5.00	4.05 0.10
5.80	2.01	Stock Level	0.10	20.00	4.05 0.10
11.55	2.01	Order Status	0.10	5.00	4.05 0.10
		1.25			
		1.25 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
15.06	18.01	New Order	0.10	5.00	44.83 0.10
15.06	3.01	Payment	0.10	5.00	43.05 0.10
6.31	2.01	Delivery	0.10	5.00	4.04 0.10
6.31	2.01	Stock Level	0.10	20.00	4.04 0.10
12.56	2.01	Order Status	0.10	5.00	4.04 0.10
		1.3			
		1.3 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
15.66	18.01	New Order	0.10	5.00	44.83 0.10
15.66	3.01	Payment	0.10	5.00	43.05 0.10
6.56	2.01	Delivery	0.10	5.00	4.04 0.10
6.56	2.01	Stock Level	0.10	20.00	4.04 0.10

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.06	2.01	Order Status	0.10	5.00	4.04 0.10
		1.12			
		1.12 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
13.49	18.01	New Order	0.10	5.00	44.75 0.10
13.49	3.01	Payment	0.10	5.00	43.10 0.10
5.65	2.01	Delivery	0.10	5.00	4.05 0.10
5.65	2.01	Stock Level	0.10	20.00	4.05 0.10
11.25	2.01	Order Status	0.10	5.00	4.05 0.10
		1.18			
		1.18 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
14.21	18.01	New Order	0.10	5.00	44.75 0.10
14.21	3.01	Payment	0.10	5.00	43.10 0.10
5.95	2.01	Delivery	0.10	5.00	4.05 0.10
5.95	2.01	Stock Level	0.10	20.00	4.05 0.10
11.85	2.01	Order Status	0.10	5.00	4.05 0.10
		1.22			
		1.22 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
14.70	18.01	New Order	0.10	5.00	44.75 0.10
14.70	3.01	Payment	0.10	5.00	43.10 0.10
6.16	2.01	Delivery	0.10	5.00	4.05 0.10
6.16	2.01	Stock Level	0.10	20.00	4.05 0.10
12.26	2.01	Order Status	0.10	5.00	4.05 0.10
		1.28			
		1.28 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
15.42	18.01	New Order	0.10	5.00	44.75 0.10

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
15.42	3.01	Payment	0.10	5.00	43.10 0.10
6.46	2.01	Delivery	0.10	5.00	4.05 0.10
6.46	2.01	Stock Level	0.10	20.00	4.05 0.10
12.86	2.01	Order Status	0.10	5.00	4.05 0.10
		1.04			
		1.04 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.53	18.01	New Order	0.10	5.00	44.83 0.10
12.53	3.01	Payment	0.10	5.00	43.05 0.10
5.25	2.01	Delivery	0.10	5.00	4.04 0.10
5.25	2.01	Stock Level	0.10	20.00	4.04 0.10
10.45	2.01	Order Status	0.10	5.00	4.04 0.10
		1.03			
		1.03 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.41	18.01	New Order	0.10	5.00	44.83 0.10
12.41	3.01	Payment	0.10	5.00	43.05 0.10
5.20	2.01	Delivery	0.10	5.00	4.04 0.10
5.20	2.01	Stock Level	0.10	20.00	4.04 0.10
10.35	2.01	Order Status	0.10	5.00	4.04 0.10
		1.02			
		1.02 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.29	18.01	New Order	0.10	5.00	44.83 0.10
12.29	3.01	Payment	0.10	5.00	43.05 0.10
5.15	2.01	Delivery	0.10	5.00	4.04 0.10
5.15	2.01	Stock Level	0.10	20.00	4.04 0.10
10.25	2.01	Order Status	0.10	5.00	4.04 0.10
		1.01			
		1.01 tt			

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.17	18.01		New Order 0.10	5.00	44.83 0.10
12.17	3.01		Payment 0.10	5.00	43.05 0.10
5.10	2.01		Delivery 0.10	5.00	4.04 0.10
5.10	2.01		Stock Level 0.10	20.00	4.04 0.10
10.15	2.01		Order Status 0.10	5.00	4.04 0.10
			1.005_best 1.005 tt best		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.11	18.01		New Order 0.10	5.00	44.88 0.10
12.11	3.01		Payment 0.10	5.00	43.02 0.10
5.07	2.01		Delivery 0.10	5.00	4.03 0.10
5.07	2.01		Stock Level 0.10	20.00	4.03 0.10
10.10	2.01		Order Status 0.10	5.00	4.03 0.10
			1.001_best 1.001 tt best		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.06	18.01		New Order 0.10	5.00	44.91 0.10
12.06	3.01		Payment 0.10	5.00	43.04 0.10
5.06	2.01		Delivery 0.10	5.00	4.01 0.10
5.06	2.01		Stock Level 0.10	20.00	4.02 0.10
10.06	2.01		Order Status 0.10	5.00	4.02 0.10
			1.03_better 1.03 tt more aggressive		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.41	18.01		New Order 0.10	5.00	44.92 0.10
12.41	3.01		Payment 0.10	5.00	43.01 0.10
5.20	2.01		Delivery 0.10	5.00	4.02 0.10
5.20	2.01		Stock Level 0.10	20.00	4.03 0.10

Key	RT	RT	Menu	Txn	Think
10.35	2.01		Order Status 0.10	5.00	4.02 0.10
			1.005_better 1.005 tt more aggressive		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.11	18.01		New Order 0.10	5.00	44.90 0.10
12.11	3.01		Payment 0.10	5.00	43.05 0.10
5.07	2.01		Delivery 0.10	5.00	4.01 0.10
5.07	2.01		Stock Level 0.10	20.00	4.03 0.10
10.10	2.01		Order Status 0.10	5.00	4.01 0.10
			1.02_better 1.02 tt more aggressive		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.29	18.01		New Order 0.10	5.00	44.92 0.10
12.29	3.01		Payment 0.10	5.00	43.01 0.10
5.15	2.01		Delivery 0.10	5.00	4.02 0.10
5.15	2.01		Stock Level 0.10	20.00	4.03 0.10
10.25	2.01		Order Status 0.10	5.00	4.02 0.10
			1.01_better 1.01 tt best		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.17	18.01		New Order 0.10	5.00	44.90 0.10
12.17	3.01		Payment 0.10	5.00	43.05 0.10
5.10	2.01		Delivery 0.10	5.00	4.01 0.10
5.10	2.01		Stock Level 0.10	20.00	4.03 0.10
10.15	2.01		Order Status 0.10	5.00	4.01 0.10
			1.02_better 1.02 tt best		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.29	18.01		New Order 0.00	5.00	44.96 0.00

Key	RT	RT	Menu	Txn	Think
12.29	3.01		Payment 0.00	5.00	43.00 0.00
5.15	2.01		Delivery 0.00	5.00	4.00 0.00
5.15	2.01		Stock Level 0.00	20.00	4.03 0.00
10.25	2.01		Order Status 0.00	5.00	4.01 0.00
			1.03_better 1.03 tt best		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.41	18.01		New Order 0.10	5.00	44.96 0.10
12.41	3.01		Payment 0.10	5.00	43.01 0.10
5.20	2.01		Delivery 0.10	5.00	4.01 0.10
5.20	2.01		Stock Level 0.10	20.00	4.01 0.10
10.35	2.01		Order Status 0.10	5.00	4.01 0.10
			5.5 5.5 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
66.28	18.01		New Order 0.10	5.00	44.83 0.10
66.28	3.01		Payment 0.10	5.00	43.05 0.10
27.77	2.01		Delivery 0.10	5.00	4.04 0.10
27.77	2.01		Stock Level 0.10	20.00	4.04 0.10
55.27	2.01		Order Status 0.10	5.00	4.04 0.10
			6.0 6.0 tt		
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
72.30	18.01		New Order 0.10	5.00	44.83 0.10
72.30	3.01		Payment 0.10	5.00	43.05 0.10
30.30	2.01		Delivery 0.10	5.00	4.04 0.10
30.30	2.01		Stock Level 0.10	20.00	4.04 0.10
60.30	2.01		Order Status 0.10	5.00	4.04 0.10
			6.5 6.5 tt		

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
79.53	18.01	New Order	0.10	5.00	44.83 0.10
79.53	3.01	Payment	0.10	5.00	43.05 0.10
33.33	2.01	Delivery	0.10	5.00	4.04 0.10
33.33	2.01	Stock Level	0.10	20.00	4.04 0.10
66.33	2.01	Order Status	0.10	5.00	4.04 0.10
		7.0			
		7.0 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
84.35	18.01	New Order	0.10	5.00	44.83 0.10
84.35	3.01	Payment	0.10	5.00	43.05 0.10
35.35	2.01	Delivery	0.10	5.00	4.04 0.10
35.35	2.01	Stock Level	0.10	20.00	4.04 0.10
70.35	2.01	Order Status	0.10	5.00	4.04 0.10
		7.5			
		7.5 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
90.38	18.01	New Order	0.10	5.00	44.83 0.10
90.38	3.01	Payment	0.10	5.00	43.05 0.10
37.88	2.01	Delivery	0.10	5.00	4.04 0.10
37.88	2.01	Stock Level	0.10	20.00	4.04 0.10
75.38	2.01	Order Status	0.10	5.00	4.04 0.10
		8.0			
		8.0 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
96.40	18.01	New Order	0.10	5.00	44.83 0.10
96.40	3.01	Payment	0.10	5.00	43.05 0.10
40.40	2.01	Delivery	0.10	5.00	4.04 0.10
40.40	2.01	Stock Level	0.10	20.00	4.04 0.10

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
80.40	2.01	Order Status	0.10	5.00	4.04 0.10
		8.5			
		8.5 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
102.43	18.01	New Order	0.10	5.00	44.83 0.10
192.43	3.01	Payment	0.10	5.00	43.05 0.10
42.92	2.01	Delivery	0.10	5.00	4.04 0.10
42.92	2.01	Stock Level	0.10	20.00	4.04 0.10
85.42	2.01	Order Status	0.10	5.00	4.04 0.10
		9.0			
		9.0 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
108.45	18.01	New Order	0.10	5.00	44.83 0.10
108.45	3.01	Payment	0.10	5.00	43.05 0.10
45.45	2.01	Delivery	0.10	5.00	4.04 0.10
45.45	2.01	Stock Level	0.10	20.00	4.04 0.10
90.45	2.01	Order Status	0.10	5.00	4.04 0.10
		9.5			
		9.5 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
114.47	18.01	New Order	0.10	5.00	44.83 0.10
114.47	3.01	Payment	0.10	5.00	43.05 0.10
47.98	2.01	Delivery	0.10	5.00	4.04 0.10
47.98	2.01	Stock Level	0.10	20.00	4.04 0.10
95.47	2.01	Order Status	0.10	5.00	4.04 0.10
		10			
		10 tt			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
120.50	18.01	New Order	0.10	5.00	44.83 0.10

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
120.50	3.01	Payment	0.10	5.00	43.05 0.10
50.50	2.01	Delivery	0.10	5.00	4.04 0.10
50.50	2.01	Stock Level	0.10	20.00	4.04 0.10
100.50	2.01	Order Status	0.10	5.00	4.04 0.10
		1.02 better			
		1.02 more aggressive			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.05	18.01	New Order	0.10	5.00	44.92 0.10
12.05	3.01	Payment	0.10	5.00	43.01 0.10
5.05	2.01	Delivery	0.10	5.00	4.02 0.10
5.05	2.01	Stock Level	0.10	20.00	4.03 0.10
10.05	2.01	Order Status	0.10	5.00	4.02 0.10
		1.01 better			
		1.01 more aggressive			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.17	18.01	New Order	0.10	5.00	44.92 0.10
12.17	3.01	Payment	0.10	5.00	43.01 0.10
5.10	2.01	Delivery	0.10	5.00	4.02 0.10
5.10	2.01	Stock Level	0.10	20.00	4.03 0.10
10.15	2.01	Order Status	0.10	5.00	4.02 0.10
		1.001 better			
		1.001 more aggressive			
Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
12.06	18.01	New Order	0.10	5.00	44.92 0.10
12.06	3.01	Payment	0.10	5.00	43.01 0.10
5.06	2.01	Delivery	0.10	5.00	4.02 0.10
5.06	2.01	Stock Level	0.10	20.00	4.03 0.10
10.06	2.01	Order Status	0.10	5.00	4.02 0.10
		FullSpeed			
		1.000 tt			

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.91	
12.05	18.01	0.10	Payment	43.03	0.10
12.05	3.01	0.10	Delivery	4.02	0.10
5.05	2.01	0.10	Stock Level	4.02	0.10
5.05	2.01	0.10	Order Status	4.02	0.10
10.05	2.01	0.10		5.00	0.10

1.003 best
1.003 best

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.90	
12.09	18.01	0.10	Payment	43.05	0.10
12.09	3.01	0.10	Delivery	4.01	0.10
5.07	2.01	0.10	Stock Level	4.03	0.10
5.07	2.01	0.10	Order Status	4.01	0.10
10.08	2.01	0.10		5.00	0.10

ExtraKick
FullSpeedKick

Key	RT	RT	Menu	Txn	Think
Time	Delay	Fence	Delay	Weight	Time
			New Order	44.92	
12.03	18.01	0.10	Payment	43.01	0.10
12.03	3.01	0.10	Delivery	4.02	0.10
5.03	2.01	0.10	Stock Level	4.02	0.10
5.03	2.01	0.10	Order Status	4.03	0.10
10.03	2.01	0.10		5.00	0.10

HP Specific Drivers

The following Microsoft Windows 2003 Server x64 device drivers were replaced with HP-specific device drivers:
The Microsoft HP Smart Array SAS Controller Controller default device driver (hpciss.SYS) was replaced with the HP Smart Array SAS Controller

Non-miniport Performance Drivers for Microsoft Windows 2003 Server x64 (hpqcissb.sys and hpqcissd.sys).

HP ROM Based System Utility Configuration

This utility can be accessed by pressing F9 during POST. All settings are default except under advanced settings / processor settings the adjacent sector prefetch and hardware prefetcher were disabled. Under system options all serial ports were disabled and system options / power regulator for ProLiant was set to HP static high performance mode.

Appendix D: 60-Day Space

TPC-C 60 Day Space Requirements						
Warehouses	32,832				TpmC	407,079
Table	Rows	Data KB	Index KB	Extra 5% KB	8hr Space	Total Space KB
Warehouse	32,832	3,504	88	180		3,772
District	328,320	36,480	152	1,832		38,464
Customer	984,960,000	716,334,552	44,692,624	38,051,359		799,078,535
History	984,960,000	57,515,920	214,784		12,545,312	57,730,704
New_order	295,488,000	5,264,824	12,008	263,842		5,540,674
Orders	984,960,000	32,161,960	72,040		17,321,444	32,234,000
Order_line	9,849,566,207	645,873,200	1,521,000		229,794,269	647,394,200
Item	100,000	9,416	104	476		9,996
Stock	3,283,200,000	1,050,624,000	2,213,944	52,641,897		1,105,479,841
Total		2,507,823,856	48,726,744	90,959,585	259,661,026	2,647,510,185
	MB					
Dynamic Space	718,312	Sum of Data for Order, Orderline and History				
Static Space	1,867,148	Sum of Data+Index+5%-Dynamic Space				
Free Space	na	Total Allocated Spac - (Dynamic + Static Space)				
Daily Growth	142,500	(Dynamic Space/(W*62.5))*tpmc				
Daily Spread	-	(Free Space -1.5*Daily Growth) Zero Assumed				
60 Day Space MB	10,417,135					
60 Day Space GB	10,172.98	GB				
Log Size	1,600,000.00	MB				
KB Per New Order	6.49	KB				
8 hr log MB	1,238,814	MB				
8 hr log GB	1,209.78	GB				
Space Usage	GB Needed	Disks Measured	GB Priced	Disk Size	Formatted Size	
60 Day Space DB	10,173	1000	33,800.00	36GB	33.80	
			0.00			
			0.00			
Total DB			33,800.00			
8-hr log + mirror	2,420	46	3,109.60	72GB	67.60	
OS, Swap	3	2	67.60			
Total Storage	12,595.54	GB	36,977.20	GB		

	MSSQL_stk_fg	MSSQL_cust_fg	MSSQL_ol_fg	MSSQL_misc_fg
				3,772
		799,078,535		38,464
				70,276,016
				5,540,674
				49,555,444
			877,188,469	
				9,996
	1,105,479,841			
	1,105,479,841	799,078,535	877,188,469	125,424,365
files=	10	10	10	10
size=	17,920,000	12,928,000	12,798,720	2,688,000
Total=	179,200,000	129,280,000	127,987,200	26,880,000
8K blocks	1,433,600,000	1,034,240,000	1,023,897,600	215,040,000
	OK	OK	OK	OK

tpmC	407,079										
	Data Before KB	Index Before KB	Data After KB	Index After KB	Data Grow KB	Index Grow KB	Total Grow KB	KB/New-Order	8-Hr Growth KB	8-Hr Growth MB	
History	57,515,920	214,784	63,015,808	430,272	5,499,888	215,488	5,715,376	0.0642	12,545,311.70	12,251.28	
Order	32,161,960	72,040	39,981,296	143,984	7,819,336	71,944	7,891,280	0.0886	17,321,444.35	16,915.47	
Order-Line	645,873,200	1,521,000	749,039,056	3,044,504	103,165,856	1,523,504	104,689,360	1.1760	229,794,269.48	224,408.47	
											253,575.22
	sum(*) Before		sum(*) After		Num New-Order						
d_next_o_id	985,288,320		1,074,307,438		89,019,118						
	Before MB		After MB		Grow MB			KB/New-Order	8-Hr Growth MB	8-Hr Growth GB	
Log	13,114.62		577,491.89		564,377.26			6.4921	1,238,814.15	1,209.78	
								6,647.9254	bytes		
	1,600,000	0.81966406	36.093243								
Database tpcc log used (%)											

Appendix E: *Third Party Quotes*

Microsoft Corporation
One Microsoft Way
Redmond, WA 98052-6399

Tel 425 882 8080
Fax 425 936 7329
<http://www.microsoft.com/>

Microsoft

August 14, 2007

Hewlett-Packard Company
David Adams
20555 SH 249
MS 150402
Houston, TX 77040

Mr. Adams:

Here is the information you requested regarding pricing for several Microsoft products to be used in conjunction with your TPC-C benchmark testing.

All pricing shown is in US Dollars (\$).

Part Number	Description	Unit Price	Quantity	Price
810-03134	SQL Server 2005 Enterprise x64 Edition <i>Per Processor License</i> <i>Discount Schedule: Open Program – Level C</i> <i>Unit Price reflects a 7% discount from the retail unit price of \$24,999.</i>	\$23,432	4	\$93,728
P73-02509	Windows Server 2003 R2 Enterprise Edition x64 <i>Discount Schedule: Open Program – No Level</i> <i>Unit Price reflects a 41% discount from the retail unit price of \$3,999.</i>	\$2,334	1	\$2,334
P73-01664	Windows Server 2003 R2 Standard Edition <i>Discount Schedule: Open Program – No Level</i> <i>Unit Price reflects a 28% discount from the retail unit price of \$999.</i>	\$719	12	\$8,628
127-00012	Microsoft Visual Studio Standard 2005 <i>Full License</i> <i>No Discounts Applied</i>	\$250	1	\$250
N/A	Microsoft Problem Resolution Services <i>Professional Support</i> <i>(1 Incident)</i>	\$245	1	\$245

All products are currently orderable through Microsoft's normal distribution channels. A list of Microsoft's resellers can be found at <http://www.microsoft.com/products/info/render.aspx?view=22&type=mn&content=22/licensing>

Defect support is included in the purchase price. Additional support is available from Microsoft PSS on an incident by incident basis at \$245 per call.

This quote is valid for the next 90 days.

If we can be of any further assistance, please contact Jamie Reding at (425) 703-0510 or jamiere@microsoft.com.

Reference ID: PCDaAd07081406117.

Please include this Reference ID in any correspondence regarding this price quote.

7' Green Cat 5e patch cable - graycables.com - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Back Forward Stop Refresh Home Search Favorites


Address <http://www.graycables.com/415-5007.html> Go Links

graycables HOME | ABOUT US | PRIVACY POLICY | CONTACT US | SHOPPING CART

SEARCH OUR STORE

Home > Networking > Ethernet Patch Cables > CAT5E > 7' Green Cat 5e patch cable

7' Green Cat 5e patch cable



Item #	415-5007
Your Price:	\$1.75

[Add to Cart](#) [Email to a Friend](#)

[Click For Larger Image](#)

Cat 5e Molded Patch Cable.
 Category 5 Enhanced high speed cabling is a pre-requisite for today's performance demanding Ethernet and gigabit networks. Graycables.com will keep you at the head of the pack with our high performance 350Mhz Cat5E patch cables. Our Cat5e 350Mhz patch cables easily handle bandwidth intensive applications and more. With the UL certified patch cables that meet all the TIA/EIA standards. Graycables' Enhanced Cat5 patch cables are well constructed using Enhanced Cat5e bulk cable, which consists of 4 unshielded twisted pairs, 24 AWG. stranded conductors, and a PVC jacket. We terminate the non-booted Enhanced Cat5e cables with RJ45 plugs, which are plated with 50 microns of gold plating per contact. We terminate the snagless molded booted Enhanced Cat5e cables with Cat5E certified RJ45 plugs, which are plated with 50 microns of gold plating per contact. Constructed with high-quality wire and a shortened body plug will keep Near-end Crosstalk (NEXT) levels to a minimum. Our molded, snagless boot prevents unwanted cable snags during installation/maintenance and provides extra strain-relief.

About Category 5e (CAT 5e), or Enhanced Category 5:
 Ratified in 1999, it's an incremental improvement designed to enable cabling to support full-duplex Fast Ethernet operation and Gigabit Ethernet. This Cat5e Molded Patch cable will be used to connect all the hardware destinations in a local area network. The cable will ensure a clear transmission and snagless-type moldings to protect the connection.
 The main differences between Category 5 and Category 5e can be found in the specifications. The performance requirements have been raised slightly in the new standard. CAT5e has stricter specifications for PS-ELFEXT (Power Sum Equal-Level Far-End Crosstalk), NEXT (Near-End Crosstalk), Attenuation, and Return Loss (RL) than those for Category 5. Like CAT 5, CAT5e is a 100-MHz standard, but it has the capacity to handle bandwidth superior to that of CAT5. With these improvements, you can expect problem-free, full-duplex, 4-pair Ethernet transmissions over your CAT5e UTP.

Cat 5E Specifications:

- Frequency 100 MHz. Attenuation (Min. at 100 MHz) 22 dB.
- Characteristic Impedance 100 ohms @ 15%.
- NEXT (Min. at 100 MHz) 35.3 dB.
- PS-NEXT (Min. at 100 MHz) 32.3 dB.
- ELFEXT (Min. at 100 MHz) 32.3 dB.
- PS-ELFEXT (Min. at 100 MHz) 20.8 dB.
- Return Loss (Min. at 100 MHz) 20.1 dB.
- Delay Skew (Max. per 100 m) 45 ns.

Graycables.com Requirements:

- Conductor: 4-pair 24 AWG Stranded Copper
- Connector: 50-micron gold plated RJ-45 Male to Male
- Frequency: 350Mhz
- Molded, Snagless boot prevents unwanted cable snags

javascrip:popup('enlarge.html?http://us.st11.yimg.com/us.st.yimg.com/I/yhst-51581308183786_1946_31300396')

Appendix F:

Price Verification

All components available at time of publication.

HP Direct: 800-203-6748

For price verification before order date: e-mail hp.pricing.desk@hp.com