
**HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 -
64p/128c**

using

HP-UX 11i v3 64-bit

and

**Oracle Database 11g Enterprise Edition with Partitioning
and Oracle Automatic Storage Management**

TPC Benchmark™ H Full Disclosure Report

First Edition

March 10, 2008



i n v e n t

Hewlett-Packard Company, the sponsor of this benchmark test, believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. The sponsors assume no responsibility for any errors that may appear in this document. The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, the sponsors provide no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC Benchmark H should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report was obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. No warranty of system performance or price/performance is expressed or implied in this report.

© Copyright Hewlett-Packard Company, 2008.

All rights reserved. Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text on the title page of each item reproduced.

Printed in U.S.A., March 10, 2008.

HP, HP-UX, HP C/HP-UX, HP 9000 are registered trademarks of Hewlett-Packard Company.

ORACLE 11g, SQL*DBA, SQL*Loader, SQL*Net, SQL*Plus, Pro *C, and PL/SQL are trademarks of the Oracle Corporation

UNIX is a registered trademark in the United States, and other countries, licensed exclusively through X/Open Company Limited.

TPC Benchmark and TPC-H are registered trademarks of the Transaction Processing Performance Council.

All other brand or product names mentioned herein must be considered trademarks or registered trademarks of their respective owners.

Overview

This report documents the methodology and results of the TPC Benchmark™ H test conducted on the HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c, in conformance with the requirements of the TPC Benchmark™ H Standard Specification, Revision 2.6.2. The operating system used for the benchmark was HP-UX 11i v3 64-bit; the DBMS was Oracle Database 11g Enterprise Edition with Partitioning and Oracle Automatic Storage Management.

Standard and Executive Summary Statements

The pages following this preface contain the Executive Summary and Numerical Quantities Summary of the benchmark results.

Auditor

The benchmark configuration, environment and methodology used to produce and validate the test results and the pricing model used to calculate the cost per QphH was audited by Francois Raab, InfoSizing, to verify compliance with the relevant TPC specifications.

TPC Benchmark H Overview

The TPC Benchmark™ H (TPC-H) is a decision support benchmark. It consists of a suite of business oriented ad-hoc queries and concurrent data modifications. The queries and the data populating the database have been chosen to have broad industry-wide relevance while maintaining a sufficient degree of ease of implementation. This benchmark illustrates decision support systems that

Examine large volumes of data;

Execute queries with a high degree of complexity;

Give answers to critical business questions.

TPC-H evaluates the performance of various decision support systems by the execution of sets of queries against a standard database under controlled conditions. The TPC-H queries:

Give answers to real-world business questions;

Simulate generated ad-hoc queries(e.g., via a point and click GUI interface);

Are far more complex than most OLTP transactions;

Include a rich breadth of operators and selectivity constraints;

Generate intensive activity on the part of the database server component of the system under test;

Are executed against a database complying to specific population and scaling requirements;

Are implemented with constraints derived from staying closely synchronized with an on-line production database.

The TPC-H operations are modeled as follows:

The database is continuously available 24 hours a day, 7 days a week, for ad-hoc queries from multiple end users and updates against all tables, except possibly during infrequent (e.g., once a month) maintenance sessions;

The TPC-H database tracks, possibly with some delay, the state of the OLTP database through on-going updates which batch together a number of modifications impacting some part of the decision support database;

Due to the world-wide nature of the business data stored in the TPC-H database, the queries and the updates may be executed against the database at any time, especially in relation to each other. In addition, this mix of queries and updates is subject to specific ACIDity requirements, since queries and updates may execute concurrently;

To achieve the optimal compromise between performance and operational requirements the database administrator can set, once and for all, the locking levels and the concurrent scheduling rules for queries and updates.

The minimum database required to run the benchmark holds business data from 10,000 suppliers. It contains almost ten million rows representing a raw storage capacity of about 1 GB. Compliant benchmark implementations may also use one of the larger permissible database populations (e.g. 10000 GB), as defined in Clause 4.1.3.

The performance metrics reported by TPC-H measure multiple aspects of the capability of the system to process queries. The TPC-H metric at the selected size (QphH@Size) is the performance metric. To be compliant with the TPC-H standard, all references to TPC-H results for a given configuration must include all required reporting components (see Clause 5.4.7). The TPC believes that comparisons of TPC-H results measured against different database sizes are misleading and discourages such comparisons.

The TPC-H database must be implemented using a commercially available database management system (DBMS), and the queries executed via an interface using dynamic SQL. The specification provides for variants of SQL, as implementers are not required to have implemented a specific SQL standard in full. TPC-D uses terminology and metrics that are similar to other benchmarks, originated by the TPC and others. Such similarity in terminology does not in any way imply that TPC-H results are comparable to other benchmarks. The only benchmark results comparable to TPC-H are other TPC-H results compliant with the same revision.

Despite the fact that this benchmark offers a rich environment representative of many decision support systems, this benchmark does not reflect the entire range of decision support requirements. In addition, the extent to which a customer can achieve the results reported by a vendor is highly dependent on how closely TPC-H approximates the customer application. The relative performance of systems derived from this benchmark does not necessarily hold for other workloads or environments. Extrapolations to any other environment are not recommended.

Benchmark results are highly dependent upon workload, specific application requirements, and systems design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, TPC-H should not be used as a substitute for a specific customer application benchmarking when critical capacity planning and/or product evaluation decisions are contemplated.

Benchmark sponsors are permitted several possible system designs, provided that they adhere to the model described in Clause 6. A full disclosure report (FDR) of the implementation details, as specified in Clause 8, must be made available along with the reported results.

General Implementation Guidelines


The purpose of TPC benchmarks is to provide relevant, objective performance data to industry users. To achieve that purpose, TPC benchmark specifications require that benchmark tests be implemented with systems, products, technologies and pricing that:


Are generally available to users;

Are relevant to the market segment that the individual TPC benchmark models or represents (e.g. TPC-H models and represents complex, high data volume, decision support environments);

Would plausibly be implemented by a significant number of users in the market segment the benchmark models or represents.

Hewlett-Packard Company does not warrant or represent that a user can or will achieve performance similar to the benchmark results contained in this report. No warranty of system performance or price/performance is expressed or implied by this report

	HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c		TPC-H Rev 2.6.2	
			Report Date: March 10, 2008	
Total System Cost	Composite Query per Hour Metric		Price/Performance	
\$5,829,685 USD	208,457.7 QphH@10000GB		\$27.97 USD QphH@10000GB	
Database Size	Database Manager	Operating System	Other Software	Availability Date
10000 GB*	Oracle Database 11g Enterprise Edition with Partitioning and Oracle Automatic Storage Management	HP-UX 11i v3 64-bit	None	09/10/2008



Database Load Time = 06:31:27 | Load Includes Backup: N | Total Data Storage/Database Size = 44.87

RAID (Base Tables Only): N | RAID (Base Tables and Auxiliary Data Structures): N | RAID (All): Y

System Configuration

Number of Nodes: 1

Processors/Cores/Threads/Type: 64/128/128/Intel Itanium 9140 1.6GHz, 9MB iL3 cache per core

Memory: 512 GB

Disk Drives: 1 HP Surestore Disk System 2120 with 4 36GB disks and 256 HP StorageWorks MSA1000 (with total of 3072 146GB 15K RPM disks)

Total Disk Storage: 448656GB (In this number one GB is defined as 1024*1024*1024 bytes)

Lan Controllers: 1 PCI 1000BT Lan Adapter

*Database Size includes only raw data (e.g. no temp, index, redundant storage space, etc.)



HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c

TPC-H Rev 2.6.2

Report Date:
March 10, 2008

Description	Part Number	Source	Reference Price	Qty	Extended Price	3 yr Maint Price
Server Hardware						
Superdome left chassis	A9834A, Opt 429	1	235,950	1	235,950	
Superdome right chassis	A9835A, Opt 429	1	249,950	1	249,950	
Superdome sx2000 Cell Board	A9837A	1	19,250	16	308,000	
24x7x4hr - 3 Year Svc & Support Price (Hardware and Software)						1,256,004
256GB Memory Bundle (128x2GB dimms)	A9856A	1	611,950	2	1,223,900	
12-Slot PCI-X I/O Chassis	A9836A	1	16,950	16	271,200	
Dual-Core Intel Itanium 9140N/1.6GHz/18MB L3	AD371A	1	23,000	64	1,472,000	
PCI-X 2 port 1000Base-SX Gigabit Adapter	A7011A	1	1,995	1	1,995	
PCI-X 4GB Fibre Channel Adapter (dual port)	AB379B	1	3,495	128	447,360	
PCI Dual Channel Ultra320 SCSI Adapter	A7173A	1	795	1	795	
HPDisk System 2120	A7382A	1	995	1	995	
1-36GB LP 15K HDD	A7527A	1	966	4	3,864	
HP Universal Rack 10642 G2 Pallet Rack	AF001A	1	1,249	1	1,249	
200-240 volt Modular Power Distribution Unit	252663-B24	1	299	1	299	
HP Tape Array 5300	C7508B	1	729	1	729	
HP DVD + RW Array Field Module	Q1592B	1	649	1	649	
HP rx2660 Server (inc mem/disk/monitor/keyboard/mouse)	AB419A	1	8,557	1	8,557	
I/O Chassis Enclsoure for 12-Slot PCI-X Chassis	A9852A	1	25,750	4	103,000	
Graphite I/O expansion power subsystem	A5861D	1	34,860	2	69,720	
Subtotal					4,400,212	1,256,004
Server Software						
Oracle Database 11g Enterprise Edition, Named User Plus for 3 years**		2	10,000	64	640,000	
Partitioning, Named User Plus for 3 years**		2	2,500	64	160,000	
Oracle Database Server Support Package for 3 years**		2	6,000	1		6,000
HP-UX 11i v3 Foundation Operating Environment	B9429AC	1	2,370	128	303,360	
HP-UX 11i v3 HP9000/Integrity FOE Media	BA489AA, Opt AJR	1	565	1	565	
Subtotal					1,103,925	6,000
Storage						
5m Fibre Channel Cables	221692-B22	1	82	256	20,992	
HP StorageWorks MSA 1000 (256 + 26 spares)	201723-B22	1	6,499	282	1,832,718	
3 Yr Support Price for MSA1000 and disks						Included
146GB 15K Ultra320 Hard Drive (3072 + 308 spares)	347708-B22	1	509	3,380	1,720,420	
HP Universal Rack 10642 G2 Pallet Rack	AF001A	1	1,249	28	34,972	
200-240 volt Modular Power Distribution Unit	252663-B24	1	299	112	33,488	
ProLiant Cluster HA/200 for MSA1000	252409-B22	1	4,007	1	4,007	
Subtotal					3,646,597	0
Total					9,150,734	1,262,004
Oracle Mandatory E-Business Discount on (Licenses and Support)					(161,200)	
42.5 % Large Configuration Discount and Support Prepayment*					(3,743,611)	(678,242)
Grand Total					5,245,923	583,762
*All discounts are based on US list prices and for similar quantities and configurations					3-yr Cost of Ownership:	5,829,685
** These components are not immediately orderable. See FDR for more information					QpH@10000GB:	208,458
Source 1=HP, 2=Oracle					\$/QpH@10000GB:	27.97
Audited By: Francois Raab for InfoSizing (www.sizing.com)						

Prices used in TPC benchmarks reflect actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.



HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c

TPC-H Rev 2.6.2

Report Date:
March 10, 2008

Measurement Results

Database Scaling (SF/size)	10000
Total Data Storage/Database Size	44.87
Start of Database Load Time	02/21/08 13:27:35
End of Database Load Time	02/21/08 19:59:02
Database Load Time	6:31:27
Query Streams for Throughput Test (S)	24
TPC-H Power	247,445.4
TPC-H Throughput	175,613.0
TPC-H Composite Query-per-Hour Metric (QphH@10000GB)	208,457.7
Total System Price Over 3 Years	5,829,685
TPC-H Price/Performance Metric (\$/QphH@10000GB)	27.97

Measurement Intervals

Measurement Interval in Throughput Test (Ts)	108,238
--	---------

Duration of Stream Execution:

Power Run	Seed	RF1 Start Time RF1 End Time	Query Start Time Query End Time	RF2 Start Time RF2 End Time	Duration (sec)
	221195902	02/23/08 04:03:26 02/23/08 04:04:40	02/23/08 04:04:40 02/23/08 05:47:06	02/23/08 05:47:06 02/23/08 05:49:04	

Throughput Stream	Seed	Query Start Time Query End Time	Duration (sec)	RF1 Start Time RF1 End Time	RF2 Start Time RF2 End Time
1	221195903	02/23/08 05:49:05 02/24/08 09:06:45	98,260	02/24/08 10:43:00 02/24/08 10:44:09	02/24/08 10:44:09 02/24/08 10:46:04
2	221195904	02/23/08 05:49:05 02/24/08 03:32:45	78,220	02/24/08 10:46:04 02/24/08 10:47:03	02/24/08 10:47:03 02/24/08 10:48:59
3	221195905	02/23/08 05:49:05 02/23/08 22:09:18	58,813	02/24/08 10:48:59 02/24/08 10:49:59	02/24/08 10:49:59 02/24/08 10:51:53
4	221195906	02/23/08 05:49:05 02/24/08 02:20:54	73,909	02/24/08 10:51:53 02/24/08 10:52:52	02/24/08 10:52:52 02/24/08 10:54:46
5	221195907	02/23/08 05:49:05 02/24/08 06:31:06	88,921	02/24/08 10:54:46 02/24/08 10:55:44	02/24/08 10:55:44 02/24/08 10:57:40
6	221195908	02/23/08 05:49:05 02/24/08 03:29:41	78,036	02/24/08 10:57:41 02/24/08 10:58:39	02/24/08 10:58:39 02/24/08 11:00:35
7	221195909	02/23/08 05:49:05 02/24/08 10:37:35	103,710	02/24/08 11:00:35 02/24/08 11:01:33	02/24/08 11:01:33 02/24/08 11:03:28
8	221195910	02/23/08 05:49:05 02/23/08 19:25:51	49,006	02/24/08 11:03:28 02/24/08 11:04:36	02/24/08 11:04:36 02/24/08 11:06:33
9	221195911	02/23/08 05:49:05 02/24/08 08:29:23	96,018	02/24/08 11:06:33 02/24/08 11:07:30	02/24/08 11:07:30 02/24/08 11:09:27
10	221195912	02/23/08 05:49:06 02/24/08 10:42:59	104,033	02/24/08 11:09:27 02/24/08 11:10:25	02/24/08 11:10:25 02/24/08 11:12:20



**HP Integrity Superdome -
Itanium/1.6 GHz/18MB iL3 -
64p/128c**

TPC-H Rev 2.6.2

Report Date:
March 10, 2008

Duration of Stream Execution (Continued):

Thruput Stream	Seed	Query Start Time Query End Time	Duration (sec)	RF1 Start Time RF1 End Time	RF2 Start Time RF2 End Time
11	221195913	02/23/08 05:49:06 02/24/08 08:47:29	97,103	02/24/08 11:12:20 02/24/08 11:13:20	02/24/08 11:13:20 02/24/08 11:15:15
12	221195914	02/23/08 05:49:06 02/24/08 09:41:43	100,357	02/24/08 11:15:15 02/24/08 11:16:13	02/24/08 11:16:13 02/24/08 11:18:10
13	221195915	02/23/08 05:49:06 02/24/08 09:40:10	100,264	02/24/08 11:18:10 02/24/08 11:19:08	02/24/08 11:19:08 02/24/08 11:21:05
14	221195916	02/23/08 05:49:06 02/24/08 08:52:42	97,416	02/24/08 11:21:05 02/24/08 11:22:06	02/24/08 11:22:06 02/24/08 11:24:02
15	221195917	02/23/08 05:49:06 02/23/08 22:46:54	61,068	02/24/08 11:24:02 02/24/08 11:25:01	02/24/08 11:25:01 02/24/08 11:26:57
16	221195918	02/23/08 05:49:06 02/24/08 05:05:51	83,805	02/24/08 11:26:57 02/24/08 11:27:59	02/24/08 11:27:59 02/24/08 11:29:55
17	221195919	02/23/08 05:49:06 02/24/08 08:16:13	95,227	02/24/08 11:29:55 02/24/08 11:30:56	02/24/08 11:30:56 02/24/08 11:32:49
18	221195920	02/23/08 05:49:06 02/24/08 01:07:13	69,487	02/24/08 11:32:49 02/24/08 11:33:46	02/24/08 11:33:46 02/24/08 11:35:43
19	221195921	02/23/08 05:49:06 02/24/08 01:49:14	72,008	02/24/08 11:35:44 02/24/08 11:36:43	02/24/08 11:36:43 02/24/08 11:38:37
20	221195922	02/23/08 05:49:06 02/24/08 10:43:00	104,034	02/24/08 11:38:37 02/24/08 11:39:38	02/24/08 11:39:38 02/24/08 11:41:32
21	221195923	02/23/08 05:49:06 02/24/08 06:20:59	88,313	02/24/08 11:41:32 02/24/08 11:42:28	02/24/08 11:42:28 02/24/08 11:44:21
22	221195924	02/23/08 05:49:06 02/24/08 04:42:49	82,423	02/24/08 11:44:21 02/24/08 11:45:22	02/24/08 11:45:22 02/24/08 11:47:14
23	221195925	02/23/08 05:49:06 02/24/08 09:23:05	99,239	02/24/08 11:47:14 02/24/08 11:48:14	02/24/08 11:48:14 02/24/08 11:50:08
24	221195926	02/23/08 05:49:06 02/24/08 03:59:34	79,828	02/24/08 11:50:08 02/24/08 11:51:08	02/24/08 11:51:08 02/24/08 11:53:03



HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c

TPC-H Rev 2.6.2

Report Date:
March 10, 2008

TPC-H Timing Intervals (in seconds)

Duration of stream execution:

Stream ID	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12
Stream 00	828.5	51.9	49.1	42.1	227.2	33.6	294.8	135.2	795.4	98.1	151.6	111.7
Stream 01	4794.0	376.2	598.1	0.2	0.2	280.7	9575.8	1376.9	10321.2	1613.8	3702.2	4732.2
Stream 02	12812.6	430.8	0.6	791.7	3916.9	480.1	4661.9	1473.0	13208.8	1668.7	6176.4	2516.6
Stream 03	8648.4	351.4	947.5	0.3	4621.5	236.5	6722.0	1951.0	10290.5	0.2	2870.8	4178.9
Stream 04	8163.1	310.5	838.9	415.0	5713.3	144.7	12389.6	1180.9	7420.8	1340.4	2448.3	3113.0
Stream 05	10689.8	925.4	1020.0	477.9	0.3	212.5	5366.8	1427.9	7331.6	0.4	2982.5	3568.5
Stream 06	8639.9	466.8	708.0	527.4	7035.7	191.4	6813.4	1275.9	10861.8	3430.6	7867.0	5421.5
Stream 07	5489.2	395.8	76.9	575.4	343.3	72.4	481.2	2319.6	3809.0	219.0	1689.2	489.9
Stream 08	8473.1	334.8	463.2	577.1	4396.3	62.2	6440.8	1591.3	11708.5	1139.5	2364.5	4115.9
Stream 09	11060.6	1118.9	568.9	0.1	2693.3	0.3	6614.0	1927.8	8380.4	0.9	10643.8	1939.5
Stream 10	12451.9	386.1	114.9	110.3	323.7	390.7	6849.2	370.0	3804.9	640.4	318.3	2222.6
Stream 11	6241.4	345.2	572.6	504.9	4100.9	171.8	4183.7	1108.8	15167.9	1205.2	4262.3	970.4
Stream 12	13835.5	422.2	109.2	669.5	3395.3	302.5	6802.2	2191.6	14733.2	666.9	2333.7	3295.4
Stream 13	9098.3	92.2	747.8	97.3	1463.8	67.9	12405.3	270.8	9512.3	1374.4	2080.1	3059.8
Stream 14	7516.8	131.9	396.0	504.8	4608.4	46.5	10607.5	1086.9	23510.1	0.1	3494.0	1054.8
Stream 15	7386.2	1085.9	448.6	1042.3	3396.8	188.5	4301.4	1728.6	15487.5	1861.7	2156.2	2139.0
Stream 16	14025.9	1000.7	706.6	826.9	4517.4	183.9	7383.9	1147.4	9804.4	1726.5	5107.1	2221.8
Stream 17	6983.6	1054.3	679.0	0.3	5080.1	132.3	6853.0	1357.9	16794.3	0.1	2353.9	1670.6
Stream 18	6913.5	373.6	537.4	940.7	4759.0	0.1	9313.5	989.9	10265.4	1349.9	1749.3	3210.4
Stream 19	10806.8	738.4	478.1	914.7	4214.8	76.7	3806.7	1535.9	9037.1	1866.9	8995.1	7412.1
Stream 20	8577.2	242.1	0.1	796.0	2995.6	0.3	11045.4	391.6	7001.5	1350.3	316.5	3143.1
Stream 21	11199.9	347.4	0.2	546.4	4344.5	182.1	0.1	1381.7	8926.2	0.1	6772.0	2915.5
Stream 22	7247.7	416.8	893.3	638.6	4742.4	0.3	0.2	2408.6	14950.4	1413.1	3148.7	4352.1
Stream 23	5585.2	343.5	175.2	163.6	1801.6	132.3	0.1	1396.8	14431.9	176.1	1990.2	5880.1
Stream 24	6836.7	293.0	471.4	504.7	4556.3	0.2	10461.1	1043.0	9797.2	1753.8	7048.6	8694.3
Minimum	4794.0	92.2	0.1	0.1	0.2	0.1	0.1	270.8	3804.9	0.1	316.5	489.9
Maximum	14025.9	1118.9	1020.0	1042.3	7035.7	480.1	12405.3	2408.6	23510.1	3430.6	10643.8	8694.3
Average	8894.9	499.3	481.3	484.4	3459.2	148.2	6378.3	1372.2	11106.5	1033.3	3869.6	3429.9



HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c

TPC-H Rev 2.6.2

Report Date:
March 10, 2008

TPC-H Timing Intervals (in seconds)

Duration of stream execution:

Stream ID	Q13	Q14	Q15a	Q16	Q17	Q18	Q19	Q20	Q21	Q22	RF1	RF2
Stream 00	381.4	32.0	42.2	90.1	223.8	1073.5	226.7	120.9	1054.7	81.2	73.2	118.4
Stream 01	0.2	0.2	0.3	1783.9	2503.4	0.2	1597.4	1736.4	52707.6	558.7	69.0	114.6
Stream 02	4884.5	0.3	0.2	2075.7	3178.1	16027.2	1990.2	1243.1	0.3	682.3	59.2	116.2
Stream 03	3907.4	0.1	0.1	1645.5	2040.8	7590.7	1520.7	593.7	0.5	694.6	59.7	114.2
Stream 04	0.4	0.2	0.1	1369.7	1443.6	3847.6	1469.0	1887.0	19457.1	955.9	58.3	114.3
Stream 05	0.2	0.5	0.1	1733.6	1791.1	130.6	1700.7	2284.8	46225.7	1049.8	58.2	116.0
Stream 06	4555.1	0.1	0.1	2403.6	1679.9	12589.9	1845.8	867.9	0.1	853.7	58.4	115.6
Stream 07	0.2	0.1	0.1	204.4	1433.9	57195.5	298.1	3718.9	24395.1	502.8	58.6	114.5
Stream 08	0.1	0.1	0.5	936.7	1841.0	0.1	3159.8	699.7	0.1	700.7	68.4	116.6
Stream 09	4374.3	0.4	0.1	1153.2	1659.7	18957.0	2773.6	1284.2	19783.0	1083.2	57.5	116.6
Stream 10	3127.6	0.1	974.2	381.4	2209.0	54482.7	401.9	175.8	13478.2	819.5	57.4	115.6
Stream 11	0.4	503.3	730.8	1787.2	1456.5	30577.0	1446.2	1083.8	19886.8	796.5	60.0	115.1
Stream 12	0.3	0.1	0.1	1643.0	1870.6	33043.5	731.9	1548.4	11514.5	1247.9	57.7	117.0
Stream 13	0.1	0.1	0.1	1198.5	2126.0	0.1	505.8	212.9	55434.1	516.8	57.6	117.1
Stream 14	0.2	127.8	0.5	2482.0	2332.7	20918.8	1254.7	1477.1	15148.5	716.1	60.4	116.4
Stream 15	0.2	0.2	0.3	759.0	1771.8	0.3	2162.3	778.8	13678.5	694.2	58.7	115.6
Stream 16	3381.8	0.1	356.9	1628.6	1820.8	0.2	1369.4	1673.2	24098.4	823.0	62.1	115.9
Stream 17	3489.3	0.4	0.1	2254.2	2150.9	0.1	577.6	718.5	42339.0	738.1	60.8	113.3
Stream 18	4373.8	769.3	0.4	2840.4	1125.6	0.6	1511.5	655.0	16590.8	1216.8	57.3	117.1
Stream 19	0.2	0.1	564.5	1610.0	1772.3	0.3	2566.9	1452.7	13315.9	842.1	59.0	114.8
Stream 20	4438.3	0.1	591.4	1054.5	1103.1	49262.8	2932.3	605.1	7134.6	1052.0	60.3	113.9
Stream 21	0.2	0.4	0.1	2357.8	409.5	0.2	1950.5	5664.7	40559.6	753.3	56.7	112.6
Stream 22	4218.7	341.1	0.2	1263.9	1874.4	6381.4	1499.8	2027.8	23935.8	667.3	60.7	112.2
Stream 23	0.1	0.2	0.2	1525.0	1182.8	55847.3	539.4	329.1	6924.9	812.7	59.6	114.0
Stream 24	3902.7	348.9	0.3	1584.3	2228.7	0.1	2579.9	1409.8	15733.8	579.2	60.2	115.1
Minimum	0.1	0.1	0.1	204.4	409.5	0.1	298.1	175.8	0.1	502.8	56.7	112.2
Average	4884.5	769.3	974.2	2840.4	3178.1	57195.5	3159.8	5664.7	55434.1	1247.9	69.0	117.1
Maximum	1860.7	87.3	134.2	1569.8	1791.9	15285.6	1599.4	1422.0	20097.6	806.5	59.8	115.2

Benchmark Sponsor: Sharada Bose
 Performance Manager BCS
 Hewlett-Packard
 Pruneridge Avenue, MS4105
 94065 Cupertino, CA 95014

March 4, 2008

I verified the TPC Benchmark™ H performance of the following configuration:

Platform: **HP Integrity Superdome Itanium/1.6 GHz**
 Database Manager: **Oracle Database 11g Enterprise Edition with Partitioning and Oracle Automatic Storage Management**
 Operating System: **HP-UX 11i v3 64-bit**

The results were:

CPU (Speed)	Memory	Disks	QphH@10000GB
HP Integrity Superdome Itanium/1.6 GHz			
64 x Itanium 9140 (1.6GHz, dual-core)	9 MB Cache/core 512 GB Main	3072 x 146GB ext. 4 x 36GB int.	208,457.7

In my opinion, this performance result was produced in compliance with the TPC’s requirements for the benchmark. The following verification items were given special attention:

- The database records were defined with the proper layout and size
- The database population was generated using DBGEN
- The database was properly scaled to 10,000GB and populated accordingly
- The compliance of the database auxiliary data structures was verified
- The database load time was correctly measured and reported
- The required ACID properties were verified and met
- The query input variables were generated by QGEN
- The query text was produced using minor modifications and no query variant

- The execution of the queries against the SF1 database produced compliant answers
- A compliant implementation specific layer was used to drive the tests
- The throughput tests involved 24 query streams
- The ratio between the longest and the shortest query was such that no query timing was adjusted
- The execution times for queries and refresh functions were correctly measured and reported
- The repeatability of the measured results was verified
- The required amount of database log was configured
- The system pricing was verified for major components and maintenance
- The major pages from the FDR were verified for accuracy

Additional Audit Notes:

The measured configuration used four (4) internal 18GB disks for the operating system and ancillary file system. In the priced configuration these are replaced by four (4) internal 36GB disk drives. Based on their usage, the substitution of these drives has no impact on the reported performance.

Respectfully Yours,

A handwritten signature in black ink, appearing to read 'François Raab', with a long horizontal flourish extending to the right.

François Raab
President

Overview.....	iii
TPC Benchmark H Overview.....	iii
General Implementation Guidelines	iv
1 General Items.....	1
1.1 Benchmark Sponsor.....	1
1.2 Parameter Settings.....	1
1.3 Configuration Diagrams.....	2
2 Clause 1 Logical Database Design Related Items	5
2.1 Database Definition Statements.....	5
2.2 Physical Organization.....	5
2.3 Horizontal Partitioning	5
2.4 Replication.....	5
3 Clause 2 Queries and Refresh Functions	6
3.1 Query Language.....	6
3.2 Verifying Method for Random Number Generation	6
3.3 Generating Values for Substitution Parameters.....	6
3.4 Query Text and Output Data from Qualification Database.....	6
3.5 Query Substitution Parameters and Seeds Used.....	6
3.6 Query Isolation Level.....	6
3.7 Source Code of Refresh Functions	6
4 Clause 3 Database System Properties	7
4.1 ACID Properties.....	7
4.2 Atomicity.....	7
4.3 Consistency.....	7
4.4 Isolation.....	7
4.5 Durability	9
5 Clause 4 Scaling and Database Population.....	10
5.1 Ending Cardinality of Tables.....	10
5.2 Distribution of Tables and Logs Across Media.....	10
5.3 Database Partition/Replication Mapping.....	10
5.4 RAID Feature.....	10
5.5 DBGEN Modification	11
5.6 Database Load Time.....	11
5.7 Data Storage Ratio.....	11
5.8 Database Load Mechanism Details and Illustration.....	11
5.9 Qualification Database Configuration	11
6 Clause 5 Performance Metrics and Execution-Rules	12
6.1 System Activity Between Load and Performance Tests.....	12
6.2 Steps in the Power Test.....	12
6.3 Timing Intervals for Each Query and Refresh Functions	12
6.4 Number of Streams for the Throughput Test.....	12
6.5 Start and End Date/Time of Each Query Stream.....	12
6.6 Total Elapsed Time of the Measurement Interval.....	12
6.7 Refresh Function Start Date/Time and Finish Date/Time.....	12

6.8	<i>Timing Intervals for Each Query and Each Refresh Function for Each Stream</i>	12
6.9	<i>Performance Metrics</i>	12
6.10	<i>The Performance Metric and Numerical Quantities from Both Runs</i>	13
6.11	<i>System Activity Between Performance Tests</i>	13
7	Clause 6 SUT and Driver Implementation Related Items	14
7.1	<i>Driver</i>	14
7.2	<i>Implementation-Specific Layer (ISL)</i>	14
7.3	<i>Profile-Directed Optimization</i>	14
8	Clause 7 Pricing	15
8.1	<i>Hardware and Software Used in the Priced System</i>	15
8.2	<i>Total Three Year Price</i>	15
8.3	<i>Availability Date</i>	15
9	Clause 8 Auditor's Information and Attestation Letter	16
9.1	<i>Auditor's Report</i>	16
Appendix A	Parameter Settings	17
A.1	<i>IOTB_init.ora</i>	17
A.2	<i>system</i>	17
A.3	<i>env</i>	18
A.4	<i>profile</i>	19
A.5	<i>initasm.ora</i>	20
Appendix B	Build Programs and Scripts	21
B.1	<i>dbcre.sh</i>	21
B.2	<i>sctso.sh</i>	21
B.3	<i>dapop.sh</i>	23
B.4	<i>ixcre.sh</i>	35
B.5	<i>anl.sh</i>	36
B.6	<i>Loadasm</i>	36
Appendix C	Acid Scripts	39
C.1	<i>a_query.sql</i>	39
C.2	<i>a_query2.sql</i>	39
C.3	<i>atom.sh</i>	39
C.4	<i>atrans.sql</i>	40
C.5	<i>atranspl.c</i>	41
C.6	<i>atranspl.h</i>	48
C.7	<i>ckpt.sh</i>	50
C.8	<i>cnt_hist.sql</i>	50
C.9	<i>consist.sh</i>	50
C.10	<i>consist.sql</i>	52
C.11	<i>count_tx.sh</i>	53
C.12	<i>d_hist.sql</i>	53
C.13	<i>end_acid.sh</i>	53
C.14	<i>iso.sh</i>	54
C.15	<i>iso1.sh</i>	54
C.16	<i>iso2.sh</i>	55
C.17	<i>iso3.sh</i>	57
C.18	<i>iso4.sh</i>	58
C.19	<i>iso5.sh</i>	59
C.20	<i>iso6.sh</i>	60
C.21	<i>prepare4acid.sh</i>	61
C.22	<i>q1.sql</i>	62

C.23	<i>q21.sql</i>	62
C.24	<i>randkey.c</i>	63
C.25	<i>randpsup.c</i>	65
C.26	<i>run_acid.sh</i>	66
C.27	<i>sample.sh</i>	68
C.28	<i>sample.sql</i>	68
Appendix D Query text and Output.....		69
Appendix E Seed and Input Parameters.....		83
E.1	<i>Seed</i>	83
E.2	<i>qp1.0</i>	83
E.3	<i>qp1.1</i>	83
E.4	<i>qp1.2</i>	83
E.5	<i>qp1.3</i>	83
E.6	<i>qp1.4</i>	84
E.7	<i>qp1.5</i>	84
E.8	<i>qp1.6</i>	84
E.9	<i>qp1.7</i>	84
E.10	<i>qp1.8</i>	85
E.11	<i>qp1.9</i>	85
E.12	<i>qp1.10</i>	85
E.13	<i>qp1.11</i>	85
E.14	<i>qp1.12</i>	86
E.15	<i>qp1.13</i>	86
E.16	<i>qp1.14</i>	86
E.17	<i>qp1.15</i>	86
E.18	<i>qp1.16</i>	87
E.19	<i>qp1.17</i>	87
E.20	<i>qp1.18</i>	87
E.21	<i>qp1.19</i>	87
E.22	<i>qp1.20</i>	88
E.23	<i>qp1.21</i>	88
E.24	<i>qp1.22</i>	88
E.25	<i>qp1.23</i>	89
E.26	<i>qp1.24</i>	89
E.27	<i>qp2.0</i>	89
E.28	<i>qp2.1</i>	89
E.29	<i>qp2.2</i>	90
E.30	<i>qp2.3</i>	90
E.31	<i>qp2.4</i>	90
E.32	<i>qp2.5</i>	90
E.33	<i>qp2.6</i>	91
E.34	<i>qp2.7</i>	91
E.35	<i>qp2.8</i>	91
E.36	<i>qp2.9</i>	91
E.37	<i>qp2.10</i>	92
E.38	<i>qp2.11</i>	92
E.39	<i>qp2.12</i>	92
E.40	<i>qp2.13</i>	92
E.41	<i>qp2.14</i>	93
E.42	<i>qp2.15</i>	93
E.43	<i>qp2.16</i>	93
E.44	<i>qp2.17</i>	93
E.45	<i>qp2.18</i>	94
E.46	<i>qp2.19</i>	94
E.47	<i>qp2.20</i>	94
E.48	<i>qp2.21</i>	94

E.49	qp2.22.....	95
E.50	qp2.23.....	95
E.51	qp2.24.....	95
Appendix F Benchmark Scripts.....		96
F.1	dbtables.sql.....	96
F.2	firstten.sql.....	97
F.3	gen_seed.sh.....	97
F.4	gtime.c.....	97
F.5	qexecpl.c.....	97
F.6	qexecpl.h.....	107
F.7	refdata_check.doit.....	109
F.8	Refdata_check.ksh.....	109
F.9	refdata_check.ksh.refresh.....	110
F.10	refdata_grep.sh.refresh.....	111
F.11	refdata_queries.sql.....	112
F.12	ri_check.sql.....	114
F.13	runTPCHall.....	114
F.14	runTPCHpt.....	115
F.15	runTPCHus.....	118
F.16	runuf1.sh.....	118
F.17	runuf2.sh.....	120
F.18	scnt.sh.....	121
F.19	set_queue.....	121
F.20	tshut.....	121
F.21	tshut.asm.....	122
F.22	tstart.....	122
F.23	tstart.asm.....	122
Appendix G Price Quotes.....		123

1 General Items

1.1 Benchmark Sponsor

A statement identifying the benchmark sponsor(s) and other participating companies must be provided.

Hewlett-Packard Company is the test sponsor of this TPC Benchmark H benchmark.

1.2 Parameter Settings

Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including but not limited to:

Database Tuning Options

Optimizer/Query execution options

Query processing tool/language configuration parameters

Recovery/commit options

Consistency/locking options

Operating system and configuration parameters

Configuration parameters and options for any other software component incorporated into the pricing structure;

Compiler optimization options.

Appendix A contains the HP-UX and Oracle 11g parameters used in this benchmark.

1.3 Configuration Diagrams

Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.

Measured Configuration

- 64 1.6GHz Intel Itanium 9140 CPUs each with 9MB iL3 cache per core
- 512 GB Memory
- 2 I/O Expansion Cabinets
- 128 PCI Fibre Channel 4GB Adapter (dual-port) Cards
- 1 PCI 1000Base-SX Gigabit Ethernet Adpt (A6847A)
- 1 PCI Dual Channel Ultra320 SCSI Adapter
- 256 HP StorageWorks MSA1000 (with a total of 3072 146GB disks)
- 1 High Availability Storage Systems (with a total of 4 18GB disks)
- 1 DVD ROM

Priced Configuration

- 64 1.6GHz Intel Itanium 9140 CPUs each with 9MB iL3 cache per core
- 512 GB Memory
- 2 I/O Expansion Cabinets
- 128 PCI Fibre Channel 4GB Adapter (dual-port) Cards
- 1 PCI-X 2 port 1000Base-SX Gigabit Adapter (A7011A)
- 1 PCI Dual Channel Ultra320 SCSI Adapter
- 256 HP StorageWorks MSA1000 (with a total of 3072 146GB disks)
- 1 HP Surestore Disk System 2120 (with a total of 4 36GB disks)
- 1 DVD ROM

Differences in Configurations

The following substitutions have no impact on the reported performance. The measured system uses a "High Availability Storage System" instead of a "Surestore Disk System 2120"; four 18GB internal hard drives instead of four 36GB internal hard drives; and a "PCI 1000Base-SX Gigabit Ethernet Adapter" instead of a "PCI-X 2 port 1000Base-SX Gigabit Adapter".

Measured Configuration

Server



Storage



HP Integrity Superdome

- 64 1.6GHz Intel Itanium 9140 CPUs each with 9MB iL3 cache per core
- 512 GB Memory
- 2 I/O Expansion Cabinets
- 128 PCI Fibre Channel 4GB Adapter (dual-port) Cards
- 1 PCI 1000Base-SX Gigabit Ethernet Adpt
- 1 PCI Dual Channel Ultra320 SCSI Adapter
- 1 High Availability Storage Systems (4 18GB disks)
- 1 DVD ROM

256 HP StorageWorks MSA1000

- With a total of 3072 15K RPM 146GB disks

U U
256 Fibre Channel Connections

Priced Configuration

Server



Storage



HP Integrity Superdome

- 64 1.6GHz Intel Itanium 9140 CPUs each with 9MB iL3 cache per core
- 512 GB Memory
- 2 I/O Expansion Cabinets
- 128 PCI Fibre Channel 4GB Adapter (dual-port) Cards
- 1 PCI-X 2 port 1000Base-SX Gigabit Adapter
- 1 PCI Dual Channel Ultra320 SCSI Adapter
- 1 HP Surestore Disk System 2120 (4 36GB disks)
- 1 DVD ROM

256 HP StorageWorks MSA1000

- With a total of 3072 15K RPM 146GB disks



256 Fibre Channel Connections

2 Clause 1 Logical Database Design Related Items

2.1 Database Definition Statements

Listings must be provided for all table definition statements and all other statements used to set up the test and qualification databases.

Appendix B describes the scripts that define, create, and analyze the tables and indices for the TPC-H database.

2.2 Physical Organization

The physical organization of tables and indices, within the test and qualification databases, must be disclosed. If the column ordering of any table is different from that specified in Clause 1.4, it must be noted.

No record clustering or index clustering was used. Columns were reordered in the tables – please refer to the table create statements for the ordering.

2.3 Horizontal Partitioning

Horizontal partitioning of tables and rows in the test and qualification databases (see Clause 1.5.4) must be disclosed.

Horizontal partitioning was used for all base and index tables except NATION and REGION. The details of this partitioning can be understood by examining the syntax of the table and index definition statements in Appendix B. Similar partitioning was used in the qualification database size.

Section 5.2 describes the distribution of tables and logs across all media.

2.4 Replication

Any replication of physical objects must be disclosed and must conform to the requirements of Clause 1.5.6.

No replication was used.

3 Clause 2 Queries and Refresh Functions

3.1 Query Language

The query language used to implement the queries must be identified.

SQL was the query language used to implement all queries.

3.2 Verifying Method for Random Number Generation

The method of verification for the random number generation must be described unless the supplied DBGEN and QGEN were used.

TPC supplied versions 2.6.0 of DBGEN and QGEN were used for this TPC-H benchmark.

3.3 Generating Values for Substitution Parameters

The method used to generate values for substitution parameters must be disclosed. If QGEN is not used for this purpose, then the source code of any non-commercial tool used must be disclosed. If QGEN is used, the version number, release number, modification number, and patch level of QGEN must be disclosed.

QGEN version 2.6.0 was used to generate the substitution parameters.

3.4 Query Text and Output Data from Qualification Database

The executable query text used for query validation must be disclosed along with the corresponding output data generated during the execution of the query text against the qualification database. If minor modifications (see Clause 2.2.3) have been applied to any functional query definition or approved variants in order to obtain executable query text, these modifications must be disclosed and justified. The justification for a particular minor query modification can apply collectively to all queries for which it has been used. The output data for the power and throughput tests must be made available electronically upon request.

Appendix C contains the actual query text and query output.

3.5 Query Substitution Parameters and Seeds Used

The query substitution parameters used for all performance tests must be disclosed in tabular format, along with the seeds used to generate these parameters.

Appendix E contains the seed and query substitution parameters.

3.6 Query Isolation Level

The isolation level used to run the queries must be disclosed. If the isolation level does not map closely to the levels defined in Clause 3.4, additional descriptive detail must be provided.

The queries and transactions were run with the isolation level set to "Level 3" (repeatable read).

3.7 Source Code of Refresh Functions

The details of how the refresh functions were implemented must be disclosed (including source code of any non-commercial program used).

The refresh function is part of the implementation-specific layer/driver code included in Appendix F.

4 Clause 3 Database System Properties

4.1 ACID Properties

The ACID (Atomicity, Consistency, Isolation, and Durability) properties of transaction processing systems must be supported by the system under test during the timed portion of this benchmark. Since TPC-H is not a transaction processing benchmark, the ACID properties must be evaluated outside the timed portion of the test.

Source code for ACID test is included in Appendix C.

4.2 Atomicity

The system under test must guarantee that transactions are atomic; the system will either perform all individual operations on the data, or will assure that no partially completed operations leave any effects on the data.

Completed Transaction

Perform the ACID Transaction for a randomly selected set of input data and verify that the appropriate rows have been changed in the ORDERS, LINEITEM, and HISTORY tables.

1. The total price from the ORDERS table and the extended price from the LINEITEM table were retrieved for a randomly selected order key.
2. The ACID Transaction was performed using the order key from step 1.
3. The ACID Transaction committed.
4. The total price from the ORDERS table and the extended price from the LINEITEM table were retrieved for the same order key. It was verified that the appropriate rows had been changed.

Aborted Transaction

Perform the ACID Transaction for a randomly selected set of input data, substituting a ROLLBACK of the transaction for the COMMIT of the transaction. Verify that the appropriate rows have not been changed in the ORDERS, LINEITEM, and HISTORY tables.

5. The total price from the ORDERS table and the extended price from the LINEITEM table were retrieved for a randomly selected order key.
6. The ACID Transaction was performed using the order key from step 1. The transaction was stopped prior to the commit.
7. The ACID Transaction was ROLLED BACK.
8. The total price from the ORDERS table and the extended price from the LINEITEM table were retrieved for the same order key. It was verified that the appropriate rows had not been changed.

4.3 Consistency

Consistency is the property of the application that requires any execution of transactions to take the database from one consistent state to another.

Consistency Test

Verify that ORDERS and LINEITEM tables are initially consistent, submit the prescribed number of ACID Transactions with randomly selected input parameters, and re-verify the consistency of the ORDERS and LINEITEM.

9. The consistency of the ORDERS and LINEITEM tables was verified based on a sample of order keys.
10. 100 ACID Transactions were submitted from each of 25 execution streams.
11. The consistency of the ORDERS and LINEITEM tables was re-verified.

4.4 Isolation

Operations of concurrent transactions must yield results, which are indistinguishable from the results, which would be obtained by forcing each transaction to be serially executed to completion in some order.

Read-Write Conflict with Commit

Demonstrate isolation for the read-write conflict of a read-write transaction and a read-only transaction when the read-write transaction is committed.

12. An ACID Transaction was started for a randomly selected O_KEY, L_KEY, and DELTA. The ACID Transaction was suspended prior to COMMIT.
13. An ACID Query was started for the same O_KEY used in step 1. The ACID Query blocked and did not see any uncommitted changes made by the ACID Transaction.
14. The ACID Transaction was resumed, and COMMITTED.
15. The ACID Query completed. It returned the data as committed by the ACID Transaction.

Read-Write Conflict with Rollback

Demonstrate isolation for the read-write conflict of a read-write transaction and a read-only transaction when the read-write transaction is rolled back.

16. An ACID Transaction was started for a randomly selected O_KEY, L_KEY, and DELTA. The ACID Transaction was suspended prior to ROLLBACK.
17. An ACID Query was started for the same O_KEY used in step 1. The ACID Query did not see the uncommitted changes made by the ACID Transaction.
18. The ACID Transaction was ROLLED BACK.
19. The ACID Query completed.

Write-Write Conflict with Commit

Demonstrate isolation for the write-write conflict of two update transactions when the first transaction is committed.

20. An ACID Transaction, T1, was started for a randomly selected O_KEY, L_KEY, and DELTA. The ACID transaction T1 was suspended prior to COMMIT.
21. Another ACID Transaction, T2, was started using the same O_KEY and L_KEY and a randomly selected DELTA.
22. T2 waited.
23. T1 was allowed to COMMIT and T2 completed.
24. It was verified that $T2.L_EXTENDEDPRICE = T1.L_EXTENDEDPRICE + (DELTA1 * (T1.L_EXTENDEDPRICE / T1.L_QUANTITY))$

Write-Write Conflict with Rollback

Demonstrate isolation for the write-write conflict of two update transactions when the first transaction is rolled back.

25. An ACID Transaction, T1, was started for a randomly selected O_KEY, L_KEY, and DELTA. The ACID transaction T1 was suspended prior to ROLLBACK.
26. Another ACID Transaction, T2, was started using the same O_KEY and L_KEY and a randomly selected DELTA.
27. T2 waited.
28. T1 was allowed to ROLLBACK and T2 completed.
29. It was verified that $T2.L_EXTENDEDPRICE = T1.L_EXTENDEDPRICE$.

Concurrent Progress of Read and Write on Different Tables

Demonstrate the ability of read and write transactions affecting different database tables to make progress concurrently.

30. An ACID Transaction, T1, was started for a randomly selected O_KEY, L_KEY, and DELTA. T1 was suspended prior to COMMIT.
31. Another ACID transaction, T2 was started using random values for PS_PARTKEY and PS_SUPPKEY, all columns of the PARTSUPP table for which PS_PARTKEY and PS_SUPPKEY are equal are returned.
32. ACID Transaction T2 completed.
33. T1 was allowed to COMMIT.
34. It was verified that the appropriate rows in the ORDER, LINEITEM, and HISTORY tables have been changed.

Read-Only Query Conflict with Update Transactions

Demonstrates that the continuous submission of arbitrary (read-only) queries against one or more tables of the database does not indefinitely delay update transactions affecting those tables from making progress.

35. A Transaction, T1, was started which executed Q21 against the qualification database, was started using a randomly selected DELTA.
36. An ACID Transaction, T2, was started for a randomly selected O_KEY, L_KEY and DELTA.
37. T2 completed and appropriate rows in the ORDERS, LINEITEM and HISTORY tables had been changed.
38. Transaction T1 completed executing Q21.

4.5 Durability

The tested system must guarantee durability: the ability to preserve the effects of committed transactions and insure database consistency after recovery from any one of the failures listed in Clause 3.5.3.

Failure of a Durable Medium

Guarantee the database and committed updates are preserved across a permanent irrecoverable failure of any single durable medium containing TPC-H database tables or recovery log tables.

39. The disks containing TPC-H tables and log files were on RAID1/0 protected disk groups. During the durability test, one disk was removed from each RAID group containing the data and the log. The test continued uninterrupted, because of the RAID protection.

System Crash

Guarantee the database and committed updates are preserved across an instantaneous interruption (system crash/system hang) in processing which requires the system to reboot to recover.

The system crash and memory failure tests were combined. Power to the server was turned off during the durability test. When power was restored, the system rebooted and the database was restarted. The durability success file and the HISTORY table were compared and the counts were verified.

Memory Failure

Guarantee the database and committed updates are preserved across failure of all or part of memory (loss of contents).

See the previous section.

5 Clause 4 Scaling and Database Population

5.1 Ending Cardinality of Tables

The cardinality (e.g., the number of rows) of each table of the test database, as it existed at the completion of the database load (see clause 4.2.5) must be disclosed.

Table	Cardinality
ORDER	15,000,000,000
LINEITEM	59,999,994,267
CUSTOMER	1,500,000,000
PART	2,000,000,000
SUPPLIER	100,000,000
PARTSUPP	8,000,000,000
NATION	25
REGION	5

5.2 Distribution of Tables and Logs Across Media

Distribution of tables and logs across media:

Each MSA array (with 12 disks) was configured as a single RAID1/0 array group. Each array group was divided into 4 luns.

LUN1 for Oracle/ASM use (eg. tables, indexes, logs)

LUN2 for flat-file data

LUN3 for swap

LUN4 for ACID/quall database tests and miscellaneous usage.

OS root and the Oracle home directory were configured on two external disks.

256 LUNs, one from each MSA1000 array, were allocated for Oracle ASM use and a single disk group was built across all LUNs. All tables, indexes, temp space and other Oracle files were configured in this disk group.

5.3 Database Partition/Replication Mapping

The mapping of database partitions/replications must be explicitly described.

Horizontal partitioning was used for all base and index tables except NATION and REGION. The details of this partitioning can be understood by examining the syntax of the table and index definition statements in Appendix B. Similar partitioning was used in the qualification database size.

Section 5.2 describes the distribution of tables and logs across all media..

5.4 RAID Feature

Implementation may use some form of RAID to ensure high availability. If used for data, auxiliary storage (e.g. indexes) or temporary space, the level of RAID must be disclosed for each device.

RAID1/0 was used for all data.

5.5 DBGEN Modification

Any modifications to the DBGEN (see clause 4.2.1) source code must be disclosed. In the event that a program other than DBGEN was used to populate the database, it must be disclosed in its entirety.

The supplied DBGEN version 2.6.0 was not modified to generate the database population for this benchmark.

5.6 Database Load Time

The database load time for the test database (see clause 4.3) must be disclosed.

The database load time was 6:31:27.

5.7 Data Storage Ratio

The data storage ratio must be disclosed. It is computed as the ratio between the total amount of priced disk space, and the chosen test database size as defined in Clause 4.1.3.

The data storage ratio is computed from the following information:

Type	# Disks	Disk Size (GB)	Total (GB)
1 HP Surestore Disk System 2120	4	36	144
256 HP StorageWorks MSA1000	3072	146	448,512.0
TOTAL			448,656.0
Scale Factor			10,000
Storage Ratio			44.87

5.8 Database Load Mechanism Details and Illustration


The details of the database load must be described, including a block diagram illustrating the overall process.

The database was loaded using data generation stored on the flat files all on the tested and priced configuration

5.9 Qualification Database Configuration

Any differences between the configuration of the qualification database and the test database must be disclosed.

The qualification database used identical scripts to create and load the data with changes to adjust for the database scale factor.



6 Clause 5 Performance Metrics and Execution-Rules

6.1 System Activity Between Load and Performance Tests

Any system activity on the SUT that takes place between the conclusion of the load test and the beginning of the performance test must be fully disclosed.

Auditor requested queries were run against the database to verify the correctness of the database load.

All scripts and queries used are included in Appendix E.

6.2 Steps in the Power Test

The details of the steps followed to implement the power test (e.g., system boot, database restart, etc.) must be disclosed.

The following steps were used to implement the power test:

1. RF1 Refresh Transaction
2. Stream 00 Execution
3. RF2 Refresh Transaction

6.3 Timing Intervals for Each Query and Refresh Functions

The timing intervals for each query for both refresh functions must be reported for the power test.

The timing intervals for each query and both update functions are given in the Executive Summary earlier in this document.

6.4 Number of Streams for the Throughput Test

The number of execution streams used for the throughput test must be disclosed.

24 streams were used for the throughput test.

6.5 Start and End Date/Time of Each Query Stream

The start time and finish time for each query stream must be reported for the throughput test.

The throughput test start time and finish time for each stream are given in the Executive Summary earlier in this document.

6.6 Total Elapsed Time of the Measurement Interval

The total elapsed time of the measurement interval must be reported for the throughput test.

The total elapsed time of the throughput test is given in the Executive Summary earlier in this document.

6.7 Refresh Function Start Date/Time and Finish Date/Time

Start and finish time for each update function in the update stream must be reported for the throughput test.

Start and finish time for each update function in the update stream are given in the Executive Summary earlier in this document.

6.8 Timing Intervals for Each Query and Each Refresh Function for Each Stream

The timing intervals for each query of each stream and for each refresh function must be reported for the throughput test.

The timing intervals for each query and each update function are given in the Executive Summary earlier in this document.

6.9 Performance Metrics

The computed performance metric, related numerical quantities and price performance metric must be reported.

The performance metrics, and the numbers, on which they are based, is given in the Executive Summary earlier in this document.

6.10 The Performance Metric and Numerical Quantities from Both Runs

The performance metric and numerical quantities from both runs must be disclosed.

Performance results from the first two executions of the TPC-H benchmark indicated the following percent difference for the metric points:

	QppH@10000GB	QthH@10000GB	QphH@10000GB
Reported Run	247,445.4	175,613.0	208,457.7
Reproducibility Run	255,903.1	177,336.6	213,028.1
% Difference	3.4%	1.0%	2.2%

6.11 System Activity Between Performance Tests

Any activity on the SUT that takes place between the conclusion of the Reported Run and the beginning of Reproducibility Run must be disclosed.

The database was restarted between the two runs.

7 Clause 6 SUT and Driver Implementation Related Items

7.1 Driver

A detailed description of how the driver performs its functions must be supplied, including any related source code or scripts. This description should allow an independent reconstruction of the driver.

All stream executions are performed by a single script. QGEN is used to produce query text.

For each power-test run:

- The SQL for RF1 is submitted to the database
- Then the queries as generated by QGEN are submitted in the order defined by Clause 5.3.5.4
- The SQL for RF2 is submitted to the database.

7.2 Implementation-Specific Layer (ISL)

If an implementation specific layer is used, then a detailed description of how it performs its functions must be provided. All related source code, scripts and configuration files must be disclosed. The information provided should be sufficient for an independent reconstruction of the implementation specific layer.

The source code for the "qexec" utility can be found in Appendix E.

7.3 Profile-Directed Optimization

If profile-directed optimization as described in Clause 5.2. is used, such use must be disclosed..

Profile-directed optimization subject to the requirements of 5.2.9 and 5.2.10 was not used.

8 Clause 7 Pricing

8.1 Hardware and Software Used in the Priced System

A detailed list of hardware and software used in the priced system must be reported. Each item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery date. If package pricing is used, contents of the package must be disclosed. Pricing source(s) and effective date(s) of price(s) must also be reported.

A detailed list of hardware and software used in the priced system is included in the pricing sheet in the executive summary. All prices are currently effective.

8.2 Total Three Year Price

The total 3-year price of the entire configuration must be reported including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.

A detailed pricing sheet of all the hardware and software used in this configuration and the 3-year maintenance costs, demonstrating the computation of the total 3-year price of the configuration, is included in the executive summary at the beginning of this document.

8.3 Availability Date

The committed delivery date for general availability of products used in the priced calculations must be reported. When the priced system includes products with different availability dates, the reported availability date for the priced system must be the date at which all components are committed to be available.

Server Hardware	Available Now
Server Software	Available Now
Storage	Available Now
Oracle Database 11g Enterprise Edition with Partitioning and Oracle Automatic Storage Management	09/10/2008*

*For orderability and pricing, contact: MaryBeth Pierantoni, mary.beth.pierantoni@oracle.com, 916-315-5081

9 Clause 8 Auditor's Information and Attestation Letter

9.1 Auditor's Report

The auditor's agency name, address, phone number, and Attestation letter with a brief audit summary report indicating compliance must be included in the full disclosure report. A statement should be included specifying who to contact in order to obtain further information regarding the audit process.

This implementation of the TPC Benchmark H was audited by Francois Raab for InfoSizing. Further information regarding the audit process may be obtained from:

Francois Raab

InfoSizing

1373 N. Franklin Steet

Colorado Springs, CO 80903

(719) 473-7555

(719) 473-7554

The auditor's attestation letter is included at the front of this report.

Appendix A Parameter Settings

A.1 10TB_init.ora

```
java_pool_size=1024
result_cache_max_size=300m
result_cache_mode=force
statistics_level=basic
db_cache_advice=OFF
instance_type           = rdbms
aq_tm_processes         = 0
audit_trail              = FALSE
compatible               = 11.0.0.0
control_files            = (+DG1/control1,+DG1/control2)
cpu_count                = 64
db_block_checksum       = false
db_block_size           = 32768
db_cache_size           = 24g
db_file_multiblock_read_count = 64
db_files                 = 2400
db_name                  = 10tb
db_writer_processes     = 16
dml_locks                = 40000
global_names             = FALSE
hpux_sched_noage        = 180
instance_name           = tpch
job_queue_processes     = 0
log_buffer               = 268435456
log_checkpoints_to_alert = true
log_checkpoint_interval = 18000
max_dump_file_size      = unlimited
nls_date_format          = YYYY-MM-DD
open_cursors             = 1024
optimizer_features_enable = 11.1.0.6.1
optimizer_index_cost_adj = 200
optimizer_mode           = CHOOSE
parallel_adaptive_multi_user = TRUE
parallel_execution_message_size = 65535
parallel_max_servers     = 2560
parallel_min_servers     = 2560
parallel_threads_per_cpu = 3
pga_aggregate_target    = 150g
processes                = 5000
recovery_parallelism     = 32
replication_dependency_tracking = false
session_cached_cursors  = 0
shared_pool_size         = 100g
undo_management          = auto
undo_retention           = 200000
```

A.2 system

```
*
* Created on Thu Feb 21 08:21:43 2008
*
version 1
configuration current "" [47bda517]
*
* Module entries
```

```
*
module mpt             best      1.0.[466E36F6]
module dmphpalua      best      0.1.[458A95BE]
module dmphdsalua     best      0.1.[458A95BE]
module dmpjbod        best      0.1.[458A95BE]
module dmpapf         best      0.1.[458A95BD]
module dmpapg         best      0.1.[458A95BD]
module dmpap          best      0.1.[458A95BD]
module dmpaaa         best      0.1.[458A95BD]
module dmpaa          best      0.1.[458A95BC]
module vols           best      1.0.[458A8F52]
module vol            best      1.0.[458A8F5C]
module vxdmp          best      1.0.[458A8F54]
module sasd           best      1.0.[46816471]
module ciss           best      1.0.[46816461]
module prm            best      1.0.[45D4D130]
module oncksupp       best      1.0.[45A7E361]
module lvm            best      1.0.[46816424]
module vxportal       static   41.0.[45A7EE8C]
module vxfs           static   41.0.[45A7EE8C]
module igelan         best      1.0.[468C8D38]
module iether         best      1.0.[468163C4]
module gelan          best      1.0.[466E3625]
module td             best      1.0.[468163AB]
module fcpdev         best      1.0.[45D4D120]
module fcpararray     best      1.0.[45D4D120]
module fcp            best      1.0.[45D4D120]
module fcd            best      1.0.[466E3613]
module colad_enable   best      1.0.[466E3604]
module cifs           auto      1.0.[473CD153]
module cfsm           auto      1.0.[46546C06]
module cfsmdr         auto      1.0.[46546C06]
module cachefs        best      1.0.[45A7E3E6]
module autofs         best      1.0.[45A7E3E6]
module rpcmod         best      1.0.[45A7E3E8]
module krb5           best      1.0.[45A7E3E7]
module kgssapi        best      1.0.[45A7E3E6]
module klmmod         best      1.0.[45A7E3E7]
module rpcsec_gss     best      1.0.[45A7E3E9]
module rpcsec         best      1.0.[45A7E3E8]
module rpc            best      1.0.[45A7E3E8]
module nfs_clientbest best      1.0.[45A7E3E7]
module nfs_client_pv2 best      1.0.[45A7E3E8]
module nfs_client_pv3 best      1.0.[45A7E3E8]
module nfs_client_pv4 best      1.0.[45A7E3E8]
module nfssrv         best      1.0.[45A7E3E8]
module nfswrp         best      1.0.[45A7E3E8]
module pckt           best      1.0.[45A7E362]
module ptm            best      1.0.[45A7E367]
module pts            best      1.0.[45A7E367]
module ptem           best      1.0.[45A7E367]
module ldterm         best      1.0.[45A7E35E]
module rng            loaded   0.1.[45D4D131]
module cdfs           auto      0.1.[45D4D11C]
module dev_config     best      1.0.[45D4D11D]
module dmem           best      1.0.[45D4D11E]
module diag2          best      1.0.[462EDBDD]
module asyncdsk       best      1.0.[4632BD25]
module tgt            best      1.0.[45D4D135]
```

```

module stape      best  1.0.[45D4D134]
module sdisk      best  1.0.[45D4D132]
module sctl       best  1.0.[45D4D132]
module schgr      best  1.0.[45D4D132]
module esvroot    best  1.0.[45D4D120]
module estp       best  1.0.[45D4D120]
module estape     best  1.0.[45D4D120]
module eslpt      best  1.0.[45D4D120]
module esdisk     best  1.0.[46689A72]
module esctl      best  1.0.[467AF9C0]
module eschgr     best  1.0.[45D4D11F]
module side_multi best  1.0.[45D4D133]
module side       best  1.0.[45DB90F6]
module c8xx       best  1.0.[466470EB]
module procsmb    best  1.0.[45D4D130]
module rmp3f01    best  1.0.[45D4D131]
module pdh        best  1.0.[45D4D12C]
module ia64_psm   best  1.0.[45D4D123]
module wxb_hp     best  1.0.[45D4D13C]
module sac        best  1.0.[45D4D131]
module acpi_node  best  1.0.[45D4D11A]
module ipmi       best  1.0.[45D4D125]
module ptys       best  1.0.[45D4D130]
module ptym       best  1.0.[45D4D130]
module ffs        best  1.0.[45D4D120]
module pipemod    best  1.0.[45D4D12C]
module pipedev    best  1.0.[45D4D12C]
module tirdwr     best  1.0.[45D4D135]
module timod      best  1.0.[45D4D135]
module sc         best  1.0.[45D4D131]
module echo       best  1.0.[45D4D11F]
module sad        best  1.0.[45D4D131]
module strlog     best  1.0.[45D4D134]
module clone      best  1.0.[45D4D11D]
module hpstreams  best  1.0.[45D4D123]
module nms        best  1.0.[45D4D12A]
module intl100    best  1.0.[45D4D124]
module btlan      best  1.0.[466711D9]
module token_arp  best  1.0.[45D4D136]
module dlpi       best  1.0.[45D4D11E]
module netdiag1   best  1.0.[45D4D12A]
module tels       best  1.0.[45D4D135]
module telm       best  1.0.[45D4D135]
module tun        best  1.0.[45D4D136]
module uipc       best  1.0.[45D4D137]
module inet       best  1.0.[45D4D124]
module sba        best  1.0.[465A9F32]
module root       best  1.0.[45D4D131]
module pci_slot   best  1.0.[45D4D12B]
module lba        best  1.0.[4654E067]
module cell       best  1.0.[45D4D11D]
module asio0      best  1.0.[466710A8]
*
* Dump entries
*
dump lvol
*
* Tunables entries
*

```

```

tunable as_isolation_level 1
tunable filecache_min      1%
tunable pagezero_daemon_enabled 0
tunable STRMSGSZ          65535
tunable hfs_max_ra_blocks 20
tunable hfs_ra_per_disk   256
tunable max_async_ports   4096
tunable maxdsiz           0x40000000
tunable maxfiles          4096
tunable maxssiz           0x10000000
tunable maxtsiz          1073741824
tunable maxuprc           3277
tunable msgmni            512
tunable nfile             2000000
tunable nproc             7168
tunable nstrpty           200
tunable semmni           4096
tunable semmnu           4092
tunable semvmx           32768
tunable shmseg           512
tunable swchunk          65536
tunable vps_ceiling       64
tunable vxfs_ifree_timelag 3600000
tunable max_thread_proc   2048
tunable timezone         480
tunable shmmni           2048
tunable shmmax           0x40000000000
tunable semume           512
tunable semmns           8192
tunable nswapdev         100
tunable npty             200
tunable ninode           120000
tunable msgtql           5120
tunable msgmnb           65536
tunable maxtsiz_64bit     4294967296
tunable maxssiz_64bit     268435456
tunable maxfiles_lim      4096
tunable maxdsiz_64bit     0x1000000000
tunable hfs_revra_per_disk 256
tunable hfs_max_revra_blocks 20
tunable create_fastlinks  1
tunable cmc_plat_poll     15
tunable process_id_min    0
tunable filecache_max     3%
tunable nkthread          11488
tunable o_sync_is_o_dsync 1

```

A.3 env

```

##### MACHINE PARAMETERS
#####
##### PATHS
#####
export KIT_DIR=/dbms/oracle10i/kit
export SCHEMA_DIR=$KIT_DIR/schema
export PERL=/opt/perl/bin/perl
export UTILS=$KIT_DIR/utills
export TEST_DB=/tmp
export QUAL_DB=$TEST_DB

```

```

export DBGEN=$KIT_DIR/dbgen
export ACID_DIR=$KIT_DIR/acid
export QEXEC=$KIT_DIR/utills
export QUERIES=$KIT_DIR/queries
export ANSWERS=$KIT_DIR/answers
export
ANS2VAL=/dbms/oracle10i/kit/acid/answers2validate
export ACID_OUT=$KIT_DIR/out
export DSS_CONFIG=$DBGEN
export DSS_QUERY=$KIT_DIR/queries
export DSS_PATH=$ADE_VIEW_ROOT
export MAINT=$KIT_DIR/maintenance
export CC=/opt/ansic/bin/cc
export FRAME=$KIT_DIR/frame
export FRAME_DIR=/dbms/oracle10i/frame
export SCALE_FACTOR=10000
export UPDATE_1_DOP=64
export UPDATE_2_DOP=128
##### FRAME STUFF
export FRAME_PATH=$KIT_DIR/frame

export ORACORE3INCL=$ORACLE_HOME/rdbms/demo
export
ORACORE3PUBL=$ORACLE_HOME/rdbms/public
export RDBMSPUBL=$ORACLE_HOME/rdbms/public
export
NETWORKPUBL=$ORACLE_HOME/network/public
export RDBMSDEMO=$ORACLE_HOME/rdbms/demo
export PLSQLEMO=$ORACLE_HOME/plsql/demo
export PLSQLPUBL=$ORACLE_HOME/plsql/public
export O=$ORACLE_HOME
export
PATH=./:${BUMPX_DIR}:${UTILS}:${DBGEN}:${MAINT}:${ACID_DIR}:${FRAME}/bin:${FRAME}/bin:${REG_TEST}:${PATH}
#
##### ENVIRONMENT VARIABLES
#####
export WORKLOAD=TPCH
export HOST=
export GETOPT=-DSTDLIB_HAS_GETOPT
export PLATFORM=
export
REF_DATA_SET_DIR=$KIT_DIR/dbgen/reference/10TB_REF/TPCH260_sf10000/BASE

##### ALIASES
#####

##### RULES - do not change these
#####
case "$SCALE_FACTOR" in
  1) export NUM_STREAMS=2;;
  10) export NUM_STREAMS=3;;
  100) export NUM_STREAMS=5;;
  300) export NUM_STREAMS=6;;
  1000) export NUM_STREAMS=7;;
  3000) export NUM_STREAMS=8;;
  10000) export NUM_STREAMS=24;;

```

```

30000) export NUM_STREAMS=10;;
esac
DATABASE_USER=tpch/tpch

```

A.4 profile

```

stty erase "^H" kill "^x" intr "^C" eof "^D" susp "^Z"
export EDITOR=/usr/bin/vi

```

```

export ORACLE_HOME_11g=/oracle
export ORACLE_HOME=$ORACLE_HOME_11g
export ORACLE_SID=tpch
export THIS_SETUP_MESSAGE="THIS SETUP IS NOW 11G"
export THIS_SETUP=11G

```

```

#export ORACLE_SID=ASM
#echo 'ORACLE_SID is ASM'

```

```

#echo $ORACLE_SID
#echo $THIS_SETUP_MESSAGE

```

```

#export ORACLE_SID=qual
#echo 'ORACLE_SID is qual'

```

```

export KIT_DIR=/dbms/oracle10i/kit

```

```

export
SHLIB_PATH=$ORACLE_HOME/lib:$ORACLE_HOME/lib32:$ORACLE_HOME/rdbms/lib:$ORACLE_HOME/network/lib
export
LD_LIBRARY_PATH=$ORACLE_HOME/lib:$ORACLE_HOME/lib64:$ORACLE_HOME/rdbms/lib:$ORACLE_HOME/network/lib64
export SAVEHIST=2049
export FRAME_PATH=/dbms/oracle10i/frame
export O=$ORACLE_HOME
export ORACLE_PATH=/dbms/oracle10i/frame/tools
export PS1="`whoami`-(`hostname`)> "
export skgxp_trace_path=/tmp/srq.tpch1
export ASYNC_BUF_CONF=256
echo "export ASYNC_BUF_CONF=$ASYNC_BUF_CONF"

```

```

export
PATH=./:$ORACLE_HOME/bin:/usr/local/bin:$ORACLE_HOME/lib:$ORACLE_HOME/opt/perf_tools/bin:/tools/tpch/run_power:/tpch:/dbms/oracle10i/frame/bin:/dbms/oracle10i/frame:/dbms/oracle10i/tools/bin:/tools/Tusc:/dbms/tpcd_v8/bumpx/bumpx:/dbms/tpcd_v8/bumpx/dbgen:/dbms/tpcd_v8/out/scripts:/opt/ansic/bin:/opt/langtools/bin:/sbin:/usr/bin:/usr/local/bin:/usr/contrib/bin:/etc:/usr/include:/dbms/oracle10i/kit:/dbms/oracle10i/kit/bumpx:/dbms/oracle10i/local/TestIO:/usr/ccs/bin:/opt/caliper/bin:/opt/rdma/bin:~/bin

```

```

alias ltt="ls -ltr |tail -30"
alias cd_frame="cd /dbms/oracle10i/frame"
alias cd_stats="cd /dbms/oracle10i/frame/stats"
alias cd_q="cd /dbms/oracle10i/frame/queries/queries_tpch"
alias cd_log="cd /oracle/rdbms/log"
alias cd_u="cd
/dbms/oracle10i/frame/queries/queries_tpch/updates"
alias ltm="ls -lt |more"
alias cdbin="cd /dbms/tpcd_v8/bin"
alias cdload="cd /dbms/oracle10i/kit/audit/10tb.ASM"
alias cdtools="cd /dbms/oracle10i/tools/bin"
alias cdq="cd /tpch/tpch/run_power"
alias pso="ps -ef | grep ora | grep -v sleep"
alias pso_hc="ps -fu oracle | sort -n -k2"
alias setterm="TERM=dterm;export TERM"
alias taillog="tail -f
/oracle/log/diag/rdbms/10tb/$ORACLE_SID/trace/alert_${ORACLE_SID}.log"
alias taillog_1g="tail -f
/oracle/log/diag/rdbms/1gb/$ORACLE_SID/trace/alert_${ORACLE_SID}.log"
#alias taillog="tail -f
/oracle/rdbms/log/alert_${ORACLE_SID}.log"
alias cdlog="cd
/oracle/log/diag/rdbms/10tb/$ORACLE_SID/trace"
alias maxpga="ora smm | grep \"maximum PGA
allocated\""
alias dotail="tail -n 1 "
export
LFRAME_PATH=/dbms/oracle10i/lframe/lframe_final
export PATH=$LFRAME_PATH/bin:$PATH

umask 002
iosum(){
if [ "$1" -eq "" ]; then
    echo usage: iosum iterations
else
    sar -d 2 $1 | ${FRAME_PATH}/bin/io.pl
fi
}

```

A.5 initasm.ora

```

instance_type=asm
shared_pool_size=4G
MEMORY_TARGET=5G
asm_diskgroups=DG1
ASM.instance_number=1
instance_number=1
processes=500
ASM_DISKSTRING='/dbms/links/oradsk*'
core_dump_dest='/opt/app/admin/ASM/log'

```

Appendix B Build Programs and Scripts

B.1 dbcre.sh

```
#!/bin/ksh

echo START CREATE DB at `date`
export ORACLE_SID=tpch

sqlplus /NOLOG <<!  
connect / as sysdba  
set timing on  
set echo on

shutdown abort;

startup pfile=/oracle/dbs/10TB_init.ora nomount;  
create database  
controlfile reuse  
logfile '+DG1' size 120000m reuse,  
        '+DG1' size 120000m reuse  
datafile '+DG1' size 5000m reuse  
sysaux datafile '+DG1' size 5000m reuse  
undo tablespace ts_undol  
        datafile '+DG1' size 32000m reuse  
maxdatafiles 3000  
maxinstances 2  
;  
  
set termout off  
set echo off  
spool /tmp/cat  
@?/rdbs/admin/catalog.sql;  
@?/rdbs/admin/catparr.sql;  
@?/rdbs/admin/catproc.sql;  
connect system/manager  
@?/sqlplus/admin/pupbld.sql;  
@?/rdbs/admin/utlxplan.sql;  
spool off  
!  
echo END CREATE DB at `date`
```

B.2 sctso.sh

```
#!/bin/ksh

echo CREATE TABLESPACES at `date`  
export ORACLE_SID=tpch

(( i = 1 ))  
while (( i <= 12 ))  
do  
sqlplus / as sysdba <<!  
set timing on
```

```
set echo on

alter tablespace ts_undol  
add datafile '+DG1' size 128000m reuse;  
;  
!  
(( i = $i + 1 ))  
done

sqlplus / as sysdba <<!  
set timing on  
set echo on

--drop tablespace ts_default including contents;  
create tablespace ts_default  
datafile '+DG1' size 15000m reuse  
extent management local autoallocate nologging;  
!  
  
sqlplus / as sysdba <<!  
set timing on  
set echo on

--drop tablespace ts_temp including contents;  
create temporary tablespace ts_temp  
tempfile '+DG1' size 128000m reuse  
extent management local  
uniform size 5M  
;  
!  
  
wait

(( i = 1 ))

while (( i <= 110 ))  
do

sqlplus / as sysdba <<!  
&  
  
set timing on  
set echo on  
alter tablespace ts_temp  
add tempfile '+DG1' size 128000m reuse;  
!  
(( i = $i + 1 ))  
done

wait
```

```
(( i = 1 ))  
while (( i <= 84 ))  
do  
sqlplus / as sysdba <<!  
set timing on  
set echo on  
--drop tablespace ts_1${i} including contents;  
create tablespace ts_1${i}
```

```

datafile '+DG1' size 128000m reuse
extent management dictionary
default storage (initial 100m next 100m maxextents
unlimited pctincrease 0)
nologging
;
!
(( i = $i + 1 ))
done

```

wait

```

(( i = 1 ))
while (( i <= 84 ))
do
sqlplus / as sysdba <<! &
set timing on
set echo on
--drop tablespace ts_o${i} including contents;
create tablespace ts_o${i}
datafile '+DG1' size 28000m reuse
extent management dictionary
default storage (initial 100m next 100m maxextents
unlimited pctincrease 0)
nologging
;
!
(( i = $i + 1 ))
done

```

wait

```

sqlplus / as sysdba <<! &
set timing on
set echo on
--drop tablespace ts_c including contents;
create bigfile tablespace ts_c
datafile '+DG1' size 280000m reuse
extent management local autoallocate nologging;
!

```

```

sqlplus / as sysdba <<! &
set timing on
set echo on

```

```

--drop tablespace ts_p including contents;
create bigfile tablespace ts_p
datafile '+DG1' size 280000m reuse
extent management local autoallocate nologging;
!

```

```

sqlplus / as sysdba <<! &
set timing on
set echo on

```

```

--drop tablespace ts_okey including contents;
create bigfile tablespace ts_okey
datafile '+DG1' size 400000m reuse
extent management local autoallocate nologging;

```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

!

```

sqlplus / as sysdba <<! &
set timing on
set echo on
--drop tablespace ts_s including contents;
create tablespace ts_s
datafile '+DG1' size 18000M reuse
extent management local autoallocate nologging;
!

```

```

sqlplus / as sysdba <<! &
set timing on
set echo on

```

```

--drop tablespace ts_custkey including contents;
create tablespace ts_custkey
datafile '+DG1' size 50000m reuse
extent management local
uniform size 5M
nologging;
!

```

```

sqlplus / as sysdba <<! &
set timing on
set echo on

```

```

--drop tablespace ts_lokey including contents;
create tablespace ts_lokey
datafile '+DG1' size 128000m reuse
extent management local
uniform size 5M
nologging;
!

```

```

sqlplus / as sysdba <<! &
set timing on
set echo on

```

```

--drop tablespace ts_psupp including contents;
create tablespace ts_psupp
datafile '+DG1' size 128000m reuse
extent management dictionary
default storage (initial 500m next 500m maxextents
unlimited pctincrease 0)
nologging
;
!
wait

```

```

(( i = 1 ))

```

```

while (( i <= 11 ))
do
sqlplus / as sysdba <<! &
set timing on
set echo on

```

```
alter tablespace ts_psupp
add datafile '+DG1' size 128000m reuse;
!
```

```
(( i = $i + 1 ))
done
```

```
wait
```

```
(( i = 1 ))
```

```
while (( i <= 14 ))
do
sqlplus / as sysdba <<! &
set timing on
set echo on
```

```
alter tablespace ts_lokey
add datafile '+DG1' size 128000m reuse;
!
```

```
(( i = $i + 1 ))
done
```

```
wait
```

```
echo END CREATE TABLESPACES at `date`
```

B.3 dapop.sh

```
#!/bin/ksh
```

```
echo START TABLE CREATION at `date`
export ORACLE_SID=tpch;
```

```
#!/dbms/oracle10i/frame/bin/tshut
#!/dbms/oracle10i/frame/bin/tshut.asm
#!/dbms/oracle10i/frame/bin/tstart.asm
#!/dbms/oracle10i/frame/bin/tstart
```

```
sqlplus /NOLOG <<!
connect / as sysdba
set timing on
set echo on
set termout on
```

```
drop user tpch cascade;
grant DBA
to tpch identified by tpch;
```

```
alter user tpch default tablespace ts_default;
alter user tpch temporary tablespace ts_temp;
```

```
connect tpch/tpch;
```

```
drop directory data_dir1;
drop directory data_dir2;
drop directory data_dir3;
drop directory data_dir4;
drop directory data_dir5;
drop directory data_dir6;
drop directory data_dir7;
drop directory data_dir8;
drop directory data_dir9;
drop directory data_dir10;
drop directory data_dir11;
drop directory data_dir12;
drop directory data_dir13;
drop directory data_dir14;
drop directory data_dir15;
drop directory data_dir16;
```

```
create directory data_dir1 as '/flat1/10TB/';
create directory data_dir2 as '/flat2/10TB/';
create directory data_dir3 as '/flat3/10TB/';
create directory data_dir4 as '/flat4/10TB/';
create directory data_dir5 as '/flat5/10TB/';
create directory data_dir6 as '/flat6/10TB/';
create directory data_dir7 as '/flat7/10TB/';
create directory data_dir8 as '/flat8/10TB/';
create directory data_dir9 as '/flat9/10TB/';
create directory data_dir10 as '/flat10/10TB/';
create directory data_dir11 as '/flat11/10TB/';
create directory data_dir12 as '/flat12/10TB/';
create directory data_dir13 as '/flat13/10TB/';
create directory data_dir14 as '/flat14/10TB/';
create directory data_dir15 as '/flat15/10TB/';
create directory data_dir16 as '/flat16/10TB/';
```

```
drop table l_et;
create table l_et(
  l_orderkey      number ,
  l_partkey       number ,
  l_suppkey       number ,
  l_linenumbers   number ,
  l_quantity      number ,
  l_extendedprice number ,
  l_discount      number ,
  l_tax           number ,
  l_returnflag    char(1) ,
  l_linestatus    char(1) ,
  l_shipdate      date ,
  l_commitdate    date ,
  l_receiptdate   date ,
  l_shipinstruct  char(25) ,
  l_shipmode      char(10) ,
  l_comment       varchar(44)
)
```

```
organization external (
type ORACLE_LOADER
default directory data_dir1
access parameters
```

```

(
    records delimited by newline
    date_cache 3000
    badfile data_dir1:'l_et.bad'
    logfile data_dir1:'l_et.log'
        fields terminated by '|'
        missing field values are null
)
location (
    data_dir1:'lineitem.tbl.1',
    data_dir1:'lineitem.tbl.2',
    data_dir1:'lineitem.tbl.3',
    data_dir1:'lineitem.tbl.4',
    data_dir1:'lineitem.tbl.5',
    data_dir2:'lineitem.tbl.6',
    data_dir2:'lineitem.tbl.7',
    data_dir2:'lineitem.tbl.8',
    data_dir2:'lineitem.tbl.9',
    data_dir2:'lineitem.tbl.10',
    data_dir3:'lineitem.tbl.11',
    data_dir3:'lineitem.tbl.12',
    data_dir3:'lineitem.tbl.13',
    data_dir3:'lineitem.tbl.14',
    data_dir3:'lineitem.tbl.15',
    data_dir4:'lineitem.tbl.16',
    data_dir4:'lineitem.tbl.17',
    data_dir4:'lineitem.tbl.18',
    data_dir4:'lineitem.tbl.19',
    data_dir4:'lineitem.tbl.20',
    data_dir5:'lineitem.tbl.21',
    data_dir5:'lineitem.tbl.22',
    data_dir5:'lineitem.tbl.23',
    data_dir5:'lineitem.tbl.24',
    data_dir5:'lineitem.tbl.25',
    data_dir6:'lineitem.tbl.26',
    data_dir6:'lineitem.tbl.27',
    data_dir6:'lineitem.tbl.28',
    data_dir6:'lineitem.tbl.29',
    data_dir6:'lineitem.tbl.30',
    data_dir7:'lineitem.tbl.31',
    data_dir7:'lineitem.tbl.32',
    data_dir7:'lineitem.tbl.33',
    data_dir7:'lineitem.tbl.34',
    data_dir7:'lineitem.tbl.35',
    data_dir8:'lineitem.tbl.36',
    data_dir8:'lineitem.tbl.37',
    data_dir8:'lineitem.tbl.38',
    data_dir8:'lineitem.tbl.39',
    data_dir8:'lineitem.tbl.40',
    data_dir9:'lineitem.tbl.41',
    data_dir9:'lineitem.tbl.42',
    data_dir9:'lineitem.tbl.43',
    data_dir9:'lineitem.tbl.44',
    data_dir9:'lineitem.tbl.45',
    data_dir10:'lineitem.tbl.46',
    data_dir10:'lineitem.tbl.47',
    data_dir10:'lineitem.tbl.48',
    data_dir10:'lineitem.tbl.49',
    data_dir10:'lineitem.tbl.50',
    data_dir11:'lineitem.tbl.51',
    data_dir11:'lineitem.tbl.52',
    data_dir11:'lineitem.tbl.53',
    data_dir11:'lineitem.tbl.54',
    data_dir11:'lineitem.tbl.55',
    data_dir12:'lineitem.tbl.56',
    data_dir12:'lineitem.tbl.57',
    data_dir12:'lineitem.tbl.58',
    data_dir12:'lineitem.tbl.59',
    data_dir12:'lineitem.tbl.60',
    data_dir13:'lineitem.tbl.61',
    data_dir13:'lineitem.tbl.62',
    data_dir13:'lineitem.tbl.63',
    data_dir13:'lineitem.tbl.64',
    data_dir13:'lineitem.tbl.65',
    data_dir14:'lineitem.tbl.66',
    data_dir14:'lineitem.tbl.67',
    data_dir14:'lineitem.tbl.68',
    data_dir14:'lineitem.tbl.69',
    data_dir14:'lineitem.tbl.70',
    data_dir15:'lineitem.tbl.71',
    data_dir15:'lineitem.tbl.72',
    data_dir15:'lineitem.tbl.73',
    data_dir15:'lineitem.tbl.74',
    data_dir15:'lineitem.tbl.75',
    data_dir16:'lineitem.tbl.76',
    data_dir16:'lineitem.tbl.77',
    data_dir16:'lineitem.tbl.78',
    data_dir16:'lineitem.tbl.79',
    data_dir16:'lineitem.tbl.80',
    data_dir1:'lineitem.tbl.81',
    data_dir2:'lineitem.tbl.82',
    data_dir3:'lineitem.tbl.83',
    data_dir4:'lineitem.tbl.84'
))
reject limit unlimited parallel;

drop table o_et;
create table o_et(
    o_orderkey      number ,
    o_custkey       number ,
    o_orderstatus   char(1) ,
    o_totalprice    number ,
    o_orderdate     date ,
    o_orderpriority char(15) ,
    o_clerk         char(15) ,
    o_shippriority  number ,
    o_comment       varchar(79)
)
organization external (
type ORACLE_LOADER
default directory data_dir1
access parameters
(
    records delimited by newline
    date_cache 3000
    badfile data_dir2:'o_et.bad'
    logfile data_dir2:'o_et.log'
)
)

```



```

fields terminated by '|'
missing field values are null
)
location (
data_dir1:'orders.tbl.1',
data_dir1:'orders.tbl.2',
data_dir1:'orders.tbl.3',
data_dir1:'orders.tbl.4',
data_dir1:'orders.tbl.5',
data_dir2:'orders.tbl.6',
data_dir2:'orders.tbl.7',
data_dir2:'orders.tbl.8',
data_dir2:'orders.tbl.9',
data_dir2:'orders.tbl.10',
data_dir3:'orders.tbl.11',
data_dir3:'orders.tbl.12',
data_dir3:'orders.tbl.13',
data_dir3:'orders.tbl.14',
data_dir3:'orders.tbl.15',
data_dir4:'orders.tbl.16',
data_dir4:'orders.tbl.17',
data_dir4:'orders.tbl.18',
data_dir4:'orders.tbl.19',
data_dir4:'orders.tbl.20',
data_dir5:'orders.tbl.21',
data_dir5:'orders.tbl.22',
data_dir5:'orders.tbl.23',
data_dir5:'orders.tbl.24',
data_dir5:'orders.tbl.25',
data_dir6:'orders.tbl.26',
data_dir6:'orders.tbl.27',
data_dir6:'orders.tbl.28',
data_dir6:'orders.tbl.29',
data_dir6:'orders.tbl.30',
data_dir7:'orders.tbl.31',
data_dir7:'orders.tbl.32',
data_dir7:'orders.tbl.33',
data_dir7:'orders.tbl.34',
data_dir7:'orders.tbl.35',
data_dir8:'orders.tbl.36',
data_dir8:'orders.tbl.37',
data_dir8:'orders.tbl.38',
data_dir8:'orders.tbl.39',
data_dir8:'orders.tbl.40',
data_dir9:'orders.tbl.41',
data_dir9:'orders.tbl.42',
data_dir9:'orders.tbl.43',
data_dir9:'orders.tbl.44',
data_dir9:'orders.tbl.45',
data_dir10:'orders.tbl.46',
data_dir10:'orders.tbl.47',
data_dir10:'orders.tbl.48',
data_dir10:'orders.tbl.49',
data_dir10:'orders.tbl.50',
data_dir11:'orders.tbl.51',
data_dir11:'orders.tbl.52',
data_dir11:'orders.tbl.53',
data_dir11:'orders.tbl.54',
data_dir11:'orders.tbl.55',

```

```

data_dir12:'orders.tbl.56',
data_dir12:'orders.tbl.57',
data_dir12:'orders.tbl.58',
data_dir12:'orders.tbl.59',
data_dir12:'orders.tbl.60',
data_dir13:'orders.tbl.61',
data_dir13:'orders.tbl.62',
data_dir13:'orders.tbl.63',
data_dir13:'orders.tbl.64',
data_dir13:'orders.tbl.65',
data_dir14:'orders.tbl.66',
data_dir14:'orders.tbl.67',
data_dir14:'orders.tbl.68',
data_dir14:'orders.tbl.69',
data_dir14:'orders.tbl.70',
data_dir15:'orders.tbl.71',
data_dir15:'orders.tbl.72',
data_dir15:'orders.tbl.73',
data_dir15:'orders.tbl.74',
data_dir15:'orders.tbl.75',
data_dir16:'orders.tbl.76',
data_dir16:'orders.tbl.77',
data_dir16:'orders.tbl.78',
data_dir16:'orders.tbl.79',
data_dir16:'orders.tbl.80',
data_dir5:'orders.tbl.81',
data_dir6:'orders.tbl.82',
data_dir7:'orders.tbl.83',
data_dir8:'orders.tbl.84'
))
reject limit unlimited parallel;

drop table ps_et;
create table ps_et(
ps_partkey      number ,
ps_suppkey      number ,
ps_availqty     number ,
ps_supplycost   number ,
ps_comment      varchar(199)
)
organization external (
type ORACLE_LOADER
default directory data_dir1
access parameters
(
records delimited by newline
badfile data_dir3:'ps_et.bad'
logfile data_dir3:'ps_et.log'
fields terminated by '|'
missing field values are null
)
location (
data_dir1:'partsupp.tbl.1',
data_dir1:'partsupp.tbl.2',
data_dir1:'partsupp.tbl.3',
data_dir1:'partsupp.tbl.4',
data_dir2:'partsupp.tbl.5',
data_dir2:'partsupp.tbl.6',
data_dir2:'partsupp.tbl.7',

```

```

data_dir2:'partsupp.tbl.8',
data_dir3:'partsupp.tbl.9',
data_dir3:'partsupp.tbl.10',
data_dir3:'partsupp.tbl.11',
data_dir3:'partsupp.tbl.12',
data_dir4:'partsupp.tbl.13',
data_dir4:'partsupp.tbl.14',
data_dir4:'partsupp.tbl.15',
data_dir4:'partsupp.tbl.16',
data_dir5:'partsupp.tbl.17',
data_dir5:'partsupp.tbl.18',
data_dir5:'partsupp.tbl.19',
data_dir5:'partsupp.tbl.20',
data_dir6:'partsupp.tbl.21',
data_dir6:'partsupp.tbl.22',
data_dir6:'partsupp.tbl.23',
data_dir6:'partsupp.tbl.24',
data_dir7:'partsupp.tbl.25',
data_dir7:'partsupp.tbl.26',
data_dir7:'partsupp.tbl.27',
data_dir7:'partsupp.tbl.28',
data_dir8:'partsupp.tbl.29',
data_dir8:'partsupp.tbl.30',
data_dir8:'partsupp.tbl.31',
data_dir8:'partsupp.tbl.32',
data_dir9:'partsupp.tbl.33',
data_dir9:'partsupp.tbl.34',
data_dir9:'partsupp.tbl.35',
data_dir9:'partsupp.tbl.36',
data_dir10:'partsupp.tbl.37',
data_dir10:'partsupp.tbl.38',
data_dir10:'partsupp.tbl.39',
data_dir10:'partsupp.tbl.40',
data_dir11:'partsupp.tbl.41',
data_dir11:'partsupp.tbl.42',
data_dir11:'partsupp.tbl.43',
data_dir11:'partsupp.tbl.44',
data_dir12:'partsupp.tbl.45',
data_dir12:'partsupp.tbl.46',
data_dir12:'partsupp.tbl.47',
data_dir12:'partsupp.tbl.48',
data_dir13:'partsupp.tbl.49',
data_dir13:'partsupp.tbl.50',
data_dir13:'partsupp.tbl.51',
data_dir13:'partsupp.tbl.52',
data_dir14:'partsupp.tbl.53',
data_dir14:'partsupp.tbl.54',
data_dir14:'partsupp.tbl.55',
data_dir14:'partsupp.tbl.56',
data_dir15:'partsupp.tbl.57',
data_dir15:'partsupp.tbl.58',
data_dir15:'partsupp.tbl.59',
data_dir15:'partsupp.tbl.60',
data_dir16:'partsupp.tbl.61',
data_dir16:'partsupp.tbl.62',
data_dir16:'partsupp.tbl.63',
data_dir16:'partsupp.tbl.64'

```

```

))
reject limit unlimited parallel;

```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

```

drop table p_et;
create table p_et(
  p_partkey      number ,
  p_name         varchar(55) ,
  p_mfgr         char(25) ,
  p_brand        char(10) ,
  p_type         varchar(25) ,
  p_size         number ,
  p_container    char(10) ,
  p_retailprice  number ,
  p_comment      varchar(23)
)
organization external (
type ORACLE_LOADER
default directory data_dir1
access parameters
(
      records delimited by newline
      badfile data_dir4:'p_et.bad'
      logfile data_dir4:'p_et.log'
      fields terminated by '|'
      missing field values are null
)
  location (
    data_dir1:'part.tbl.1',
    data_dir2:'part.tbl.2',
    data_dir3:'part.tbl.3',
    data_dir4:'part.tbl.4',
    data_dir5:'part.tbl.5',
    data_dir6:'part.tbl.6',
    data_dir7:'part.tbl.7',
    data_dir8:'part.tbl.8',
    data_dir9:'part.tbl.9',
    data_dir10:'part.tbl.10',
    data_dir11:'part.tbl.11',
    data_dir12:'part.tbl.12',
    data_dir13:'part.tbl.13',
    data_dir14:'part.tbl.14',
    data_dir15:'part.tbl.15',
    data_dir16:'part.tbl.16'
  ))
reject limit unlimited parallel;

drop table c_et;
create table c_et(
  c_custkey      number ,
  c_name         varchar(25) ,
  c_address      varchar(40) ,
  c_nationkey    number ,
  c_phone        char(15) ,
  c_acctbal      number ,
  c_mktsegment   char(10) ,
  c_comment      varchar(117)
)
organization external (
type ORACLE_LOADER
default directory data_dir1

```

```

access parameters
(
    records delimited by newline
    badfile data_dir5:'c_et.bad'
    logfile data_dir5:'c_et.log'
    fields terminated by '|'
    missing field values are null
)
location (
data_dir1:'customer.tbl.1',
data_dir2:'customer.tbl.2',
data_dir3:'customer.tbl.3',
data_dir4:'customer.tbl.4',
data_dir5:'customer.tbl.5',
data_dir6:'customer.tbl.6',
data_dir7:'customer.tbl.7',
data_dir8:'customer.tbl.8',
data_dir9:'customer.tbl.9',
data_dir10:'customer.tbl.10',
data_dir11:'customer.tbl.11',
data_dir12:'customer.tbl.12',
data_dir13:'customer.tbl.13',
data_dir14:'customer.tbl.14',
data_dir15:'customer.tbl.15',
data_dir16:'customer.tbl.16'
))
reject limit unlimited parallel;

drop table s_et;
create table s_et(
    s_suppkey      number ,
    s_name         char(25) ,
    s_address      varchar(40) ,
    s_nationkey    number ,
    s_phone        char(15) ,
    s_acctbal      number ,
    s_comment      varchar(101)
)
organization external (
type ORACLE_LOADER
default directory data_dir1
access parameters
(
    records delimited by newline
    badfile data_dir6:'s_et.bad'
    logfile data_dir6:'s_et.log'
    fields terminated by '|'
    missing field values are null
)
location (
data_dir1:'supplier.tbl.1',
data_dir2:'supplier.tbl.2',
data_dir3:'supplier.tbl.3',
data_dir4:'supplier.tbl.4',
data_dir5:'supplier.tbl.5',
data_dir6:'supplier.tbl.6',
data_dir7:'supplier.tbl.7',
data_dir8:'supplier.tbl.8',
data_dir9:'supplier.tbl.9',
data_dir10:'supplier.tbl.10',
data_dir11:'supplier.tbl.11',
data_dir12:'supplier.tbl.12',
data_dir13:'supplier.tbl.13',
data_dir14:'supplier.tbl.14',
data_dir15:'supplier.tbl.15',
data_dir16:'supplier.tbl.16'
))
reject limit unlimited parallel;

drop table n_et;
create table n_et(
    n_nationkey    number ,
    n_name         char(25) ,
    n_regionkey    number ,
    n_comment      varchar(152)
)
organization external (
type ORACLE_LOADER
default directory data_dir1
access parameters
(
    records delimited by newline
    badfile data_dir7:'n_et.bad'
    logfile data_dir7:'n_et.log'
    fields terminated by '|'
    missing field values are null
)
location (
data_dir9:'nation.tbl'))
reject limit unlimited;

drop table r_et;
create table r_et(
    r_regionkey    number ,
    r_name         char(25) ,
    r_comment      varchar(152)
)
organization external (
type ORACLE_LOADER
default directory data_dir1
access parameters
(
    records delimited by newline
    badfile data_dir8:'r_et.bad'
    logfile data_dir8:'r_et.log'
    fields terminated by '|'
    missing field values are null
)
location (
data_dir9:'region.tbl'))
reject limit unlimited;

drop table lineitem;
create table lineitem(
    l_shipdate      ,
    l_orderkey      NOT NULL,
    l_discount      NOT NULL,

```

```

l_extendedprice NOT NULL,
l_suppkey NOT NULL,
l_quantity NOT NULL,
l_returnflag ,
l_partkey NOT NULL,
l_linestatus ,
l_tax NOT NULL,
l_commitdate ,
l_receiptdate ,
l_shipmode ,
l_linenumbr NOT NULL,
l_shipinstruct ,
l_comment
)

```

```

pctfree 1
pctused 99
intrans 10
storage (freelist groups 4 freelists 84)
parallel
nologging
partition by range (l_shipdate)
subpartition by hash(l_partkey)
subpartitions 128
(

```

```

partition item1 values less than (to_date('1992-01-01','YYYY-MM-DD'))
tablespace ts_11
,

```

```

partition item2 values less than (to_date('1992-02-01','YYYY-MM-DD'))
tablespace ts_12
,

```

```

partition item3 values less than (to_date('1992-03-01','YYYY-MM-DD'))
tablespace ts_13
,

```

```

partition item4 values less than (to_date('1992-04-01','YYYY-MM-DD'))
tablespace ts_14
,

```

```

partition item5 values less than (to_date('1992-05-01','YYYY-MM-DD'))
tablespace ts_15
,

```

```

partition item6 values less than (to_date('1992-06-01','YYYY-MM-DD'))
tablespace ts_16
,

```

```

partition item7 values less than (to_date('1992-07-01','YYYY-MM-DD'))
tablespace ts_17
,

```

```

partition item8 values less than (to_date('1992-08-01','YYYY-MM-DD'))
tablespace ts_18
,

```

```

partition item9 values less than (to_date('1992-09-01','YYYY-MM-DD'))
tablespace ts_19

```

```

,
partition item10 values less than (to_date('1992-10-01','YYYY-MM-DD'))
tablespace ts_110
,

```

```

partition item11 values less than (to_date('1992-11-01','YYYY-MM-DD'))
tablespace ts_111
,

```

```

partition item12 values less than (to_date('1992-12-01','YYYY-MM-DD'))
tablespace ts_112
,

```

```

partition item13 values less than (to_date('1993-01-01','YYYY-MM-DD'))
tablespace ts_113
,

```

```

partition item14 values less than (to_date('1993-02-01','YYYY-MM-DD'))
tablespace ts_114
,

```

```

partition item15 values less than (to_date('1993-03-01','YYYY-MM-DD'))
tablespace ts_115
,

```

```

partition item16 values less than (to_date('1993-04-01','YYYY-MM-DD'))
tablespace ts_116
,

```

```

partition item17 values less than (to_date('1993-05-01','YYYY-MM-DD'))
tablespace ts_117
,

```

```

partition item18 values less than (to_date('1993-06-01','YYYY-MM-DD'))
tablespace ts_118
,

```

```

partition item19 values less than (to_date('1993-07-01','YYYY-MM-DD'))
tablespace ts_119
,

```

```

partition item20 values less than (to_date('1993-08-01','YYYY-MM-DD'))
tablespace ts_120
,

```

```

partition item21 values less than (to_date('1993-09-01','YYYY-MM-DD'))
tablespace ts_121
,

```

```

partition item22 values less than (to_date('1993-10-01','YYYY-MM-DD'))
tablespace ts_122
,

```

```

partition item23 values less than (to_date('1993-11-01','YYYY-MM-DD'))
tablespace ts_123
,

```

```

partition item24 values less than (to_date('1993-12-01','YYYY-MM-DD'))

```

```

tablespace ts_124
,
partition item25 values less than (to_date('1994-01-
01','YYYY-MM-DD'))
tablespace ts_125
,
partition item26 values less than (to_date('1994-02-
01','YYYY-MM-DD'))
tablespace ts_126
,
partition item27 values less than (to_date('1994-03-
01','YYYY-MM-DD'))
tablespace ts_127
,
partition item28 values less than (to_date('1994-04-
01','YYYY-MM-DD'))
tablespace ts_128
,
partition item29 values less than (to_date('1994-05-
01','YYYY-MM-DD'))
tablespace ts_129
,
partition item30 values less than (to_date('1994-06-
01','YYYY-MM-DD'))
tablespace ts_130
,
partition item31 values less than (to_date('1994-07-
01','YYYY-MM-DD'))
tablespace ts_131
,
partition item32 values less than (to_date('1994-08-
01','YYYY-MM-DD'))
tablespace ts_132
,
partition item33 values less than (to_date('1994-09-
01','YYYY-MM-DD'))
tablespace ts_133
,
partition item34 values less than (to_date('1994-10-
01','YYYY-MM-DD'))
tablespace ts_134
,
partition item35 values less than (to_date('1994-11-
01','YYYY-MM-DD'))
tablespace ts_135
,
partition item36 values less than (to_date('1994-12-
01','YYYY-MM-DD'))
tablespace ts_136
,
partition item37 values less than (to_date('1995-01-
01','YYYY-MM-DD'))
tablespace ts_137
,
partition item38 values less than (to_date('1995-02-
01','YYYY-MM-DD'))
tablespace ts_138
,

```

```

partition item39 values less than (to_date('1995-03-
01','YYYY-MM-DD'))
tablespace ts_139
,
partition item40 values less than (to_date('1995-04-
01','YYYY-MM-DD'))
tablespace ts_140
,
partition item41 values less than (to_date('1995-05-
01','YYYY-MM-DD'))
tablespace ts_141
,
partition item42 values less than (to_date('1995-06-
01','YYYY-MM-DD'))
tablespace ts_142
,
partition item43 values less than (to_date('1995-07-
01','YYYY-MM-DD'))
tablespace ts_143
,
partition item44 values less than (to_date('1995-08-
01','YYYY-MM-DD'))
tablespace ts_144
,
partition item45 values less than (to_date('1995-09-
01','YYYY-MM-DD'))
tablespace ts_145
,
partition item46 values less than (to_date('1995-10-
01','YYYY-MM-DD'))
tablespace ts_146
,
partition item47 values less than (to_date('1995-11-
01','YYYY-MM-DD'))
tablespace ts_147
,
partition item48 values less than (to_date('1995-12-
01','YYYY-MM-DD'))
tablespace ts_148
,
partition item49 values less than (to_date('1996-01-
01','YYYY-MM-DD'))
tablespace ts_149
,
partition item50 values less than (to_date('1996-02-
01','YYYY-MM-DD'))
tablespace ts_150
,
partition item51 values less than (to_date('1996-03-
01','YYYY-MM-DD'))
tablespace ts_151
,
partition item52 values less than (to_date('1996-04-
01','YYYY-MM-DD'))
tablespace ts_152
,
partition item53 values less than (to_date('1996-05-
01','YYYY-MM-DD'))
tablespace ts_153

```

```

,
partition item54 values less than (to_date('1996-06-
01','YYYY-MM-DD'))
tablespace ts_154
,
partition item55 values less than (to_date('1996-07-
01','YYYY-MM-DD'))
tablespace ts_155
,
partition item56 values less than (to_date('1996-08-
01','YYYY-MM-DD'))
tablespace ts_156
,
partition item57 values less than (to_date('1996-09-
01','YYYY-MM-DD'))
tablespace ts_157
,
partition item58 values less than (to_date('1996-10-
01','YYYY-MM-DD'))
tablespace ts_158
,
partition item59 values less than (to_date('1996-11-
01','YYYY-MM-DD'))
tablespace ts_159
,
partition item60 values less than (to_date('1996-12-
01','YYYY-MM-DD'))
tablespace ts_160
,
partition item61 values less than (to_date('1997-01-
01','YYYY-MM-DD'))
tablespace ts_161
,
partition item62 values less than (to_date('1997-02-
01','YYYY-MM-DD'))
tablespace ts_162
,
partition item63 values less than (to_date('1997-03-
01','YYYY-MM-DD'))
tablespace ts_163
,
partition item64 values less than (to_date('1997-04-
01','YYYY-MM-DD'))
tablespace ts_164
,
partition item65 values less than (to_date('1997-05-
01','YYYY-MM-DD'))
tablespace ts_165
,
partition item66 values less than (to_date('1997-06-
01','YYYY-MM-DD'))
tablespace ts_166
,
partition item67 values less than (to_date('1997-07-
01','YYYY-MM-DD'))
tablespace ts_167
,
partition item68 values less than (to_date('1997-08-
01','YYYY-MM-DD'))

```

```

tablespace ts_168
,
partition item69 values less than (to_date('1997-09-
01','YYYY-MM-DD'))
tablespace ts_169
,
partition item70 values less than (to_date('1997-10-
01','YYYY-MM-DD'))
tablespace ts_170
,
partition item71 values less than (to_date('1997-11-
01','YYYY-MM-DD'))
tablespace ts_171
,
partition item72 values less than (to_date('1997-12-
01','YYYY-MM-DD'))
tablespace ts_172
,
partition item73 values less than (to_date('1998-01-
01','YYYY-MM-DD'))
tablespace ts_173
,
partition item74 values less than (to_date('1998-02-
01','YYYY-MM-DD'))
tablespace ts_174
,
partition item75 values less than (to_date('1998-03-
01','YYYY-MM-DD'))
tablespace ts_175
,
partition item76 values less than (to_date('1998-04-
01','YYYY-MM-DD'))
tablespace ts_176
,
partition item77 values less than (to_date('1998-05-
01','YYYY-MM-DD'))
tablespace ts_177
,
partition item78 values less than (to_date('1998-06-
01','YYYY-MM-DD'))
tablespace ts_178
,
partition item79 values less than (to_date('1998-07-
01','YYYY-MM-DD'))
tablespace ts_179
,
partition item80 values less than (to_date('1998-08-
01','YYYY-MM-DD'))
tablespace ts_180
,
partition item81 values less than (to_date('1998-09-
01','YYYY-MM-DD'))
tablespace ts_181
,
partition item82 values less than (to_date('1998-10-
01','YYYY-MM-DD'))
tablespace ts_182
,

```

```

partition item83 values less than (to_date('1998-11-
01','YYYY-MM-DD'))
tablespace ts_l83
,
partition item84 values less than (MAXVALUE)
tablespace ts_l84 )
as select
  l_shipdate      ,
  l_orderkey      ,
  l_discount      ,
  l_extendedprice ,
  l_suppkey       ,
  l_quantity      ,
  l_returnflag    ,
  l_partkey       ,
  l_linestatus    ,
  l_tax           ,
  l_commitdate    ,
  l_receiptdate  ,
  l_shipmode      ,
  l_linenumber    ,
  l_shipinstruct ,
  l_comment
from l_et ORDER BY l_orderkey;

```

```

drop table orders;
create table orders(
  o_orderdate      ,
  o_orderkey       NOT NULL,
  o_custkey        NOT NULL,
  o_orderpriority  ,
  o_shippriority   ,
  o_clerk          ,
  o_orderstatus    ,
  o_totalprice     ,
  o_comment
)
pctfree 1
pctused 99
intrans 10
storage (freelist groups 4 freelists 99)
parallel
nologging
partition by range (o_orderdate)
subpartition by hash(o_custkey)
subpartitions 128
(
partition ord1 values less than (to_date('1992-01-
01','YYYY-MM-DD'))
tablespace ts_o1
,
partition ord2 values less than (to_date('1992-02-
01','YYYY-MM-DD'))
tablespace ts_o2
,
partition ord3 values less than (to_date('1992-03-
01','YYYY-MM-DD'))
tablespace ts_o3

```

```

,
partition ord4 values less than (to_date('1992-04-
01','YYYY-MM-DD'))
tablespace ts_o4
,
partition ord5 values less than (to_date('1992-05-
01','YYYY-MM-DD'))
tablespace ts_o5
,
partition ord6 values less than (to_date('1992-06-
01','YYYY-MM-DD'))
tablespace ts_o6
,
partition ord7 values less than (to_date('1992-07-
01','YYYY-MM-DD'))
tablespace ts_o7
,
partition ord8 values less than (to_date('1992-08-
01','YYYY-MM-DD'))
tablespace ts_o8
,
partition ord9 values less than (to_date('1992-09-
01','YYYY-MM-DD'))
tablespace ts_o9
,
partition ord10 values less than (to_date('1992-10-
01','YYYY-MM-DD'))
tablespace ts_o10
,
partition ord11 values less than (to_date('1992-11-
01','YYYY-MM-DD'))
tablespace ts_o11
,
partition ord12 values less than (to_date('1992-12-
01','YYYY-MM-DD'))
tablespace ts_o12
,
partition ord13 values less than (to_date('1993-01-
01','YYYY-MM-DD'))
tablespace ts_o13
,
partition ord14 values less than (to_date('1993-02-
01','YYYY-MM-DD'))
tablespace ts_o14
,
partition ord15 values less than (to_date('1993-03-
01','YYYY-MM-DD'))
tablespace ts_o15
,
partition ord16 values less than (to_date('1993-04-
01','YYYY-MM-DD'))
tablespace ts_o16
,
partition ord17 values less than (to_date('1993-05-
01','YYYY-MM-DD'))
tablespace ts_o17
,
partition ord18 values less than (to_date('1993-06-
01','YYYY-MM-DD'))

```

```

tablespace ts_o18
,
partition ord19 values less than (to_date('1993-07-
01','YYYY-MM-DD'))
tablespace ts_o19
,
partition ord20 values less than (to_date('1993-08-
01','YYYY-MM-DD'))
tablespace ts_o20
,
partition ord21 values less than (to_date('1993-09-
01','YYYY-MM-DD'))
tablespace ts_o21
,
partition ord22 values less than (to_date('1993-10-
01','YYYY-MM-DD'))
tablespace ts_o22
,
partition ord23 values less than (to_date('1993-11-
01','YYYY-MM-DD'))
tablespace ts_o23
,
partition ord24 values less than (to_date('1993-12-
01','YYYY-MM-DD'))
tablespace ts_o24
,
partition ord25 values less than (to_date('1994-01-
01','YYYY-MM-DD'))
tablespace ts_o25
,
partition ord26 values less than (to_date('1994-02-
01','YYYY-MM-DD'))
tablespace ts_o26
,
partition ord27 values less than (to_date('1994-03-
01','YYYY-MM-DD'))
tablespace ts_o27
,
partition ord28 values less than (to_date('1994-04-
01','YYYY-MM-DD'))
tablespace ts_o28
,
partition ord29 values less than (to_date('1994-05-
01','YYYY-MM-DD'))
tablespace ts_o29
,
partition ord30 values less than (to_date('1994-06-
01','YYYY-MM-DD'))
tablespace ts_o30
,
partition ord31 values less than (to_date('1994-07-
01','YYYY-MM-DD'))
tablespace ts_o31
,
partition ord32 values less than (to_date('1994-08-
01','YYYY-MM-DD'))
tablespace ts_o32
,

```

```

partition ord33 values less than (to_date('1994-09-
01','YYYY-MM-DD'))
tablespace ts_o33
,
partition ord34 values less than (to_date('1994-10-
01','YYYY-MM-DD'))
tablespace ts_o34
,
partition ord35 values less than (to_date('1994-11-
01','YYYY-MM-DD'))
tablespace ts_o35
,
partition ord36 values less than (to_date('1994-12-
01','YYYY-MM-DD'))
tablespace ts_o36
,
partition ord37 values less than (to_date('1995-01-
01','YYYY-MM-DD'))
tablespace ts_o37
,
partition ord38 values less than (to_date('1995-02-
01','YYYY-MM-DD'))
tablespace ts_o38
,
partition ord39 values less than (to_date('1995-03-
01','YYYY-MM-DD'))
tablespace ts_o39
,
partition ord40 values less than (to_date('1995-04-
01','YYYY-MM-DD'))
tablespace ts_o40
,
partition ord41 values less than (to_date('1995-05-
01','YYYY-MM-DD'))
tablespace ts_o41
,
partition ord42 values less than (to_date('1995-06-
01','YYYY-MM-DD'))
tablespace ts_o42
,
partition ord43 values less than (to_date('1995-07-
01','YYYY-MM-DD'))
tablespace ts_o43
,
partition ord44 values less than (to_date('1995-08-
01','YYYY-MM-DD'))
tablespace ts_o44
,
partition ord45 values less than (to_date('1995-09-
01','YYYY-MM-DD'))
tablespace ts_o45
,
partition ord46 values less than (to_date('1995-10-
01','YYYY-MM-DD'))
tablespace ts_o46
,
partition ord47 values less than (to_date('1995-11-
01','YYYY-MM-DD'))
tablespace ts_o47

```



```

,
partition ord48 values less than (to_date('1995-12-
01','YYYY-MM-DD'))
tablespace ts_o48
,
partition ord49 values less than (to_date('1996-01-
01','YYYY-MM-DD'))
tablespace ts_o49
,
partition ord50 values less than (to_date('1996-02-
01','YYYY-MM-DD'))
tablespace ts_o50
,
partition ord51 values less than (to_date('1996-03-
01','YYYY-MM-DD'))
tablespace ts_o51
,
partition ord52 values less than (to_date('1996-04-
01','YYYY-MM-DD'))
tablespace ts_o52
,
partition ord53 values less than (to_date('1996-05-
01','YYYY-MM-DD'))
tablespace ts_o53
,
partition ord54 values less than (to_date('1996-06-
01','YYYY-MM-DD'))
tablespace ts_o54
,
partition ord55 values less than (to_date('1996-07-
01','YYYY-MM-DD'))
tablespace ts_o55
,
partition ord56 values less than (to_date('1996-08-
01','YYYY-MM-DD'))
tablespace ts_o56
,
partition ord57 values less than (to_date('1996-09-
01','YYYY-MM-DD'))
tablespace ts_o57
,
partition ord58 values less than (to_date('1996-10-
01','YYYY-MM-DD'))
tablespace ts_o58
,
partition ord59 values less than (to_date('1996-11-
01','YYYY-MM-DD'))
tablespace ts_o59
,
partition ord60 values less than (to_date('1996-12-
01','YYYY-MM-DD'))
tablespace ts_o60
,
partition ord61 values less than (to_date('1997-01-
01','YYYY-MM-DD'))
tablespace ts_o61
,
partition ord62 values less than (to_date('1997-02-
01','YYYY-MM-DD'))

```

```

tablespace ts_o62
,
partition ord63 values less than (to_date('1997-03-
01','YYYY-MM-DD'))
tablespace ts_o63
,
partition ord64 values less than (to_date('1997-04-
01','YYYY-MM-DD'))
tablespace ts_o64
,
partition ord65 values less than (to_date('1997-05-
01','YYYY-MM-DD'))
tablespace ts_o65
,
partition ord66 values less than (to_date('1997-06-
01','YYYY-MM-DD'))
tablespace ts_o66
,
partition ord67 values less than (to_date('1997-07-
01','YYYY-MM-DD'))
tablespace ts_o67
,
partition ord68 values less than (to_date('1997-08-
01','YYYY-MM-DD'))
tablespace ts_o68
,
partition ord69 values less than (to_date('1997-09-
01','YYYY-MM-DD'))
tablespace ts_o69
,
partition ord70 values less than (to_date('1997-10-
01','YYYY-MM-DD'))
tablespace ts_o70
,
partition ord71 values less than (to_date('1997-11-
01','YYYY-MM-DD'))
tablespace ts_o71
,
partition ord72 values less than (to_date('1997-12-
01','YYYY-MM-DD'))
tablespace ts_o72
,
partition ord73 values less than (to_date('1998-01-
01','YYYY-MM-DD'))
tablespace ts_o73
,
partition ord74 values less than (to_date('1998-02-
01','YYYY-MM-DD'))
tablespace ts_o74
,
partition ord75 values less than (to_date('1998-03-
01','YYYY-MM-DD'))
tablespace ts_o75
,
partition ord76 values less than (to_date('1998-04-
01','YYYY-MM-DD'))
tablespace ts_o76
,

```

```

partition ord77 values less than (to_date('1998-05-
01','YYYY-MM-DD'))
tablespace ts_o77
,
partition ord78 values less than (to_date('1998-06-
01','YYYY-MM-DD'))
tablespace ts_o78
,
partition ord79 values less than (to_date('1998-07-
01','YYYY-MM-DD'))
tablespace ts_o79
,
partition ord80 values less than (to_date('1998-08-
01','YYYY-MM-DD'))
tablespace ts_o80
,
partition ord81 values less than (to_date('1998-09-
01','YYYY-MM-DD'))
tablespace ts_o81
,
partition ord82 values less than (to_date('1998-10-
01','YYYY-MM-DD'))
tablespace ts_o82
,
partition ord83 values less than (to_date('1998-11-
01','YYYY-MM-DD'))
tablespace ts_o83
,
partition ord84 values less than (MAXVALUE)
tablespace ts_o84 )
as select
  o_orderdate      ,
  o_orderkey       ,
  o_custkey        ,
  o_orderpriority  ,
  o_shippriority   ,
  o_clerk          ,
  o_orderstatus    ,
  o_totalprice     ,
  o_comment
from o_et order by o_orderkey;

```

```

drop table partsupp;
create table partsupp(
  ps_partkey      NOT NULL,
  ps_suppkey      NOT NULL,
  ps_supplycost   NOT NULL,
  ps_availqty     ,
  ps_comment
)
parallel
nologging
partition by hash(ps_partkey)
partitions 128
tablespace ts_psupp
as select
  ps_partkey      ,
  ps_suppkey      ,

```

```

  ps_supplycost   ,
  ps_availqty     ,
  ps_comment
from ps_et;

```

```

drop table customer;
create table customer(
  c_custkey       NOT NULL,
  c_mktsegment    ,
  c_nationkey     ,
  c_name          ,
  c_address       ,
  c_phone         ,
  c_acctbal       ,
  c_comment
)
pctfree 0
pctused 99
parallel
nologging
partition by hash (c_custkey)
partitions 128
tablespace ts_c
storage (initial 100m)
as select
  c_custkey      ,
  c_mktsegment   ,
  c_nationkey    ,
  c_name         ,
  c_address      ,
  c_phone        ,
  c_acctbal      ,
  c_comment
from c_et;

```

```

drop table part;
create table part(
  p_partkey       NOT NULL,
  p_type          ,
  p_size          ,
  p_brand         ,
  p_name          ,
  p_container     ,
  p_mfgr          ,
  p_retailprice   ,
  p_comment
)
pctfree 0
pctused 99
parallel
nologging
partition by hash (p_partkey)
partitions 128
tablespace ts_p
storage (initial 100m)
as select

```

```

p_partkey      ,
p_type        ,
p_size        ,
p_brand       ,
p_name        ,
p_container   ,
p_mfgr        ,
p_retailprice ,
p_comment
from p_et;

```

```

drop table supplier;
create table supplier(
  s_suppkey      NOT NULL,
  s_nationkey    ,
  s_comment      ,
  s_name         ,
  s_address      ,
  s_phone        ,
  s_acctbal
)
pctfree 0
pctused 99
parallel
nologging
partition by hash (s_suppkey)
partitions 128
tablespace ts_s
as select
  s_suppkey      ,
  s_nationkey    ,
  s_comment      ,
  s_name         ,
  s_address      ,
  s_phone        ,
  s_acctbal
from s_et;

```

```

drop table nation;
create table nation(
  n_nationkey    NOT NULL,
  n_name         ,
  n_regionkey    ,
  n_comment      )
tablespace ts_default
as select * from n_et;

```

```

drop table region;
create table region(
  r_regionkey    ,
  r_name         ,
  r_comment      )
tablespace ts_default
as select * from r_et;

```

```

drop table l_et;
drop table o_et;

```

```

drop table ps_et;
drop table p_et;
drop table c_et;
drop table s_et;
drop table n_et;
drop table r_et;

```

!

```
echo DONE TABLE CREATION at `date`
```

B.4 ixcre.sh

```
#!/bin/ksh
```

```
echo START INDEX at `date`
export ORACLE_SID=tpch
```

```
sqlplus tpch/tpch <<!
set echo on
set timing on
set termout on
```

```

drop index i_l_orderkey;
create index i_l_orderkey
on lineitem (l_orderkey)
global partition by hash (l_orderkey)
partitions 128
pctfree 10
intrans 10
tablespace ts_lokey
storage (freelist groups 4 freelists 99)
parallel
compute statistics
nologging;

```

```

drop index i_o_orderkey;
create unique index i_o_orderkey
on orders (o_orderkey)
global partition by hash (o_orderkey)
partitions 128
pctfree 10
intrans 10
tablespace ts_okey
storage (freelist groups 4 freelists 99 )
parallel
compute statistics
nologging;

```

```

drop index i_c_custkey;
create unique index i_c_custkey
on customer (c_custkey)
pctfree 2
intrans 10
tablespace ts_custkey

```

```

storage (freelists 99)
parallel
compute statistics
nologging;

drop index i_ps_pkey_skey;
create index i_ps_pkey_skey
on partsupp (ps_partkey,ps_suppkey)
global partition by hash (ps_partkey)
partitions 128
pctfree 5
intrans 10
tablespace ts_lokey
storage (freelist groups 4 freelists 99)
parallel
compute statistics
nologging;
!

echo DONE INDEX at `date`

```

B.5 anl.sh

```

#!/bin/ksh

echo START ANALYZE at `date`
export ORACLE_SID=tpch;

sqlplus tpch/tpch <<!
set timing on
set echo on
set termout on

execute dbms_stats.gather_schema_stats('TPCH' ,
estimate_percent => 1, degree => 128 , granularity =>
'GLOBAL', method_opt => 'for all columns size 1' );
connect / as sysdba
execute dbms_stats.gather_system_stats;
exec dbms_auto_task_admin.disable;
alter system switch logfile;
!

echo END ANALYZE at `date`

```

B.6 Loadasm

```

#!/bin/ksh

echo START LOADASM at `date`
export ORACLE_SID=ASM

sqlplus /NOLOG <<!
connect / as sysdba;
shutdown abort;
startup pfile=/oracle/dbs/initasm.ora ;
alter diskgroup all mount;
drop diskgroup dg1 including contents;
create diskgroup dg1 External REDUNDANCY

```

```

DISK
'/dbms/links/roradsk1' SIZE 143353M,
'/dbms/links/roradsk2' SIZE 143353M,
'/dbms/links/roradsk3' SIZE 143353M,
'/dbms/links/roradsk4' SIZE 143353M,
'/dbms/links/roradsk5' SIZE 143353M,
'/dbms/links/roradsk6' SIZE 143353M,
'/dbms/links/roradsk7' SIZE 143353M,
'/dbms/links/roradsk8' SIZE 143353M,
'/dbms/links/roradsk9' SIZE 143353M,
'/dbms/links/roradsk10' SIZE 143353M,
'/dbms/links/roradsk11' SIZE 143353M,
'/dbms/links/roradsk12' SIZE 143353M,
'/dbms/links/roradsk13' SIZE 143353M,
'/dbms/links/roradsk14' SIZE 143353M,
'/dbms/links/roradsk15' SIZE 143353M,
'/dbms/links/roradsk16' SIZE 143353M,
'/dbms/links/roradsk17' SIZE 143353M,
'/dbms/links/roradsk18' SIZE 143353M,
'/dbms/links/roradsk19' SIZE 143353M,
'/dbms/links/roradsk20' SIZE 143353M,
'/dbms/links/roradsk21' SIZE 143353M,
'/dbms/links/roradsk22' SIZE 143353M,
'/dbms/links/roradsk23' SIZE 143353M,
'/dbms/links/roradsk24' SIZE 143353M,
'/dbms/links/roradsk25' SIZE 143353M,
'/dbms/links/roradsk26' SIZE 143353M,
'/dbms/links/roradsk27' SIZE 143353M,
'/dbms/links/roradsk28' SIZE 143353M,
'/dbms/links/roradsk29' SIZE 143353M,
'/dbms/links/roradsk30' SIZE 143353M,
'/dbms/links/roradsk31' SIZE 143353M,
'/dbms/links/roradsk32' SIZE 143353M,
'/dbms/links/roradsk33' SIZE 143353M,
'/dbms/links/roradsk34' SIZE 143353M,
'/dbms/links/roradsk35' SIZE 143353M,
'/dbms/links/roradsk36' SIZE 143353M,
'/dbms/links/roradsk37' SIZE 143353M,
'/dbms/links/roradsk38' SIZE 143353M,
'/dbms/links/roradsk39' SIZE 143353M,
'/dbms/links/roradsk40' SIZE 143353M,
'/dbms/links/roradsk41' SIZE 143353M,
'/dbms/links/roradsk42' SIZE 143353M,
'/dbms/links/roradsk43' SIZE 143353M,
'/dbms/links/roradsk44' SIZE 143353M,
'/dbms/links/roradsk45' SIZE 143353M,
'/dbms/links/roradsk46' SIZE 143353M,
'/dbms/links/roradsk47' SIZE 143353M,
'/dbms/links/roradsk48' SIZE 143353M,
'/dbms/links/roradsk49' SIZE 143353M,
'/dbms/links/roradsk50' SIZE 143353M,
'/dbms/links/roradsk51' SIZE 143353M,
'/dbms/links/roradsk52' SIZE 143353M,
'/dbms/links/roradsk53' SIZE 143353M,
'/dbms/links/roradsk54' SIZE 143353M,
'/dbms/links/roradsk55' SIZE 143353M,
'/dbms/links/roradsk56' SIZE 143353M,
'/dbms/links/roradsk57' SIZE 143353M,
'/dbms/links/roradsk58' SIZE 143353M,

```


'/dbms/links/roradsk177' SIZE 143353M,
'/dbms/links/roradsk178' SIZE 143353M,
'/dbms/links/roradsk179' SIZE 143353M,
'/dbms/links/roradsk180' SIZE 143353M,
'/dbms/links/roradsk181' SIZE 143353M,
'/dbms/links/roradsk182' SIZE 143353M,
'/dbms/links/roradsk183' SIZE 143353M,
'/dbms/links/roradsk184' SIZE 143353M,
'/dbms/links/roradsk185' SIZE 143353M,
'/dbms/links/roradsk186' SIZE 143353M,
'/dbms/links/roradsk187' SIZE 143353M,
'/dbms/links/roradsk188' SIZE 143353M,
'/dbms/links/roradsk189' SIZE 143353M,
'/dbms/links/roradsk190' SIZE 143353M,
'/dbms/links/roradsk191' SIZE 143353M,
'/dbms/links/roradsk192' SIZE 143353M,
'/dbms/links/roradsk193' SIZE 143353M,
'/dbms/links/roradsk194' SIZE 143353M,
'/dbms/links/roradsk195' SIZE 143353M,
'/dbms/links/roradsk196' SIZE 143353M,
'/dbms/links/roradsk197' SIZE 143353M,
'/dbms/links/roradsk198' SIZE 143353M,
'/dbms/links/roradsk199' SIZE 143353M,
'/dbms/links/roradsk200' SIZE 143353M,
'/dbms/links/roradsk201' SIZE 143353M,
'/dbms/links/roradsk202' SIZE 143353M,
'/dbms/links/roradsk203' SIZE 143353M,
'/dbms/links/roradsk204' SIZE 143353M,
'/dbms/links/roradsk205' SIZE 143353M,
'/dbms/links/roradsk206' SIZE 143353M,
'/dbms/links/roradsk207' SIZE 143353M,
'/dbms/links/roradsk208' SIZE 143353M,
'/dbms/links/roradsk209' SIZE 143353M,
'/dbms/links/roradsk210' SIZE 143353M,
'/dbms/links/roradsk211' SIZE 143353M,
'/dbms/links/roradsk212' SIZE 143353M,
'/dbms/links/roradsk213' SIZE 143353M,
'/dbms/links/roradsk214' SIZE 143353M,
'/dbms/links/roradsk215' SIZE 143353M,
'/dbms/links/roradsk216' SIZE 143353M,
'/dbms/links/roradsk217' SIZE 143353M,
'/dbms/links/roradsk218' SIZE 143353M,
'/dbms/links/roradsk219' SIZE 143353M,
'/dbms/links/roradsk220' SIZE 143353M,
'/dbms/links/roradsk221' SIZE 143353M,
'/dbms/links/roradsk222' SIZE 143353M,
'/dbms/links/roradsk223' SIZE 143353M,
'/dbms/links/roradsk224' SIZE 143353M,
'/dbms/links/roradsk225' SIZE 143353M,
'/dbms/links/roradsk226' SIZE 143353M,
'/dbms/links/roradsk227' SIZE 143353M,
'/dbms/links/roradsk228' SIZE 143353M,
'/dbms/links/roradsk229' SIZE 143353M,
'/dbms/links/roradsk230' SIZE 143353M,
'/dbms/links/roradsk231' SIZE 143353M,
'/dbms/links/roradsk232' SIZE 143353M,
'/dbms/links/roradsk233' SIZE 143353M,
'/dbms/links/roradsk234' SIZE 143353M,
'/dbms/links/roradsk235' SIZE 143353M,

'/dbms/links/roradsk236' SIZE 143353M,
'/dbms/links/roradsk237' SIZE 143353M,
'/dbms/links/roradsk238' SIZE 143353M,
'/dbms/links/roradsk239' SIZE 143353M,
'/dbms/links/roradsk240' SIZE 143353M,
'/dbms/links/roradsk241' SIZE 143353M,
'/dbms/links/roradsk242' SIZE 143353M,
'/dbms/links/roradsk243' SIZE 143353M,
'/dbms/links/roradsk244' SIZE 143353M,
'/dbms/links/roradsk245' SIZE 143353M,
'/dbms/links/roradsk246' SIZE 143353M,
'/dbms/links/roradsk247' SIZE 143353M,
'/dbms/links/roradsk248' SIZE 143353M,
'/dbms/links/roradsk249' SIZE 143353M,
'/dbms/links/roradsk250' SIZE 143353M,
'/dbms/links/roradsk251' SIZE 143353M,
'/dbms/links/roradsk252' SIZE 143353M,
'/dbms/links/roradsk253' SIZE 143353M,
'/dbms/links/roradsk254' SIZE 143353M,
'/dbms/links/roradsk255' SIZE 143353M,
'/dbms/links/roradsk256' SIZE 143353M;
alter diskgroup dg1 rebalance power 0;
!

```
sqlplus /NOLOG <<!  
connect / as sysdba;  
shutdown normal;  
!
```

```
export ORACLE_SID=ASM  
sqlplus /NOLOG <<!  
connect / as sysdba  
startup pfile=/oracle/dbs/initasm.ora mount  
!  
echo END LOADASM at `date`
```

Appendix C Acid Scripts

C.1 a_query.sql

```
Rem
Rem $Header: a_query.sql 06-aug-99.10:51:10 mpoess Exp
$
Rem
Rem a_query.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
Rem
Rem NAME
Rem a_query.sql - <one-line expansion of the name>
Rem
rem DESCRIPTION
Rem Performs ACID Query for TPC-D benchmark.
Rem Asks user to input values for o_key
Rem The range of okey is 1 to 600000
Rem
=====
=====
Rem
Rem Usage: sqlplus tpcd/tpcd @a_query <o_key>
Rem
Rem
Rem MODIFIED (MM/DD/YY)
Rem mpoess 08/06/99 - Creation
Rem mpoess 08/06/99 - Created
Rem

set serverout on;

select
'BEFORE ACID QUERY' as STAGE,
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

select SUM(trunc(trunc(l_extendedprice * (1-l_discount),2)
* (1+l_tax),2)) AS RESULT
from lineitem
where l_orderkey = &&1;

select
'AFTER ACID QUERY' as STAGE,
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

exit;
```

C.2 a_query2.sql

```
Rem
Rem $Header: aquery2.sql 07-aug-99.23:54:47 mpoess Exp
$
```

```
Rem
Rem aquery2.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
Rem
Rem NAME
Rem aquery2.sql - <one-line expansion of the name>
Rem
Rem DESCRIPTION
Rem Performs query on PARTSUPP for TPC-D
benchmark
Rem Isolation Test 5.
Rem Asks user to input values for ps_partkey and
ps_suppkey
Rem The range for ps_partkey is 1 to 20000
Rem The range for ps_suppkey is 1 to 1000
Rem A valid combination is 46 and 47
Rem Usage: sqlplus tpcd/tpcd @a_query2 <ps_partkey>
<ps_suppkey>
Rem
Rem MODIFIED (MM/DD/YY)
Rem mpoess 08/07/99 - Creation
Rem mpoess 08/07/99 - Created
Rem
rem DESCRIPTION
rem Performs query on PARTSUPP for TPC-D
benchmark
rem Isolation Test 5.
rem Asks user to input values for ps_partkey and
ps_suppkey
rem The range for ps_partkey is 1 to 20000
rem The range for ps_suppkey is 1 to 1000
rem A valid combination is 46 and 47

set serverout on;

select
'BEFORE PARTSUPP QUERY' as STAGE,
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

select *
from partsupp
where ps_partkey = &&1
and ps_suppkey = &&2;

select
'AFTER PARTSUPP QUERY' as STAGE,
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

exit;
```

C.3 atom.sh

```
#!/bin/ksh
```

```

#
# $Header: atom.sh 08-aug-99.13:48:02 mpoess Exp $
#
# atom.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
#
# NAME
# atom.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Performs atomicity tests.
# Usage: atom.sh [-n iter] [-p prog] [-u usr/pswd] -h
#
# Options: See usage below
#
# NOTES
# <other useful comments, qualifications, etc.>
#
# MODIFIED (MM/DD/YY)
# mpoess 08/08/99 - Creation
# mpoess 08/08/99 - Creation
#

.$KIT_DIR/env

OH=$ORACLE_HOME
# ACID_DIR=$TPCD_KIT_DIR/audit set in env
OUT_DIR=$ACID_OUT
DURA_DIR=$ACID_DIR/dura

usage() {
    echo ""
    echo "Usage: $0 [-n iter] [-p prog] [-u usr/pswd] -h"
    echo ""
    echo "-n iter : number of iterations, default is 100"
    echo "-p prog : program to run, default is atranspl.ott"
    echo "-u usr/pswd : user/password combo for database
access, default is tpcd/tpcd"
    echo "-h : print this usage summary"
    exit 1;
}

ITER=3
SF=1
PROG=$KIT_DIR/utills/atranspl
OUT=${OUT_DIR}/atom
USER=${DATABASE_USER}

set -- `getopt "n:p:u:h" "$@"` || usage

while :
do
    case "$1" in
    -n) shift; ITER=$1;;
    -p) shift; PROG=$1;;
    -u) shift; USER=$1;;

```

```

-h) usage; exit 0;;
--) break;;
    esac
    shift
done

echo "Starting Atomicity Test at `date`..."
echo ""
echo "Performing $ITER ACID transactions with
COMMIT"
echo ""

$KIT_DIR/utills/randkey $ITER $SF u$USER | $PROG 1 1
1 0 u$USER > ${OUT}r 2>&1

echo "ACID transactions with COMMIT ended. Output in
${OUT}c"
echo ""
echo "Performing $ITER ACID transactions with
ROLLBACK"
echo ""

$KIT_DIR/utills/randkey $ITER $SF u$USER | $PROG 1 1
0 0 u$USER > ${OUT}r 2>&1

echo "ACID transactions with ROLLBACK ended. Output
in ${OUT}r"
echo ""
echo "Ending Atomicity Test at `date`..."

```

C.4 atrans.sql

```

Rem
Rem $Header: atrans.sql 07-aug-99.21:27:13 mpoess Exp $
Rem
Rem atrans.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
Rem
Rem NAME
Rem atrans.sql - <one-line expansion of the name>
Rem
Rem DESCRIPTION
Rem Creates ACID Transaction Package for TPC-D
benchmark.
Rem Asks user to input values for o_key, delta and
output file.
Rem
Rem NOTES
Rem <other useful comments, qualifications, etc.>
Rem
Rem MODIFIED (MM/DD/YY)
Rem mpoess 08/07/99 - Creation
Rem mpoess 08/07/99 - Created
Rem

```



```

set serverout on;
set termout on;
set echo on;

CREATE OR REPLACE PACKAGE d_atrans
IS
PROCEDURE doatrans
(
    l_key          IN OUT integer,
    o_key          IN OUT integer,
    delta         IN OUT integer,
    l_pkey        IN OUT integer,
    l_skey        IN OUT integer,
    l_quan        IN OUT integer,
    l_newquan     IN OUT integer,
    l_tax         IN OUT number,
    l_disc        IN OUT number,
    l_eprice     IN OUT number,
    l_neweprice   IN OUT number,
    o_tprice     IN OUT number,
    o_newtprice   IN OUT number,
    rprice       IN OUT number,
    cost         IN OUT number
);
END;
/

```

```

CREATE OR REPLACE PACKAGE BODY d_atrans
IS
PROCEDURE doatrans
(
    l_key          IN OUT integer,
    o_key          IN OUT integer,
    delta         IN OUT integer,
    l_pkey        IN OUT integer,
    l_skey        IN OUT integer,
    l_quan        IN OUT integer,
    l_newquan     IN OUT integer,
    l_tax         IN OUT number,
    l_disc        IN OUT number,
    l_eprice     IN OUT number,
    l_neweprice   IN OUT number,
    o_tprice     IN OUT number,
    o_newtprice   IN OUT number,
    rprice       IN OUT number,
    cost         IN OUT number
)
IS

```

```

    ototal number;
    not_serializable EXCEPTION;
    PRAGMA EXCEPTION_INIT(not_serializable,-
8177);
BEGIN
    -- EXECUTE IMMEDIATE 'ALTER SESSION SET
ISOLATION_LEVEL = SERIALIZABLE';
    LOOP BEGIN

        select o_totalprice
            into o_tprice

```

TPC Benchmark HTM Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

```

        from orders
        where o_orderkey = o_key;

        select l_quantity, l_extendedprice, l_partkey, l_suppkey,
l_tax, l_discount
            into l_quan, l_eprice, l_pkey, l_skey, l_tax, l_disc
        from lineitem
        where l_orderkey = o_key
        and l_linenumber = l_key;

        ototal := o_tprice - trunc((trunc((l_eprice * (1.0-
l_disc)),2) * (1.0+l_tax)),2);
        rprice := trunc((l_eprice/l_quan), 2);
        cost := trunc((rprice * delta), 2);
        l_neweprice := l_eprice + cost;
        o_newtprice := trunc((l_neweprice * (1.0 - l_disc)), 2);
        o_newtprice := ototal + trunc((o_newtprice * (1.0 +
l_tax)), 2);
        l_newquan := l_quan + delta;

        update lineitem
            set l_extendedprice = l_neweprice,
                l_quantity = l_newquan
            where l_orderkey = o_key
            and l_linenumber = l_key;

        update orders
            set o_totalprice = o_newtprice
            where o_orderkey = o_key;

        insert into history (h_p_key, h_s_key, h_o_key, h_l_key,
h_delta, h_date_t)
            values (l_pkey, l_skey, o_key, l_key, delta, sysdate);

        -- dbms_lock.sleep(30);
        -- commit;
        EXIT;

    EXCEPTION
        WHEN not_serializable THEN
            ROLLBACK;
    END;

    END LOOP;

END doatrans;
END;
/

```

exit;

C.5 atranspl.c

/* Copyright (c) 2001, 2002, Oracle Corporation. All rights reserved. */

/*

NAME
 atranspl.c - <one-line expansion of the name>

DESCRIPTION
 TPC-HR benchmark ACID transaction driver, OCI
 version 8

NOTES
 <other useful comments, qualifications, etc.>

MODIFIED (MM/DD/YY)
 mpoess 10/23/02 - mpoess_update_from_visa
 mpoess 10/17/01 - add parameter in ACIDinit
 mpoess 02/22/01 - enlarge timing array
 mpoess 01/04/01 - Creation

```
*/
#include <stdio.h>
#include <stdlib.h>
#include <sys/types.h>
#include <sys/stat.h>
#include <fcntl.h>
```

```
#include "atranspl.h"
```

```
/* Declare error handling functions */
```

```
double gettime();
void sql_error();
void usage();
void ACIDinit();
void ACIDexit();
int atoi();
void srand48();
long rand48();
```

```
/* declarations for ORDERS */
```

```
int o_key = 0;
double o_tprice = 0.0;
double o_newtprice = 0.0;
```

```
/* declarations for LINEITEM */
```

```
int l_key = 0;
int l_pkey = 0;
int l_skey = 0;

int l_quan = 0;
int l_newquan = 0;
double l_eprice = 0.0;
double l_neweprice = 0.0;
double l_disc = 0.0;
double l_tax = 0.0;
```

```
sb2 l_npricei;
```

```
/* other declarations */
```

```
int delta = 0;
double rprice;
double cost;
```

```
int proc_no = 1; /* process number, global */
int num_streams = 1; /* number of transaction streams */
int trig = 0; /* Trigger Time */
int slp = 0; /* Sleep Time */
```

```
int logfile; /* fdes for logfile for durability (optional) */
int outfile = 1; /* output file (optional) */
```

```
#ifdef LINUX
FILE *infile; /* input file (optional) */
#else
FILE *infile = stdin; /* input file (optional) */
/* in the format of <o_key> <delta> */
#endif
```

```
char lname[UNAME_LEN]; /* username/passwd combo */
char *passwd; /* pointer to password */
```

```
char buf[WRITE_BUF_LEN]; /* buffer to write */
```

```
unsigned flag = (unsigned) 0; /* flag to store all sorts of options */
```

```
#define INFILE 0x01u
#define OUTFILE 0x02u
#define LOGFILE 0x04u
#define COMMIT 0x08u
#define DELTA 0x10u
```

```
double tr_end = 0.0; /* transaction end time */
double tr_start = 0.0; /* transaction start time */
```

```
int num_iter = 0; /* number of iterations */
```

```
time_t curr_time; /* Current Time */
```

```
/* OCI handles */
```

```
OCIEnv *tpcenv = NULL;
OCIServer *tpcsrv = NULL;
OCIError *errhp = NULL;
OCISvcCtx *tpcsvc = NULL;
OCISession *tpcusr = NULL;
OCISmt *curi = NULL;
OCISmt *curr = NULL;
OCISmt *cure1 = NULL;
OCISmt *cure2 = NULL;
```

```
/* OCI bind handles */
```

```
#ifdef NOLKEY
```

```

OCIBind *l_keyi_bp = NULL;
OCIBind *o_keyi_bp = NULL;
#endif /* NOLKEY */

OCIBind *l_key_bp = NULL;
OCIBind *o_key_bp = NULL;
OCIBind *delta_bp = NULL;
OCIBind *l_pkey_bp = NULL;
OCIBind *l_skey_bp = NULL;
OCIBind *l_quan_bp = NULL;
OCIBind *l_newquan_bp = NULL;
OCIBind *l_tax_bp = NULL;
OCIBind *l_disc_bp = NULL;
OCIBind *l_eprice_bp = NULL;
OCIBind *l_neweprice_bp = NULL;
OCIBind *o_tprice_bp = NULL;
OCIBind *o_newtprice_bp = NULL;
OCIBind *rprice_bp = NULL;
OCIBind *cost_bp = NULL;

OCIBind *l_neweprice1_bp = NULL;
OCIBind *l_newquan1_bp = NULL;
OCIBind *o_key1_bp = NULL;
OCIBind *l_key1_bp = NULL;

OCIBind *o_newtprice2_bp = NULL;
OCIBind *o_key2_bp = NULL;

sword status = OCI_SUCCESS; /* OCI return value */

char sqlstmt[1024];

/* usage: prints the usage of the program */

void usage()
{
    fprintf(stderr, "\nUsage: atrans.o[st]t <proc_no>
<num_streams> <commit> <delta>\n[i<pathname for
input>] [o<pathname for output>] [d<pathname for
durability file>] [u<uid/passwd>] \n\n");

    fprintf(stderr, "  proc_no   :the process number within
this ACID\n");
    fprintf(stderr, "  num_streams :the total number of ACID
transaction streams\n");
    fprintf(stderr, "  commit    :1 to commit transaction,
abort otherwise\n\n");
    fprintf(stderr, "  delta     :1 to generate new random
delta, otherwise obtain delta from input\n\n");
    fprintf(stderr, "  OPTIONAL PARAMETERS:\n");
    fprintf(stderr, "  i<pathname for input>   :full path name
for input file - default is stdin\n");
    fprintf(stderr, "  o<pathname for output>   :full path
name for output file - default is stdout\n");
    fprintf(stderr, "  d<pathname for durability> :full path
name for durability success file - must specify for durability
test\n");
}

```

```

    fprintf(stderr, "  u<uid/passwd>
:Username/Password string - default is tcpd/tpcd\n");
    fprintf(stderr, "  t<trigger>
:Trigger Time - sleep
<trigger> seconds before start\n\n");
    fprintf(stderr, "  s<sleep>
:Sleep Time - sleep
<sleep> seconds before commit or rollback\n\n");
    exit(-1);
}

void ACIDexit() {
    OCILogoff(tpcsvc, errhp);
    OCIHfree(tpcenv, OCI_HTYPE_STMT);
    OCIHfree(tpcsvc, OCI_HTYPE_SVCCTX);
    OCIHfree(tpcsrv, OCI_HTYPE_SERVER);
    OCIHfree(tpcusr, OCI_HTYPE_SESSION);
}

/* type: 0 if environment handle is passed, 1 if error handle
is passwd */

void sql_error(errhp, status, type)
    OCIError *errhp;
    sword status;
    sword type;
{
    char msg[2048];
    ub4 errcode;
    ub4 msglen;
    int i, j;

    switch(status) {
    case OCI_SUCCESS_WITH_INFO:
        fprintf(stderr, "Error: Statement returned with info.\n");
        if (type)
            (void) OCIErrorGet(errhp, 1, NULL, (sb4*) &errcode,
            (text*) msg,
                2048, OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp, 1, NULL, (sb4*) &errcode,
            (text*) msg,
                2048, OCI_HTYPE_ENV);
        fprintf(stderr, "%s\n", msg);
        break;
    case OCI_ERROR:
        fprintf(stderr, "Error: OCI call error.\n");
        if (type)
            (void) OCIErrorGet(errhp, 1, NULL, (sb4 *) &errcode,
            (text*) msg,
                2048, OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp, 1, NULL, (sb4 *) &errcode,
            (text*) msg,
                2048, OCI_HTYPE_ENV);
    }
}

```

```

    fprintf(stderr,"%s\n",msg);
    break;
case OCI_INVALID_HANDLE:
    fprintf(stderr, "Error: Invalid Handle.\n");
    if (type)
        (void) OCIErrGet(errhp,1,NULL, (sb4 *) &errcode,
(text*) msg,
                2048,OCI_HTYPE_ERROR);
    else
        (void) OCIErrGet(errhp,1,NULL, (sb4 *) &errcode,
(text*) msg,
                2048,OCI_HTYPE_ENV);
    fprintf(stderr,"%s\n",msg);
    break;
}
/* Rollback just in case */

(void) OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);

fprintf(stderr, "Exiting Oracle...\n");
fflush(stderr);

ACIDexit();

exit(1);
}

#ifdef LINUX
int main(argc,argv)
#else
void main(argc,argv)
#endif
    int argc;
    char *argv[];
{

    int i;
    char line[64];
    ub4 errcode;
    char msg[2048];
    int need_commit = 0;

    /* Initialize some variables */
#ifdef LINUX
    infile=fopen("/dev/stdin","r");
#endif
    strcpy((char *) lname, "tpcd/tpcd");

    if ((argc > 10) || (argc < 5)) {
        usage();
    }

    /* argv[1] -- Process Number */

    proc_no = atoi(argv[1]);

    /* argv[2] -- Number of Streams */

    num_streams = atoi(argv[2]);

```

```

/* argv[3] -- Commit? */
if (atoi(argv[3]) == 1)
    BIS(flag, COMMIT);

/* argv[4] -- Delta? */
if (atoi(argv[4]) == 1)
    BIS(flag, DELTA);

/* Process optional parameters */

argc -= 4;
argv += 4;

while(--argc) {
    ++argv;
    switch(argv[0][0]) {
    case 'u':
        strncpy((char *) lname, ++(argv[0]), UNAME_LEN);
        if (strchr((char *) lname, '/') == NULL) {
            fprintf(stderr, "Login name must be in the format of
userid/passwd\n");
            usage();
            exit(-1);
        }
        break;
    case 'i':
        if ((infile = fopen(++(argv[0]), "r")) == NULL) {
            fprintf(stderr,"Cannot open input file %s\n", argv[0]);
            fprintf(stderr,"%s\n",strerror(errno));
            exit(-1);
        }
        BIS(flag, INFILE);
        break;
    case 'o':
        if ((outfile = open(++(argv[0]), (O_RDWR | O_SYNC |
O_CREAT), S_IRWXU)) == -1) {
            fprintf(stderr,"Cannot open output file %s\n", argv[0]);
            fprintf(stderr,"%s\n",strerror(errno));
            exit(-1);
        }
        BIS(flag, OUTFILE);
        break;
    case 'd':
        if ((logfile = open(++(argv[0]), (O_RDWR | O_SYNC |
O_CREAT), S_IRWXU)) == -1) {
            fprintf(stderr,"Cannot open durability success file
%s\n", argv[0]);
            fprintf(stderr,"%s\n",strerror(errno));
            exit(-1);
        }
        BIS(flag, LOGFILE);
        break;
    case 'b':
        num_iter = atoi(++(argv[0]));
        break;
    case 't':

```

```

    trig = atoi(++(argv[0]));
    break;
case 's':
    slp = atoi(++(argv[0]));
    break;
default:
    fprintf(stderr, "Unknown argument %s\n", argv[0]);
    usage();
    break;
}
}

FPRTF(outfile, "-----
\n");

/* Initialize the cursors etc. */

(void) ACIDinit();

/* sleep for some time (triggering) */

sleep(trig);

/* start doing the ACID transactions */

tr_start = gettime();

/* The number of iteration we will run depends on the
number of */
/* input lines */

while (fgets(line, 64, infile) != NULL) {
#ifdef NOLKEY
    sscanf(line, "%d %d\n", &o_key, &delta);

    /* Obtain l_key from l_key query */

    OCIsexec(tpcsvc, curi, errhp, 1);

    /* l_key is the highest l_linenummer available. We need
to pick */
    /* at random a number between 1..l_key. */
    /*

    l_key = (int) ((lrand48() % l_key) + 1);
#else
    sscanf(line, "%d %d %d\n", &o_key, &l_key, &delta);
#endif /* NOLKEY */

    /* Generate delta if necessary */

    if (BIT(flag, DELTA))
        delta = (int) (floor((drand48() * 100)) + 1);

    /* Now, we are ready to run the ACID transaction. */

    curr_time = time(NULL);

```

```

    FPRTF2(outfile, "Starting ACID transaction %d at
%s...\n", (++num_iter),
           ctime(&curr_time));

    FPRTF1(outfile, "o_key: %d\n", (int) o_key);
    FPRTF1(outfile, "l_key: %d\n", (int) l_key);
    FPRTF1(outfile, "delta: %d\n", (int) delta);

    OCIsexec(tpcsvc, curr, errhp, 1);

    curr_time = time(NULL);

    if (!BIT(flag, LOGFILE)) {
        FPRTF1(outfile, "BEFORE COMMIT/ROLLBACK
TRANSACTION at %s\n", ctime(&curr_time));
        FPRTF1(outfile, "l_extendedprice: %.2f\n", l_eprice);
        FPRTF1(outfile, "l_quantity: %d\n", (int) l_quan);
        FPRTF1(outfile, "o_totalprice: %.2f\n\n", o_tprice);
    }

    FPRTF1(outfile, "Sleep %d seconds before
COMMIT/ROLLBACK...\n\n", slp);
    sleep(slp);

    /* Shall we commit? */

    if (BIT(flag, COMMIT)) {
        need_commit = 1;
        while (need_commit) {

            if((status=OCITransCommit(tpcsvc, errhp, OCI_DEFAULT)
) != OCI_SUCCESS) {
                OCIrol(tpcsvc, errhp);
                OCIsexec(tpcsvc, curr, errhp, 1);
            } else {
                need_commit = 0;
                curr_time = time(NULL);
                FPRTF2(outfile, "ACID Transaction iteration %d
COMMITTED at %s\n",
                    num_iter, ctime(&curr_time));
            }
        }
    } else {
        OCIrol(tpcsvc, errhp);
        curr_time = time(NULL);
        FPRTF2(outfile, "ACID Transaction iteration %d
ROLLBACK at %s\n",
            num_iter, ctime(&curr_time));
    }

    /* Report all results to outfile and if necessary, to success
file. */

    /* Report initial and new values for o_totalprice,
l_extendedprice, */
    /* l_quantity. */

    /*

    curr_time = time(NULL);

```

```

FPRTF1(outfile, "Transaction Completed at %s\n",
ctime(&curr_time));
*/

/* Get the values in LINEITEM and ORDERS after the
transaction */

if (BIT(flag, LOGFILE)) {
FPRTF1(logfile, "p_key: %d\n", (int) l_pkey);
FPRTF1(logfile, "s_key: %d\n", (int) l_skey);
FPRTF1(logfile, "o_key: %d\n", (int) o_key);
FPRTF1(logfile, "l_key: %d\n", (int) l_key);
FPRTF1(logfile, "delta: %d\n", (int) delta);
FPRTF1(logfile, "Transaction Completed at %s\n",
ctime(&curr_time));
FPRTF1(logfile, "-----
\n");
} else {

OCIsexec(tpcsvc,cure1,errhp,1);
OCIsexec(tpcsvc,cure2,errhp,1);

FPRTF(outfile, "AFTER TRANSACTION:\n");
FPRTF1(outfile, "l_extendedprice: %.2f\n",
l_neweprice);
FPRTF1(outfile, "l_quantity: %d\n", (int)
l_newquan);
FPRTF1(outfile, "o_totalprice: %.2f\n\n",
o_newtprce);
FPRTF1(outfile, "l_tax: %.2f\n", l_tax);
FPRTF1(outfile, "l_discount: %.2f\n", l_disc);
FPRTF1(outfile, "rprice: %.2f\n", rprice);
FPRTF1(outfile, "cost: %.2f\n", cost);
FPRTF(outfile, "-----
\n");
}
}

tr_end = gettime();

if (!BIT(flag, LOGFILE)) {
FPRTF1(outfile, "Start Time: %.2f\n", tr_start);
FPRTF1(outfile, "End Time: %.2f\n", tr_end);
FPRTF1(outfile, "Elapsed Time: %.2f\n", (tr_end -
tr_start));
FPRTF1(outfile, "Transaction Count: %d\n", num_iter);
FPRTF1(outfile, "Transaction Rate: %.2f\n",
num_iter/(tr_end - tr_start));
} else {
FPRTF1(logfile, "Start Time: %.2f\n", tr_start);
FPRTF1(logfile, "End Time: %.2f\n", tr_end);
FPRTF1(logfile, "Elapsed Time: %.2f\n", (tr_end -
tr_start));
FPRTF1(logfile, "Transaction Count: %d\n", num_iter);
}

/* Disconnect from ORACLE. */

if (BIT(flag, INFILE))

```

```

fclose(infile);
if (BIT(flag, OUTFILE))
close(outfile);
if (BIT(flag, LOGFILE))
close(logfile);

ACIDexit();

exit(0);
}

void ACIDinit()
{

/* run random seed */

srand48(getpid());

/* Connect to ORACLE. Program will call sql_error()
if an error occurs in connecting to the default database. */

(void) OCIInitialize(OCI_DEFAULT,(dvoid *)0,0,0,0);
if((status=OCIEnvInit((OCIEnv
**)&tpcenv,OCI_DEFAULT,0,(dvoid **)0)) !=
OCI_SUCCESS)
sql_error(tpcenv, status, 0);

OCIhalloc(tpcenv,&errhp,OCI_HTYPE_ERROR);
OCIhalloc(tpcenv,&curi,OCI_HTYPE_STMT);
OCIhalloc(tpcenv,&curr,OCI_HTYPE_STMT);
OCIhalloc(tpcenv,&cure1,OCI_HTYPE_STMT);
OCIhalloc(tpcenv,&cure2,OCI_HTYPE_STMT);
OCIhalloc(tpcenv,&tpcsvc,OCI_HTYPE_SVCCTX);
OCIhalloc(tpcenv,&tpcsrv,OCI_HTYPE_SERVER);
OCIhalloc(tpcenv,&tpcusr,OCI_HTYPE_SESSION);

/* Disables auto commit */
/*
if (ocof(&tpclda)) {
sql_error(&tpclda, &tpclda);
ologof(&tpclda);
exit(-1);
}
*/

/* get username and password */

passwd = strchr(lname, '/');
*passwd = '\0';
passwd++;

if ((status = OCIServerAttach(tpcsrv,errhp,(text
*)0,0,OCI_DEFAULT)) != OCI_SUCCESS)
sql_error(errhp,status,1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcsrv,0,OCI_ATT
R_SERVER,errhp);

```

```
OCIaset(tpcusr,OCI_HTYPE_SESSION,lname,strlen(lname),OCI_ATTR_USERNAME,
errhp);
```

```
OCIaset(tpcusr,OCI_HTYPE_SESSION,passwd,strlen(passwd),OCI_ATTR_PASSWORD,
errhp);
```

```
if ((status = OCISessionBegin(tpcsvc, errhp, tpcusr,
OCI_CRED_RDBMS,
OCI_DEFAULT)) != OCI_SUCCESS)
sql_error(errhp,status,1);
```

```
OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcusr,0,OCI_ATTR_SESSION,errhp);
```

```
/* Enable session parallel dml */
```

```
sprintf((char *) sqlstmt, PDMLTXT);
OCIstmtPrepare(curi,errhp,(text *)sqlstmt,strlen((char *)sqlstmt),
OCI_NTV_SYNTAX,OCI_DEFAULT);
OCIsexec(tpcsvc,curi,errhp,1);
```

```
/* Enable session parallel ddl */
```

```
/*sprintf((char *) sqlstmt, PDDLTXT);
OCIstmtPrepare(curi,errhp,(text *)sqlstmt,strlen((char *)sqlstmt),
OCI_NTV_SYNTAX,OCI_DEFAULT);
OCIsexec(tpcsvc,curi,errhp,1);*/
```

```
/* Make session serializable */
```

```
sprintf ((char *) sqlstmt, ISOTXT);
OCIstmtPrepare(curi,errhp,(text *)sqlstmt,strlen((char *)sqlstmt),
OCI_NTV_SYNTAX,OCI_DEFAULT);
OCIsexec(tpcsvc,curi,errhp,1);
```

```
/* Set optimizer_index_cost_adj = 25 */
```

```
sprintf ((char *) sqlstmt, OICATXT);
OCIstmtPrepare(curi,errhp,(text *)sqlstmt,strlen((char *)sqlstmt),
OCI_NTV_SYNTAX,OCI_DEFAULT);
OCIsexec(tpcsvc,curi,errhp,1);
```

```
curr_time = time(NULL);
printf("\nConnected to ORACLE as user: %s at %s\n\n",
lname, ctime(&curr_time));
```

```
#ifndef NOLKEY
```

```
/* Open and Parse cursor for query to choose determine
l_key. */
```

```
/* Binds l_key to :l_key. */
```

```
sprintf((char *) sqlstmt,SQLTXT1);
OCIstmtPrepare(curi,errhp,sqlstmt,strlen((char *)sqlstmt),OCI_NTV_SYNTAX,OCI_DEFAULT);
```

```
OCIbbname(curi,&l_keyi_bp,errhp,":l_key",ADR(l_key),SIZ(l_key),SQLT_INT);
```

```
OCIbbname(curi,&o_keyi_bp,errhp,":o_key",ADR(o_key),SIZ(o_key),SQLT_INT);
```

```
#endif /* NOLKEY */
```

```
/* Open and Parse cursor for the ACID transaction. */
```

```
sprintf((char *) sqlstmt,SQLTXT2);
OCIstmtPrepare(curr,errhp,(text *)sqlstmt,strlen((char *)sqlstmt),
OCI_NTV_SYNTAX,OCI_DEFAULT);
```

```
/* bind variables */
```

```
OCIbbname(curr,l_key_bp,errhp,":l_key",ADR(l_key),SIZ(l_key),SQLT_INT);
```

```
OCIbbname(curr,o_key_bp,errhp,":o_key",ADR(o_key),SIZ(o_key),SQLT_INT);
```

```
OCIbbname(curr,delta_bp,errhp,":delta",ADR(delta),SIZ(delta),SQLT_INT);
```

```
OCIbbname(curr,l_pkey_bp,errhp,":l_pkey",ADR(l_pkey),SIZ(l_pkey),SQLT_INT);
```

```
OCIbbname(curr,l_skey_bp,errhp,":l_skey",ADR(l_skey),SIZ(l_skey),SQLT_INT);
```

```
OCIbbname(curr,l_quan_bp,errhp,":l_quan",ADR(l_quan),SIZ(l_quan),SQLT_INT);
```

```
OCIbbname(curr,l_newquan_bp,errhp,":l_newquan",ADR(l_newquan),SIZ(l_newquan),SQLT_INT);
```

```
OCIbbname(curr,l_tax_bp,errhp,":l_tax",ADR(l_tax),SIZ(l_tax),SQLT_FLT);
```

```
OCIbbname(curr,l_disc_bp,errhp,":l_disc",ADR(l_disc),SIZ(l_disc),SQLT_FLT);
```

```
OCIbbname(curr,l_eprice_bp,errhp,":l_eprice",ADR(l_eprice),SIZ(l_eprice),SQLT_FLT);
```

```
OCIbbname(curr,l_neweprice_bp,errhp,":l_neweprice",ADR(l_neweprice),SIZ(l_neweprice),SQLT_FLT);
```

```
OCIbbname(curr,o_tprice_bp,errhp,":o_tprice",ADR(o_tprice),SIZ(o_tprice),SQLT_FLT);
```

```
OCIbbname(curr,o_newtprice_bp,errhp,":o_newtprice",ADR(o_newtprice),SIZ(o_newtprice),SQLT_FLT);
```

```
OCIbbname(curr,rprice_bp,errhp,":rprice",ADR(rprice),SIZ(rprice),SQLT_FLT);
```

```
OCIbbname(curr,cost_bp,errhp,":cost",ADR(cost),SIZ(cost),SQLT_FLT);
```

```
/* Open & Parse cursor for end values query */
```

```
printf((char *) sqlstmt,SQLTXT3);
OCIStmtPrepare(cure1,errhp,(text *)sqlstmt,strlen((char *)sqlstmt),OCI_NTV_SYNTAX,OCI_DEFAULT);
```

```
printf((char *) sqlstmt,SQLTXT4);
OCIStmtPrepare(cure2,errhp,(text *)sqlstmt,strlen((char *)sqlstmt),OCI_NTV_SYNTAX,OCI_DEFAULT);
```

```
/* bind variables */
```

```
OCIbbname(cure1,l_neweprice1_bp,errhp,":l_neweprice",ADR(l_neweprice),SIZ(l_neweprice),SQLT_FLT);
```

```
OCIbbname(cure1,l_newquan1_bp,errhp,":l_newquan",ADR(l_newquan),SIZ(l_newquan),SQLT_INT);
```

```
OCIbbname(cure1,o_key1_bp,errhp,":o_key",ADR(o_key),SIZ(o_key),SQLT_INT);
```

```
OCIbbname(cure1,l_key1_bp,errhp,":l_key",ADR(l_key),SIZ(l_key),SQLT_INT);
```

```
OCIbbname(cure2,o_newtprice2_bp,errhp,":o_newtprice",ADR(o_newtprice),SIZ(o_newtprice),SQLT_FLT);
```

```
OCIbbname(cure2,o_key2_bp,errhp,":o_key",ADR(o_key),SIZ(o_key),SQLT_INT);
```

```
}
```

C.6 atranspl.h

```
/* Copyright (c) 2001, 2002, Oracle Corporation. All rights reserved. */
```

```
/*
```

```
NAME
    atranspl.h - <one-line expansion of the name>
```

```
DESCRIPTION
```

```
MODIFIED (MM/DD/YY)
```

```
mpoess 10/23/02 - mpoess_update_from_visa
```

```
mpoess 10/17/01 - add TXT parameter
```

```
mpoess 04/09/01 - add hint to find max linenumber
```

```
mpoess 01/04/01 - Creation
```

```
*/
```

```
#ifndef ATRANSPL_H
```

```
#define ATRANSPL_H
```

```
#include <stdio.h>
```

```
#include <stdlib.h>
```

```
#include <string.h>
```

```
#include <sys/param.h>
```

```
#include <sys/types.h>
```

```
#include <time.h>
```

```
#include <errno.h>
```

```
#include <math.h>
```

```
#include <oratypes.h>
```

```
#ifndef OCIDFN
```

```
#include <ocidfn.h>
```

```
#endif /* OCIDFN */
```

```
#ifndef OCI_ORACLE
```

```
#include <oci.h>
```

```
#endif /* OCI_ORACLE */
```

```
/*
```

```
#ifdef __STDC__
```

```
#include <ociapr.h>
```

```
#else
```

```
#include <ocikpr.h>
```

```
#endif /* __STDC__ */
```

```
extern int errno;
```

```
#ifndef NULL
```

```
#define NULL 0
```

```
#endif
```

```
#ifndef NULLP
```

```
# define NULLP (void *)NULL
```

```
#endif /* NULLP */
```



```

#ifndef DISCARD
#define DISCARD (void)
#endif

#ifndef sword
#define sword int
#endif

#ifndef ub1
#define ub1 unsigned char
#endif

#define UNAME_LEN 64
#define WRITE_BUF_LEN 1024

#define NA -1 /* ANSI SQL NULL */
#define VER7 2
#define NOT_SERIALIZABLE 8177 /* ORA-08177:
transaction not serializable */
#define WRITE_BUF_LEN 1024

#define ADR(object) ((ub1 *)&(object))
#define SIZ(object) ((sword)sizeof(object))
#define BIS(flag,mask) (unsigned) (flag |=(unsigned) mask)
#define BIT(flag,mask) (unsigned) ((unsigned) flag &
(unsigned) mask)

#define FPRTF(fd,s) \
{printf(buf,s); write(fd, buf, strlen(s));}
#define FPRTF1(fd,s,p) \
{printf(buf,s,p); write(fd, buf, strlen(buf));}
#define FPRTF2(fd,s,p1,p2) \
{printf(buf,s,p1,p2); write(fd, buf, strlen(buf));}

#define OCIhalloc(envh,hndl,htyp) \
if((status=OCIHandleAlloc((dvoid *)envh,(dvoid
**)hndl,htyp,0,(dvoid **)0))!=OCI_SUCCESS) \
sql_error(envh,status,0); \
else \
DISCARD 0

#define OCIhfree(hndl,htyp) \
if((status=OCIHandleFree((dvoid *)hndl,htyp)) ==
OCI_SUCCESS) \
fprintf(stderr, "Error freeing handle of type %d\n",
htyp)

#define OCIaget(hndl,htyp,attp,size,atyp,errh) \
if((status=OCIAttrGet((dvoid *)hndl,htyp,(dvoid
*)attp,(dvoid *)size,atyp,errh)) != OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define OCIaset(hndl,htyp,attp,size,atyp,errh) \
if((status=OCIAttrSet((dvoid *)hndl,htyp,(dvoid
*)attp,size,atyp,errh)) != OCI_SUCCESS) \
sql_error(errh,status,1); \
else \

```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

```

DISCARD 0

#define OCIsexec(svch,stmh,errh,iter) \

if((status=OCIStmtExecute(svch,stmh,errh,iter,0,NULL,NU
LL,OCI_DEFAULT)) != OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define
OCIbbname(stmh,bindp,errh,sqlvar,progv,proglv,ftype) \
if((status=OCIBindByName(stmh,&bindp,errh,(text
*)sqlvar,strlen(sqlvar), \
progv,proglv,ftype,0,0,0,0,OCI_DEFAULT)) !=
OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define
OCIbbnamei(stmh,bindp,errh,sqlvar,progv,proglv,ftype,ind
p) \
if((status=OCIHandleAlloc((dvoid *)stmh,(dvoid
**)&bindp,OCI_HTYPE_BIND, \
0,(dvoid **)0))!=OCI_SUCCESS) \
sql_error(stmh,status,0); \
if((status=OCIBindByName(stmh,&bindp,errh,(text
*)sqlvar,strlen(sqlvar), \
progv,proglv,ftype,indp,0,0,0,0,OCI_DEFAULT))
!= OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define OCIcom(svcp,errh) \

if((status=OCITransCommit(svcp,errh,OCI_DEFAULT)) !=
OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define OCIrol(svcp,errh) \

if((status=OCITransRollback(svcp,errh,OCI_DEFAULT))
!= OCI_SUCCESS) \
sql_error(errh,status,1); \
else \
DISCARD 0

#define ISOTXT "alter session set isolation_level =
serializable"
#define PDMLTXT "alter session force parallel dml parallel
(degree 4)"
#define PDDLTX "alter session force parallel ddl parallel
(degree 4)"
#define OICATXT "alter session set
optimizer_index_cost_adj=25"

```

```
#define SQLTXT1 "BEGIN SELECT /*+
index(lineitem,i_l_orderkey) */ MAX(l_linenum) INTO
:l_key FROM lineitem \
WHERE l_orderkey = :o_key; END;"
```

```
#define SQLTXT2 "BEGIN d_atrans.doatrans(:l_key,
:o_key, :delta, :l_pkey, \
:l_skey, :l_quan, :l_newquan, :l_tax, :l_disc, :l_eprice, \
:l_neweprice, \
:o_tprice, :o_newtprice, :rprice, :cost); END;"
```

```
#define SQLTXT3 "BEGIN SELECT l_extendedprice,
l_quantity \
INTO :l_neweprice, :l_newquan \
FROM lineitem \
WHERE l_orderkey = :o_key \
AND l_linenum = :l_key; END;"
```

```
#define SQLTXT4 "BEGIN SELECT o_totalprice INTO
:o_newtprice \
FROM orders \
WHERE o_orderkey = :o_key; END;"
```

```
#define SQLTXT5 "BEGIN SELECT l_extendedprice,
l_quantity \
INTO :l_eprice, :l_quan \
FROM lineitem \
WHERE l_orderkey = :o_key \
AND l_linenum = :l_key; END;"
```

```
#define SQLTXT6 "BEGIN SELECT o_totalprice INTO
:o_tprice \
FROM orders \
WHERE o_orderkey = :o_key; END;"
```

```
#endif /* ATRANSPL_H */
```

C.7 ckpt.sh

```
#!/bin/ksh
#
# $Header: ckpt.sh 08-aug-99.17:37:07 mpoess Exp $
#
# ckpt.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
#
# NAME
# ckpt.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: ckpt.sh
# Start database checkpoint
#
# NOTES
# <other useful comments, qualifications, etc.>
```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

```
#
# MODIFIED (MM/DD/YY)
# mpoess 08/08/99 - Creation
# mpoess 08/08/99 - Creation
#
```

```
. $KIT_DIR/env
```

```
sqlplus -s /NOLOG << !
```

```
connect / as sysdba;
alter system switch logfile;
alter system switch logfile;
exit;
```

```
!
```

C.8 cnt_hist.sql

```
select count(*) from history;
exit;
```

C.9 consist.sh

```
#!/bin/ksh
#
# $Header: consist.sh 08-aug-99.14:20:51 mpoess Exp $
#
# consist.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
#
# NAME
# consist.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Performs consistency tests.
# Usage: consist.sh [-n iter] [-s number of stream] [-p
prog]
# [-u usr/pswd] -h
#
# Options: See usage below
#
# NOTES
# <other useful comments, qualifications, etc.>
#
# MODIFIED (MM/DD/YY)
# mpoess 08/08/99 - Creation
# mpoess 08/08/99 - Creation
#
```

```
. $KIT_DIR/env
```

```
OH=$ORACLE_HOME
# ACID_DIR=$TPCD_KIT_DIR/audit set in env
OUT_DIR=$ACID_OUT
```

```

KEY=$OUT_DIR/key$$_
OUTFILE=${OUT_DIR}/consrte
CON1=${OUT_DIR}/conb
CON2=${OUT_DIR}/cona
CHK=${OUT_DIR}/consckpt

/bin/rm -rf ${KEY}* $CON1 $CON2 $OUTFILE $CHK

trap "/bin/rm -rf ${KEY}*; exit 1" 1 2 3 15

STREAM=${NUM_STREAMS}
let STREAM="$STREAM + 1" # add one for the update
stream
ITER=100
PROG=atranspl
USER=${DATABASE_USER}
CK=10

usage() {
    echo ""
    echo "Usage: $0 [-n iter] [-s number of stream] [-p prog]
[-u usr/pswd] -h"
    echo ""
    echo "-n iter          : number of iterations, default is 100"
    echo "-s number of stream : number of streams, default is
2"
    echo "-p prog          : program to run, default is
atranspl.ott"
    echo "-u usr/pswd      : user/password for database
access, default is tpcd/tpcd"
    echo "-t chkpt        : time after the start of ACID
transaction to perform the checkpoint"
    echo "              default is 10 seconds"
    echo "-h              : print this usage summary"
    exit 1;
}

set -- `getopt "n:p:u:s:h" "$@"` || usage

while :
do
    case "$1" in
    -s) shift; STREAM=$1;;
    -n) shift; ITER=$1;;
    -p) shift; PROG=$1;;
    -u) shift; USER=$1;;
    -t) shift; CK=$1;;
    -h) usage; exit 0;;
    --) break;;
    esac
    shift
done

```

```

if [ $ITER -lt 100 ]
then
echo "Error: Must at least run 100 iterations!"

```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

```

echo "Exiting..."
exit 1
fi

if [ $STREAM -lt 2 ]
then
echo "Error: Must at least run 2 streams!"
echo "Exiting..."
exit 1
fi

echo "Starting Consistency Test at `date`..."
echo ""
echo "Generate some keys first"
echo ""

i=0

while [ $i -lt $STREAM ]
do
    echo randkey $ITER 1 u$USER
    randkey $ITER 1 u$USER > ${KEY}$i
    i=`expr $i + 1`
done

echo "Check consistency before Submitting Transactions
`date`"
echo "Check consistency before Submitting Transactions
`date`" >> $CON1

echo "Obtain 10 keys from the each key file to check
consistency"

i=0
while [ $i -lt $STREAM ]
do
    KEYS=`head -10 ${KEY}$i | awk '{printf "%d ", $1}`
    echo "The 10 Keys for file $i are: $KEYS"
    #for j in `head -10 ${KEY}$i | awk '{printf "%d ", $1}`
    for j in $KEYS
    do
        sqlplus $USER
        @/dbms/oracle10i/kit/acid/consistency/consist $j >>
$CON1
        echo "-----" >> $CON1
    done
    i=`expr $i + 1`
done

echo ""
echo "Starting ACID transactions at `date`"
echo ""

i=0

while [ $i -lt $STREAM ]
do
    $PROG $i $STREAM 1 0 u${USER} i${KEY}$i
    o${OUTFILE}$i s1 &

```

```

i=`expr $i + 1`
done

echo "Schedule a Checkpoint"
echo "Checkpoint scheduled at $CK seconds after `date`"

(sleep $CK; $ACID_DIR/ckpt.sh) &

wait

echo ""
echo "Ending ACID transactions at `date`"
echo ""

echo "Completed $STREAM transaction streams with
$ITER iterations each"
echo ""

echo "Check consistency after Submitting Transactions
`date`"
echo "Check consistency after Submitting Transactions
`date`" >> $CON2

cat
${ORACLE_HOME}/log/diag/rdbms/1gb/qual/trace/alert_${
ORACLE_SID}.log >> $CHK

i=0
while [ $i -lt $STREAM ]
do
KEYS=`head -10 ${KEY}$i | awk '{printf "%d ", $1}`
#for j in `head -10 ${KEY}$i | awk '{printf "%d ", $1}`
echo "The keys to check for consistency after the test from
file $i are:"
echo "$KEYS"
for j in $KEYS
do
    sqlplus $USER
@/dbms/oracle10i/kit/acid/consistency/consist $j >>
$CON2
    echo "-----" >> $CON2
done
i=`expr $i + 1`
done

```

C.10 consist.sql

```

Rem
Rem $Header: consist.sql 08-aug-99.16:59:17 mpoess Exp $
Rem
Rem consist.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
Rem
Rem NAME
Rem consist.sql - <one-line expansion of the name>

```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

```

Rem
Rem DESCRIPTION
Rem Verifies the consistency of TPC-D database using
the
Rem consistency condition.
Rem
Rem Usage: sqlplus tpcd/tpcd @consist
Rem
Rem NOTE
Rem REQUIRES PACKAGES prvtotpt and dbmsotpt
rem
Rem MODIFIED (MM/DD/YY)
Rem mpoess 08/08/99 - Creation
Rem mpoess 08/08/99 - Created
Rem

set verify off
rem set termout on
rem set echo on

```

```

REM
REM Get today's date.
REM

```

```

select
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

```

```
set serverout on;
```

```

DECLARE
    o_okey      number;
    o_tprice    number;
    l_tprice    number;
    diff        number;

```

```

BEGIN
    select o_totalprice
    into o_tprice
    from orders
    where o_orderkey = &&1;

```

```

    select sum(trunc((trunc((l_extendedprice * (1-
l_discount)), 2)
* (1+l_tax)), 2))
    into l_tprice
    from lineitem
    where l_orderkey = &&1;

```

```
diff := l_tprice - o_tprice;
```

```

    dbms_output.put_line('O_TOTALPRICE: ' ||
TO_CHAR(trunc(o_tprice,2)));
    dbms_output.put_line('L_TOTALPRICE: ' ||
TO_CHAR(trunc(l_tprice,2)));
    dbms_output.put_line('Difference: ' ||
TO_CHAR(trunc(diff,2)));

```

```
END;
```

```
.
```

```
spool off  
exit
```

C.11 count_tx.sh

```
#!/bin/ksh
```

```
STEM=$1  
ITER=$2  
OUT=$3  
FIN=FALSE  
while [ "$FIN" = "FALSE" ]  
do  
  s=0  
  FIN=TRUE  
  while [ $s -lt $STEM ]  
  do  
    nt=`grep "Transaction Completed" $OUT/dura${s} | wc -  
l`  
    if [ $nt -lt $ITER ];then  
      FIN=FALSE  
    fi  
    s=`expr $s + 1`  
  done  
  sleep 5  
done  
echo all streams have committed $ITER transactions
```

C.12 d_hist.sql

```
Rem  
Rem $Header: d_hist.sql 07-aug-99.21:33:08 mpoess Exp $  
Rem  
Rem d_hist.sql  
Rem  
Rem Copyright (c) Oracle Corporation 1999. All Rights  
Reserved.  
Rem  
Rem NAME  
Rem d_hist.sql - <one-line expansion of the name>  
Rem  
Rem DESCRIPTION  
Rem Creates a history table for ACID test purpose.  
Rem  
Rem NOTES  
Rem <other useful comments, qualifications, etc.>  
Rem  
Rem MODIFIED (MM/DD/YY)  
Rem mpoess 08/07/99 - Creation  
Rem mpoess 08/07/99 - Created  
Rem
```

```
set termout on;  
set serverout on;  
set echo on;
```

```
drop table history;
```

```
create table history
```

```
(  
  h_p_key number,  
  h_s_key number,  
  h_o_key number,  
  h_l_key number,  
  h_delta number,  
  h_date_t date  
);
```

```
exit;
```

C.13 end_acid.sh

```
#!/bin/ksh  
#  
# $Header: end_acid.sh 08-aug-99.17:06:20 mpoess Exp $  
#  
# end_acid.sh  
#  
# Copyright (c) Oracle Corporation 1999. All Rights  
Reserved.  
#  
# NAME  
# end_acid.sh - <one-line expansion of the name>  
#  
# DESCRIPTION  
# end_cons.sh <pid of the durability run>  
# Options: See usage below  
#  
# NOTES  
# <other useful comments, qualifications, etc.>  
#  
# MODIFIED (MM/DD/YY)  
# mpoess 08/08/99 - Creation  
# mpoess 08/08/99 - Creation  
#
```

```
. $KIT_DIR/env
```

```
OH=$ORACLE_HOME  
# ACID_DIR=$OH/tpcd/audit set in env  
OUT_DIR=$ACID_OUT/  
DURA_DIR=$ACID_OUT/dura  
RUN_ID_FILE=$ACID_DIR/run_id
```

```
SHELL_PID=`cat ${DURA_DIR}/shellpid`  
ITER=100  
STEM=${NUM_STREAMS}  
let STEM="$STEM + 1" # add one for the update stream
```

```

PROG=${ACID_DIR}/atranspl.ott
IN=${ACID_DIR}/acid_in
DURA=${DURA_DIR}/drate
OUT=${DURA_DIR}/drate
DSMPL=${DURA_DIR}/durasmpl
KEY=${DURA_DIR}/key${SHELL_PID}_
USER=tpch/tpch
TRIG=1
HCNT=duracnta

# get history count

sqlplus $USER @cnt_hist > $DURA_DIR/$HCNT 2>&1

# perform the consistency

i=0
while [ $i -lt $STEM ]
do
  for j in `head -10 ${KEY}${i} | awk '{printf "%d ",$1}'`
  do
    sqlplus tpch/tpch @consist $j >>
    $DURA_DIR/duraconsa
    done
    i=`expr $i + 1`
  done

i=0
while [ $i -lt $STEM ]
do
  sample.sh $DURAS${i} > ${DSMPL}${i} 2>&1
  i=`expr $i + 1`
done

cat
$ORACLE_HOME/log/diag/rdbms/1gb/qual/trace/alert_qual.log > ${DURA_DIR}/alert_qual.log.p
ost_dura 2>&1

cat
$ORACLE_HOME/log/diag/asm/+asm/ASM/trace/alert_ASM.log > ${DURA_DIR}/alert_ASM.log.post_dura 2>&1

```

C.14 iso.sh

```

#!/bin/ksh
#
# $Header: iso.sh 17-aug-99.15:44:51 mpoess Exp $
#
# iso.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights Reserved.
#

```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

```

# NAME
# iso.sh
#
# DESCRIPTION
# This script triggers all 6 isolation tests. In addition,
# it creates more readable formats of the isolation test
output.
# NOTES
# <other useful comments, qualifications, etc.>
#
# MODIFIED (MM/DD/YY)
# mpoess 08/17/99 - Creation
# mpoess 08/17/99 - Creation
#

for iso in iso1 iso2 iso3 iso4 iso5 iso6;do
  echo Running isolation test $iso
  /dbms/oracle10i/kit/acid/isolation/${iso}.sh
# echo Creating nicely formatted output of ACID test
$iso
# /dbms/oracle10i/kit/acid/isolation/xiso.pl -o
${ACID_OUT}/${iso}
done

```

C.15 iso1.sh

```

#!/bin/ksh
#
# $Header: iso1.sh 29-jul-98.17:00:11 akarasik Exp $
#
# iso1.sh
#
# Copyright (c) Oracle Corporation 1998. All Rights Reserved.
#
# NAME
# iso1.sh
#
# DESCRIPTION
# Usage: iso1.sh [-u user/password] [-n remote_node] -h
# Options: See usage below
# NOTES
# For a cross node isolation test, assume the local
node is
# one of the participating nodes. The other node can
be
# specified by the -n option.
# You need to set the environment variable
TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)
# mpoess 12/16/98 - update to version 8.1.6
# mpoess 09/25/98 - update audit
# akarasik 07/29/98 -
# akarasik 07/29/98 - Creation
#
. $KIT_DIR/env

```

```

# May need to change the following:
RSH=rsh

OH=$ORACLE_HOME
#ACID_DIR=$KIT_DIR/acid is set in env
OUT_DIR=$ACID_OUT

TXN1FILE=$OUT_DIR/txn1$$$.out
TXN2FILE=$OUT_DIR/txn2$$$.out
KEYFILE=$OUT_DIR/key$$$.out
ISOFILE=$OUT_DIR/iso1

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE; exit
1" 1 2 3 15

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n remote_node] -h"
    echo ""
    exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
    case "$1" in
    -u) shift; USER=$1;;
    -n) shift; HOST="$1";;
    -h) usage; exit 0;;
    --) break;;
    esac
    shift;
done

de=`direxists.sh $ACID_OUT c` # I am not using $de
afterward, but I want to avoid the output of direxists

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is "$OKEY

# before the ACID transaction, let's run a ACID query to
record the
# initial state of lineitem

```

```

echo "Running ACID query BEFORE the start of Isolation
Test 1" >> $TXN2FILE
echo "`date`" >> $TXN2FILE
echo "" >> $TXN2FILE
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY
>> $TXN2FILE
echo "" >> $TXN2FILE
echo "-----" >>
$TXN2FILE

sleep 1

# start ACID transaction, Sleep for 60 second before
COMMIT

$PROG 1 1 1 0 i$KEYFILE u$USER s60 b0 >>
$TXN1FILE &

# let's sleep 10 seconds before starting ACID query

sleep 10

# start ACID query with the same OKEY

echo "Running ACID query 10 seconds AFTER the start of
ACID Transaction" \
>> $TXN2FILE
echo "`date`" >> $TXN2FILE
if [ "$HOST" != "" ]
then
echo "Starting ACID query on node $HOST" >>
$TXN2FILE
${RSH} -n ${HOST} sqlplus $USER
@$ACID_DIR/isolation/a_query $OKEY >> $TXN2FILE
else
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY
>> $TXN2FILE
fi

echo "-----" >>
$TXN2FILE
wait
echo "-----" >>
$TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

C.16 iso2.sh

```

#!/bin/ksh
#
# $Header: iso2.sh 04-aug-99.09:19:54 mpoess Exp $
#
# iso2.sh
#

```

```

# Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
#
# NAME
# iso2.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: iso2.sh [-u user/password] [-n remote_node] -h
# Options: See usage below
# NOTES
# For a cross node isolation test, assume the local node
is
# one of the participating nodes. The other node can be
# specified by the -n option.
# You need to set the environment variable
TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)
# mpoess 08/04/99 - Creation
# mpoess 08/04/99 - Creation
#
#
#
=====
=====+
# May need to change the following:

.$KIT_DIR/env

RSH=rsh

OH=$ORACLE_HOME
# ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$$$.out
TXN2FILE=$OUT_DIR/txn2$$$.out
KEYFILE=$OUT_DIR/key$$$.out
ISOFILE=$OUT_DIR/iso2

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE; exit
1" 1 2 3 15

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n remote_node] -h"
    echo ""
    exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

```

while :
do
    case "$1" in
    -u) shift; USER=$1;;
    -n) shift; HOST="$1";;
    -h) usage; exit 0;;
    --) break;;
    esac
    shift;
done

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is "$OKEY

# before the ACID transaction, let's run a ACID query to
record the
# initial state of lineitem

echo "Running ACID query BEFORE the start of Isolation
Test 1" >> $TXN2FILE
echo "`date`" >> $TXN2FILE
echo "" >> $TXN2FILE
sqlplus "$USER" @$ACID_DIR/isolation/a_query $OKEY
>> $TXN2FILE
echo "" >> $TXN2FILE
echo "-----" >>
$TXN2FILE

sleep 1

# start ACID transaction, Sleep for 30 second before
ROLLBACK

$PROG 1 1 0 0 i$KEYFILE u$USER s30 >> $TXN1FILE
&

# let's sleep 10 seconds before starting ACID query

sleep 10

# start ACID query with the same OKEY

echo "Running ACID query 10 seconds AFTER the start of
ACID transaction" \
>> $TXN2FILE
echo "`date`" >> $TXN2FILE
if [ "$HOST" != "" ]
then
echo "Starting ACID query on node $HOST" >>
$TXN2FILE
${RSH} -n ${HOST} sqlplus "$USER"
@$ACID_DIR/isolation/a_query $OKEY >> $TXN2FILE
else

```



```

sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY
>> $TXN2FILE
fi

echo "-----" >>
$TXN2FILE
wait
echo "-----" >>
$TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

C.17 iso3.sh

```

#!/bin/ksh
#
# $Header: iso3.sh 04-aug-99.09:20:35 mpoess Exp $
#
# iso3.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
#
# NAME
# iso3.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: iso3.sh [-u user/password] [-n remote_node] -h
# Options: See usage below
# NOTES
# For a cross node isolation test, assume the local node
is
# one of the participating nodes. The other node can be
# specified by the -n option.
# We need to make sure the remote node has access
to the
# file system on the local node. Otherwise, we need
to rcp
# the keyfile to the remote system.
# You need to set the environment variable
TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)
# mpoess 08/04/99 - Creation
# mpoess 08/04/99 - Creation
#

.$KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=$ORACLE_HOME
#ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

```

```

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$$$.out
TXN2FILE=$OUT_DIR/txn2$$$.out
KEYFILE=$OUT_DIR/key$$$.out
ISOFILE=$OUT_DIR/iso3

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE; exit
1" 1 2 3 15

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n remote_node] -h"
    echo ""
    exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
    case "$1" in
    -u) shift; USER=$1;;
    -n) shift; HOST="$1";;
    -h) usage; exit 0;;
    --) break;;
    esac
    shift
done

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE
if [ "$HOST" != "" ]
then
    rcp $KEYFILE ${HOST}:$KEYFILE
fi

sleep 1

# start ACID transaction, Sleep for 30 second before
COMMIT

$PROG 1 2 1 0 i$KEYFILE u$USER s30 b0 >>
$TXN1FILE &

# let's sleep 10 seconds before starting second ACID
transaction

sleep 10

```

```

# start another ACID transaction with the same LKEY and
OKEY
# but different DELTA

# Do not sleep before COMMIT so that we can see TXN2
has waited.

if [ "$HOST" != "" ]
then
echo "Starting TXN2 on node $HOST" >> $TXN2FILE
${RSH} -n ${HOST} $PROG 2 2 1 1 i$KEYFILE u$USER
s1 b1 >> $TXN2FILE &
else
$PROG 2 2 1 1 i$KEYFILE u$USER s1 b1 >>
$TXN2FILE &
fi

wait
echo "-----" >>
$TXN2FILE
echo "-----" >>
$TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

C.18 iso4.sh

```

#!/bin/ksh
#
# $Header: iso4.sh 04-aug-99.09:21:12 mpoess Exp $
#
# iso4.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
#
# NAME
# iso4.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: iso4.sh [-u user/password] [-n remote_node] -h
# Options: See usage below
# NOTES
# For a cross node isolation test, assume the local node
is
# one of the participating nodes. The other node can be
# specified by the -n option.
# We need to make sure the remote node has access to
the
# file system on the local node. Otherwise, we need to
rcp
# the keyfile to the remote system.
# You need to set the environment variable
TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)

```

```

# mpoess 08/04/99 - Creation
# mpoess 08/04/99 - Creation
#

. $KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=$ORACLE_HOME
# ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$.out
TXN2FILE=$OUT_DIR/txn2$.out
KEYFILE=$OUT_DIR/key$.out
ISOFILE=$OUT_DIR/iso4

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE; exit
1" 1 2 3 15

usage() {

    echo ""
    echo "Usage: $0 [-u user/passwd] [-n remote_node] -h"
    echo ""
    exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
    case "$1" in
    -u) shift; USER=$1;;
    -n) shift; HOST="$1";;
    -h) usage; exit 0;;
    --) break;;
    esac
    shift
done

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE

if [ "$HOST" != "" ]
then
    rcp $KEYFILE ${HOST}:$KEYFILE
fi

```

```

sleep 1

# start ACID transaction, Sleep for 30 second before
ROLLBACK

$PROG 1 2 0 0 i$KEYFILE u$USER s30 b0 >>
$TXN1FILE &

# let's sleep 10 seconds before starting second ACID
transaction

sleep 10

# start another ACID transaction with the same LKEY and
OKEY
# but different DELTA

# Do not sleep before COMMIT so that we can see TXN2
has waited.

if [ "$HOST" != "" ]
then
echo "Starting TXN2 on node $HOST" >> $TXN2FILE
${RSH} -n ${HOST} $PROG 2 2 1 1 i$KEYFILE u$USER
s1 b1 >> $TXN2FILE &
else
$PROG 2 2 1 1 i$KEYFILE u$USER s1 b1 >>
$TXN2FILE &
fi

wait
echo "-----" >>
$TXN2FILE
echo "-----" >>
$TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

C.19 iso5.sh

```

#!/bin/ksh
#
# $Header: iso5.sh 04-aug-99.09:21:45 mpoess Exp $
#
# iso5.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
#
# NAME
# iso5.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: iso5.sh [-u user/password] [-n remote_node] -h
# Options: See usage below
# NOTES

```

```

# For a cross node isolation test, assume the local node
is
# one of the participating nodes. The other node can be
# specified by the -n option.
# You need to set the environment variable
TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)
# mpoess 08/04/99 - Creation
# mpoess 08/04/99 - Creation
#

.$KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=$ORACLE_HOME
# ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT
DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$.out
TXN2FILE=$OUT_DIR/txn2$.out
KEYFILE=$OUT_DIR/key$.out
ISOFILE=$OUT_DIR/iso5

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE; exit
1" 1 2 3 15

usage() {

echo ""
echo "Usage: $0 [-u user/passwd] [-n remote_node] -h"
echo ""
exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
case "$1" in
-u) shift; USER=$1;;
-n) shift; HOST="$1";;
-h) usage; exit 0;;
--) break;;
esac
shift;
done

# generate key files

```

```

randkey 1 0.1 u"$USER" > $KEYFILE

if [ "$HOST" != "" ]
then
  rcp $KEYFILE ${HOST}:$KEYFILE
fi

sleep 1

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is "$OKEY

# before the ACID transaction, let's run a ACID query to
record the
# initial state of lineitem

echo "Running ACID query BEFORE the start of Isolation
Test 5" >> $TXN1FILE
echo "`date`" >> $TXN1FILE
echo "" >> $TXN1FILE
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY
>> $TXN1FILE
echo "" >> $TXN1FILE
echo "-----" >>
$TXN1FILE

sleep 1

# start ACID transaction, Sleep for 60 second before
COMMIT

$PROG 1 1 1 0 i$KEYFILE u$USER s60 >> $TXN1FILE
&

# let's sleep 5 seconds before starting PARTSUPP query

sleep 5

# First generate PS_PARTKEY and PS_SUPPKEY

PSKEY=`randpsup 1`

echo "Running PARTSUPP query 5 seconds AFTER the
start of ACID Transaction" \
>> $TXN2FILE
echo "`date`" >> $TXN2FILE
echo "PS_PARTKEY and PS_SUPPKEY are: $PSKEY" >>
$TXN2FILE

if [ "$HOST" != "" ]
then
echo "Starting PARTSUPP query on node $HOST" >>
$TXN2FILE
${RSH} -n ${HOST} sqlplus $USER
@$ACID_DIR/isolation/a_query2 ${PSKEY} >>
$TXN2FILE &
else

```

```

sqlplus $USER @$ACID_DIR/isolation/a_query2
${PSKEY} >> $TXN2FILE &
fi

wait

echo "-----" >>
$TXN2FILE
echo "-----" >>
$TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

C.20 iso6.sh

```

#!/bin/ksh
#
# $Header: iso6.sh 04-aug-99.09:22:12 mpoess Exp $
#
# iso6.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
#
# NAME
# iso6.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: iso6.sh [-u user/password] [-n remote_node] -h
# Options: See usage below
# NOTES
# For a cross node isolation test, assume the local node
is
# one of the participating nodes. The other node can be
# specified by the -n option.
# We need to make sure the remote node has access to
the
# file system on the local node. Otherwise, we need to
rcp
# the keyfile to the remote system.
# You need to set the environment variable
TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)
# mpoess 08/04/99 - Creation
# mpoess 08/04/99 - Creation
#
. $KIT_DIR/env

# May need to change the following:
RSH=rsh

#OH=/private/tpcd
# ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

```

```

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$.out
TXN2FILE=$OUT_DIR/txn2$.out
TXN3FILE=$OUT_DIR/txn3$.out
KEYFILE=$OUT_DIR/key$.out
ISOFILE=$OUT_DIR/iso6

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $TXN3FILE
$KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $TXN3FILE
$KEYFILE; exit 1" 1 2 3 15

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n remote_node] -h"
    echo ""
    exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
    case "$1" in
        -u) shift; USER=$1;;
        -n) shift; HOST="$1";;
        -h) usage; exit 0;;
        --) break;;
        esac
    shift;
done

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE
#rcp $KEYFILE ${HOST}:$KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is "$OKEY

# before the any transaction, let's run a ACID query to
record the
# initial state of lineitem

echo "Running ACID query BEFORE the start of Isolation
Test 6" >> $TXN2FILE
echo "`date`" >> $TXN2FILE
echo "" >> $TXN2FILE
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY
>> $TXN2FILE
echo "" >> $TXN2FILE

```

```

echo "-----" >>
$TXN2FILE

sleep 1

# start Query 1, use 0 as the delta

echo "Running Query 21 at `date`" >> $TXN1FILE
sqlplus $USER @$KIT_DIR/acid/isolation/q21 >>
$TXN1FILE &

# sleep 2 seconds before starting ACID transaction

sleep 2

# start ACID transaction, COMMIT after one second

echo "Starting ACID transaction at `date`" >> $TXN2FILE

if [ "$HOST" != "" ]
then
echo "Starting ACID transaction on node $HOST" >>
$TXN2FILE
${RSH} -n ${HOST} $PROG 1 1 1 0 i$KEYFILE u$USER
s1 >> $TXN2FILE &
else
$PROG 1 1 1 0 i$KEYFILE u$USER s1 >> $TXN2FILE &
fi

# start Query 1

sleep 2

echo "Running 2nd Query 21 at `date`" >> $TXN3FILE
sqlplus $USER @$KIT_DIR/acid/isolation/q21 >>
$TXN3FILE &
# wait for everyone to finish

wait

echo "-----" >>
$TXN3FILE
echo "-----" >>
$TXN2FILE
echo "-----" >>
$TXN1FILE

cat $TXN1FILE $TXN2FILE $TXN3FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $TXN3FILE
$KEYFILE

```

C.21 prepare4acid.sh

```

#!/bin/ksh
#
# $Header: prepare4acid.sh 12-aug-99.17:09:18 mpoess Exp
$
#

```

```

# prepare4acid.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
#
# NAME
#   prepare4acid.sh
#
# DESCRIPTION
#   Prepares the qualification database for the acid tests.
#
# NOTES
#
# MODIFIED (MM/DD/YY)
# mpoess 08/12/99 - Creation
# mpoess 08/12/99 - Creation
#
. $KIT_DIR/env

```

```

sqlplus $DATABASE_USER @d_hist
sqlplus $DATABASE_USER @atrans

```

C.22 q1.sql

```

Rem
Rem $Header: template.sql 06-feb-96.13:23:14 mpoess
Exp $
Rem
Rem q1.sql
Rem
Rem Copyright (c) Oracle Corporation 2001. All Rights
Reserved.
Rem
Rem NAME
Rem   q1.sql - <one-line expansion of the name>
Rem
Rem DESCRIPTION
Rem   used in isolation test 6
Rem
Rem NOTES
Rem   <other useful comments, qualifications, etc.>
Rem
Rem MODIFIED (MM/DD/YY)
Rem mpoess 02/13/01 - Created
Rem

```

```
set serverout on;
```

```

select
'BEFORE ACID QUERY' as STAGE,
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

```

```

select
  l_returnflag,
  l_linestatus,
  sum(l_quantity) as sum_qty,

```

```

  sum(l_extendedprice) as sum_base_price,
  sum(l_extendedprice * (1 - l_discount)) as
sum_disc_price,
  sum(l_extendedprice * (1 - l_discount) * (1 + l_tax)) as
sum_charge,
  avg(l_quantity) as avg_qty,
  avg(l_extendedprice) as avg_price,
  avg(l_discount) as avg_disc,
  count(*) as count_order

```

```

from
  lineitem
where
  l_shipdate <= to_date ('1998-12-01','YYYY-MM-DD')
- 0
group by
  l_returnflag,
  l_linestatus
order by
  l_returnflag,
  l_linestatus;

```

```

select
'AFTER ACID QUERY' as STAGE,
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

```

```
exit;
```

C.23 q21.sql

```
set serverout on;
```

```

select
'BEFORE ACID QUERY' as STAGE,
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

```

```

select * from (
select
  s_name,
  count(*) numwait
from
  supplier,
  lineitem l1,
  orders,
  nation
where
  s_suppkey = l1.l_suppkey
  and o_orderkey = l1.l_orderkey
  and o_orderstatus = 'F'
  and l1.l_receiptdate > l1.l_commitdate
  and exists (
select

```

```

        *
    from
        lineitem l2
    where
        l2.l_orderkey = l1.l_orderkey
        and l2.l_suppkey <> l1.l_suppkey
)
and not exists (
    select
        *
    from
        lineitem l3
    where
        l3.l_orderkey = l1.l_orderkey
        and l3.l_suppkey <> l1.l_suppkey
        and l3.l_receiptdate > l3.l_commitdate
)
    and s_nationkey = n_nationkey
    and n_name = 'SAUDI ARABIA'
group by
    s_name
order by
    numwait desc,
    s_name)
where rownum <= 10;

select
'AFTER ACID QUERY' as STAGE,
substr(TO_CHAR(sysdate,'YYYY-MM-DD
HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

exit;

```

C.24 randkey.c

/* Copyright (c) 2001, 2002, Oracle Corporation. All rights reserved. */

/*

NAME
randkey.c - <one-line expansion of the name>

DESCRIPTION

Generate random keys for ACID transactions:
O_ORDERKEY unique random (1..SF*150000*4) and
only
first 8 keys out of every 32 are populated.
and
L_ORDERKEY based on Clause 3.1.6.2
DELTA random (1..100)
*/

```

#include <stdio.h>
#include <stdlib.h>
#include <math.h>

```

```

#include "atranspl.h"

#define ORDERCNT 150000.0

/* MK_SPARSE adopted from dss.h */

#define MK_SPARSE(key, seq) \
    (((((key>>3)<<2)|(seq & 0x0003))<<3)|(key & 0x0007))

void sql_error();
void usage();
void ACIDinit();
long atol();
void srand48();
long lrand48();

/* Not really used here, but retained it for future purposes. */

typedef struct aciddef {
    long okey;
    long lkey;
    int delta;
} adef;

long l_key = 0;
long o_key = 0;
char lname[UNAME_LEN];
char *passwd;

/* OCI handles */

OCIEnv *tpcenv;
OCIError *tpcsrv;
OCIError *errhp;
OCISvcCtx *tpcsvc;
OCISession *tpcusr;
OCIStmt *curi;

OCIBind *l_key_bp;
OCIBind *o_key_bp;

sword status = OCI_SUCCESS; /* OCI return value */

char sqlstmt[1024];

void ACIDexit() {
    OCILogoff(tpcsvc,errhp);
    OCIhfree(tpcenv,OCI_HTYPE_STMT);
    OCIhfree(tpcsvc,OCI_HTYPE_SVCCTX);
    OCIhfree(tpcsrv,OCI_HTYPE_SERVER);
    OCIhfree(tpcusr,OCI_HTYPE_SESSION);
}

/* type: 0 if environment handle is passed, 1 if error handle
is passwd */

```

```

void sql_error(errhp,status,type)
    OCIError *errhp;
    sword status;
    sword type;
{
    char msg[2048];
    sb4 errcode;
    ub4 msglen;
    int i,j;

    switch(status) {
    case OCI_SUCCESS_WITH_INFO:
        fprintf(stderr, "Error: Statement returned with info.\n");
        if (type)
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *)
&errcode,(text *)msg,
                2048,OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *)
&errcode,(text *)msg,
                2048,OCI_HTYPE_ENV);
        fprintf(stderr,"%s\n",msg);
        break;
    case OCI_ERROR:
        fprintf(stderr, "Error: OCI call error.\n");
        if (type)
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *)
&errcode,(text *)msg,
                2048,OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *)
&errcode,(text *)msg,
                2048,OCI_HTYPE_ENV);
        fprintf(stderr,"%s\n",msg);
        break;
    case OCI_INVALID_HANDLE:
        fprintf(stderr, "Error: Invalid Handle.\n");
        if (type)
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *)
&errcode,(text *)msg,
                2048,OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *)
&errcode,(text *)msg,
                2048,OCI_HTYPE_ENV);
        fprintf(stderr,"%s\n",msg);
        break;
    }
    /* Rollback just in case */

    (void) OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);

    fprintf(stderr, "Exiting Oracle...\n");
    fflush(stderr);

    ACIDexit();

    exit(1);
}

```

```

main(argc, argv)
    int argc;
    char **argv;
{

    long count;
    long i;
    double sf; /* need to accomodate sf 0.1 */
    double random;
    double ordcnt;
    adef *res;

    if ((argc < 3) || (argc > 4)) {
        usage();
        exit(-1);
    }

    strcpy((char *) lname, "tpcd/tpcd");

    count = atol(argv[1]);
    sf = atof(argv[2]);

    argc -= 2;
    argv += 2;

    while (--argc) {
        ++argv;
        switch(argv[0][0]) {
        case 'u':
            strncpy((char *) lname, ++(argv[0]), UNAME_LEN);
            if (strchr((char *) lname, '/') == NULL) {
                usage();
                exit(-1);
            }
            break;
        default:
            fprintf(stderr, "Unknown argument %s\n", argv[0]);
            usage();
            break;
        }
    }

    ACIDinit();

    /* initialize array for random numbers */

    res = (adef *) malloc(count*sizeof(adef));
    ordcnt = (double) ORDERCNT * (double) sf;

    for (i=0; i<count; i++) {

        /* The algorithm: */
        /* Assumes drand's output is 'unique', first get a number
within */
        /* the range of [0..sf*ORDERCNT) and then maps the
different */
        /* ranges to generate the real output. */
    }
}

```



```

    random = floor(drand48() * (double) ordcnt) + 1;
    res[i].okey = o_key = (long) MK_SPARSE((long)
random, 0);
    res[i].delta = (long) floor(drand48() * 100) + 1;

    /* Obtain l_key from l_key query */

    OCIsexec(tpcsvc,curi,errhp,1);

    /* l_key is the highest l_linenumber available. We need
to pick */
    /* at random a number between 1..l_key.
*/

    res[i].lkey = (lrand48() % l_key) + 1;

    printf("%ld %ld %d\n", res[i].okey, res[i].lkey,
res[i].delta);
}

ACIDexit();
free(res);

}

void usage() {

    fprintf(stderr, "Usage: randkey <number of random keys to
generate> <SF> u<user/password>\n");
    fprintf(stderr, "\n");
}

void ACIDinit()
{

    /* run random seed */

    srand48(getpid());

    /* Connect to ORACLE. Program will call sql_error()
if an error occurs in connecting to the default database. */

    (void) OCIInitialize(OCI_DEFAULT,(dvoid *)0,0,0,0);
    if((status=OCIEEnvInit((OCIEEnv
***)&tpcenv,OCI_DEFAULT,0,(dvoid **)0)) !=
OCI_SUCCESS)
        sql_error(tpcenv, status, 0);

    OCIhalloc(tpcenv,&errhp,OCI_HTYPE_ERROR);
    OCIhalloc(tpcenv,&curi,OCI_HTYPE_STMT);
    OCIhalloc(tpcenv,&tpcsvc,OCI_HTYPE_SVCCTX);
    OCIhalloc(tpcenv,&tpcsrv,OCI_HTYPE_SERVER);
    OCIhalloc(tpcenv,&tpcusr,OCI_HTYPE_SESSION);

    /* get username and password */

    passwd = strchr(lname, '/');

```

```

    *passwd = '\0';
    passwd++;

    if ((status=OCIServerAttach(tpcsrv,errhp,(text
*)0,0,OCI_DEFAULT))!=OCI_SUCCESS)
        sql_error(errhp,status,1);

    OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcsrv,0,OCI_ATT
R_SERVER,errhp);

    OCIaset(tpcusr,OCI_HTYPE_SESSION,lname,strlen(lname
),OCI_ATTR_USERNAME,
errhp);

    OCIaset(tpcusr,OCI_HTYPE_SESSION,passwd,strlen(pass
wd),OCI_ATTR_PASSWORD,
errhp);

    if ((status = OCISessionBegin(tpcsvc, errhp, tpcusr,
OCI_CRED_RDBMS,
OCI_DEFAULT)) != OCI_SUCCESS)
        sql_error(errhp,status,1);

    OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcusr,0,OCI_ATT
R_SESSION,errhp);

    /* Open and Parse cursor for query to choose determine
l_key. */
    /* Binds l_key to :l_key. */

    sprintf((char *) sqlstmt,SQLTXT1);
    OCISstmtPrepare(cur,errhp,(text *)sqlstmt,strlen((char
*)sqlstmt),
OCI_NTV_SYNTAX,OCI_DEFAULT);

    OCIbname(cur,l_key_bp,errhp,":l_key",ADR(l_key),SIZ(l
_key),SQLT_INT);

    OCIbname(cur,o_key_bp,errhp,":o_key",ADR(o_key),SI
Z(o_key),SQLT_INT);
}

```

C.25 randpsup.c

/* Copyright (c) 2001, 2002, Oracle Corporation. All rights reserved. */

/*

NAME

randpsup.c - <one-line expansion of the name>

DESCRIPTION

Generate random keys for ACID PARTSUPP transactions:

```

(Clause 4.2.3)
PS_PARTKEY random within [SF*200000]
and
PS_SUPPKEY = (PS_PARTKEY + (i * ((S/4) +
(int)(PS_PARTKEY - 1)
/S))) % S + 1
where i random within [0..3] and S = SF * 10000

```

MODIFIED

```

mpoess 10/23/02 - mpoess_update_from_visa
mpoess 01/04/01 - Creation

*/

#include <stdio.h>
#include <stdlib.h>
#include <math.h>

```

```

#define PS_PER_SF 200000.0
#define S_PER_SF 10000.0
#define SUPP_PER_PART 4

```

```

/* borrowed from build.c in the dbgen distribution */

```

```

#define PART_SUPP_BRIDGE(tgt, p, s) \
{ \
long tot_scnt = (long) (S_PER_SF * sf); \
tgt = (p + s * (tot_scnt / SUPP_PER_PART + \
(long) ((p - 1) / tot_scnt))) % tot_scnt + 1; \
}

```

```

void usage();
double atof();
void srand48();
long lrand48();

```

```

main(argc, argv)
int argc;
char **argv;
{

```

```

double sf = 0.1; /* scale factor */
long supp; /* the i-th supplier */
long pkey; /* partkey */
long maxpkey; /* highest partkey */
long ps_skey; /* ps_suppkey */

```

```

if (argc < 2) {
usage();
exit(-1);
}

```

```

/* seed the random number generator */

```

```

srand48(getpid());

```

```

sf = atof(argv[1]);
maxpkey = (long) (sf * PS_PER_SF);

```

```

supp = lrand48() % 4;
pkey = lrand48() % maxpkey + 1;

PART_SUPP_BRIDGE(ps_skey, pkey, supp);

fprintf(stdout, "%ld %ld", pkey, ps_skey);

exit(0);
}

```

```

void usage()
{

```

```

fprintf(stderr, "Usage: randpsup <SF>\n\n");
}

```

C.26 run_acid.sh

```

#!/bin/ksh
#
# $Header: run_acid.sh 08-aug-99.15:30:10 mpoess Exp $
#
# run_acid.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
#
# NAME
# run_acid.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: run_acid.sh [-n iter] [-s stream] [-p prog] [-i
infile]
# [-o outfile] [-d durafile] [-u usr/pswd]
# [-t trigger] [-f scale factor] -h
#
# Options: See usage below
#
# MODIFIED (MM/DD/YY)
# mpoess 08/08/99 - Creation
# mpoess 08/08/99 - Creation
#

```

```

. $KIT_DIR/env

```

```

OH=$ORACLE_HOME
ACID_DIR=$ACID_DIR
OUT_DIR=$ACID_OUT

```

```

usage() {
echo ""
echo "Usage: $0 [-n iter] [-s stream] [-p prog] [-i infile] [-
o outfile]"
echo " [-d durafile] [-u usr/pswd] -h"
echo ""
}

```

```

echo "-n iter   : number of iterations, default is 100"
echo "-s stream  : number of streams, default is 2"
echo "-p prog    : program to run, default is atranspl.ott"
echo "-i infile  : input file prefix, suffix by process
number within a"
echo "          stream and run ID, default is ./acid_in"
echo "-o outfile  : output file prefix, similar to input file"
echo "          default is ./out/acid_out"
echo "-d durafile : durability file prefix, used for durability
tests"
echo "          default is ./dura/acid_dura"
echo "-u usr/pswd : user/password combo for database
access, default is tpch/tpch"
echo "-t trigger  : trigger time between process starts,
default is 1 second"
echo "-h          : print this usage summary"
exit 1;
}

```

```

ITER=1000
STEM=${NUM_STREAMS}
let STEM="$STEM + 1" # add one for the update stream
SF=1
PROG=atranspl
IN=${ACID_DIR}/acid_in
DURA_DIR=${ACID_OUT}/dura
OUT=${DURA_DIR}/drate
DURA=${DURA_DIR}/dura
KEY=${DURA_DIR}/key$$_
echo "$$" > ${DURA_DIR}/shellpid
USER=tpch/tpch
TRIG=1
HCNT=duracntb

```

```
set -- `getopt "n:s:p:i:o:d:u:ht:f:" "$@"` || usage
```

```
# get all the options
```

```

while :
do
  case "$1" in
    -n) shift; ITER=$1;;
    -s) shift; STEM=$1;;
    -p) shift; PROG=$1;;
    -i) shift; IN=$1;;
    -o) shift; OUT=$1;;
    -d) shift; DURA=$1;;
    -u) shift; USER=$1;;
    -h) usage; exit 0;;
    -t) shift; TRIG=$1;;
    -f) shift; SF=$1;;
    --) break;;
    esac
  shift;
done

```

```
#collect system info before durability start
```

```

cat /var/adm/syslog/syslog.log >
${DURA_DIR}/syslog_pre_dura 2>&1

```

```
TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008
```

```
ps -ef > ${DURA_DIR}/ps.out.pre_dura 2>&1
```

```

cat
$ORACLE_HOME/log/diag/rdbms/1gb/qual/trace/alert_qual.log > ${DURA_DIR}/alert_qual.log.p
re_dura 2>&1

```

```

cat
$ORACLE_HOME/log/diag/asm/+asm/ASM/trace/alert_ASM.log > ${DURA_DIR}/alert_ASM.log.pre_dura 2>&1

```

```
echo "Starting ACID run. . . "
```

```

i=0
T=`expr $STEM \* $TRIG + 6`

```

```
# Get history count before the run
```

```
sqlplus $USER @cnt_hist > $DURA_DIR/$HCNT 2>&1
```

```

while [ $i -lt $STEM ]
do
  randkey $ITER ${SF} u${USER} > ${KEY}${i} &
  i=`expr $i + 1`
done

```

```

wait
# perform the consistency

```

```

i=0
while [ $i -lt $STEM ]
do
  for j in `head -10 ${KEY}${i} | awk '{printf "%d ",$1}`
  do
    sqlplus tpch/tpch @consist $j >>
    $DURA_DIR/duraconsb
  done
  i=`expr $i + 1`
done

```

```

echo "Starting Transaction Counting Program"
count_tx.sh $STEM 100 $DURA_DIR &

```

```

i=0
while [ $i -lt $STEM ]
do
  $PROG $i $STEM 1 0 i${KEY}${i} o${OUT}${i}
d${DURA}${i} u$USER s1 &
  T=`expr $T - $TRIG`
  i=`expr $i + 1`
done

```

```
done
```

```
wait
```

```
echo "ACID run completed"
```

C.27 sample.sh

```
#!/bin/ksh
#
# $Header: sample.sh 08-aug-99.17:10:00 mpoess Exp $
#
# sample.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
#
# NAME
# sample.sh - <one-line expansion of the name>
#
# DESCRIPTION
# <short description of component this file
declares/defines>
#
# NOTES
# <other useful comments, qualifications, etc.>
#
# MODIFIED (MM/DD/YY)
# mpoess 08/08/99 - Creation
# mpoess 08/08/99 - Creation
#

# $1 durability output file

. $KIT_DIR/env

cat $1 | grep o_key | awk '{printf "%d \n", $2}' | head -106 >
/tmp/okey$$
cat $1 | grep l_key | awk '{printf "%d \n", $2}' | head -106 >
/tmp/lkey$$

paste /tmp/okey$$ /tmp/lkey$$ > /tmp/keys$$
tail -6 /tmp/keys$$ > /tmp/6keys$$

echo "Keys chosen are:"
cat /tmp/6keys$$

i=1
while [ $i -le 6 ]
do

j=`cat /tmp/6keys$$ | tail -${i} | head -1`
sqlplus tpch/tpch @sample $j
i=`expr $i + 1`
done

#/bin/rm -f /tmp/*key*
```

C.28 sample.sql

```
Rem
Rem $Header: sample.sql 08-aug-99.17:10:34 mpoess Exp
$
Rem
Rem sample.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All Rights
Reserved.
Rem
Rem NAME
Rem sample.sql - <one-line expansion of the name>
Rem
Rem DESCRIPTION
Rem <short description of component this file
declares/defines>
Rem
Rem NOTES
Rem <other useful comments, qualifications, etc.>
Rem
Rem MODIFIED (MM/DD/YY)
Rem mpoess 08/08/99 - Creation
Rem mpoess 08/08/99 - Created
Rem

alter session set nls_date_format = 'YYYY-MM-DD
HH:MI:SS';
select * from history where h_o_key = &&1 and h_l_key =
&&2;

exit;
```

Appendix D Query text and Output

38250.85 0.05
1478870.00

```
-- using default substitutions
-- @(#)1.sql 2.1.6.2
-- TPC-H/TPC-R Pricing Summary Report
Query (Q1)
-- Functional Query Definition
-- Approved February 1998
```

```
select
l_returnflag,
l_linestatus,
sum(l_quantity) as sum_qty,
sum(l_extendedprice) as sum_base_price,
sum(l_extendedprice * (1 - l_discount)) as sum_disc_price,
sum(l_extendedprice * (1 - l_discount) * (1 +
l_tax)) as sum_charge,
avg(l_quantity) as avg_qty,
avg(l_extendedprice) as avg_price,
avg(l_discount) as avg_disc,
count(*) as count_order
from
lineitem
where
l_shipdate <= to_date ( '1998-12-01' , 'YYYY-MM-
DD' ) - 90
group by
l_returnflag,
l_linestatus
order by
l_returnflag,
l_linestatus
```

```
L_RETURNFLAG L_LINESTATUS SUM_QTY
SUM_BASE_PRICE
SUM_DISC_PRICE SUM_CHARGE
AVG_QTY
AVG_PRICE AVG_DISC
COUNT_ORDER
A F 37734107.00 56586554400.73
53758257134.87 55909065222.83 25.52
38273.13 0.05 1478493.00
N F 991417.00
1487504710.38
1413082168.05 1469649223.19 25.52
38284.47 0.05
38854.00
N O 74476040.00
111701729697.74
106118230307.61 110367043872.50
25.50
38249.12 0.05 2920374.00
R F 37719753.00
56568041380.90
53741292684.60 55889619119.83 25.51
```

4 rows processed.

```
-- @(#)2.sql 2.1.6.2
-- TPC-H/TPC-R Minimum Cost Supplier Query (Q2)
-- Functional Query Definition
-- Approved February 1998
```

```
select * from (
select
s_acctbal,
s_name,
n_name,
p_partkey,
p_mfgr,
s_address,
s_phone,
s_comment
from
part,
supplier,
partsupp,
nation,
region
where
p_partkey = ps_partkey
and s_suppkey = ps_suppkey
and p_size = 15
and p_type like '%BRASS'
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'EUROPE'
and ps_supplycost = (
select
min(ps_supplycost)
from
partsupp,
supplier,
nation,
region
where
p_partkey = ps_partkey
and s_suppkey = ps_suppkey
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'EUROPE'
)
order by
s_acctbal desc,
n_name,
s_name,
p_partkey
)
```

where rownum <= 100

```

S_ACCTBAL          S_NAME
N_NAME
P_PARTKEY          P_MFGR
S_ADDRESS          S_PHONE
S_COMMENT
9938.53            Supplier#000005359    UNITED
KINGDOM
185358.00          Manufacturer#4
QKuHYh,vZGiwu2FWEJoLDx04
33-429-790-6131
uriously regular requests hag
9937.84            Supplier#000005969
ROMANIA
108438.00          Manufacturer#1
ANDENSOSmk,miq23Xfb5RWt6dvUcvt6Qa
29-520-692-3537
efully express instructions. regular
requests against the slyly fin
9936.22            Supplier#000005250
UNITED KINGDOM
249.00             Manufacturer#4
B3rqp0xbSEim4Mpy2RH J
33-320-228-2957
etect about the furiously final accounts.
slyly ironic pinto beans sleep inside
the furiously
9923.77            Supplier#000002324
GERMANY
29821.00           Manufacturer#4
y3OD9UywSTOk
17-779-299-1839
ackages boost blithely. blithely regular
deposits c
9871.22            Supplier#000006373
GERMANY
43868.00           Manufacturer#5
J8fcXWwTqM
17-813-485-8637
etect blithely bold asymptotes. fluffily
ironic platelets wake furiously; blit

<deleted>

7871.50            Supplier#000007206    RUSSIA
104695.00          Manufacturer#1
3w fNCnrVmvJjE95sgWZzvW
32-432-452-7731
ironic requests. furiously final theodolites cajole.
final, express packages sleep. quickly
reg
7852.45            Supplier#000005864    RUSSIA
8363.00            Manufacturer#4
WCNfBPZeSXh3h,c    32-454-883-3821

```

```

usly unusual pinto beans. brave ideas sleep
carefully quickly ironi
7850.66            Supplier#000001518    UNITED
KINGDOM
86501.00           Manufacturer#1
ONda3YJiHKJOC
33-730-383-3892
ifts haggle fluffily pending pai
7843.52            Supplier#000006683
FRANCE
11680.00           Manufacturer#4
2Z0JGkiv01Y00oCFwUGfviIbhZCdy    16-
464-517-8943
express, final pinto beans x-ray slyly
asymptotes. unusual, unusual

```

100 rows processed.

```

-- @(#)3.sql      2.1.6.2
-- TPC-H/TPC-R Shipping Priority Query (Q3)
-- Functional Query Definition
-- Approved February 1998

```

```

select * from (
select
l_orderkey,
sum(l_extendedprice * (1 - l_discount)) as
revenue,
o_orderdate,
o_shippriority
from
customer,
orders,
lineitem
where
c_mktsegment = 'BUILDING'
and c_custkey = o_custkey
and l_orderkey = o_orderkey
and o_orderdate < to_date( '1995-03-15',
'YYYY-MM-DD' )
and l_shipdate > to_date( '1995-03-15',
'YYYY-MM-DD' )
group by
l_orderkey,
o_orderdate,
o_shippriority
order by
revenue desc,
o_orderdate)
where rownum <= 10

```

L_ORDERKEY	REVENUE	O_ORDERDATE	O_SHIPPRIORITY
2456423.00	406181.01	1995-03-05	0.00
3459808.00	405838.70	1995-03-04	0.00

```

492164.00      390324.06      1995-02-19  0.00
1188320.00    384537.94      1995-03-09  0.00
2435712.00    378673.06      1995-02-26  0.00
4878020.00    378376.80      1995-03-12  0.00
5521732.00                375153.92
1995-03-13  0.00
2628192.00    373133.31      1995-02-22  0.00
993600.00     371407.46      1995-03-05  0.00
2300070.00    367371.15      1995-03-13  0.00

```

10 rows processed.

```

-- @(#)4.sql      2.1.6.2
-- TPC-H/TPC-R Order Priority Checking Query (Q4)
-- Functional Query Definition
-- Approved February 1998

```

```

select
o_orderpriority,
count(*) as order_count
from
orders
where
o_orderdate >= to_date( '1993-07-01',
'YYYY-MM-DD' )
and o_orderdate < add_months(to_date( '1993-07-01',
'YYYY-MM-DD'),3)
and exists (
select
*
from
lineitem
where
l_orderkey = o_orderkey
and l_commitdate < l_receiptdate
)
group by
o_orderpriority
order by
o_orderpriority

```

```

O_ORDERPRIORITY ORDER_COUNT
1-URGENT      10594.00
2-HIGH        10476.00
3-MEDIUM     10410.00
4-NOT SPECIFIED 10556.00
5-LOW         10487.00

```

5 rows processed.

```

-- @(#)5.sql      2.1.6.2

```

```

-- TPC-H/TPC-R Local Supplier Volume Query
(Q5)
-- Functional Query Definition
-- Approved February 1998

```

```

select
n_name,
sum(l_extendedprice * (1 - l_discount)) as revenue
from
customer,
orders,
lineitem,
supplier,
nation,
region
where
c_custkey = o_custkey
and l_orderkey = o_orderkey
and l_suppkey = s_suppkey
and c_nationkey = s_nationkey
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'ASIA'
and o_orderdate >= to_date( '1994-01-01',
'YYYY-MM-DD' )
and o_orderdate < add_months(to_date( '1994-
01-01', 'YYYY-MM-DD'), 12)
group by
n_name
order by
revenue desc

```

```

N_NAME      REVENUE
INDONESIA    55502041.17
VIETNAM     55295087.00
CHINA       53724494.26
INDIA       52035512.00
JAPAN       45410175.70

```

5 rows processed.

```

-- @(#)6.sql 2.1.6.2
-- TPC-H/TPC-R Forecasting Revenue Change
Query (Q6)
-- Functional Query Definition
-- Approved February 1998

```

```

select
sum(l_extendedprice * l_discount) as revenue
from
lineitem
where
l_shipdate >= to_date( '1994-01-01', 'YYYY-MM-DD' )

```

```

and l_shipdate < add_months(to_date( '1994-01-01' ,
'YYYY-MM-DD' ), 12)
and l_discount between .06 - 0.01 and .06 + 0.01
and l_quantity < 24

```

```

REVENUE
123141078.23

```

```

1 row processed.

```

```

-- @(#)7.sql 2.1.6.2
-- TPC-H/TPC-R Volume Shipping Query (Q7)
-- Functional Query Definition
-- Approved February 1998

```

```

select
supp_nation,
cust_nation,
l_year,
sum(volume) as revenue
from
(
select
n1.n_name as supp_nation,
n2.n_name as cust_nation,
to_number (to_char
(l_shipdate,'yyyy')) as l_year,
l_extendedprice * (1 - l_discount) as volume
from
supplier,
lineitem,
orders,
customer,
nation n1,
nation n2
where
s_suppkey = l_suppkey
and o_orderkey = l_orderkey
and c_custkey = o_custkey
and s_nationkey = n1.n_nationkey
and c_nationkey = n2.n_nationkey
and (
(n1.n_name = 'FRANCE' and n2.n_name =
'GERMANY' )
or (n1.n_name = 'GERMANY' and n2.n_name =
'FRANCE' )
)
and l_shipdate between to_date( '1995-01-01', 'YYYY-
MM-DD' ) and to_date( '1996-12-31',
'YYYY-MM-DD' )
) shipping
group by
supp_nation,
cust_nation,

```

```

l_year
order by
supp_nation,
cust_nation,
l_year

```

SUPP_NATION	CUST_NATION	L_YEAR	REVENUE
FRANCE	GERMANY	1995.00	54639732.73
FRANCE	GERMANY	1996.00	54633083.31
GERMANY	FRANCE	1995.00	52531746.67
GERMANY	FRANCE	1996.00	52520549.02

```

4 rows processed.

```

```

-- @(#)8.sql 2.1.6.2
-- TPC-H/TPC-R National Market Share
Query (Q8)
-- Approved February 1998

```

```

select
o_year,
sum(case when nation='BRAZIL' then volume else 0
end )/ sum(volume)
as mkt_share
from
(
select
to_number (to_char (o_orderdate, 'yyyy')) as
o_year,
l_extendedprice * (1 - l_discount) as
volume,
n2.n_name as nation
from
part,
supplier,
lineitem,
orders,
customer,
nation n1,
nation n2,
region
where
p_partkey = l_partkey
and s_suppkey = l_suppkey
and l_orderkey = o_orderkey
and o_custkey = c_custkey
and c_nationkey = n1.n_nationkey
and n1.n_regionkey = r_regionkey
and r_name = 'AMERICA'

```



```

and s_nationkey = n2.n_nationkey
and o_orderdate between to_date ('1995-
01-01', 'YYYY-MM-DD') and to_date
('1996-12-31', 'YYYY-MM-DD')
and p_type = 'ECONOMY ANODIZED STEEL'
) all_nations
group by
o_year
order by
o_year

O_YEAR      MKT_SHARE
1995.00      0.03
1996.00      0.04

```

2 rows processed.

```

-- @(#)9.sql 2.1.6.2
-- TPC-H/TPC-R Product Type Profit
Measure Query (Q9)
-- Functional Query Definition
-- Approved February 1998

```

```

select
nation,
o_year,
sum(amount) as sum_profit
from
(
select
n_name as nation,
to_number(to_char(o_orderdate, 'yyyy')) as
o_year,
l_extendedprice * (1 - l_discount) -
ps_supplycost * l_quantity as amount
from
part,
supplier,
lineitem,
partsupp,
orders,
nation
where
s_suppkey = l_suppkey
and ps_suppkey = l_suppkey
and ps_partkey = l_partkey
and p_partkey = l_partkey
and o_orderkey = l_orderkey
and s_nationkey = n_nationkey
and p_name like '%green%'
) profit
group by
nation,
o_year

```

```

order by
nation,
o_year desc

```

NATION	O_YEAR	SUM_PROFIT
ALGERIA	1998.00	31342867.23
ALGERIA	1997.00	57138193.02
ALGERIA	1996.00	56140140.13
ALGERIA		1995.00
ALGERIA		53051469.65
ALGERIA		1994.00
ALGERIA		53867582.13
ALGERIA	1993.00	
ALGERIA		54942718.13
ALGERIA		1992.00
ALGERIA		54628034.71
ARGENTINA	1998.00	30211185.71
ARGENTINA	1997.00	50805741.75
ARGENTINA		1996.00
ARGENTINA		51923746.58
ARGENTINA		1995.00
ARGENTINA		49298625.77
ARGENTINA		1994.00
ARGENTINA		50835610.11
<deleted>		
UNITED STATES		1994.00
UNITED STATES		49296747.18
UNITED STATES		1993.00
UNITED STATES		48029946.80
UNITED STATES	1992.00	
UNITED STATES		48671944.50
VIETNAM	1998.00	30442736.06
VIETNAM	1997.00	50309179.79
VIETNAM	1996.00	50488161.41
VIETNAM	1995.00	49658284.61
VIETNAM	1994.00	50596057.26
VIETNAM	1993.00	50953919.15
VIETNAM	1992.00	49613838.32

175 rows processed.

```

-- @(#)10.sql 2.1.6.2
-- TPC-H/TPC-R Returned Item Reporting Query
(Q10)
-- Functional Query Definition
-- Approved February 1998

```

```

select * from (
select
c_custkey,
c_name,
sum(l_extendedprice * (1 - l_discount)) as
revenue,

```

```

c_acctbal,
n_name,
c_address,
c_phone,
c_comment
from
customer,
orders,
lineitem,
nation
where
c_custkey = o_custkey
and l_orderkey = o_orderkey
and o_orderdate >= to_date ('1993-10-01',
'YYYY-MM-DD')
and o_orderdate < add_months( to_date(
'1993-10-01', 'YYYY-MM-DD'), 3)
and l_returnflag = 'R'
and c_nationkey = n_nationkey
group by
c_custkey,
c_name,
c_acctbal,
c_phone,
n_name,
c_address,
c_comment
order by
revenue desc)
where rownum <= 20

C_CUSTKEY      C_NAME
REVENUE
C_ACCTBAL      N_NAME
C_ADDRESS      C_PHONE
C_COMMENT
57040.00      Customer#000057040    734235.25
632.87              JAPAN
Eioyjf4pp
22-895-641-3466
sits. slyly regular requests sleep
alongside of the regular inst
143347.00      Customer#000143347    721002.69
2557.47      EGYPT
laReFYv,Kw4
14-742-935-3718
ggle carefully enticing requests. final
deposits use bold, bold pinto beans.
ironic, idle re
60838.00              Customer#000060838
679127.31
2454.77      BRAZIL
64EaJ5vMAHWJIBOxJklpNc2RJiWE    12-913-494-
9813
need to boost against the slyly regular account
101998.00      Customer#000101998    637029.57
3790.89      UNITED KINGDOM

```

```

01c9CILnNtfOQYmZj      33-593-865-6378
ress foxes wake slyly after the bold excuses.
ironic platelets are furiously carefully
bold theodolites
125341.00      Customer#000125341
633508.09
4983.51      GERMANY
S29ODD6bceU8QSuuEJznkNaK    17-582-695-
5962
arefully even depths. blithely even excuses
sleep furiously. foxes use except the
dependencies. ca
25501.00      Customer#000025501
620269.78
7725.04      ETHIOPIA
W556MXuoiaYCCZamJI,Rn0B4ACUGdkQ8DZ
15-874-808-6793
he pending instructions wake carefully
at the pinto beans. regular, final
instructions along the slyly fina
115831.00      Customer#000115831    596423.87
5098.10      FRANCE
rFeBbEEyk dl ne7zV5fDrmiqloK09wV7pxqCgIc
16-715-386-3788
l somas sleep. furiously final deposits
wake blithely regular pinto b
84223.00      Customer#000084223
594998.02
528.65      UNITED KINGDOM
nAVZCs6BaWap rrM27N 2qBnzc5WBauxbA
33-442-824-8191
slyly final deposits haggle regular,
pending dependencies. pending escapades
wake
54289.00      Customer#000054289
585603.39
5583.02      IRAN
vXCxoCsU0Bad5JQI ,oobkZ
20-834-292-4707
ely special foxes are quickly finally ironic p
39922.00      Customer#000039922
584878.11
7321.11      GERMANY
Zgy4s50l2GKN4pLDPBU8m342gIw6R
17-147-757-8036
yfinal requests. furiously final foxes
cajole blithely special platelets. f
6226.00      Customer#000006226    576783.76
2230.09      UNITED KINGDOM
8gPu8,NPGkfyQQ0hcIYUGPIBwc,ybP5g,
33-657-701-3391
ending platelets along the express deposits
cajole carefully final
922.00      Customer#000000922
576767.53
3869.25      GERMANY

```

```

Az9RFaut7NkPnc5zSD2PwHgVwr4jRzq
17-945-916-9648
luffily fluffy deposits. packages c
147946.00 Customer#000147946
576455.13
2030.13 ALGERIA
iANyZHjqhyy7Ajah0pTrYyhJ 10-886-956-3143
ithely ironic deposits haggle blithely
ironic requests. quickly regu
115640.00 Customer#000115640
569341.19
6436.10 ARGENTINA
Vtgfia9qI 7EpHgecU1X
11-411-543-4901
ost slyly along the patterns; pinto be
73606.00 Customer#000073606
568656.86
1785.67 JAPAN
xuR0Tro5yChDfOCrjkd2o1
22-437-653-6966
he furiously regular ideas. slowly
110246.00 Customer#000110246
566842.98
7763.35 VIETNAM
7KzflgX MD0q7sOkI
31-943-426-9837
egular deposits serve blithely above the fl
142549.00 Customer#000142549
563537.24
5085.99 INDONESIA
ChqEoK43OysjdHbtKCp6dKqjNyvvi9 19-955-562-
2398
sleeping courts. ironic deposits
against the carefully unusual platelets
cajole carefully express accounts.
146149.00 Customer#000146149
557254.99
1791.55 ROMANIA
s87fvzFQpU
29-744-164-6487
of the slyly silent accounts. quickly
final accounts across the
52528.00 Customer#000052528
556397.35
551.79 ARGENTINA
NFztyTOR10UOJ
11-208-192-3205
deposits hinder. blithely pending
asymptotes breach slyly regular re
23431.00 Customer#000023431
554269.54
3381.86 ROMANIA
HgiV0phqhaIa9aydNoIlb 29-915-458-2654
nusual, even instructions: furiously
stealthy n

```

```

-- @(#)11.sql 2.1.6.2
-- TPC-H/TPC-R Important Stock
Identification Query (Q11)
-- Functional Query Definition
-- Approved February 1998

select
ps_partkey,
sum(ps_supplycost * ps_availqty) as
value
from
partsupp,
supplier,
nation
where
ps_suppkey = s_suppkey
and s_nationkey = n_nationkey
and n_name = 'GERMANY'
group by
ps_partkey having
sum(ps_supplycost * ps_availqty) > (
select
sum(ps_supplycost * ps_availqty) *
0.0001000000
from
partsupp,
supplier,
nation
where
ps_suppkey = s_suppkey
and s_nationkey = n_nationkey
and n_name = 'GERMANY'
)
order by
value desc

```

PS_PARTKEY	VALUE
129760.00	17538456.86
166726.00	16503353.92
191287.00	16474801.97
161758.00	16101755.54
34452.00	15983844.72
139035.00	15907078.34
9403.00	15451755.62
154358.00	15212937.88
38823.00	15064802.86
85606.00	15053957.15
33354.00	14408297.40
154747.00	14407580.68
82865.00	14235489.78
76094.00	14094247.04
222.00	13937777.74
121271.00	13908336.00

20 rows processed.

```

<deleted>
77207.00          7897752.72
96712.00          7897575.27
10157.00          7897046.25
171154.00         7896814.50
79373.00          7896186.00
113808.00         7893353.88
27901.00          7892952.00
128820.00         7892882.72
25891.00          7890511.20
122819.00         7888881.02
154731.00         7888301.33
101674.00         7879324.60
51968.00          7879102.21
72073.00          7877736.11
5182.00           7874521.73

```

1048 rows processed.

```

-- @(#)12.sql      2.1.6.2
-- TPC-H/TPC-R Shipping Modes and Order
Priority Query (Q12)
-- Functional Query Definition
-- Approved February 1998

```

```

select
  l_shipmode,
  sum(case
    when o_orderpriority = '1-URGENT'
      or o_orderpriority =
'2-HIGH'
    then 1
    else 0
  end) as high_line_count,
  sum(case
    when o_orderpriority <> '1-
URGENT'
      and o_orderpriority <>
'2-HIGH'
    then 1
    else 0
  end) as low_line_count
from
  orders,
  lineitem
where
  o_orderkey = l_orderkey
  and l_shipmode in ('MAIL', 'SHIP')
  and l_commitdate < l_receiptdate
  and l_shipdate < l_commitdate
and l_receiptdate >= to_date( '1994-01-01',
'YYYY-MM-DD' )

```

```

and l_receiptdate < add_months(to_date
( '1994-01-01', 'YYYY-MM-DD' ), 12)
group by
  l_shipmode
order by
  l_shipmode

```

```

L_SHIPMODE HIGH_LINE_COUNT
LOW_LINE_COUNT
MAIL          6202.00
9324.00
SHIP          6200.00
9262.00

```

2 rows processed.

```

-- @(#)13.sql      2.1.6.2
-- TPC-H/TPC-R Customer Distribution
Query (Q13)
-- Functional Query Definition
-- Approved February 1998

```

```

select
  c_count,
  count(*) as custdist
from
  (
  select
    c_custkey,
    count(o_orderkey) as c_count
  from
    customer, orders where
    c_custkey = o_custkey(+)
    and o_comment(+) not like
    '%special%requests%'
  group by
    c_custkey
  ) c_orders
group by
  c_count
order by
  custdist desc,
  c_count desc

```

C_COUNT	CUSTDIST
0.00	50005.00
9.00	6641.00
10.00	6532.00
11.00	6014.00
8.00	5937.00
12.00	5639.00
13.00	5024.00
19.00	4793.00
7.00	4687.00
17.00	4587.00

```

18.00          4529.00
20.00          4516.00
15.00          4505.00
14.00          4446.00
16.00          4273.00
21.00          4190.00
22.00          3623.00
6.00           3265.00
23.00    3225.00
24.00          2742.00
25.00    2086.00
5.00           1948.00
26.00          1612.00
27.00          1179.00
4.00    1007.00
28.00          893.00
29.00    593.00
3.00    415.00
30.00    376.00
31.00    226.00
32.00    148.00
2.00    134.00
33.00    75.00
34.00    50.00
35.00    37.00
1.00    17.00
36.00    14.00
38.00    5.00
37.00    5.00
40.00    4.00
41.00    2.00
39.00    1.00

```

42 rows processed.

```

-- @(#)14.sql  2.1.6.2
-- TPC-H/TPC-R Promotion Effect Query (Q14)
-- Functional Query Definition
-- Approved February 1998

select
    100.00 * sum(case
        when p_type like 'PROMO%'
            then l_extendedprice *
(1 - l_discount)
        else 0
    end) / sum(l_extendedprice * (1 -
l_discount)) as promo_revenue
from
    lineitem,
    part
where
    l_partkey = p_partkey

```

```

and l_shipdate >= date '1995-09-
01'
and l_shipdate < date '1995-09-01'
+ interval '1' month

```

PROMO_REVENUE
16.38

1 row processed.

```

-- @(#)15.sql  2.1.6.2
-- TPC-H/TPC-R Top Supplier Query (Q15)
-- Functional Query Definition
-- Approved February 1998

```

```

with revenue
as (select
    l_suppkey supplier_no,
    sum(l_extendedprice * (1 - l_discount))
total_revenue
from
    lineitem
where
    l_shipdate >= to_date('1996-01-01', 'YYYY-MM-DD')
and l_shipdate < add_months( to_date
('1996-01-01', 'YYYY-MM-DD'), 3)
group by
    l_suppkey)
select
    s_suppkey,
    s_name,
    s_address,
    s_phone,
    total_revenue
from
    supplier,
    revenue
where
    s_suppkey = supplier_no
and total_revenue = (
    select
    max(total_revenue)
from
    revenue )
order by
    s_suppkey

```

```

S_SUPPKEY          S_NAME
S_ADDRESS
S_PHONE            TOTAL_REVENUE
8449.00            Supplier#000008449
Wp34zim9qYFbVctdW
20-469-856-8873 1772627.21

```

1 row processed.

-- @(#)16.sql 2.1.6.2
-- TPC-H/TPC-R Parts/Supplier
Relationship Query (Q16)
-- Functional Query Definition
-- Approved February 1998

```
select
p_brand,
p_type,
p_size,
count(distinct ps_suppkey) as
supplier_cnt
from
partsupp,
part
where
p_partkey = ps_partkey
and p_brand <> 'Brand#45'
and p_type not like 'MEDIUM POLISHED%'
and p_size in (49, 14, 23, 45, 19, 3, 36,
9)
and ps_suppkey not in (
select
s_suppkey
from
supplier
where
s_comment like '%Customer%Complaints%'
)
group by
p_brand,
p_type,
p_size
order by
supplier_cnt desc,
p_brand,
p_type,
p_size
```

P_BRAND	P_TYPE	P_SIZE	SUPPLIER_CNT
Brand#41	MEDIUM BRUSHED TIN		3.00
			28.00
Brand#54	STANDARD BRUSHED COPPER		14.00
			27.00
Brand#11	STANDARD BRUSHED TIN		23.00
			24.00
Brand#11	STANDARD BURNISHED BRASS		36.00
			24.00
Brand#15	MEDIUM ANODIZED NICKEL		3.00
			24.00

Brand#15	SMALL ANODIZED BRASS		45.00
			24.00
Brand#15	SMALL BURNISHED NICKEL		19.00
			24.00
Brand#21	MEDIUM ANODIZED COPPER		3.00
			24.00
Brand#22	SMALL BRUSHED NICKEL		3.00
			24.00
Brand#22	SMALL BURNISHED BRASS		19.00
			24.00
Brand#25	MEDIUM BURNISHED COPPER		36.00
			24.00

<deleted>

Brand#21	PROMO BURNISHED STEEL		45.00
			3.00
Brand#22	STANDARD PLATED STEEL		23.00
			3.00
Brand#25	LARGE PLATED STEEL		19.00
			3.00
Brand#32	STANDARD ANODIZED COPPER		23.00
			3.00
Brand#33	SMALL ANODIZED BRASS		9.00
			3.00
Brand#35	MEDIUM ANODIZED TIN		19.00
			3.00
Brand#51	SMALL PLATED BRASS		23.00
			3.00
Brand#52	MEDIUM BRUSHED BRASS		45.00
			3.00
Brand#53	MEDIUM BRUSHED TIN		45.00
			3.00
Brand#54	ECONOMY POLISHED BRASS		9.00
			3.00
Brand#55	PROMO PLATED BRASS		19.00
			3.00
Brand#55	STANDARD PLATED TIN		49.00
			3.00

18314 rows processed.

-- @(#)17.sql 2.1.6.2
-- TPC-H/TPC-R Small-Quantity-Order Revenue
Query (Q17)
-- Functional Query Definition
-- Approved February 1998

```
select
sum(l_extendedprice) / 7.0 as avg_yearly
from
lineitem,
part
where
p_partkey = l_partkey
```

```

and p_brand = 'Brand#23'
and p_container = 'MED BOX'
and l_quantity < (
select
0.2 * avg(l_quantity)
from
lineitem
where
l_partkey = p_partkey
)

```

```

AVG_YEARLY
348406.05

```

1 row processed.

```

-- @(#)l8.sql 2.1.6.2
-- TPC-H/TPC-R Large Volume Customer
Query (Q18)
-- Function Query Definition
-- Approved February 1998

```

```

select * from (
select
c_name,
c_custkey,
o_orderkey,
o_orderdate,
o_totalprice,
sum(l_quantity)
from
customer,
orders,
lineitem
where
o_orderkey in (
select
l_orderkey
from
lineitem
group by
l_orderkey having
sum(l_quantity) > 300
)
and c_custkey = o_custkey
and o_orderkey = l_orderkey
group by
c_name,
c_custkey,
o_orderkey,
o_orderdate,
o_totalprice
order by
o_totalprice desc,
o_orderdate
)

```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

where rownum <= 100

C_NAME	O_ORDERKEY	O_TOTALPRICE	O_ORDERDATE	C_CUSTKEY	SUM(L_QUANTITY)
Customer#000128120	4722021.00	128120.00	1994-04-07		
Customer#000144617	3043270.00	144617.00	1997-02-12		
Customer#000013940	530604.44	13940.00	1997-04-13	2232932.00	
Customer#000066790	522720.61	66790.00	1996-09-30	2199712.00	
Customer#000046435	515531.82	46435.00	1997-07-03		
Customer#000015272	4745607.00	15272.00	1993-07-28		
Customer#000146608	508047.99	146608.00	1994-06-12		
Customer#000096103	499794.58	96103.00	1992-03-16		
Customer#000149842	5984582.00	149842.00	1994-05-30		
Customer#000010129	494398.79	10129.00	1994-03-21		
Customer#000069904	409129.85	69904.00	1996-10-19		
Customer#000017746	1742403.00	17746.00	1997-04-09		
Customer#000013072	408513.00	13072.00	1998-03-15		
Customer#000082441	408446.93	82441.00	1994-02-07		
Customer#000088703	6882.00	88703.00	1994-01-30	2995076.00	
	408446.93	305.00			
	363812.12	302.00			

57 rows processed.

```
-- @(#)19.sql      2.1.6.2
-- TPC-H/TPC-R Discounted Revenue Query
(Q19)
-- Functional Query Definition
-- Approved February 1998
```

```
select
sum(l_extendedprice*(1 - l_discount)) as
revenue
from
lineitem,
part
where
(
p_partkey = l_partkey
and p_brand = 'Brand#12'
and p_container in ('SM CASE', 'SM BOX',
'SM PACK', 'SM PKG')
and l_quantity >= 1 and l_quantity <= 1 +
10
and p_size between 1 and 5
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)
or
(
p_partkey = l_partkey
and p_brand = 'Brand#23'
and p_container in ('MED BAG', 'MED BOX',
'MED PKG', 'MED PACK')
and l_quantity >= 10 and l_quantity <= 10
+ 10
and p_size between 1 and 10
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)
or
(
p_partkey = l_partkey
and p_brand = 'Brand#34'
and p_container in ('LG CASE', 'LG BOX',
'LG PACK', 'LG PKG')
and l_quantity >= 20 and l_quantity <= 20
+ 10
and p_size between 1 and 15
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)

REVENUE
3083843.06
```

1 row processed.

```
-- @(#)20.sql      2.1.6.2
-- TPC-H/TPC-R Potential Part Promotion
Query (Q20)
-- Function Query Definition
-- Approved February 1998
```

```
select
s_name,
s_address
from
supplier,
nation
where
s_suppkey in (
select
ps_suppkey
from
partsupp
where
ps_partkey in (
select
p_partkey
from
part
where
p_name like 'forest%'
)
and ps_availqty > (
select
0.5 * sum(l_quantity)
from
lineitem
where
l_partkey = ps_partkey
and l_suppkey = ps_suppkey
and l_shipdate >= to_date ('1994-01-01',
'YYYY-MM-DD')
and l_shipdate < add_months( to_date
('1994-01-01', 'YYYY-MM-DD'), 12)
)
)
and s_nationkey = n_nationkey
and n_name = 'CANADA'
order by
s_name

S_NAME                               S_ADDRESS
Supplier#000000020
iybAE,RmTymrZVYaFZva2SH,j
Supplier#000000091
YV45D7TkFdQanOOZ7q9QxkyGUapU1oOWU6q3
Supplier#000000197
YC2Acon6kjY3zj3Fbxs2k4Vdf7X0cd2F
Supplier#000000226
83qOdU2EYRdPQAQhEtn GRZEd
```



```

Supplier#00000285
Br7e1nntlyxrw6ImgpJ7YdhFDjuBf
Supplier#00000378
FfbhyCxWvcPrO8ltp9
Supplier#00000402
i9Sw4DoyMhzhKXCH9By,AYSgmD
Supplier#00000530      0qwCMwobKY
OcmLyfRXlagA8ukENJv,
Supplier#00000688      D
fw5ocppmZpYBBIPI718hCihLDZ5KhKX
Supplier#00000710      f19YPvOyb
QoYwjKC,oPycpGfieBACwKJo
Supplier#00000736
16i2nMwVuovfKnuVgaSGK2rDy65DlAFLegiL7
Supplier#00000761
z1SLelQUj2XrvTTFnv7WAcYZGvvMTx882d4

<deleted>

Supplier#000009567
r4Wfx4c3xsEAjcgJ71HHZByornl D9vrztXlv4
Supplier#000009601
51m637b0,Rw5DnHWFUVLacRx9
Supplier#000009709
rRnCbHYgDg19PZYnyWKVYSUW0vKg
Supplier#000009753
wLhVEcRmd7PkJF4FBnGK7Z
Supplier#000009796      z,y4Idmr15D0vPUqYG
Supplier#000009799      4wNjXGa4OKWl
Supplier#000009811      E3iuyq7UnZxU7oPZIE2Gu6
Supplier#000009812
APFRMy3lCbGfga53n5t9DxzFPQPgnjrGt32
Supplier#000009862      rJzweWeN58
Supplier#000009868
ROjGgx5gvtkmnUuoeyy7v
Supplier#000009869
ucLqxzrpBTRMewGSM29t0rNTM30g1Tu3Xgg3mKag
Supplier#000009899      7XdpaHrzr1t,UQFZE
Supplier#000009974
7wJ,J5DKcxSU4KplcQLpbcAvB5AsvKT

```

204 rows processed.

```

-- @(#)21.sql 2.1.6.2
-- TPC-H/TPC-R Suppliers Who Kept Orders
Waiting Query (Q21)
-- Functional Query Definition
-- Approved February 1998

```

```

select * from (
select
s_name,
count(*) numwait
from
supplier,

```

```

lineitem l1,
orders,
nation
where
s_suppkey = l1.l_suppkey
and o_orderkey = l1.l_orderkey
and o_orderstatus = 'F'
and l1.l_receiptdate > l1.l_commitdate
and exists (
select
*
from
lineitem l2
where
l2.l_orderkey = l1.l_orderkey
and l2.l_suppkey <> l1.l_suppkey
)
and not exists (
select
*
from
lineitem l3
where
l3.l_orderkey = l1.l_orderkey
and l3.l_suppkey <> l1.l_suppkey
and l3.l_receiptdate > l3.l_commitdate
)
and s_nationkey = n_nationkey
and n_name = 'SAUDI ARABIA'
group by
s_name
order by
numwait desc,
s_name)
where rownum <= 100

```

S_NAME	NUMWAIT
Supplier#000002829	20.00
Supplier#000005808	18.00
Supplier#000000262	17.00
Supplier#000000496	17.00
Supplier#000002160	17.00
Supplier#000002301	17.00
Supplier#000002540	17.00
Supplier#000003063	17.00

<deleted>

Supplier#000000673	12.00
Supplier#000000762	12.00
Supplier#000000811	12.00
Supplier#000000821	12.00
Supplier#000001337	12.00
Supplier#000001916	12.00
Supplier#000001925	12.00
Supplier#000002039	12.00
Supplier#000002357	12.00

Supplier#000002483 12.00

23	892.00	
6701457.95		
29	948.00	7158866.63
30	909.00	
6808436.13		
31	922.00	
6806670.18		

100 rows processed.

```
-- @(#)22.sql 2.1.4.2
-- TPC-H/TPC-R Global Sales Opportunity
Query (Q22)
-- Functional Query Definition
-- Approved February 1998
```

7 rows processed.

```
select
cnycode,
count(*) as numcust,
sum(c_acctbal) as totacctbal
from
(
select
substr(c_phone,1,2) as cnycode,
c_acctbal
from
customer
where
substr(c_phone,1,2) in
('13','31','23','29','30','18','17')
and c_acctbal > (
select
avg(c_acctbal)
from
customer
where
c_acctbal > 0.00
and substr(c_phone, 1, 2) in
('13','31','23','29','30','18','17')
)
and not exists (
select
*
from
orders
where
o_custkey = c_custkey
)
) custsale
group by
cnycode
order by
cnycode
```

CNTRYCODE	NUMCUST	TOTACCTBAL
13	888.00	6737713.99
17	861.00	6460573.72
18	964.00	7236687.40

Appendix E Seed and Input Parameters

E.1 Seed

0221195902

E.2 qp1.0

14 1996-01-01
 2 40 COPPER EUROPE
 9 cream
 20 peru 1995-01-01 ROMANIA
 6 1994-01-01 0.05 24
 17 Brand#24 SM CASE
 18 314
 8 ETHIOPIA AFRICA SMALL
 BURNISHED NICKEL
 21 KENYA
 13 special accounts
 3 HOUSEHOLD 1995-03-20
 22 17 27 24 25 10 13
 14
 16 Brand#22 ECONOMY BURNISHED
 11 35 29 26 6 30
 22 32
 4 1996-02-01
 11 UNITED KINGDOM 0.0000000100
 15 1993-01-01
 1 102
 10 1994-12-01
 19 Brand#14 Brand#34 Brand#43
 3 20 27
 5 EUROPE 1994-01-01
 7 INDONESIA ETHIOPIA
 12 AIR MAIL 1993-01-01

E.3 qp1.1

21 FRANCE
 3 AUTOMOBILE 1995-03-06
 18 312
 5 MIDDLE EAST 1994-01-01
 11 IRAQ 0.0000000100
 7 ARGENTINA RUSSIA
 6 1994-01-01 0.02 25
 20 brown 1994-01-01 INDONESIA
 17 Brand#21 SM JAR
 12 REG AIR AIR 1996-01-01
 16 Brand#12 STANDARD PLATED 5
 6 35 19 32 50 23
 13
 15 1995-01-01
 13 special accounts
 10 1993-09-01
 2 28 STEEL AFRICA

8 RUSSIAEUROPE STANDARD
 BRUSHED NICKEL
 14 1996-01-01
 19 Brand#11 Brand#22 Brand#43
 8 10 23
 9 chartreuse
 22 19 23 15 22 31 18
 10
 1 110
 4 1993-11-01

E.4 qp1.2

6 1995-01-01 0.07 25
 17 Brand#23 SM CAN
 14 1996-01-01
 16 Brand#42 MEDIUM BRUSHED 6
 12 50 3 5 26 16
 1
 19 Brand#13 Brand#55 Brand#32
 4 11 20
 10 1994-07-01
 9 blached
 2 16 BRASS EUROPE
 15 1993-01-01
 8 KENYA AFRICA STANDARD PLATED
 BRASS
 5 AFRICA 1995-01-01
 22 21 24 32 14 19 25
 30
 12 SHIP AIR 1996-01-01
 7 CHINA KENYA
 13 special accounts
 18 313
 1 118
 4 1996-06-01
 20 maroon 1997-01-01 UNITED KINGDOM
 3 FURNITURE 1995-03-22
 11 UNITED STATES 0.0000000100
 21 UNITED KINGDOM

E.5 qp1.3

8 FRANCE EUROPE STANDARD
 ANODIZED BRASS
 5 AMERICA 1995-01-01
 4 1994-03-01
 6 1995-01-01 0.05 24
 17 Brand#25 LG CASE
 7 IRAN FRANCE
 1 65
 18 315
 22 23 20 11 30 19 16
 26
 14 1996-01-01
 9 antique
 10 1993-04-01
 15 1996-01-01

11 JAPAN 0.0000000100
 20 tomato 1996-01-01 JORDAN
 2 4 NICKEL AMERICA
 21 MOROCCO
 19 Brand#25 Brand#43 Brand#31
 9 12 27
 13 pending accounts
 16 Brand#32 PROMO ANODIZED 12
 48 9 3 4 27 8
 37
 12 FOB AIR 1996-01-01
 3 AUTOMOBILE 1995-03-08

E.6 qp1.4

5 ASIA 1995-01-01
 21 INDIA
 14 1997-01-01
 19 Brand#22 Brand#21 Brand#35
 4 13 23
 15 1993-01-01
 17 Brand#22 LG JAR
 12 MAIL RAIL 1996-01-01
 6 1995-01-01 0.02 25
 4 1996-10-01
 9 turquoise
 8 UNITED KINGDOM EUROPE
 PROMO POLISHED BRASS
 16 Brand#12 SMALL PLATED 15
 8 28 24 22 5 18
 3
 11 ALGERIA 0.0000000100
 2 42 TIN EUROPE
 10 1994-01-01
 18 312
 1 73
 13 pending deposits
 7 BRAZIL UNITED KINGDOM
 22 23 15 16 18 24 17
 11
 3 FURNITURE 1995-03-24
 20 green 1994-01-01 CANADA

E.7 qp1.5

21 ALGERIA
 15 1996-01-01
 4 1994-07-01
 6 1995-01-01 0.08 25
 7 ROMANIA MOROCCO
 16 Brand#42 LARGE POLISHED 3
 39 10 33 16 41 45
 15
 19 Brand#24 Brand#14 Brand#25
 9 14 30
 18 314
 14 1997-01-01

22 27 13 17 21 20 31
 18
 11 JORDAN 0.0000000100
 13 pending deposits
 3 MACHINERY 1995-03-10
 1 81
 2 29 STEEL AMERICA
 5 MIDDLE EAST 1995-01-01
 8 MOROCCO AFRICA PROMO
 BURNISHED BRASS
 20 rosy 1993-01-01 PERU
 12 RAIL FOB 1996-01-01
 17 Brand#24 LG CAN
 10 1994-10-01
 9 snow

E.8 qpl.6

10 1993-08-01
 3 BUILDING 1995-03-26
 15 1994-01-01
 13 pending deposits
 6 1996-01-01 0.05 24
 8 GERMANY EUROPE ECONOMY
 BRUSHED BRASS
 9 sandy
 7 IRAQ GERMANY
 4 1997-02-01
 11 ARGENTINA 0.0000000100
 22 17 10 26 20 22 19
 15
 18 312
 12 AIR RAIL 1997-01-01
 1 89
 5 AFRICA 1996-01-01
 16 Brand#32 STANDARD ANODIZED
 22 10 36 25 15 45
 29 17
 2 17 BRASS MIDDLE EAST
 14 1997-01-01
 19 Brand#31 Brand#42 Brand#24
 5 15 26
 20 cornsilk 1996-01-01 GERMANY
 17 Brand#21 MED CASE
 21 PERU

E.9 qp1.7

18 313
 8 UNITED STATES AMERICA
 ECONOMY PLATED STEEL
 20 navy 1994-01-01 RUSSIA
 21 INDONESIA
 2 5 NICKEL AMERICA
 4 1994-11-01
 22 14 15 18 33 25 19
 30
 17 Brand#22 MED JAR

1 97
 11 KENYA 0.0000000100
 9 red
 19 Brand#34 Brand#25 Brand#23
 10 16 23
 3 MACHINERY 1995-03-12
 13 pending deposits
 5 AMERICA 1996-01-01
 7 CANADA UNITED STATES
 10 1994-05-01
 16 Brand#12 MEDIUM BURNISHED 33
 31 20 45 42 26 16
 49
 6 1996-01-01 0.03 25
 14 1997-01-01
 15 1996-01-01
 12 REG AIR RAIL 1997-01-01

18 312
 11 MOROCCO 0.0000000100
 19 Brand#43 Brand#41 Brand#12
 10 18 26
 10 1993-11-01
 15 1997-01-01
 4 1995-02-01
 22 22 10 33 34 29 31
 27
 1 113
 7 JAPAN INDIA
 12 FOB TRUCK 1993-01-01
 9 olive
 14 1993-01-01
 5 EUROPE 1996-01-01
 16 Brand#32 STANDARD BRUSHED 32
 16 42 3 19 11 50
 40

E.10 qp1.8

19 Brand#31 Brand#13 Brand#12
 5 17 30
 1 105
 15 1994-01-01
 17 Brand#24 MED CAN
 5 ASIA 1996-01-01
 8 MOZAMBIQUE AFRICA ECONOMY
 ANODIZED STEEL
 9 peru
 12 SHIP TRUCK 1993-01-01
 14 1993-01-01
 7 SAUDI ARABIA MOZAMBIQUE
 4 1997-06-01
 3 BUILDING 1995-03-28
 20 aquamarine 1993-01-01 JAPAN
 16 Brand#42 ECONOMY POLISHED 31
 5 4 25 8 22 24
 35
 6 1996-01-01 0.08 25
 22 15 13 14 21 27 33
 30
 10 1993-02-01
 13 pending packages
 2 43 TIN MIDDLE EAST
 21 ARGENTINA
 18 315
 11 BRAZIL 0.0000000100

E.12 qp1.10

6 1996-01-01 0.03 24
 15 1994-01-01
 18 314
 17 Brand#23 JUMBO JAR
 12 MAIL TRUCK 1993-01-01
 1 60
 7 EGYPT ALGERIA
 2 18 BRASS MIDDLE EAST
 22 17 12 26 16 33 15
 22
 13 unusual packages
 21 IRAQ
 10 1994-08-01
 14 1993-01-01
 9 midnight
 3 BUILDING 1995-03-30
 16 Brand#12 LARGE BURNISHED 5
 11 37 34 35 23 10
 29
 20 slate 1995-01-01 MOZAMBIQUE
 19 Brand#45 Brand#34 Brand#11
 6 19 22
 11 CANADA 0.0000000100
 4 1997-09-01
 8 ALGERIA AFRICA LARGE
 BURNISHED STEEL
 5 MIDDLE EAST 1996-01-01

E.11 qp1.9

8 INDIA ASIA LARGE POLISHED STEEL
 13 pending packages
 2 30 COPPER ASIA
 20 lavender 1996-01-01 ARGENTINA
 17 Brand#21 JUMBO CASE
 3 HOUSEHOLD 1995-03-14
 6 1996-01-01 0.05 24
 21 ROMANIA

E.13 qp1.11

15 1997-01-01
 14 1993-01-01
 18 315
 17 Brand#25 JUMBO CAN
 10 1993-06-01
 20 firebrick 1993-01-01 FRANCE

16 Brand#42 PROMO PLATED 38
 15 29 13 30 36 24
 40
 11 MOZAMBIQUE 0.000000100
 1 68
 8 PERU AMERICA MEDIUM BRUSHED
 STEEL
 4 1995-06-01
 22 16 24 32 15 34 18
 11
 5 AFRICA 1997-01-01
 12 RAIL TRUCK 1993-01-01
 3 HOUSEHOLD 1995-03-16
 9 lime
 21 CANADA
 2 6 NICKEL ASIA
 13 unusual packages
 6 1997-01-01 0.08 25
 19 Brand#42 Brand#12 Brand#55
 1 20 29
 7 VIETNAM PERU

E.14 qp1.12

1 76
 7 JORDAN INDONESIA
 16 Brand#32 SMALL BRUSHED 45
 13 9 8 11 38 12
 43
 17 Brand#22 WRAP CASE
 18 313
 22 19 14 12 18 27 21
 13
 12 AIR MAIL 1994-01-01
 6 1997-01-01 0.06 24
 8 INDONESIA ASIA MEDIUM PLATED
 COPPER
 9 khaki
 11 EGYPT 0.000000100
 4 1993-03-01
 2 44 TIN AFRICA
 5 AMERICA 1997-01-01
 20 pink 1997-01-01 VIETNAM
 21 SAUDI ARABIA
 13 unusual packages
 10 1994-03-01
 19 Brand#54 Brand#55 Brand#54
 6 10 26
 3 AUTOMOBILE 1995-03-01
 14 1994-01-01
 15 1995-01-01

E.15 qp1.13

21 JAPAN
 17 Brand#24 WRAP JAR
 7 ETHIOPIA ARGENTINA
 3 FURNITURE 1995-03-18

1 84
 10 1994-12-01
 12 REG AIR MAIL 1994-01-01
 22 20 10 13 17 24 31
 19
 9 green
 16 Brand#12 ECONOMY ANODIZED 45
 6 12 14 35 30 9
 8
 6 1997-01-01 0.03 24
 11 PERU 0.000000100
 2 32 COPPER ASIA
 4 1995-10-01
 5 ASIA 1997-01-01
 14 1994-01-01
 8 ARGENTINA AMERICA MEDIUM
 ANODIZED COPPER
 20 burlywood 1995-01-01 IRAN
 13 unusual requests
 18 314
 15 1997-01-01
 19 Brand#51 Brand#33 Brand#53
 1 11 22

E.16 qp1.14

2 19 STEEL AFRICA
 9 floral
 5 EUROPE 1997-01-01
 4 1993-07-01
 18 312
 1 92
 20 medium 1993-01-01 ALGERIA
 15 1995-01-01
 16 Brand#42 STANDARD PLATED 4
 27 28 12 37 22 32
 13
 17 Brand#21 WRAP CAN
 7 RUSSIA CHINA
 21 EGYPT
 13 unusual requests
 14 1994-01-01
 19 Brand#53 Brand#11 Brand#43
 7 12 29
 8 CHINA ASIA SMALL POLISHED COPPER
 22 10 15 20 25 16 31
 29
 11 ETHIOPIA 0.000000100
 10 1993-09-01
 3 AUTOMOBILE 1995-03-03
 12 SHIP MAIL 1994-01-01
 6 1997-01-01 0.09 25

E.17 qp1.15

16 Brand#32 MEDIUM POLISHED 2
 24 45 14 34 15 8
 7

9 dark
 17 Brand#23 SM CASE
 8 IRAN MIDDLE EAST SMALL BURNISHED
COPPER
 14 1995-01-01
 11 CHINA 0.0000000100
 10 1994-06-01
 12 FOB MAIL 1994-01-01
 6 1993-01-01 0.06 24
 21 RUSSIA
 7 KENYA IRAN
 3 FURNITURE 1995-03-20
 15 1997-01-01
 5 AFRICA 1993-01-01
 22 28 12 17 24 18 16
 11
 20 turquoise 1997-01-01 MOROCCO
 1 100
 13 unusual requests
 19 Brand#15 Brand#54 Brand#42
 2 7 NICKEL EUROPE
 4 1996-02-01
 18 313

E.18 qp1.16

1 108
 3 MACHINERY 1995-03-05
 6 1993-01-01 0.03 24
 5 AMERICA 1993-01-01
 2 45 TIN AFRICA
 16 Brand#12 PROMO ANODIZED 5
 41 37 10 8 7 6
 24
 14 1995-01-01
 22 14 24 28 26 22 32
 12
 17 Brand#25 SM JAR
 20 grey 1995-01-01 EGYPT
 4 1993-11-01
 9 chocolate
 10 1993-04-01
 11 FRANCE 0.0000000100
 15 1995-01-01
 8 BRAZIL AMERICA STANDARD
BRUSHED COPPER
 12 TRUCK FOB 1995-01-01
 19 Brand#12 Brand#31 Brand#31
 7 14 21
 18 315
 13 unusual requests
 7 FRANCE BRAZIL
 21 KENYA

E.19 qp1.17

3 FURNITURE 1995-03-22

16 Brand#42 SMALL BURNISHED 18
 40 10 6 32 49 42
 5
 5 ASIA 1993-01-01
 11 ROMANIA 0.0000000100
 21 FRANCE
 9 blush
 2 33 COPPER EUROPE
 15 1993-01-01
 10 1994-01-01
 18 312
 17 Brand#22 SM CAN
 7 UNITED KINGDOM ROMANIA
 8 ROMANIA EUROPE STANDARD
POLISHED TIN
 19 Brand#14 Brand#24 Brand#35
 3 15 28
 14 1995-01-01
 13 express requests
 1 116
 4 1996-06-01
 22 18 16 34 20 11 30
 19
 20 royal 1994-01-01 ROMANIA
 6 1993-01-01 0.09 25
 12 RAIL FOB 1995-01-01

E.20 qp1.18

14 1995-01-01
 4 1994-03-01
 13 express accounts
 5 EUROPE 1993-01-01
 21 UNITED KINGDOM
 11 GERMANY 0.0000000100
 8 IRAQ MIDDLE EAST STANDARD
BURNISHED TIN
 6 1993-01-01 0.06 24
 3 MACHINERY 1995-03-07
 17 Brand#24 LG CASE
 2 20 STEEL AMERICA
 20 cream 1997-01-01 INDONESIA
 1 63
 19 Brand#22 Brand#52 Brand#35
 8 16 25
 10 1994-10-01
 9 azure
 12 AIR FOB 1995-01-01
 18 314
 15 1995-01-01
 7 MOROCCO IRAQ
 22 31 18 30 28 12 11
 22
 16 Brand#32 LARGE POLISHED 25
 11 42 19 23 41 3
 49

E.21 qp1.19

4 1996-09-01

12 REG AIR FOB 1996-01-01
 22 34 19 25 15 24 10
 31
 14 1996-01-01
 5 MIDDLE EAST 1994-01-01
 15 1993-01-01
 16 Brand#12 PROMO BRUSHED 15
 32 39 49 7 34 29
 36
 2 8 BRASS EUROPE
 8 CANADA AMERICA PROMO
 BRUSHED TIN
 10 1993-07-01
 17 Brand#25 LG JAR
 9 wheat
 21 MOROCCO
 7 GERMANY CANADA
 3 BUILDING 1995-03-24
 6 1994-01-01 0.04 24
 13 express accounts
 18 315
 11 SAUDI ARABIA 0.0000000100
 20 olive 1996-01-01 UNITED STATES
 19 Brand#24 Brand#45 Brand#24
 3 17 21
 1 71

E.22 qp1.20

16 Brand#52 MEDIUM BURNISHED 35
 11 16 22 34 50 5
 41
 15 1996-01-01
 14 1996-01-01
 13 express accounts
 4 1994-06-01
 22 16 28 27 12 30 26
 11
 18 313
 19 Brand#21 Brand#23 Brand#23
 8 18 28
 7 UNITED STATES SAUDI ARABIA
 1 79
 12 SHIP MAIL 1996-01-01
 17 Brand#22 LG CAN
 5 AFRICA 1994-01-01
 10 1994-04-01
 20 azure 1994-01-01 JORDAN
 3 MACHINERY 1995-03-10
 9 steel
 21 GERMANY
 11 INDIA 0.0000000100
 2 46 TIN AMERICA
 6 1994-01-01 0.09 25
 8 SAUDI ARABIA MIDDLE EAST PROMO
 PLATED TIN

E.23 qp1.21

20 lawn 1993-01-01 CANADA
 14 1996-01-01
 21 ALGERIA
 12 FOB SHIP 1996-01-01
 15 1993-01-01
 17 Brand#34 MED CASE
 4 1997-01-01
 19 Brand#33 Brand#11 Brand#22
 4 19 24
 13 express accounts
 10 1993-02-01
 11 VIETNAM 0.0000000100
 1 87
 16 Brand#33 ECONOMY PLATED 3
 23 50 8 13 18 16
 45
 5 AMERICA 1994-01-01
 18 315
 7 MOROCCO IRAQ
 8 IRAQ MIDDLE EAST PROMO ANODIZED
 TIN
 22 13 16 18 17 15 26
 22
 9 sienna
 6 1994-01-01 0.07 24
 3 BUILDING 1995-03-26
 2 34 COPPER MIDDLE EAST

E.24 qp1.22

16 Brand#13 STANDARD BRUSHED 8
 1 4 38 18 16 10
 40
 14 1996-01-01
 13 express deposits
 2 22 STEEL AMERICA
 21 PERU
 10 1993-11-01
 11 INDONESIA 0.0000000100
 4 1994-10-01
 1 95
 22 27 23 17 32 34 19
 31
 18 312
 12 TRUCK SHIP 1996-01-01
 19 Brand#35 Brand#44 Brand#12
 9 20 20
 5 ASIA 1994-01-01
 7 GERMANY CANADA
 8 CANADA AMERICA ECONOMY
 POLISHED NICKEL
 6 1994-01-01 0.04 24
 3 HOUSEHOLD 1995-03-12
 15 1996-01-01
 20 smoke 1996-01-01 CHINA
 9 rosy
 17 Brand#31 MED JAR

E.25 qp1.23

18 314
15 1994-01-01
9 plum
14 1997-01-01
12 RAIL SHIP 1997-01-01
2 9 BRASS MIDDLE EAST
8 SAUDI ARABIA MIDDLE EAST ECONOMY
BURNISHED NICKEL
11 VIETNAM 0.0000000100
22 21 14 33 10 11 13
16
21 INDONESIA
16 Brand#53 LARGE ANODIZED 2
15 5 29 6 10 11
12
1 103
6 1994-01-01 0.09 25
17 Brand#33 MED CAN
5 EUROPE 1994-01-01
10 1994-08-01
19 Brand#32 Brand#22 Brand#11
4 4 10 28
4 1997-05-01
20 floral 1994-01-01 INDIA
13 express deposits
3 AUTOMOBILE 1995-03-28
7 UNITED STATES SAUDI ARABIA

E.26 qp1.24

7 MOZAMBIQUE JAPAN
3 HOUSEHOLD 1995-03-14
10 1993-05-01
14 1997-01-01
13 special deposits
21 ARGENTINA
18 315
6 1995-01-01 0.07 25
20 plum 1993-01-01 RUSSIA
4 1995-02-01
9 orchid
8 JAPAN ASIA LARGE BRUSHED NICKEL
22 11 28 10 12 16 19
33
15 1996-01-01
2 47 NICKEL ASIA
1 111
5 MIDDLE EAST 1995-01-01
12 AIR REG AIR 1997-01-01
19 Brand#44 Brand#15 Brand#15
9 11 24
17 Brand#35 JUMBO CASE
11 INDONESIA 0.0000000100

16 Brand#33 PROMO PLATED 32
34 38 16 36 35 33
9

E.27 qp2.0

14 1996-01-01
2 40 COPPER EUROPE
9 cream
20 peru 1995-01-01 ROMANIA
6 1994-01-01 0.05 24
17 Brand#24 SM CASE
18 314
8 ETHIOPIA AFRICA SMALL
BURNISHED NICKEL
21 KENYA
13 special accounts
3 HOUSEHOLD 1995-03-20
22 17 27 24 25 10 13
14
16 Brand#22 ECONOMY BURNISHED
11 35 29 26 6 30
22 32
4 1996-02-01
11 UNITED KINGDOM 0.0000000100
15 1993-01-01
1 102
10 1994-12-01
19 Brand#14 Brand#34 Brand#43
3 20 27
5 EUROPE 1994-01-01
7 INDONESIA ETHIOPIA
12 AIR MAIL 1993-01-01

E.28 qp2.1

21 FRANCE
3 AUTOMOBILE 1995-03-06
18 312
5 MIDDLE EAST 1994-01-01
11 IRAQ 0.0000000100
7 ARGENTINA RUSSIA
6 1994-01-01 0.02 25
20 brown 1994-01-01 INDONESIA
17 Brand#21 SM JAR
12 REG AIR AIR 1996-01-01
16 Brand#12 STANDARD PLATED 5
6 35 19 32 50 23
13
15 1995-01-01
13 special accounts
10 1993-09-01
2 28 STEEL AFRICA
8 RUSSIA EUROPE STANDARD
BRUSHED NICKEL
14 1996-01-01
19 Brand#11 Brand#22 Brand#43
8 10 23

9 chartreuse
 22 19 23 15 22 31 18
 10
 1 110
 4 1993-11-01

E.29 qp2.2

6 1995-01-01 0.07 25
 17 Brand#23 SM CAN
 14 1996-01-01
 16 Brand#42 MEDIUM BRUSHED 6
 12 50 3 5 26 16
 1
 19 Brand#13 Brand#55 Brand#32
 4 11 20
 10 1994-07-01
 9 blanched
 2 16 BRASS EUROPE
 15 1993-01-01
 8 KENYA AFRICA STANDARD PLATED
 BRASS
 5 AFRICA 1995-01-01
 22 21 24 32 14 19 25
 30
 12 SHIP AIR 1996-01-01
 7 CHINA KENYA
 13 special accounts
 18 313
 1 118
 4 1996-06-01
 20 maroon 1997-01-01 UNITED KINGDOM
 3 FURNITURE 1995-03-22
 11 UNITED STATES 0.0000000100
 21 UNITED KINGDOM

E.30 qp2.3

8 FRANCE EUROPE STANDARD
 ANODIZED BRASS
 5 AMERICA 1995-01-01
 4 1994-03-01
 6 1995-01-01 0.05 24
 17 Brand#25 LG CASE
 7 IRAN FRANCE
 1 65
 18 315
 22 23 20 11 30 19 16
 26
 14 1996-01-01
 9 antique
 10 1993-04-01
 15 1996-01-01
 11 JAPAN 0.0000000100
 20 tomato 1996-01-01 JORDAN
 2 4 NICKEL AMERICA
 21 MOROCCO

19 Brand#25 Brand#43 Brand#31
 9 12 27
 13 pending accounts
 16 Brand#32 PROMO ANODIZED 12
 48 9 3 4 27 8
 37
 12 FOB AIR 1996-01-01
 3 AUTOMOBILE 1995-03-08

E.31 qp2.4

5 ASIA 1995-01-01
 21 INDIA
 14 1997-01-01
 19 Brand#22 Brand#21 Brand#35
 4 13 23
 15 1993-01-01
 17 Brand#22 LG JAR
 12 MAIL RAIL 1996-01-01
 6 1995-01-01 0.02 25
 4 1996-10-01
 9 turquoise
 8 UNITED KINGDOM EUROPE
 PROMO POLISHED BRASS
 16 Brand#12 SMALL PLATED 15
 8 28 24 22 5 18
 3
 11 ALGERIA 0.0000000100
 2 42 TIN EUROPE
 10 1994-01-01
 18 312
 1 73
 13 pending deposits
 7 BRAZIL UNITED KINGDOM
 22 23 15 16 18 24 17
 11
 3 FURNITURE 1995-03-24
 20 green 1994-01-01 CANADA

E.32 qp2.5

21 ALGERIA
 15 1996-01-01
 4 1994-07-01
 6 1995-01-01 0.08 25
 7 ROMANIA MOROCCO
 16 Brand#42 LARGE POLISHED 3
 39 10 33 16 41 45
 15
 19 Brand#24 Brand#14 Brand#25
 9 14 30
 18 314
 14 1997-01-01
 22 27 13 17 21 20 31
 18
 11 JORDAN 0.0000000100
 13 pending deposits
 3 MACHINERY 1995-03-10

1 81
 2 29 STEEL AMERICA
 5 MIDDLE EAST 1995-01-01
 8 MOROCCO AFRICA PROMO
 BURNISHED BRASS
 20 rosy 1993-01-01 PERU
 12 RAIL FOB 1996-01-01
 17 Brand#24 LG CAN
 10 1994-10-01
 9 snow

E.33 qp2.6

10 1993-08-01
 3 BUILDING 1995-03-26
 15 1994-01-01
 13 pending deposits
 6 1996-01-01 0.05 24
 8 GERMANY EUROPE ECONOMY
 BRUSHED BRASS
 9 sandy
 7 IRAQ GERMANY
 4 1997-02-01
 11 ARGENTINA 0.0000000100
 22 17 10 26 20 22 19
 15
 18 312
 12 AIR RAIL 1997-01-01
 1 89
 5 AFRICA 1996-01-01
 16 Brand#32 STANDARD ANODIZED
 22 10 36 25 15 45
 29 17
 2 17 BRASS MIDDLE EAST
 14 1997-01-01
 19 Brand#31 Brand#42 Brand#24
 5 15 26
 20 cornsilk 1996-01-01 GERMANY
 17 Brand#21 MED CASE
 21 PERU

E.34 qp2.7

18 313
 8 UNITED STATES AMERICA
 ECONOMY PLATED STEEL
 20 navy 1994-01-01 RUSSIA
 21 INDONESIA
 2 5 NICKEL AMERICA
 4 1994-11-01
 22 14 15 18 33 25 19
 30
 17 Brand#22 MED JAR
 1 97
 11 KENYA 0.0000000100
 9 red
 19 Brand#34 Brand#25 Brand#23
 10 16 23

3 MACHINERY 1995-03-12
 13 pending deposits
 5 AMERICA 1996-01-01
 7 CANADA UNITED STATES
 10 1994-05-01
 16 Brand#12 MEDIUM BURNISHED 33
 31 20 45 42 26 16
 49
 6 1996-01-01 0.03 25
 14 1997-01-01
 15 1996-01-01
 12 REG AIR RAIL 1997-01-01

E.35 qp2.8

19 Brand#31 Brand#13 Brand#12
 5 17 30
 1 105
 15 1994-01-01
 17 Brand#24 MED CAN
 5 ASIA 1996-01-01
 8 MOZAMBIQUE AFRICA ECONOMY
 ANODIZED STEEL
 9 peru
 12 SHIP TRUCK 1993-01-01
 14 1993-01-01
 7 SAUDI ARABIA MOZAMBIQUE
 4 1997-06-01
 3 BUILDING 1995-03-28
 20 aquamarine 1993-01-01 JAPAN
 16 Brand#42 ECONOMY POLISHED 31
 5 4 25 8 22 24
 35
 6 1996-01-01 0.08 25
 22 15 13 14 21 27 33
 30
 10 1993-02-01
 13 pending packages
 2 43 TIN MIDDLE EAST
 21 ARGENTINA
 18 315
 11 BRAZIL 0.0000000100

E.36 qp2.9

8 INDIA ASIA LARGE POLISHED STEEL
 13 pending packages
 2 30 COPPER ASIA
 20 lavender 1996-01-01 ARGENTINA
 17 Brand#21 JUMBO CASE
 3 HOUSEHOLD 1995-03-14
 6 1996-01-01 0.05 24
 21 ROMANIA
 18 312
 11 MOROCCO 0.0000000100
 19 Brand#43 Brand#41 Brand#12
 10 18 26
 10 1993-11-01

15 1997-01-01
 4 1995-02-01
 22 22 10 33 34 29 31
 27
 1 113
 7 JAPAN INDIA
 12 FOB TRUCK 1993-01-01
 9 olive
 14 1993-01-01
 5 EUROPE 1996-01-01
 16 Brand#32 STANDARD BRUSHED 32
 16 42 3 19 11 50
 40

E.37 qp2.10

6 1996-01-01 0.03 24
 15 1994-01-01
 18 314
 17 Brand#23 JUMBO JAR
 12 MAIL TRUCK 1993-01-01
 1 60
 7 EGYPT ALGERIA
 2 18 BRASS MIDDLE EAST
 22 17 12 26 16 33 15
 22
 13 unusual packages
 21 IRAQ
 10 1994-08-01
 14 1993-01-01
 9 midnight
 3 BUILDING 1995-03-30
 16 Brand#12 LARGE BURNISHED 5
 11 37 34 35 23 10
 29
 20 slate 1995-01-01 MOZAMBIQUE
 19 Brand#45 Brand#34 Brand#11
 6 19 22
 11 CANADA 0.0000000100
 4 1997-09-01
 8 ALGERIA AFRICA LARGE
 BURNISHED STEEL
 5 MIDDLE EAST 1996-01-01

E.38 qp2.11

15 1997-01-01
 14 1993-01-01
 18 315
 17 Brand#25 JUMBO CAN
 10 1993-06-01
 20 firebrick 1993-01-01 FRANCE
 16 Brand#42 PROMO PLATED 38
 15 29 13 30 36 24
 40
 11 MOZAMBIQUE 0.0000000100
 1 68

8 PERU AMERICA MEDIUM BRUSHED
 STEEL
 4 1995-06-01
 22 16 24 32 15 34 18
 11
 5 AFRICA 1997-01-01
 12 RAIL TRUCK 1993-01-01
 3 HOUSEHOLD 1995-03-16
 9 lime
 21 CANADA
 2 6 NICKEL ASIA
 13 unusual packages
 6 1997-01-01 0.08 25
 19 Brand#42 Brand#12 Brand#55
 1 20 29
 7 VIETNAM PERU

E.39 qp2.12

1 76
 7 JORDAN INDONESIA
 16 Brand#32 SMALL BRUSHED 45
 13 9 8 11 38 12
 43
 17 Brand#22 WRAP CASE
 18 313
 22 19 14 12 18 27 21
 13
 12 AIR MAIL 1994-01-01
 6 1997-01-01 0.06 24
 8 INDONESIA ASIA MEDIUM PLATED
 COPPER
 9 khaki
 11 EGYPT 0.0000000100
 4 1993-03-01
 2 44 TIN AFRICA
 5 AMERICA 1997-01-01
 20 pink 1997-01-01 VIETNAM
 21 SAUDI ARABIA
 13 unusual packages
 10 1994-03-01
 19 Brand#54 Brand#55 Brand#54
 6 10 26
 3 AUTOMOBILE 1995-03-01
 14 1994-01-01
 15 1995-01-01

E.40 qp2.13

21 JAPAN
 17 Brand#24 WRAP JAR
 7 ETHIOPIA ARGENTINA
 3 FURNITURE 1995-03-18
 1 84
 10 1994-12-01
 12 REG AIR MAIL 1994-01-01
 22 20 10 13 17 24 31
 19

9 green
 16 Brand#12 ECONOMY ANODIZED 45
 6 12 14 35 30 9
 8
 6 1997-01-01 0.03 24
 11 PERU 0.0000000100
 2 32 COPPER ASIA
 4 1995-10-01
 5 ASIA 1997-01-01
 14 1994-01-01
 8 ARGENTINA AMERICA MEDIUM
 ANODIZED COPPER
 20 burlywood 1995-01-01 IRAN
 13 unusual requests
 18 314
 15 1997-01-01
 19 Brand#51 Brand#33 Brand#53
 1 11 22

E.41 qp2.14

2 19 STEEL AFRICA
 9 floral
 5 EUROPE 1997-01-01
 4 1993-07-01
 18 312
 1 92
 20 medium 1993-01-01 ALGERIA
 15 1995-01-01
 16 Brand#42 STANDARD PLATED 4
 27 28 12 37 22 32
 13
 17 Brand#21 WRAP CAN
 7 RUSSIA CHINA
 21 EGYPT
 13 unusual requests
 14 1994-01-01
 19 Brand#53 Brand#11 Brand#43
 7 12 29
 8 CHINA ASIA SMALL POLISHED COPPER
 22 10 15 20 25 16 31
 29
 11 ETHIOPIA 0.0000000100
 10 1993-09-01
 3 AUTOMOBILE 1995-03-03
 12 SHIP MAIL 1994-01-01
 6 1997-01-01 0.09 25

E.42 qp2.15

16 Brand#32 MEDIUM POLISHED 2
 24 45 14 34 15 8
 7
 9 dark
 17 Brand#23 SM CASE
 8 IRAN MIDDLE EAST SMALL BURNISHED
 COPPER
 14 1995-01-01

11 CHINA 0.0000000100
 10 1994-06-01
 12 FOB MAIL 1994-01-01
 6 1993-01-01 0.06 24
 21 RUSSIA
 7 KENYA IRAN
 3 FURNITURE 1995-03-20
 15 1997-01-01
 5 AFRICA 1993-01-01
 22 28 12 17 24 18 16
 11
 20 turquoise 1997-01-01 MOROCCO
 1 100
 13 unusual requests
 19 Brand#15 Brand#54 Brand#42
 2 7 13 25
 2 7 NICKEL EUROPE
 4 1996-02-01
 18 313

E.43 qp2.16

1 108
 3 MACHINERY 1995-03-05
 6 1993-01-01 0.03 24
 5 AMERICA 1993-01-01
 2 45 TIN AFRICA
 16 Brand#12 PROMO ANODIZED 5
 41 37 10 8 7 6
 24
 14 1995-01-01
 22 14 24 28 26 22 32
 12
 17 Brand#25 SM JAR
 20 grey 1995-01-01 EGYPT
 4 1993-11-01
 9 chocolate
 10 1993-04-01
 11 FRANCE 0.0000000100
 15 1995-01-01
 8 BRAZIL AMERICA STANDARD
 BRUSHED COPPER
 12 TRUCK FOB 1995-01-01
 19 Brand#12 Brand#31 Brand#31
 7 14 21
 18 315
 13 unusual requests
 7 FRANCE BRAZIL
 21 KENYA

E.44 qp2.17

3 FURNITURE 1995-03-22
 16 Brand#42 SMALL BURNISHED 18
 40 10 6 32 49 42
 5
 5 ASIA 1993-01-01
 11 ROMANIA 0.0000000100

21 FRANCE
 9 blush
 2 33 COPPER EUROPE
 15 1993-01-01
 10 1994-01-01
 18 312
 17 Brand#22 SM CAN
 7 UNITED KINGDOM ROMANIA
 8 ROMANIA EUROPE STANDARD
 POLISHED TIN
 19 Brand#14 Brand#24 Brand#35
 3 15 28
 14 1995-01-01
 13 express requests
 1 116
 4 1996-06-01
 22 18 16 34 20 11 30
 19
 20 royal 1994-01-01 ROMANIA
 6 1993-01-01 0.09 25
 12 RAIL FOB 1995-01-01

E.45 qp2.18

14 1995-01-01
 4 1994-03-01
 13 express accounts
 5 EUROPE 1993-01-01
 21 UNITED KINGDOM
 11 GERMANY 0.0000000100
 8 IRAQ MIDDLE EAST STANDARD
 BURNISHED TIN
 6 1993-01-01 0.06 24
 3 MACHINERY 1995-03-07
 17 Brand#24 LG CASE
 2 20 STEEL AMERICA
 20 cream 1997-01-01 INDONESIA
 1 63
 19 Brand#22 Brand#52 Brand#35
 8 16 25
 10 1994-10-01
 9 azure
 12 AIR FOB 1995-01-01
 18 314
 15 1995-01-01
 7 MOROCCO IRAQ
 22 31 18 30 28 12 11
 22
 16 Brand#32 LARGE POLISHED 25
 11 42 19 23 41 3
 49

E.46 qp2.19

4 1996-09-01
 12 REG AIR FOB 1996-01-01
 22 34 19 25 15 24 10
 31

14 1996-01-01
 5 MIDDLE EAST 1994-01-01
 15 1993-01-01
 16 Brand#12 PROMO BRUSHED 15
 32 39 49 7 34 29
 36
 2 8 BRASS EUROPE
 8 CANADA AMERICA PROMO
 BRUSHED TIN
 10 1993-07-01
 17 Brand#25 LG JAR
 9 wheat
 21 MOROCCO
 7 GERMANY CANADA
 3 BUILDING 1995-03-24
 6 1994-01-01 0.04 24
 13 express accounts
 18 315
 11 SAUDI ARABIA 0.0000000100
 20 olive 1996-01-01 UNITED STATES
 19 Brand#24 Brand#45 Brand#24
 3 17 21
 1 71

E.47 qp2.20

16 Brand#52 MEDIUM BURNISHED 35
 11 16 22 34 50 5
 41
 15 1996-01-01
 14 1996-01-01
 13 express accounts
 4 1994-06-01
 22 16 28 27 12 30 26
 11
 18 313
 19 Brand#21 Brand#23 Brand#23
 8 18 28
 7 UNITED STATES SAUDI ARABIA
 1 79
 12 SHIP MAIL 1996-01-01
 17 Brand#22 LG CAN
 5 AFRICA 1994-01-01
 10 1994-04-01
 20 azure 1994-01-01 JORDAN
 3 MACHINERY 1995-03-10
 9 steel
 21 GERMANY
 11 INDIA 0.0000000100
 2 46 TIN AMERICA
 6 1994-01-01 0.09 25
 8 SAUDI ARABIA MIDDLE EAST PROMO
 PLATED TIN

E.48 qp2.21

20 lawn 1993-01-01 CANADA
 14 1996-01-01

21 ALGERIA
12 FOB SHIP 1996-01-01
15 1993-01-01
17 Brand#34 MED CASE
4 1997-01-01
19 Brand#33 Brand#11 Brand#22
4 19 24
13 express accounts
10 1993-02-01
11 VIETNAM 0.0000000100
1 87
16 Brand#33 ECONOMY PLATED 3
23 50 8 13 18 16
45
5 AMERICA 1994-01-01
18 315
7 MOROCCO IRAQ
8 IRAQ MIDDLE EAST PROMO ANODIZED
TIN
22 13 16 18 17 15 26
22
9 sienna
6 1994-01-01 0.07 24
3 BUILDING 1995-03-26
2 34 COPPER MIDDLE EAST

E.49 qp2.22

16 Brand#13 STANDARD BRUSHED 8
1 4 38 18 16 10
40
14 1996-01-01
13 express deposits
2 22 STEEL AMERICA
21 PERU
10 1993-11-01
11 INDONESIA 0.0000000100
4 1994-10-01
1 95
22 27 23 17 32 34 19
31
18 312
12 TRUCK SHIP 1996-01-01
19 Brand#35 Brand#44 Brand#12
9 20 20
5 ASIA 1994-01-01
7 GERMANY CANADA
8 CANADA AMERICA ECONOMY
POLISHED NICKEL
6 1994-01-01 0.04 24
3 HOUSEHOLD 1995-03-12
15 1996-01-01
20 smoke 1996-01-01 CHINA
9 rosy
17 Brand#31 MED JAR

E.50 qp2.23

18 314
15 1994-01-01
9 plum
14 1997-01-01
12 RAIL SHIP 1997-01-01
2 9 BRASS MIDDLE EAST
8 SAUDI ARABIA MIDDLE EAST ECONOMY
BURNISHED NICKEL
11 VIETNAM 0.0000000100
22 21 14 33 10 11 13
16
21 INDONESIA
16 Brand#53 LARGE ANODIZED 2
15 5 29 6 10 11
12
1 103
6 1994-01-01 0.09 25
17 Brand#33 MED CAN
5 EUROPE 1994-01-01
10 1994-08-01
19 Brand#32 Brand#22 Brand#11
4 10 28
4 1997-05-01
20 floral 1994-01-01 INDIA
13 express deposits
3 AUTOMOBILE 1995-03-28
7 UNITED STATES SAUDI ARABIA

E.51 qp2.24

7 MOZAMBIQUE JAPAN
3 HOUSEHOLD 1995-03-14
10 1993-05-01
14 1997-01-01
13 special deposits
21 ARGENTINA
18 315
6 1995-01-01 0.07 25
20 plum 1993-01-01 RUSSIA
4 1995-02-01
9 orchid
8 JAPAN ASIA LARGE BRUSHED NICKEL
22 11 28 10 12 16 19
33
15 1996-01-01
2 47 NICKEL ASIA
1 111
5 MIDDLE EAST 1995-01-01
12 AIR REG AIR 1997-01-01
19 Brand#44 Brand#15 Brand#15
9 11 24
17 Brand#35 JUMBO CASE
11 INDONESIA 0.0000000100
16 Brand#33 PROMO PLATED 32
34 38 16 36 35 33
9

Appendix F Benchmark Scripts

F.1 dbtables.sql

```
set echo on
set numwidth 25
spool rdbtablest
SELECT /*+ full(A) */ COUNT(*) FROM LINEITEM A;

SELECT * FROM LINEITEM
WHERE L_ORDERKEY IN
( 4, 26598, 148577, 387431, 56704, 517442, 600000)
AND L_LINENUMBER = 1
ORDER BY L_ORDERKEY;

SELECT * FROM REGION;

SELECT COUNT(*) FROM NATION;

SELECT * FROM NATION
WHERE N_NATIONKEY IN (3,10,14,20)
ORDER BY N_NATIONKEY;

SELECT /*+ full(A) */ COUNT(*) FROM ORDERS A;

SELECT * FROM ORDERS
WHERE O_ORDERKEY IN ( 7, 44065, 287590, 411111,
483876, 599942 )
ORDER BY O_ORDERKEY;

SELECT COUNT(*) FROM PART;

SELECT * FROM PART
WHERE P_PARTKEY IN
(1,984,8743,9028,13876,17899,20000)
ORDER BY P_PARTKEY;

SELECT COUNT(*) FROM PARTSUPP;

SELECT* FROM PARTSUPP
WHERE PS_PARTKEY = 3398
AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY = 3398);

SELECT* FROM PARTSUPP
WHERE PS_PARTKEY =15873
AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY = 15873);

SELECT* FROM PARTSUPP
WHERE PS_PARTKEY = 11394
```

```
AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY = 11394);
```

```
SELECT* FROM PARTSUPP
WHERE PS_PARTKEY = 6743
AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY = 6743);
```

```
SELECT* FROM PARTSUPP
WHERE PS_PARTKEY = 19763
AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY =19763);
```

```
SELECT COUNT(*) FROM SUPPLIER;
```

```
SELECT * FROM SUPPLIER
WHERE S_SUPPKEY IN (83,265,492,784,901,1000)
ORDER BY S_SUPPKEY;
```

```
DROP TABLE MINMAX;
```

```
CREATE TABLE MINMAX
(TNAME CHAR(15),
KEYMIN INTEGER,
KEYMAX INTEGER);
```

```
INSERT INTO MINMAX
SELECT
'LINEITEM_ORD',MIN(L_ORDERKEY),MAX(L_ORDE
RKEY)
FROM LINEITEM ;
```

```
INSERT INTO MINMAX
SELECT
'LINEITEM_NBR',MIN(L_LINENUMBER),MAX(L_LIN
ENUMBER)
FROM LINEITEM;
```

```
INSERT INTO MINMAX
SELECT
'ORDERTBL',MIN(O_ORDERKEY),MAX(O_ORDERKE
Y)
FROM ORDERS;
```

```
INSERT INTO MINMAX
SELECT
'CUSTOMER',MIN(C_CUSTKEY),MAX(C_CUSTKEY)
FROM CUSTOMER;
```

```
INSERT INTO MINMAX
SELECT 'PART',MIN(P_PARTKEY),MAX(P_PARTKEY)
FROM PART;
```

```
INSERT INTO MINMAX
```



```

SELECT
'SUPPLIER',MIN(S_SUPPKEY),MAX(S_SUPPKEY)
FROM SUPPLIER;

INSERT INTO MINMAX
SELECT
'PARTSUPP_PART',MIN(PS_PARTKEY),MAX(PS_PAR
TKEY)
FROM PARTSUPP;

INSERT INTO MINMAX
SELECT
'PARTSUPP_SUPP',MIN(PS_SUPPKEY),MAX(PS_SUPP
KEY)
FROM PARTSUPP ;

INSERT INTO MINMAX
SELECT
'NATION',MIN(N_NATIONKEY),MAX(N_NATIONKEY
)
FROM NATION;

INSERT INTO MINMAX
SELECT
'REGION',MIN(R_REGIONKEY),MAX(R_REGIONKEY)
FROM REGION;

SELECT * FROM MINMAX;
spool off
exit;

```

F.2 firstten.sql

```

set echo on
set numwidth 25
spool count.out
select * from lineitem where rownum < 11;
select * from orders where rownum < 11;
select * from part where rownum < 11;
select * from partsupp where rownum < 11;
select * from supplier where rownum < 11;
select * from customer where rownum < 11;
select * from nation where rownum < 11;
select * from region where rownum < 11;
spool off
exit;

```

F.3 gen_seed.sh

```

#!/bin/ksh

SEED_FILE=$1

#Generate the seed
echo "Setting the random number seed"
PSEED=`date +%m:%d:%H:%M:%S | sed -e 's://g'`
echo "Using ${PSEED} as seed0"
echo ${PSEED} > $SEED_FILE
TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

```

echo "Done setting the random number seed"

F.4 gtime.c

/* Copyright (c) 2001, 2002, Oracle Corporation. All rights reserved. */

/*

NAME

gtime.c - <one-line expansion of the name>

DESCRIPTION

<short description of facility this file declares/defines>

EXPORT FUNCTION(S)

<external functions defined for use outside package - one-line descriptions>

INTERNAL FUNCTION(S)

<other external functions defined - one-line descriptions>

STATIC FUNCTION(S)

<static functions defined - one-line descriptions>

NOTES

<other useful comments, qualifications, etc.>

MODIFIED (MM/DD/YY)

mposs 10/23/02 - mposs_update_from_visa

mposs 08/29/01 - Creation

*/

#include<stdio.h>

#include<stdlib.h>

include <sys/time.h>

main ()

{

struct timeval tv;

(void) gettimeofday (&tv, (struct timezone *) 0);

printf (".2fn", ((double) tv.tv_sec + (1.0e-6 * (double) tv.tv_usec)));

}

/* end of file gtime.c */

F.5 qexecpl.c

#ifdef RCSID

```

static char *RCSid =
"$Header: qexecpl.c 17-oct-2001.09:29:47 mpoess Exp $
";
#endif /* RCSID */

/* Copyright (c) 1999, 2001, Oracle Corporation. All rights
reserved. */

/*
NAME
qexecpl.c - <one-line expansion of the name>

DESCRIPTION
SQL Execution Engine, Oracle v8, OCI version

PRIVATE FUNCTION(S)
<list of static functions defined in .c file - with one-line
descriptions>

MODIFIED (MM/DD/YY)
mpoess 10/17/01 - add serialization level in SQLinit
mpoess 02/22/01 - add linux changes
mpoess 08/05/99 - make compile
mpoess 11/13/98 - fix pddl statement
pswong 02/19/97 - migrating to version 8
pswong 04/02/96 - more polishing
pswong 03/25/96 - polish up
pswong 03/06/96 - created

*/

#include <stdio.h>
#include <string.h>
#include <setjmp.h>
#include <sys/param.h>
#include <errno.h>
#include <math.h>
#include <string.h>
#include <sys/types.h>
#include <time.h>
#include <stdlib.h>

#include "qexecpl.h"

/* Function Prototypes */

extern double gettime();

/* function prototypes from gen.c */

int get_statement();

/* Declare error handling functions */

void sql_error();

/* Other prototypes */

```

```

int define_output_variables();
void process_select_list();
void usage();
void SQLinit();
void SQLexec();
void SQLexit();
void *memalloc();
void print_header();
void print_rows();
int OFEN();
void remove_newline();

char logname[UNAME_LEN]; /* username/passwd combo
*/
char *passwd;

double tr_start = 0.0; /* query start time */
double tr_end = 0.0; /* query end time */

double s_tr_start = 0.0; /* statement start time */
double s_tr_end = 0.0; /* statement end time */

/* For our purpose of timing, we will treat comments as
delimiters */
/* for queries. Thus, we will collect query timings
whenever we */
/* encounter a comment (of course not for the first comment
in a */
/* file). */

int end_flag = 0; /* flag to indicate that we have
reached */
/* the end of a query */

int stmt_cnt = 0; /* Number of statements processed.
*/
int qry_cnt = 0; /* Number of query processed.
*/

double product = 1.0; /* cumulative product of query
times */
int rows_ret = 0; /* the number of rows fetched */
int num_sel_list = 0; /* the number of select list item
*/

long num_to_fetch = -1; /* Number of rows to fetch. -1
means fetch all */

slist slist[MAX_SEL_LIST]; /* Array for describing
Select List */
dlist *dlist[MAX_SEL_LIST]; /* Array of ptrs for
Defining Select List */

char stmt[SQL_LEN]; /* The SQL statement or
comment line. */
char qn[3]; /* Number of the query being executed
*/
char qnp[3]; /* Number of the previous query
executed */

```

```

char cmnt[5000];      /* Buffer to save the comment.
*/
#ifdef LINUX
FILE *qtemp;        /* fd for query template */
FILE *logfile;     /* log and report files */
FILE *rep;
#else
FILE *qtemp = stdin; /* fd for query template */
FILE *logfile = stdout; /* log and report files */
FILE *rep = stdout;
#endif
void *defbuf;      /* Buffer pointer for ODEFIN */
int deflen = 0;    /* Size of data type for ODEFIN */
int deftype = 1;   /* Oracle type number for ODEFIN
*/

int pfmem = PFMEMSIZE; /* Memory to prefetch rows
*/

time_t tim;        /* To get wall clock time */

/* OCI handles */

OCIEnv *tpcenv = NULL;
OCIServer *tpcsrv = NULL;
OCIError *errhp = NULL;
OCISvcCtx *tpcsvc = NULL;
OCISession *tpcusr = NULL;
OCISmt *curq = NULL;
OCISmt *cur_dml = NULL;
OCISmt *cur_ddl = NULL;
OCIParm *tpcpar = NULL;

sword status = OCI_SUCCESS; /* OCI return value */

/* usage: prints the usage of the program */

void usage() {

    fprintf(stderr, "\nUsage: qexec username/password [q<path
name for query template file>]\n");
    fprintf(stderr, "        [l<path name for log>] [r<path
name for reports>]\n\n");
    fprintf(stderr, "Options:\n");
    fprintf(stderr, "q<path for query>      : full path name for
the query template file.\n");
    fprintf(stderr, "        (default is stdin)\n");
    fprintf(stderr, "l<path name for log>    : full path name for
log files\n");
    fprintf(stderr, "        (default is stdout)\n");
    fprintf(stderr, "r<path name for reports> : full path name
for reports\n");
    fprintf(stderr, "        (default is stdout)\n");
    exit(-1);
}

/* type: 0 if environment handle is passed, 1 if error handle
is passwd */

void sql_error(errhp, status, type)
OCIError *errhp;
sword status;
sword type;
{
    char msg[2048];
    ub4 errcode;
    ub4 msglen;
    int i, j;

    switch(status) {
    case OCI_SUCCESS_WITH_INFO:
        fprintf(stderr, "Error: Statement returned with info.\n");
        if (type)
            (void)
OCIErrorGet(errhp, 1, NULL, (sb4*)&errcode, (text*)msg,
                2048, OCI_HTYPE_ERROR);
        else
            (void)
OCIErrorGet(errhp, 1, NULL, (sb4*)&errcode, (text*)msg,
                2048, OCI_HTYPE_ENV);
        fprintf(stderr, "%s\n", msg);
        break;
    case OCI_ERROR:
        fprintf(stderr, "Error: OCI call error.\n");
        if (type)
            (void)
OCIErrorGet(errhp, 1, NULL, (sb4*)&errcode, (text*)msg,
                2048, OCI_HTYPE_ERROR);
        else
            (void)
OCIErrorGet(errhp, 1, NULL, (sb4*)&errcode, (text*)msg,
                2048, OCI_HTYPE_ENV);
        fprintf(stderr, "%s\n", msg);
        break;
    case OCI_INVALID_HANDLE:
        fprintf(stderr, "Error: Invalid Handle.\n");
        if (type)
            (void)
OCIErrorGet(errhp, 1, NULL, (sb4*)&errcode, (text*)msg,
                2048, OCI_HTYPE_ERROR);
        else
            (void)
OCIErrorGet(errhp, 1, NULL, (sb4*)&errcode, (text*)msg,
                2048, OCI_HTYPE_ENV);
        fprintf(stderr, "%s\n", msg);
        break;
    }

    /* Rollback just in case */

    (void) OCITransRollback(tpcsvc, errhp, OCI_DEFAULT);

    fprintf(stderr, "Exiting Oracle...\n");
    fflush(stderr);
}

```

```

SQLExit();

exit(1);
}

#ifdef LINUX
int main(argc,argv)
#else
void main(argc,argv)
#endif
int argc;
char *argv[];
{

int i,pos,pos2;
int retcode; /* Return code for get_statement */
#ifdef LINUX
logfile=fopen("/dev/stdout","w");
qtemp=fopen("/dev/stdin","rw");
rep=fopen("/dev/stdout","w");
#endif
/* Initialize some variables */

if ((argc > 5) || (argc < 2)) {
usage();
}

/* argv[1] -- User and Password for Database */

strcpy(logname, argv[1]);

/* Process optional parameters */

argc -= 1;
argv += 1;

while(--argc) {
++argv;
switch(argv[0][0]) {
case 'q':
if ((qtemp = fopen(++(argv[0]),"r")) == NULL) {
fprintf(stderr,"Unable to open file '%s'\n", argv[0]);
fprintf(stderr,"%s: %s\n", argv[0], strerror(errno));
exit(-1);
}
break;
case 'r':
if ((rep = fopen(++(argv[0]),"a")) == NULL) {
fprintf(stderr,"Unable to open file '%s'\n", argv[0]);
fprintf(stderr,"%s: %s\n", argv[0], strerror(errno));
exit(-1);
}
break;
case 'l':
if ((logfile = fopen(++(argv[0]),"a")) == NULL) {
fprintf(stderr,"Unable to open file '%s'\n", argv[0]);
fprintf(stderr,"%s: %s\n", argv[0], strerror(errno));
exit(-1);
}
}
}

```

```

break;
default:
fprintf(stderr,"Invalid Option: %c\n", argv[0][0]);
usage();
break;
}
}

/* Do some initialization and establish connection with the
database */

SQLInit();

/* May want to add some triggering mechanism here */

time(&tim);
fprintf(logfile, "Begin Execution at %s\n\n", ctime(&tim));
fprintf(rep, "Begin Executing this Stream at %s\n\n",
ctime(&tim));
/* Get the next statement and start processing it */

while ((retcode = get_statement()) > 0) {

switch (retcode) {

/* If this is a comment, skips it */
case COMMENT:
/*if (end_flag) {
end_flag = 0; /* reset query end flag */
/* save the comment so that we can print it out later
on */
/* strcpy(cmnt, stmt);
break;
} */
if (stmt[3]== '@') {
pos=4;
strcpy(qnp,qn);
while (stmt[pos] != ')') {
pos++;
}
pos2=0;
pos++;
while (stmt[pos] != '.') {
/*printf ("qn %d %c \n",pos2,stmt[pos]);*/
qn[pos2]=stmt[pos];
pos2++;
pos++;
}
qn[pos2] = 0;
/* printf("found a new query: %s\n",qn); */
}
/* save the comment so that we can print it out later on
*/
strcat(cmnt, stmt);
break;

/* if this is a set_row_fetch command */
case SET_FETCHROW:

```

```

    fprintf(logfile,"Setting the number of rows to fetch to:
%d\n\n",
        num_to_fetch);
    break;

    /* if this is a SQL statement */
    case SQL_STMT:

        /* Executes the query */
        SQLExec();

        stmt_cnt++;
        qry_cnt++;
        fflush(rep);
        fflush(logfile);
        /*
        fprintf(logfile,"\nStatement Started at %.2f\n",
s_tr_start);
        fprintf(logfile,"Statement Ended at %.2f\n", s_tr_end);

        fprintf(logfile,"Statement Processed in %.2f seconds.\n",
            (s_tr_end - s_tr_start));
        fprintf(rep, "Query %s: Execution Time: %.2f started
%.2f ended %.2f\n",
            qn,(s_tr_end - s_tr_start)s_tr_start,s_tr_end);
        fflush(rep);
        fflush(logfile);*/
        break;

        /* Should never reach here */
        default:
            fprintf(stderr, "Invalid statement type!!\n");
            SQLExit();
            break;
    }
}

/* Get Timing for the last query */

tr_end = gettimeofday();

    fprintf(logfile,"Query Processed in %.2f
seconds.\n\n",(tr_end - s_tr_start));

    /* print comments for this query that we have saved */

    /* fprintf(logfile, "%s\n", cmnt); */

    /* fprintf(rep, "Query %s : Execution time %.2f\n",
qn,(tr_end - s_tr_start));*/
    fprintf(rep, "Query %s: Execution Time: %.2f started %.2f
ended %.2f\n",
        qn,(tr_end - s_tr_start),s_tr_start,tr_end);

    time(&tim);
    fprintf(logfile,"\nEnded Executing this Stream at %s\n",
ctime(&tim));
    fprintf(logfile,"\nStream Started at %.2f\n", tr_start);
    fprintf(logfile,"Stream Ended at %.2f\n", tr_end);

```

```

    fprintf(logfile,"Stream Processed in %.2f
seconds\n\n",(tr_end - tr_start));

    fprintf(rep,"\nEnded Executing this Stream at %s\n",
ctime(&tim));
    fprintf(rep,"\nStream Started at %.2f\n", tr_start);
    fprintf(rep,"Stream Ended at %.2f\n", tr_end);
    fprintf(rep,"Stream Processed in %.2f seconds\n\n",
        (tr_end - tr_start));

    fprintf(logfile, "\nSQL statements processed: %d\n",
stmt_cnt);
    /*fprintf(logfile, "Queries processed: %d\n", qry_cnt);*/

    fflush(rep);
    fflush(logfile);

    /* Close the query template file */

    fclose(qtemp);

    /* Disconnect from ORACLE. */

    SQLExit();
    exit(0);
}

/* SQLInit(): Perform initialization tasks.
*/
/*      Logs on to Oracle, opens some files and open a
cursor for */
/*      later use. */

void SQLInit() {

    int i;

    /* preallocate MAX_PREALLOC members of the dlist
array */
    /* initializes others to NULL so that we can determine who
to free later */

    for (i=0; i<MAX_SEL_LIST; i++) {
        if (i < MAX_PREALLOC) {
            dlist[i] = (dtype *) memalloc (sizeof(dtype));
            dlist[i]->defhdl = NULL;
        }
        /* OCIhalloc(curq,&(dlist[i]-
>defhdl),OCI_HTYPE_DEFINE); */
        else
            dlist[i] = NULL;
    }

    /* Connect to ORACLE. Program will call sql_error()
*/
    /* if an error occurs in connecting to the default database.
*/

```

```

(void) OCIInitialize(OCI_DEFAULT,(dvoid *)0,0,0,0);
}

if((status=OCIEnvInit((OCIEnv
***)&tpcenv,OCI_DEFAULT,0,(dvoid ***)0)) !=
OCI_SUCCESS)
    sql_error(tpcenv, status, 0);

OCIhalloc(tpcenv,&errhp,OCI_HTYPE_ERROR);
OCIhalloc(tpcenv,&curq,OCI_HTYPE_STMT);
OCIhalloc(tpcenv,&cur_dml,OCI_HTYPE_STMT);
OCIhalloc(tpcenv,&cur_ddl,OCI_HTYPE_STMT);
OCIhalloc(tpcenv,&tpcsvc,OCI_HTYPE_SVCCTX);
OCIhalloc(tpcenv,&tpcsrv,OCI_HTYPE_SERVER);
OCIhalloc(tpcenv,&tpcusr,OCI_HTYPE_SESSION);

/* get username and password */

passwd = strchr(logname, '/');
*passwd = '\0';
passwd++;

if ((status = OCIServerAttach(tpcsrv,errhp,(text
*)0,0,OCI_DEFAULT)) != OCI_SUCCESS)
    sql_error(errhp,status,1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcsrv,0,OCI_ATT
R_SERVER,errhp);

OCIaset(tpcusr,OCI_HTYPE_SESSION,logname,strlen(log
name),OCI_ATTR_USERNAME,
errhp);

OCIaset(tpcusr,OCI_HTYPE_SESSION,passwd,strlen(pass
wd),OCI_ATTR_PASSWORD,
errhp);

if ((status = OCISessionBegin(tpcsvc, errhp, tpcusr,
OCI_CRED_RDBMS,
OCI_DEFAULT)) !=
OCI_SUCCESS)
    sql_error(errhp,status,1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcusr,0,OCI_ATT
R_SESSION,errhp);

/*
if ((status=OCILogon((OCIEnv *)tpcenv,(OCIError
*)errhp,(OCISvcCtx *)tpcsvc,
(text *)logname, strlen(logname), (text
*)passwd,
strlen(passwd), (text *) 0, 0)) !=
OCI_SUCCESS)
    sql_error(errhp, status, 1);
*/
printf("\nConnected to ORACLE as user: %s\n\n",
logname);

/* SQLexec() Executes the SQL statement.
*/
/* Parse the SQL statement. */
/* If DDL or DML statements, execute right away.
*/
/* Else describe and define select list outputs,
*/
/* execute and fetch results. */

void SQLexec()
{
    int i;
    ub2 stmttyp = OCI_STMT_SELECT; /* default is a
SELECT statement */

    /* Clause 5.3.6.2: QI(i,s) is the time between the first
character */
    /* of this query text is submitted and the first */
    /* character of the next query text is submitted.
*/

    if (qry_cnt) {
        time(&tim);
        s_tr_end = gettimeofday();
        fprintf(logfile,"Query Processed in %.2f seconds.\n\n",
(s_tr_end - s_tr_start));

        /* print comments for this query that we have saved */

        /* fprintf(logfile, "%s\n", cmnt); */

        /*fprintf(rep, "Query %s : Execution time %.2f\n",
qnp,(s_tr_end - s_tr_start));*/
        fprintf(rep, "Query %s: Execution Time: %.2f started
%.2f ended %.2f\n",
qnp,(s_tr_end - s_tr_start),s_tr_start,s_tr_end);

        /* Let's fflush stuff so that we can see what's going on */

        fflush(logfile);
        fflush(rep);
    }
    else
        tr_start = gettimeofday();

        s_tr_start = gettimeofday();

        /* prepare the statement */

        if ((status = OCISmtPrepare(curq, errhp, (text*) stmt,
(ub4) strlen(stmt),
OCI_NTV_SYNTAX,
OCI_DEFAULT)) != OCI_SUCCESS)
            sql_error(errhp,status,1);
}

```

```

/* Prints the query text and comment to the logfile */

fprintf(logfile, "\n%s\n", cmnt);
cmnt[0]=0;
fprintf(logfile, "\n%s\n", stmt);

/* if this is a DDL or DML statement, execute it right away
*/
/* only worries about SELECT statements right now,
cannot */
/* execute a stored PL/SQL procedure in this version
*/

OCIaget(curq,OCI_HTYPE_STMT,&stmttyp,NULL,OCI_ATTR_STMT_TYPE,errhp);

if (stmttyp != OCI_STMT_SELECT) {
    OCIsexec(tpcsvc,curq,errhp,1);
    return;
}

/* otherwise, this is a select statement */
/* Describe and define output variables */

/* first let's execute it to get the select-list definition */

OCIaset(curq, OCI_HTYPE_STMT, &pfmem, 0,
OCI_ATTR_PREFETCH_MEMORY, errhp);

OCIsexec(tpcsvc,curq,errhp,0);

num_sel_list = define_output_variables();

/* Executes the query and fetches the rows */

(void) process_select_list(num_sel_list);

/* Need to get the number of rows fetched first */
/* since the following statments will screw it up */

OCIaget(curq,OCI_HTYPE_STMT,&rows_ret,NULL,OCI_ATTR_ROW_COUNT,errhp);

/* To control memory usage, let's free up the extra dlist
entries */
/* that we have allocated. */

i=MAX_PREALLOC;
while(dlist[i] != NULL) {
    free(dlist[i]);
    dlist[i++] = NULL;
}

/* reset set_fetchrows */

num_to_fetch = -1;

```

```

}

void SQLexit() {

    int i;

    OCILogoff(tpcsvc,errhp);
    OCIhfree(tpcenv,OCI_HTYPE_STMT);
    OCIhfree(tpcsvc,OCI_HTYPE_SVCCTX);
    OCIhfree(tpcsrv,OCI_HTYPE_SERVER);
    OCIhfree(tpcusr,OCI_HTYPE_SESSION);

    /* free all memory */

    for (i=0; i<MAX_SEL_LIST; i++) {
        if (dlist[i] != NULL) {
            free(dlist[i]);
        }
    }

    /* Flush all output */

    fflush(rep);
    fflush(logfile);

}

/* define_output_variables(): Describe and define select-list
items for */
/*          a query statement. */
/*          Returns the number of select-list items
*/
/*          for this query. */

int define_output_variables()
{

    int i;
    int retflag = 0;

    for (i=0; i<MAX_SEL_LIST; i++) {

        slist[i].buflen = MAX_COLNAME_SIZE;

        if (OCIParmGet(curq, OCI_HTYPE_STMT, errhp,
(dvoid **) &tpcpar,
                                POS(i)) != OCI_SUCCESS)
            break;

        /* dsize and nullok fields of dlist not used */

        OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].dbsize),
                                NULL, OCI_ATTR_DATA_SIZE, errhp);
    }
}

```

```

OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].dbtype),
    NULL, OCI_ATTR_DATA_TYPE, errhp);
OCIaget(tpcpar, OCI_DTYPE_PARAM, &(slist[i].buf),
    &(slist[i].buflen), OCI_ATTR_NAME, errhp);
OCIaget(tpcpar, OCI_DTYPE_PARAM,
&(slist[i].precision),
    NULL, OCI_ATTR_PRECISION, errhp);
OCIaget(tpcpar, OCI_DTYPE_PARAM, &(slist[i].scale),
    NULL, OCI_ATTR_SCALE, errhp);

/* For formatting purpose, remove trailing blanks in
select-list name. */

/*
if (slist[i].buflen < MAX_COLNAME_SIZE)
    (slist[i].buf)[slist[i].buflen] = '\0';
*/
/* Well, we need to allocate for entries for dlist */

if (i >= MAX_PREALLOC) {
    dlist[i] = (dlttype *) memalloc(sizeof(dlttype));
    dlist[i]->defhdl = NULL;
}

/* Let's check the sizes and types for this select list item
*/

switch (slist[i].dbtype) {

case OCI_TYPECODE_NUMBER:

    /* The odescr will not give a good estimate to the scale
if */
    /* no scale was given in the Oracle table definition.
*/

#ifdef HAVE_SCALE
    if (slist[i].scale != 0) {
        defbuf = (double *) dlist[i]->fbuf;
        deflen = FLT;
        deftype = OCI_TYPECODE_DOUBLE;
        slist[i].dbtype = OCI_TYPECODE_DOUBLE;
    } else {
        defbuf = (int *) dlist[i]->ibuf;
        deflen = INT;
        deftype = OCI_TYPECODE_INTEGER;
        slist[i].dbtype = OCI_TYPECODE_INTEGER;
    }
#else
    defbuf = (double *) dlist[i]->fbuf;
    deflen = FLT;
    deftype = OCI_TYPECODE_FLOAT;
    slist[i].dbtype = OCI_TYPECODE_FLOAT;
#endif /* HAVE_SCALE */

    break;

default:
    /* default is character string */

    defbuf = (char **) dlist[i]->sbuf;
    deflen = MAX_STR_LEN;
    deftype = SQLT_STR;
    /* deftype = OCI_TYPECODE_CHAR; */
    break;
}

/* Define the column */

if ((status=OCIDefineByPos(curq,&(dlist[i]-
>defhdl),errhp,POS(i),
defbuf,deflen,deftype,NULL,
    dlist[i]-
>rlen,NULL,OCI_DEFAULT))!=OCI_SUCCESS)
    sql_error(errhp,status,1);
}
return i;
}

/* process_select_list(): Fetch rows from a query.
*/

void process_select_list(num)
    int num; /* number of select list items */
{
    int i,j;
    int ntf;
    int num_so_far;
    sword stats = OCI_SUCCESS;

    /* Print the headers for the query execution result */

    print_header(num);

    /* See if we need to limit the rows to fetch */

    ntf = (num_to_fetch >= 0) ? num_to_fetch :
MAX_ARRAY;

    /* Fetch the rows and print them out */

    if ((ntf > MAX_ARRAY) || (num_to_fetch == -1)) {

        stats = OCISmtFetch(curq, errhp, MAX_ARRAY,
OCI_FETCH_NEXT, OCI_DEFAULT);

OCIaget(curq,OCI_HTYPE_STMT,&rows_ret,NULL,OCI_
ATTR_ROW_COUNT,errhp);

        print_rows(num,rows_ret);

        /* To avoid 1022 from OFEN */

```



```

/* More rows to fetch... */

if (stats != OCI_NO_DATA) {
    if (num_to_fetch == -1) {
        while ((stats =
OCIStmtFetch(curq,errhp,MAX_ARRAY,OCI_FETCH_N
EXT,
                                OCI_DEFAULT))
== OCI_SUCCESS) {
OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,NULL,
        OCI_ATTR_ROW_COUNT,errhp);
    print_rows(num,(num_so_far-rows_ret));
    rows_ret = num_so_far;
    }
    /* Print the final rows */
    OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,
NULL,
        OCI_ATTR_ROW_COUNT,errhp);
    print_rows(num,(num_so_far-rows_ret));
    rows_ret = num_so_far;
    } else {
        ntf -= MAX_ARRAY;

        while ((stats = OCIStmtFetch(curq,errhp,
((ntf>MAX_ARRAY) ? MAX_ARRAY:ntf),
OCI_FETCH_NEXT, OCI_DEFAULT)) ==
        OCI_SUCCESS) {
            ntf -= MAX_ARRAY;

OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,NULL,
        OCI_ATTR_ROW_COUNT,errhp);
    print_rows(num,(num_so_far-rows_ret));
    rows_ret = num_so_far;
    if (ntf <= 0) break;
    }
    OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,
NULL,
        OCI_ATTR_ROW_COUNT,errhp);
    print_rows(num,(num_so_far-rows_ret));
    rows_ret = num_so_far;
    }
    } else {
        OCIStmtFetch(curq, errhp, ntf, OCI_FETCH_NEXT,
OCI_DEFAULT);

OCIaget(curq,OCI_HTYPE_STMT,&rows_ret,NULL,OCI_
ATTR_ROW_COUNT,errhp);
    print_rows(num,rows_ret);
    }

    fprintf(logfile, "\n\n%d row%c processed.\n", rows_ret,
        rows_ret == 1 ? '\0' : 's');
}

```

```

int get_statement()
{
    char line[128];
    char *pos, *str;

    /* Reset statement buffer */

    stmt[0] = '\0';

    while (fgets(line, 127, qtemp) != NULL) {

        /* skip blank lines */
        if (line[0] == '\n')
            continue;

        /* remove blanks */

        str = line;

        while (*str == ' ') str++;

        /* Let's get the line together first */

        strcat(stmt, str);

        /* if this is a comment line */
        if ((str[0] == '-') && (str[1] == '-'))
            return COMMENT;

        /* see if this is a set_fetchrows line */
        if (strncmp(str, "set_fetchrows", 13) == 0) {
            pos = strchr(str, ';');
            *pos = '\0';
            pos = strchr(str, '=');
            num_to_fetch = atol(++pos);
            return SET_FETCHROW;
        }

        /* if this is the end of the current statement */
        if ((pos = strchr(stmt, ';')) != NULL) {
            *pos = '\0';
            return SQL_STMT;
        }
    }
    return END_OF_FILE;
}

/* memalloc(): Allocates memory, exit program if we have a
problem. */

void *memalloc(size)
    int size;
{

    void *tmp;

```

```

if ((tmp = (void *) malloc(size)) == NULL) {
    fprintf(stderr, "Error in malloc\n");
    SQLexit();
    return NULL; /* should never reach here */
} else {
    return tmp;
}
}

void print_header(nsel)
    int nsel; /* Number of select list items */
{

    int i, diff;
    char colname[MAX_COLNAME_SIZE];
    int len = 0; /* Running column length */
    int cwid = 0;

    fprintf(logfile, "\n");

    for (i=0; i<nsel; i++) {

        /* extract the column name */

        strncpy((char *)colname, (char *)slist[i].buf,
slist[i].buflen);
        colname[slist[i].buflen] = '\0';

        /* format the output a little */

        cwid = MAX(slist[i].dbsize, slist[i].buflen);

        /* do a little bit of formatting */

        if (cwid > 80) {
            fprintf(logfile, "\n");
            len = 0;
        } else if ((len += cwid) > 80) {
            fprintf(logfile, "\n");
            len = cwid;
        }
#ifdef FORMAT1
        if ((slist[i].dbtype == INT_TYPE) || (slist[i].dbtype ==
FLT_TYPE))
            fprintf(logfile, "%*s ", cwid, slist[i].buf);
        else /* string type */
            fprintf(logfile, "%*s ", -cwid, slist[i].buf);
#else
        fprintf(logfile, "%*s ", -cwid, colname);
#endif /* FORMAT1 */
    }

    fprintf(logfile, "\n");
}

```

```
void print_rows(ncol, nrow)
```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

```

    int ncol;
    int nrow;
}

    int i,j;
    int len;
    int diff;
    int cwid;

    for (i=0;i<nrow;i++) {

        len = 0;

        for (j=0;j<ncol;j++) {

            cwid = MAX(slist[j].dbsize, slist[j].buflen);

            /* do a little bit of formatting */

            if (cwid > 80) {
                fprintf(logfile, "\n");
                len = 0;
            } else if ((len += cwid) > 80) {
                fprintf(logfile, "\n");
                len = cwid;
            }

            switch(slist[j].dbtype) {
                case INT_TYPE:
#ifdef HAVE_SCALE
                    fprintf(logfile, "%*ld|", cwid, (dlist[j]-
>ibuf)[i]);
                    break;
#endif /* HAVE_SCALE */
                case FLT_TYPE:
#ifdef FORMAT1
                    fprintf(logfile, "%*.2f ", cwid, (dlist[j]->fbuf)[i]);
#else
                    fprintf(logfile, "%*.2f ", -cwid, (dlist[j]->fbuf)[i]);
#endif /* FORMAT1 */
                    break;
                default:
                    fprintf(logfile, "%*s ", -(cwid), (dlist[j]->sbuf)[i]);
                    break;
            }
        }
        fprintf(logfile, "\n");
    }

    /* remove_newline(): Remove newline character from str. */

    void remove_newline(str)
        char *str;
    {

        char *p;

```

```

while ((p = strchr(str,'\n')) != NULL)
    *p = ' ';
}

```

F.6 qexecpl.h

```

/*
 * $Header: qexecpl.h 13-nov-2001.17:52:35 mpoess Exp $
 */

```

```

/* Copyright (c) 1999, 2001, Oracle Corporation. All rights
reserved. */

```

```

/* NOTE: See 'header_template.doc' in the 'doc' dve under
the 'forms'

```

```

    directory for the header file template that includes
instructions.
*/

```

```

/*
    NAME
    qexecpl.h

```

```

    DESCRIPTION
    SQL statement execution front-end header file.

```

```

    PUBLIC FUNCTION(S)
    <list of external functions declared/defined - with one-
line descriptions>

```

```

    PRIVATE FUNCTION(S)
    <list of static functions defined in .c file - with one-line
descriptions>

```

EXAMPLES

```

    NOTES
    <other useful comments, qualifications, etc.>

```

```

    MODIFIED (MM/DD/YY)
    mpoess 11/13/01 - change DOP to 84 for DML and
DDL
    mpoess 02/22/01 - add linux changes
    mpoess 08/05/99 - make compile
    mpoess 07/15/99 - Creation
    mpoess 07/15/99 - Creation

```

```

*/

```

```

/*
# ifndef S_ORACLE
# include <s.h>
# endif
*/

```

```

#ifdef QSTREAMPL_H

#define QSTREAMPL_H

```

```

#include <stdio.h>
#include <string.h>
#include <sys/param.h>
#include <sys/types.h>
#include <time.h>
#include <errno.h>
#include <math.h>

```

```

#include <oratypes.h>

```

```

#include <oratypes.h>

```

```

#ifdef OCIDFN
#include <ocidfn.h>
#endif /* OCIDFN */

```

```

#ifdef OCI_ORACLE
#include <oci.h>
#endif /* OCI_ORACLE */
/*

```

```

#ifdef __STDC__
#include <ociapr.h>
#else
#include <ocikpr.h>
#endif /* __STDC__ */

```

```

/* some basic definitions */

```

```

#define UNAME_LEN 64
#define MAX_FILE_PATH_LEN 128

```

```

#ifdef TRUE
#define TRUE 1
#endif /* TRUE */

```

```

#ifdef FALSE
#define FALSE 1
#endif /* FALSE */
#ifdef LINUX
#define MAX(x,y) ((x >= y) ? x : y)
#define MIN(x,y) ((x <= y) ? x : y)
#endif

```

```

/* defines and typedefs for parsing */

```

```

#define CRT_TBL 1
#define INS_STMT 3
#define SEL_STMT 4
#define UPD_STMT 5
#define DRP_VIEW 7
#define DRP_TBL 8
#define DEL_STMT 9
#define CRT_VIEW 10

```

```

/* defines and typedefs for query description */

```

```

#define MAX_COLNAME_SIZE 32 /* Maximum length
of Column name */

```

```

#define MAX_SEL_LIST 16      /* Maximum items on a
select list */

#define END_OF_LIST 1007    /* Error code when we
reach the end of the */
                          /* select list.          */

/* types for describe */

#define CHAR_TYPE 1
#define NUM_TYPE 2
#define INT_TYPE 3
#define FLT_TYPE 4
#define STR_TYPE 5
#define DATE_TYPE 12

#define NUMWIDTH 16        /* Width of the numeric
fields */

#define POS(i) (i+1)       /* The position is 1...n instead */
#define IND(i) (i-1)       /* of 0..n-1 as in an array.    */

typedef struct des
{
    ub2 dbsize;
    ub4 buflen;
    /* sb2 dsize; */
    sb4 scale;
    /* sb2 nullok; */
    OCITypeCode dbtype;
    /* text buf[MAX_COLNAME_SIZE]; */
    text *buf;
    ub1 precision;
} sltype;

/* defines and typedefs for query select list definition */

#define MAX_ARRAY 50       /* Maximum array size for
array fetch */
#define PFMEMSIZE 65536    /* Memory size of prefetch
buffer */

#define MAX_STR_LEN 256    /* Maximum size for string
variables */
#define MAX_PREALLOC 8     /* Maximum number of
preallocated select list */
                          /* definitions.          */

#define INT sizeof(long)
#define STR sizeof(char)
#define FLT sizeof(double)

#define FLTP (double *)
#define INTP (long *)
#define STRP (char **)

typedef struct def
{

```

```

long ibuf[MAX_ARRAY];
double fbuf[MAX_ARRAY];
char sbuf[MAX_ARRAY][MAX_STR_LEN];
ub2 rlen[MAX_ARRAY];      /* return length */
OCIDefine *defhdl;
} dltype;

extern int errno;

#define SQL_LEN 2048

#ifndef NULL
#define NULL 0
#endif

#ifndef NULLP
#define NULLP (void *)NULL
#endif /* NULLP */

#ifndef DISCARD
#define DISCARD (void)
#endif

#ifndef sword
#define sword int
#endif

#ifndef ub1
#define ub1 unsigned char
#endif

#define NA -1 /* ANSI SQL NULL */
#define VER7 2
#define NOT_SERIALIZABLE 8177 /* ORA-08177:
transaction not serializable */

#define ADR(object) ((ub1 *)&(object))
#define SIZ(object) ((sword)sizeof(object))
#define SID(sid) ((sid == -1) ? 0 : sid)

/* For get_statement */

#define END_OF_FILE -1
#define COMMENT 1
#define SQL_STMT 2
#define SET_FETCHROW 3

#define OCIhalloc(envh,hndl,htyp) \
    if((status=OCIHandleAlloc((dvoid *)envh,(dvoid
**))hndl,htyp,0,(dvoid **)0))!=OCI_SUCCESS) \
        sql_error(envh,status,0); \
    else \
        DISCARD 0

#define OCIhfree(hndl,htyp) \
    if((status=OCIHandleFree((dvoid *)hndl,htyp)) ==
OCI_SUCCESS) \

```

```

    fprintf(stderr, "Error freeing handle of type %d\n",
htyp)

#define OCIaget(hndl,htyp,attp,size,atyp,errh) \
    if((status=OCIAttrGet((dvoid *)hndl,htyp,(dvoid *)attp,(dvoid *)size,atyp,errh) != OCI_SUCCESS) \
    sql_error(errh,status,1); \
    else \
    DISCARD 0

#define OCIaset(hndl,htyp,attp,size,atyp,errh) \
    if((status=OCIAttrSet((dvoid *)hndl,htyp,(dvoid *)attp,size,atyp,errh) != OCI_SUCCESS) \
    sql_error(errh,status,1); \
    else \
    DISCARD 0

#define OCIsexec(svch,stmh,errh,iter) \

if((status=OCIStmtExecute(svch,stmh,errh,iter,0,NULL,NU
LL,OCI_DEFAULT)) != OCI_SUCCESS) \
    sql_error(errh,status,1); \
    else \
    DISCARD 0

#define ISOTXT "alter session set isolation_level =
serializable"
#define PDMLTXT "alter session force parallel dml parallel
(degree 84)"
#define PDDLTX "alter session force parallel ddl parallel
(degree 84)"

#endif /* QSTREAMPL_H */

```

F.7 reldata_check.doit

```

#!/sbin/sh

set -x

sqlplus /NOLOG <<! >reldata_queries.out
connect tpch/tpch
@reldata_queries.sql
!

```

F.8 Refdata_check.ksh

```

#!/bin/ksh

#set -x

. $KIT_DIR/env

RANDOM=`cat seed`;

```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

```

echo seeded random number generator with `cat seed`;

```

```

ifs=$IFS
numlines=5
sql_output=reldata_queries.sql
correct_output=reldata_excerpt.txt

```

```

echo "" > $sql_output
echo "" > $correct_output

```

```

# function: getrandom
# usage: getrandom <min> <max>
# -----
function getrandom {

```

```

#set -x

```

```

min=$1
max=`expr $2 + 1`
diff=`expr $max - $min`
#rand=$[ $RANDOM % $diff ]
#rand=`expr $min + $rand`
rand2=$RANDOM
rand1=`expr $rand2 % $diff`
rand=`expr $min + $rand1`
}

```

```

# function: getlines
# usage: getlines <tablename> <key1> <keypos1> [<key2>
<keypos2>]
# -----
function getlines {

```

```

#set -x

```

```

table=$1

shift
#keys=($*)
keys_1=$*
#numkeys=${#keys[*]}
numkeys=$#

####
(( z = 0 ))
for k in $keys_1
do
    keys[$z]=$k
    echo "keys[$z] = ${keys[$z]}"
    (( z = $z + 1 ))
done

```

```

####

```

```

getrandom 1 `ls $REF_DATA_SET_DIR/${table}.* | wc -
l`

```

```

file=`ls $REF_DATA_SET_DIR/${table}.* | head -n
$rand | tail -n 1`

echo "### Stable ($file) ###"
#for ((i=1;i<=$numlines;i++)); do
(( i = 1 ))
while (( $i <= $numlines ))
do
IFS=$ifs
getrandom 1 `cat $file | wc -l`
line=`head -n $rand $file | tail -n 1`
echo $line >> $correct_output

IFS='|'; set $line
#line=($*)
line_1=$*

#####
#numlines=$#

(( z = 0 ))
for k in $line_1
do
line[$z]=$k
echo "line[$z] = ${line[$z]}"
(( z = $z + 1 ))
done

#####

#for ((k=0;k<$numkeys;k++)); do
(( k = 0 ))
while (( $k < $numkeys ))
do
if [ $k -eq 0 ]; then
#echo -n "SELECT $col_order FROM $table WHERE
" >> $sql_output
echo "SELECT $col_order FROM $table WHERE "
>> $sql_output
elif [ $k -gt 1 ]; then
#echo -n " AND " >> $sql_output
echo " AND " >> $sql_output
fi
(( v = $k + 1 ))
#echo -n "${keys[$k]}=${line[${keys[$v]}]}" >>
$sql_output
echo "${keys[$k]}=${line[${keys[$v]}]}" >>
$sql_output

###
#k=${$k + 1}
(( k = $k + 1 ))
###

(( k = $k + 1 ))
done
echo ";" >> $sql_output

(( i = $i + 1 ))

```

```

done
}
echo set linesize 500 >> $sql_output
echo set pagesize 500 >> $sql_output
echo set numwidth 30 >> $sql_output
echo spool refdata_queries >> $sql_output
echo " " >> $sql_output
echo " " >> $sql_output

col_order="l_orderkey,l_partkey,
l_suppkey,l_linenumber,l_quantity,l_extendedprice,l_discou
nt,l_tax,l_returnflag,l_linestatus,l_shipdate,l_commitdate,l_r
eceiptdate,l_shipinstruct,l_shipmode,l_comment"
getlines lineitem l_orderkey 0 l_linenumber 3
col_order="o_orderkey,
o_custkey,o_orderstatus,o_totalprice,o_orderdate,o_orderpri
ority,o_clerk,o_shippriority,o_comment"
getlines orders o_orderkey 0 o_custkey 1
col_order="c_custkey, c_name, c_address, c_nationkey,
c_phone, c_acctbal, c_mktsegment, c_comment"
getlines customer c_custkey 0
col_order="n_nationkey, n_name,n_regionkey,n_comment"
getlines nation n_nationkey 0
col_order="p_partkey,
p_name,p_mfgr,p_brand,p_type,p_size,p_container,p_retail
price,p_comment"
getlines part p_partkey 0
col_order="ps_partkey,ps_suppkey,ps_availqty,ps_supplyco
st,ps_comment"
getlines partsupp ps_partkey 0 ps_suppkey 1
col_order="r_regionkey, r_name,r_comment"
getlines region r_regionkey 0
col_order="s_suppkey,
s_name,s_address,s_nationkey,s_phone,s_acctbal,s_comme
nt"
getlines supplier s_suppkey 0

echo " " >> $sql_output
echo " " >> $sql_output
echo "spool off" >> $sql_output
echo "exit;" >> $sql_output

#sqlplus /NOLOG <<! >refdata_queries.out
#connect tpch/tpch
#@refdata_queries.sql
#!

```

F.9 refdata_check.ksh.refresh

```

#!/bin/ksh

set -x

. $KIT_DIR/env
REF_DATA_SET_DIR="$KIT_DIR/dbgen/reference/10TB
_REF/TPCH260_sf10000/UPD"

```

```
RANDOM=`cat seed`;
echo seeded random number generator with `cat seed`;
```

```
ifs=$IFS
numlines=5
grep_output=refdata_grep.sh.refresh
correct_output=refdata_excerpt.txt.refresh
```

```
echo "" > $correct_output
echo "#!/sbin/sh" > $grep_output
echo "set -x" >> $grep_output
echo "" >> $grep_output
```

```
# function: getrandom
# usage: getrandom <min> <max>
# -----
function getrandom {
```

```
set -x
```

```
min=$1
max=`expr $2 + 1`
diff=`expr $max - $min`
#rand=${RANDOM % $diff}
#rand=`expr $min + $rand`
rand2=$RANDOM
rand1=`expr $rand2 % $diff`
rand=`expr $min + $rand1`
}
```

```
# function: getlines
# usage: getlines <tablename>
# -----
function getlines {
```

```
set -x
```

```
table=$1

getrandom 1 `ls $REF_DATA_SET_DIR/${table}.* | wc -l`
file=`ls $REF_DATA_SET_DIR/${table}.* | head -n $rand | tail -n 1`
```

```
echo "### $table ($file) ###"
```

```
(( i = 1 ))
while (( $i <= $numlines ))
do
IFS=$ifs
getrandom 1 `cat $file | wc -l`
line=`head -n $rand $file | tail -n 1`
echo $line >> $correct_output
```

```
IFS='|'; set $line
#line=($*)
line_1=$*
```

```
####
#numlines=$#
(( z = 0 ))
for k in $line_1
do
line[$z]=$k
echo "line[$z] = ${line[$z]}"
(( z = $z + 1 ))
done
```

```
if [[ "${table}" != "delete" ]]
then
echo "grep \"${line[0]}$IFS${line[1]}$IFS${line[2]}\"
${table}.tbl.u1" >> $grep_output
else
echo "grep \"${line[0]}$IFS\" ${table}.1" >>
$grep_output
fi
```

```
(( i = $i + 1 ))
```

```
done
```

```
}
getlines lineitem
getlines orders
getlines delete
```

```
echo "" >> $grep_output
echo "exit" >> $grep_output
```

F.10 refdata_grep.sh.refresh

```
#!/sbin/sh
set -x
```

```
grep "15000012|403103482|28103487" lineitem.tbl.u1
grep "15000040|690842912|65842931" lineitem.tbl.u1
grep "15000045|1846048132|96048169" lineitem.tbl.u1
grep "15000046|202751408|77751415" lineitem.tbl.u1
grep "15000073|1314144932|64144959" lineitem.tbl.u1
grep "52200203|610113476|O" orders.tbl.u1
grep "52200488|193424294|F" orders.tbl.u1
grep "52200265|1422592958|F" orders.tbl.u1
grep "52200492|1312644700|O" orders.tbl.u1
grep "52200138|1008799484|F" orders.tbl.u1
grep "15000384|" delete.1
grep "15000231|" delete.1
grep "15000673|" delete.1
grep "15000677|" delete.1
grep "15000103|" delete.1
```

```
exit
```

F.11 refdata_queries.sql

```
set linesize 500
set pagesize 500
set numwidth 30
spool refdata_queries
```

```
SELECT l_orderkey,l_partkey,
l_supkey,l_linenumber,l_quantity,l_extendedprice,l_discount,l_tax,l_returnflag,l_linestatus,l_shipdate,l_commitdate,l_receiptdate,l_shipinstruct,l_shipmode,l_comment FROM
lineitem WHERE
l_orderkey='59999999943'
AND
l_linenumber='5'
;
SELECT l_orderkey,l_partkey,
l_supkey,l_linenumber,l_quantity,l_extendedprice,l_discount,l_tax,l_returnflag,l_linestatus,l_shipdate,l_commitdate,l_receiptdate,l_shipinstruct,l_shipmode,l_comment FROM
lineitem WHERE
l_orderkey='59999999975'
AND
l_linenumber='2'
;
SELECT l_orderkey,l_partkey,
l_supkey,l_linenumber,l_quantity,l_extendedprice,l_discount,l_tax,l_returnflag,l_linestatus,l_shipdate,l_commitdate,l_receiptdate,l_shipinstruct,l_shipmode,l_comment FROM
lineitem WHERE
l_orderkey='59999999941'
AND
l_linenumber='1'
;
SELECT l_orderkey,l_partkey,
l_supkey,l_linenumber,l_quantity,l_extendedprice,l_discount,l_tax,l_returnflag,l_linestatus,l_shipdate,l_commitdate,l_receiptdate,l_shipinstruct,l_shipmode,l_comment FROM
lineitem WHERE
l_orderkey='59999999910'
AND
l_linenumber='2'
;
SELECT l_orderkey,l_partkey,
l_supkey,l_linenumber,l_quantity,l_extendedprice,l_discount,l_tax,l_returnflag,l_linestatus,l_shipdate,l_commitdate,l_receiptdate,l_shipinstruct,l_shipmode,l_comment FROM
lineitem WHERE
l_orderkey='59999999906'
AND
l_linenumber='4'
;
SELECT o_orderkey,
o_custkey,o_orderstatus,o_totalprice,o_orderdate,o_orderpriority,o_clerk,o_shippriority,o_comment FROM orders
WHERE
o_orderkey='59999999589'
```

```
AND
o_custkey='1266668633'
;
SELECT o_orderkey,
o_custkey,o_orderstatus,o_totalprice,o_orderdate,o_orderpriority,o_clerk,o_shippriority,o_comment FROM orders
WHERE
o_orderkey='59999999680'
AND
o_custkey='1423542766'
;
SELECT o_orderkey,
o_custkey,o_orderstatus,o_totalprice,o_orderdate,o_orderpriority,o_clerk,o_shippriority,o_comment FROM orders
WHERE
o_orderkey='59999999651'
AND
o_custkey='949535431'
;
SELECT o_orderkey,
o_custkey,o_orderstatus,o_totalprice,o_orderdate,o_orderpriority,o_clerk,o_shippriority,o_comment FROM orders
WHERE
o_orderkey='59999999684'
AND
o_custkey='1254451397'
;
SELECT o_orderkey,
o_custkey,o_orderstatus,o_totalprice,o_orderdate,o_orderpriority,o_clerk,o_shippriority,o_comment FROM orders
WHERE
o_orderkey='59999999718'
AND
o_custkey='751186826'
;
SELECT c_custkey, c_name, c_address, c_nationkey,
c_phone, c_acctbal, c_mktsegment, c_comment FROM
customer WHERE
c_custkey='999999721'
;
SELECT c_custkey, c_name, c_address, c_nationkey,
c_phone, c_acctbal, c_mktsegment, c_comment FROM
customer WHERE
c_custkey='999999788'
;
SELECT c_custkey, c_name, c_address, c_nationkey,
c_phone, c_acctbal, c_mktsegment, c_comment FROM
customer WHERE
c_custkey='999999794'
;
SELECT c_custkey, c_name, c_address, c_nationkey,
c_phone, c_acctbal, c_mktsegment, c_comment FROM
customer WHERE
c_custkey='999999798'
;
SELECT c_custkey, c_name, c_address, c_nationkey,
c_phone, c_acctbal, c_mktsegment, c_comment FROM
customer WHERE
c_custkey='999999756'
```



```

;
SELECT n_nationkey, n_name,n_regionkey,n_comment
FROM nation WHERE
n_nationkey='0'
;
SELECT n_nationkey, n_name,n_regionkey,n_comment
FROM nation WHERE
n_nationkey='1'
;
SELECT n_nationkey, n_name,n_regionkey,n_comment
FROM nation WHERE
n_nationkey='23'
;
SELECT n_nationkey, n_name,n_regionkey,n_comment
FROM nation WHERE
n_nationkey='5'
;
SELECT n_nationkey, n_name,n_regionkey,n_comment
FROM nation WHERE
n_nationkey='14'
;
SELECT p_partkey,
p_name,p_mfgr,p_brand,p_type,p_size,p_container,p_retail
price,p_comment FROM part WHERE
p_partkey='199999790'
;
SELECT p_partkey,
p_name,p_mfgr,p_brand,p_type,p_size,p_container,p_retail
price,p_comment FROM part WHERE
p_partkey='199999709'
;
SELECT p_partkey,
p_name,p_mfgr,p_brand,p_type,p_size,p_container,p_retail
price,p_comment FROM part WHERE
p_partkey='199999767'
;
SELECT p_partkey,
p_name,p_mfgr,p_brand,p_type,p_size,p_container,p_retail
price,p_comment FROM part WHERE
p_partkey='199999727'
;
SELECT p_partkey,
p_name,p_mfgr,p_brand,p_type,p_size,p_container,p_retail
price,p_comment FROM part WHERE
p_partkey='199999709'
;
SELECT
ps_partkey,ps_suppkey,ps_availqty,ps_supplycost,ps_comm
ent FROM partsupp WHERE
ps_partkey='199999935'
AND
ps_suppkey='24999955'
;
SELECT
ps_partkey,ps_suppkey,ps_availqty,ps_supplycost,ps_comm
ent FROM partsupp WHERE
ps_partkey='199999937'
AND
ps_suppkey='74999995'

```

```

;
SELECT
ps_partkey,ps_suppkey,ps_availqty,ps_supplycost,ps_comm
ent FROM partsupp WHERE
ps_partkey='199999932'
AND
ps_suppkey='9999993'
;
SELECT
ps_partkey,ps_suppkey,ps_availqty,ps_supplycost,ps_comm
ent FROM partsupp WHERE
ps_partkey='199999945'
AND
ps_suppkey='24999965'
;
SELECT
ps_partkey,ps_suppkey,ps_availqty,ps_supplycost,ps_comm
ent FROM partsupp WHERE
ps_partkey='199999931'
AND
ps_suppkey='74999989'
;
SELECT r_regionkey, r_name,r_comment FROM region
WHERE
r_regionkey='1'
;
SELECT r_regionkey, r_name,r_comment FROM region
WHERE
r_regionkey='3'
;
SELECT r_regionkey, r_name,r_comment FROM region
WHERE
r_regionkey='3'
;
SELECT r_regionkey, r_name,r_comment FROM region
WHERE
r_regionkey='1'
;
SELECT r_regionkey, r_name,r_comment FROM region
WHERE
r_regionkey='0'
;
SELECT s_suppkey,
s_name,s_address,s_nationkey,s_phone,s_acctbal,s_comme
nt FROM supplier WHERE
s_suppkey='99999973'
;
SELECT s_suppkey,
s_name,s_address,s_nationkey,s_phone,s_acctbal,s_comme
nt FROM supplier WHERE
s_suppkey='99999977'
;
SELECT s_suppkey,
s_name,s_address,s_nationkey,s_phone,s_acctbal,s_comme
nt FROM supplier WHERE
s_suppkey='99999945'
;

```

```

SELECT s_suppkey,
s_name,s_address,s_nationkey,s_phone,s_acctbal,s_comme
nt FROM supplier WHERE
s_suppkey='99999966'
;
SELECT s_suppkey,
s_name,s_address,s_nationkey,s_phone,s_acctbal,s_comme
nt FROM supplier WHERE
s_suppkey='99999942'
;

spool off
exit;

```

F.12 ri_check.sql

```

set echo on
set numwidth 30
spool ri_check

select count(*) from partsupp left outer join part on
(ps_partkey=p_partkey) where p_partkey is null;

select count(*) from partsupp left outer join supplier on
(ps_suppkey=s_suppkey) where s_suppkey is null;

select count(*) from customer left outer join nation on
(c_nationkey=n_nationkey) where n_nationkey is null;

select count(*) from supplier left outer join nation on
(s_nationkey=n_nationkey) where n_nationkey is null;

select count(*) from region left outer join nation on
(r_regionkey=n_regionkey) where n_nationkey is null;

select count(*) from lineitem left outer join partsupp on
(l_partkey=ps_partkey and l_suppkey=ps_suppkey) where
ps_partkey is null and l_suppkey is null;

select count(*) from lineitem left outer join orders on
(l_orderkey=o_orderkey) where o_orderkey is null;

select count(*) from orders left outer join customer on
(o_custkey=c_custkey) where c_custkey is null;

spool off

exit;

```

F.13 runTPCHall

```

#!/bin/ksh

export ORACLE_SID=tpch

. $KIT_DIR/env

```

ECHO=echo

```

sqlplus=$ORACLE_HOME/bin/sqlplus
GTIME=${KIT_DIR}/utils/gtime

```

```
RUN_ID_FILE=${KIT_DIR}/audit/r_id
```

```

if [ ! -f $RUN_ID_FILE ]
then
echo "0" > $RUN_ID_FILE
fi

```

```

RUN_ID=`cat $RUN_ID_FILE`
RUN_ID=`expr $RUN_ID + 1`
echo $RUN_ID > $RUN_ID_FILE

```

```

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
if [ ! -d $OUT_DIR ]
then
mkdir $OUT_DIR
fi

```

```

SCRIPT_LOG_FILE=${OUT_DIR}/main.out
RDB_TABLES=${OUT_DIR}/rdbtablest
RI_CHECK=${OUT_DIR}/ri_check
FIRST_TEN=${OUT_DIR}/firstten

```

```

LD0LOADASM=${OUT_DIR}/Ld0loadasm
LD1DBCRE=${OUT_DIR}/Ld1dbcre
LD2SCTSO=${OUT_DIR}/Ld2sctso
LD3DAPOP=${OUT_DIR}/Ld3dapop
LD4IXCRE=${OUT_DIR}/Ld4ixcre
LD5ANLYZ=${OUT_DIR}/Ld5anlyz

```

```

echo Start TPC-H Benchmark SEQUENCE NUMBER:
$RUN_ID > $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE
echo "Starting a new Oracle log file:
$ORACLE_HOME/log/diag/rdbms/10tb/tpch/trace/alert_${
ORACLE_SID}.log" >> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

```

```

mv
$ORACLE_HOME/log/diag/rdbms/10tb/tpch/trace/alert_${
ORACLE_SID}.log
$ORACLE_HOME/log/diag/rdbms/10tb/tpch/trace/alert_${
ORACLE_SID}.log.preAudit.$RUN_ID
mv
$ORACLE_HOME/log/diag/asm/+asm/ASM/trace/alert_A
SM.log
$ORACLE_HOME/log/diag/asm/+asm/ASM/trace/alert_A
SM.log.preAudit.$RUN_ID
touch
$ORACLE_HOME/log/diag/rdbms/10tb/tpch/trace/alert_${
ORACLE_SID}.log

```

```
touch
$ORACLE_HOME/log/diag/asm/+asm/ASM/trace/alert_A
SM.log
```

```
echo "Start: load database `date`" >> $SCRIPT_LOG_FILE
loadasm > $LD0LOADASM
dbcre.sh > $LD1DBCRE
setso.sh > $LD2SCTSO
STIME=`$GTIME`
echo "Start: timed load portion `date`" >>
$SCRIPT_LOG_FILE
dapop.sh > $LD3DAPOP
ixcre.sh > $LD4IXCRE
anl.sh > $LD5ANLYZ
echo "End: timed load portion `date`" >>
$SCRIPT_LOG_FILE
```

```
$KIT_DIR/audit/gen_seed.sh $KIT_DIR/audit/seed
echo Generated seed: `cat $KIT_DIR/audit/seed` >>
$SCRIPT_LOG_FILE
```

```
echo "Start: ri_check.sql " >> $SCRIPT_LOG_FILE
$sqlplus ${DATABASE_USER}
@$KIT_DIR/audit/ri_check > ${RI_CHECK} 2>&1
refdata_check.ksh
refdata_check.do_it
```

```
echo "Start: dbtables.sql and count.sql" >>
$SCRIPT_LOG_FILE
$sqlplus ${DATABASE_USER}
@$KIT_DIR/audit/dbtables > ${RDB_TABLES} 2>&1
$sqlplus ${DATABASE_USER}
@$KIT_DIR/audit/firstten > ${FIRST_TEN} 2>&1
echo "End: dbtables.sql and count.sql `date`" >>
$SCRIPT_LOG_FILE
```

```
runTPCHpt ${SCALE_FACTOR} 1 ${RUN_ID}
```

```
/dbms/oracle10i/frame/bin/tshut
/dbms/oracle10i/frame/bin/tshut.asm
/dbms/oracle10i/frame/bin/tstart.asm
/dbms/oracle10i/frame/bin/tstart
```

```
runTPCHpt ${SCALE_FACTOR} 2 ${RUN_ID}
```

```
sleep 600
# call the auditor: don't tshut >> $SCRIPT_LOG_FILE
# do reference data check for updates
#refdata_check.ksh.refresh
#refdata_grep.sh.refresh
```

```
cp
$ORACLE_HOME/log/diag/rdbms/10tb/tpch/trace/alert_${
ORACLE_SID}.log $OUT_DIR
```

```
echo "End TPC-H Benchmark SEQUENCE NUMBER:
$RUN_ID `date`" >> $SCRIPT_LOG_FILE
```

F.14 runTPCHpt

```
#!/bin/ksh
. $KIT_DIR/env
#set -x
#ECHO=/bin/echo
SCRIPT_DIR=${KIT_DIR}/scripts
UPD_DIR=${KIT_DIR}/update
SRC_DIR=${KIT_DIR}/utils
QRY_DIR=${KIT_DIR}/queries # this is the location of the
query template file
QGEN_DIR=${KIT_DIR}/dbgen
QGEN=${QGEN_DIR}/qgen
QEXEC=${SRC_DIR}
```

```
DSS_QUERY=${KIT_DIR}/queries
export DSS_QUERY
```

```
UPD_SQL=${UPD_DIR}/sql
UPD_SPT=${UPD_DIR}/scripts
UPD_SRC=${UPD_DIR}/source
UPD_DAT=${UPD_DIR}/data
```

```
TPCD_BIN=${KIT_DIR}/audit/bin
```

```
GTIME=${SRC_DIR}/gtime
SEED_FILE=${KIT_DIR}/audit/seed
```

```
DF=/dev/null
HID=1
INTERVAL=60
COUNT=1200
```

```
# The defaults
```

```
QPROG=${QEXEC}/qexec
```

```
usage () {
```

```
echo " "
echo "Usage: $0 [-p <program for query stream>] [-u1
<program for UF1>]"
echo "          [-u2 <program for UF2>] [-o] [-s] [-h] [-u
<user/password>]"
echo "          <scale factor> <run_number>"
echo ""
echo "scale factor    : The scale factor of the run."
echo "update ||ism    : The parallelism to use for the UFs."
echo ""
echo "-p <program>    : Program for Query Stream."
echo "          Default is $QPROG."
echo "-u1 <program>   : Program for UF1."
echo "          Default is $U1PROG."
echo "-u2 <program>   : Program for UF2."
echo "          Default is $U2PROG."
echo "-o              : Collect Oracle statistics."
echo "-s              : Collect System statistics."
echo "-u <user/passwd> : User/Password. Default is
tpch/tpch."
```

```

echo "-h          : Displays this message."
}
set -- `getopt "p:u1:u2:osu:h" "$@"` || usage

while :
do
  case "$1" in
    -u1) shift; U1PROG=$1;;
    -u2) shift; U2PROG=$1;;
    -p) shift; QPROG=$1;;
    # not needed ? -o) OSTAT=1;;
    # not needed ? -s) SSTAT=1;;
    -h) usage; exit 0;;
    --) shift; break;;
    esac
  shift;
done

if [ "$#" -ne "3" ]
then
  usage
  exit 1
fi

SF=$1
PARA=$2
RUN_ID=$3

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
if [ ! -d $OUT_DIR ]
then
  mkdir $OUT_DIR
fi

TPCD_LOG=${OUT_DIR}
TPCD_RPT=${OUT_DIR}
OUT=${OUT_DIR}

let UF_SET="($PARA-1)*($NUM_STREAMS+1)+1"
START_SET=1
let STOP_SET=$NUM_STREAMS
let START_SET_UPDATE="($PARA-1)*($NUM_STREAMS+1)+2"
let
STOP_SET_UPDATE="$START_SET_UPDATE+$NUM_STREAMS-1"

TPCD_LOG_FILE=${TPCD_LOG}/m${PARA}s0
TPCD_RPT_FILE=${TPCD_RPT}/m${PARA}s0inter
QRY_FILE=${TPCD_RPT}/qtemp.${PARA}s0
QUERY_PARAMETER=${TPCD_LOG}/qp${PARA}.0
SCRIPT_LOG_FILE=${TPCD_LOG}/m${PARA}timing
UF1_LOG=${TPCD_LOG}/m${PARA}s0rf1
UF2_LOG=${TPCD_LOG}/m${PARA}s0rf2
STREAM_COUNT_LOG=${TPCD_LOG}/m${PARA}tstr
cnt

```

```

echo "TPC-H Test - RUN:${PARA}
SEQUENCE:${RUN_ID} `date`" > $SCRIPT_LOG_FILE
echo "TPC-H Test - RUN:${PARA}
SEQUENCE:${RUN_ID} `date`" > $TPCD_RPT_FILE
echo "Generates query template file with seed: `cat
$SEED_FILE` for stream 0" >> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

${QGEN} -c -r `cat $SEED_FILE` -p 0 -s ${SF} -l
$QUERY_PARAMETER > ${QRY_FILE}

START=`$GTIME`
echo "Start Power Test - RUN:${PARA}
SEQUENCE:${RUN_ID} Execution Starts $START,
`date`" >> $SCRIPT_LOG_FILE
echo "" >> $SCRIPT_LOG_FILE

# Execute UF1

SDATE=`date`
UF1_START=`$GTIME`
echo "Start UF1 $UF1_START, `date`" >>
$SCRIPT_LOG_FILE

${ECHO} ${UPD_SPT}/runuf1.sh ${UF_SET} >>
$UF1_LOG 2>&1
# Execute Query Stream

UF1_END=`$GTIME`
E1DATE=`date`

UF1_TIME=`echo $UF1_END - $UF1_START | bc`
echo UF1: Execution Time: $UF1_TIME >>
${TPCD_RPT_FILE}
echo Start Time: $UF1_START, $SDATE >>
${TPCD_RPT_FILE}
echo End Time: $UF1_END, $E1DATE >>
${TPCD_RPT_FILE}
echo "" >> ${TPCD_RPT_FILE}

echo "End UF1 $UF1_END, ${E1DATE}" >>
$SCRIPT_LOG_FILE
echo UF1: Execution Time: $UF1_TIME >>
$SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

echo "Start Query Part `$GTIME`, `date`" >>
$SCRIPT_LOG_FILE

${QPROG} ${DATABASE_USER} q${QRY_FILE}
l${TPCD_LOG_FILE} r${TPCD_RPT_FILE} > $DF
2>&1

# Execute UF2

UF2_START=`$GTIME`
E2DATE=`date`

```

```

echo "End Query Part ` $GTIME`, ${E2DATE}" >>
$SCRIPT_LOG_FILE
echo "" >> $SCRIPT_LOG_FILE

echo "Start UF2 $UF2_START, `date`" >>
$SCRIPT_LOG_FILE
${ECHO} ${UPD_SPT}/runuf2.sh ${UF_SET} >>
$UF2_LOG 2>&1
UF2_END=` $GTIME`
END=` $GTIME`
EDATE=`date`

UF2_TIME=`echo $UF2_END - $UF2_START | bc`
echo UF2: Execution Time: $UF2_TIME >>
${TPCD_RPT_FILE}
echo Start Time: $UF2_START, $E2DATE >>
${TPCD_RPT_FILE}
echo End Time: $UF2_END, $EDATE >>
${TPCD_RPT_FILE}

echo "End UF2 $UF2_END, $EDATE" >>
$SCRIPT_LOG_FILE
echo UF2: Execution Time: $UF2_TIME >>
$SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

echo "End TPC-H Power Test - RUN:${PARA}
SEQUENCE:${RUN_ID}, $END, $EDATE" >>
$SCRIPT_LOG_FILE
MEA_INT=`echo $END - $START | bc`
echo "Elapsed Time for TPC-H Power Test -
RUN:${PARA} SEQUENCE:${RUN_ID} is $MEA_INT"
>> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

# ${KIT_DIR}/audit/abridge.pl ${TPCD_LOG_FILE}

i=$START_SET
PSEED=`cat $SEED_FILE`

while [ $i -le $STOP_SET ]; do

TPCD_LOG_FILE=${TPCD_LOG}/mt${RUN_ID}_${i}.l
og

TPCD_RPT_FILE=${TPCD_RPT}/mt${RUN_ID}_${i}.rp
t

    QUERY_PARAMETER=${TPCD_LOG}/qp${PARA}
    ${i}
    QRY_FILE=${TPCD_RPT}/qtemp.${PARA}s${i}

    PSEED=`expr $PSEED + 1`
    ${QGEN} -c -r ${PSEED} -p ${i} -s ${SF} -l
    $QUERY_PARAMETER > ${QRY_FILE}

    i=`expr $i + 1`
done

```

```

TH_START_D=`date`
TH_START_T=` $GTIME`
echo >> $SCRIPT_LOG_FILE

rm -f /tmp/th_pipe1
mknod /tmp/th_pipe1 p
rm -f /tmp/th_pipe2
mknod /tmp/th_pipe2 p
i=$START_SET

echo "Start Throughput Test - RUN:${PARA}
SEQUENCE:${RUN_ID} $TH_START_T,
$TH_START_D" >> $SCRIPT_LOG_FILE

# starts a script to count the streams during the throughput
run
(scnt.sh $PARA $RUN_ID > $STREAM_COUNT_LOG
&)

while [ $i -le $STOP_SET ]; do
    M_SDATE=`date`
    M_STIME=` $GTIME`
    TPCD_LOG_FILE=${TPCD_LOG}/m${PARA}s
    ${i}
    TPCD_RPT_FILE=${TPCD_RPT}/m${PARA}s$
    {i}inter
    echo "Start Query Stream $i $M_STIME, ${M_SDATE}"
    >> $SCRIPT_LOG_FILE
    QRY_FILE=${TPCD_RPT}/qtemp.${PARA}s${i}
}
    ${QPROG} ${DATABASE_USER} q${QRY_FILE}
    l${TPCD_LOG_FILE} r${TPCD_RPT_FILE} | grep -v
    "Connected to ORACLE" >> $SCRIPT_LOG_FILE &
    i=`expr $i + 1`
done

(${KIT_DIR}/audit/runTPCHus $RUN_ID
$START_SET_UPDATE $STOP_SET_UPDATE ${SF}
$PARA >> $SCRIPT_LOG_FILE 2>&1 &)

wait
THQ_END_T=` $GTIME`
THQ_END_D=`date`
echo End all Query Streams $THQ_END_T,
$THQ_END_D >> $SCRIPT_LOG_FILE
print > /tmp/th_pipe1
read < /tmp/th_pipe2

TH_END_D=`date`
TH_END_T=` $GTIME`
echo End Update Stream ${TH_END_T}, ${TH_END_D}
>> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE
echo "End Throughput Test ${TH_END_T},
${TH_END_D}" >> $SCRIPT_LOG_FILE
echo Execution Time Throughput Test: `echo
${TH_END_T} - ${TH_START_T} | bc` >>
$SCRIPT_LOG_FILE

```

```

i=$START_SET
while [ $i -le $STOP_SET ]; do
    TPCD_LOG_FILE=${TPCD_LOG}/m${PARA}s
    ${i}
    #${KIT_DIR}/audit/abridge.pl ${TPCD_LOG_FILE}
    i=`expr $i + 1`
done
PIDS=`ps -fu oracle | grep scnt.sh | grep -v grep | awk '{print $2}'`
kill -9 $PIDS
#calculate the metric
#analyze_streams.pl -f p -n $RUN_ID >
${TPCD_RPT}/tpch_metric.${RUN_ID}.${HID}.rpt

```

F.15 runTPCHus

```

#!/bin/ksh
. $KIT_DIR/env

SCRIPT_DIR=${KIT_DIR}/scripts
SQL_DIR=${KIT_DIR}/sql
UPD_DIR=${KIT_DIR}/update
UPD_SPT=${UPD_DIR}/scripts
SRC_DIR=${KIT_DIR}/utils
QRY_DIR=${KIT_DIR}/queries # this is the location of the
query template file
QGEN_DIR=${KIT_DIR}/dbgen
QGEN=${QGEN_DIR}/qgen

DSS_QUERY=${KIT_DIR}/queries
export DSS_QUERY

RUN_ID=$1
START_SET_UPDATE=$2
STOP_SET_UPDATE=$3
SF=$4
PARA=$5

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
if [ ! -d $OUT_DIR ]
then
    mkdir $OUT_DIR
fi

TPCD_RPT=$OUT_DIR
SCRIPT_LOG_FILE=${OUT_DIR}/m${PARA}timing
OUT=$OUT_DIR

GTIME=${SRC_DIR}/gtime
HID=1

START=`$GTIME`
echo "Start Update Stream $START, `date`" >>
$SCRIPT_LOG_FILE
echo "" >> $SCRIPT_LOG_FILE

```

```

#waiting for all the query streams to finish first
read < /tmp/th_pipe1

```

```

i=$START_SET_UPDATE
j=1
while [ $i -le $STOP_SET_UPDATE ]; do

    # Execute UF1

    UF1_LOG=${OUT_DIR}/m${PARA}s${j}rf1
    UF2_LOG=${OUT_DIR}/m${PARA}s${j}rf2
    RPT_FILE=${OUT_DIR}/m${PARA}s${j}inter

    SDATE=`date`
    UF1_START=`$GTIME`
        echo "Start UF1-${j} at ${UF1_START},
    ${SDATE}" >> ${RPT_FILE}

    ${UPD_SPT}/runuf1.sh ${i} >> ${UF1_LOG} 2>&1
    UF1_END=`$GTIME`
        EDATE=`date`
        echo "End UF1-${j} at ${UF1_END}, ${EDATE}" >>
    ${RPT_FILE}
        echo UF1-${j} Execution Time: `echo
    ${UF1_END} - ${UF1_START} | bc` >> ${RPT_FILE}

    # Execute UF2

    SDATE=`date`
    UF2_START=`$GTIME`
        echo "Start UF2-${j} ${UF2_START}, ${SDATE}" >>
    ${RPT_FILE}

    ${UPD_SPT}/runuf2.sh ${i} >> ${UF2_LOG} 2>&1
    UF2_END=`$GTIME`
        EDATE=`date`
        echo "End UF2-${j} at $UF2_END, ${EDATE}" >>
    ${RPT_FILE}
        echo UF2-${j} Execution Time: `echo
    ${UF2_END} - ${UF2_START} | bc` >> ${RPT_FILE}

    i=`expr $i + 1`
    j=`expr $j + 1`
done

print > /tmp/th_pipe2

```

F.16 runuf1.sh

```

#!/bin/ksh
#
# $Header: runuf1.sh 25-oct-2001.15:56:04 mpoess Exp $
#
# runuf1.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation. All rights
reserved.
#

```

```

# NAME
#   runuf1.sh - <one-line expansion of the name>
#
# DESCRIPTION
#   runuf1.sh -l [<path name for reports>] -u
#   [<uid/passwd>]
#   -p [<program>] <run_id> <scale factor> <pair
#   number>
#   <parallelism>
# USAGE
#   To execute UF1.
#
# NOTES
#   <other useful comments, qualifications, etc.>
#
# MODIFIED (MM/DD/YY)
#
#
. $KIT_DIR/env
O=${ORACLE_HOME}
UPDATE_DIR=${KIT_DIR}/update
SCRIPT_DIR=${UPDATE_DIR}/scripts
UTILS_DIR=${KIT_DIR}/utils
LOG_DIR=${UPDATE_DIR}/log
GTIME=${UTILS_DIR}/gtime
SF=${SCALE_FACTOR}
PAR_HINT=${UPDATE_1_DOP}

LOGPATH=.
PASSWD=${DATABASE_USER}

if [ $# -lt 1 ];
then
    echo runuf1.sh setnum
    exit 1
fi
SETNUM=$1
i=1
PID=""

# perform the update function 1

START=`$GTIME`

# first create the temp tables

sqlplus /NOLOG << !

connect $PASSWD;
set timing on
set serveroutput on
set echo on

drop directory data_dir;
create directory data_dir as '/flat15/updates';

drop table temp_1_et;
create table temp_1_et(
    l_orderkey      number ,

```

```

    l_partkey       number ,
    l_suppkey       number ,
    l_linenumbers   number ,
    l_quantity      number ,
    l_extendedprice number ,
    l_discount      number ,
    l_tax           number ,
    l_returnflag    char(1) ,
    l_linestatus    char(1) ,
    l_shipdate      date ,
    l_commitdate    date ,
    l_receiptdate   date ,
    l_shipinstruct  char(25) ,
    l_shipmode      char(10) ,
    l_comment       varchar(44)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    nobadfile
    nologfile
    fields terminated by '|'
    missing field values are null
)
location (
'lineitem.tbl.u${SETNUM}'
))
reject limit unlimited parallel ${PAR_HINT};

drop table temp_o_et;
create table temp_o_et(
    o_orderkey      number ,
    o_custkey       number ,
    o_orderstatus   char(1) ,
    o_totalprice    number ,
    o_orderdate     date ,
    o_orderpriority char(15) ,
    o_clerk         char(15) ,
    o_shippriority  number ,
    o_comment       varchar(79)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
    records delimited by newline
    nobadfile
    nologfile
    fields terminated by '|'
    missing field values are null
)
location (
'orders.tbl.u${SETNUM}'
))
reject limit unlimited parallel ${PAR_HINT};

```

```
alter session force parallel dml parallel (degree
${PAR_HINT});
alter session set isolation_level = serializable;
alter session set optimizer_index_cost_adj=10;
```

```
insert into orders
select
  o_orderdate      ,
  o_orderkey       ,
  o_custkey        ,
  o_orderpriority  ,
  o_shippriority   ,
  o_clerk          ,
  o_orderstatus    ,
  o_totalprice     ,
  o_comment
from temp_o_et;
```

```
insert into lineitem
select
  l_shipdate      ,
  l_orderkey      ,
  l_discount      ,
  l_extendedprice ,
  l_suppkey       ,
  l_quantity      ,
  l_returnflag    ,
  l_partkey       ,
  l_linestatus    ,
  l_tax          ,
  l_commitdate    ,
  l_receiptdate  ,
  l_shipmode      ,
  l_linenumbr     ,
  l_shipinstruct ,
  l_comment
from temp_l_et;
```

```
commit;
```

```
rem drop table temp_l_et;
rem drop table temp_o_et;
```

```
exit;
!
```

```
END=`$GTIME`
```

```
# Done
```

```
echo ""
echo "Update Function 1 Set $SETNUM done!"
echo "Elapsed Time is `echo $END - $START | bc`"
echo ""
```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

F.17 runuf2.sh

```
#!/bin/ksh
#
# $Header: runuf2.sh 25-oct-2001.15:56:05 mpoess Exp $
#
# runuf2.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation. All rights
reserved.
#
# NAME
#   runuf2.sh - <one-line expansion of the name>
#
# DESCRIPTION
#   runuf2.sh [-u <uid/passwd to login>] [-p <program>]
<run_id>
#       <scale factor> <pair number> <parallelism>
# USAGE
#   To execute UF2.
#
# NOTES
#   <other useful comments, qualifications, etc.>
#
#
. $KIT_DIR/env
UPDATE_DIR=${KIT_DIR}/update
SCRIPT_DIR=${UPDATE_DIR}/scripts
UTILS_DIR=${KIT_DIR}/utils
GTIME=${UTILS_DIR}/gtime
LOG_DIR=${UPDATE_DIR}/log
PAR_HINT=${UPDATE_2_DOP}
SF=${SCALE_FACTOR}
PASSWORD=${DATABASE_USER}

if [ $# -lt 1 ]
then
  usage
  exit 1
fi
```

```
SETNUM=$1
```

```
i=1
PID=""
```

```
START=`$GTIME`
# first create the temp tables
```

```
sqlplus /NOLOG << !
```

```
connect $PASSWORD;
set timing on
set serveroutput on
set echo on
```

```
drop directory data_dir;
```



```

create directory data_dir as '/flat15/updates';

drop table temp_okey_et;
drop table temp_okey;

create table temp_okey_et(
  t_orderkey      number
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
  records delimited by newline
  nobadfile
  nologfile
  fields terminated by '|'
  missing field values are null
)
location (
'delete.${SETNUM}'))
reject limit unlimited parallel 16;

create table temp_okey (t_orderkey, constraint tokey1
primary key(t_orderkey))
organization index parallel 16 nologging as select * from
temp_okey_et;
execute dbms_stats.gather_table_stats('tpch', 'temp_okey',
estimate_percent => 1, degree => 16)

alter session force parallel dml parallel ${PAR_HINT};
alter session set isolation_level=serializable;
alter session set optimizer_index_cost_adj=1;
rem alter session set "_px_trace" = high, tq, execution, time;
rem alter session set events '14525 trace name context
forever, level 4';

delete from (select /*+ use_nl(t o) */ o.rowid from orders o,
temp_okey t where o.o_orderkey = t.t_orderkey order by 1);

delete from (select /*+ use_nl(l) */ l.rowid from lineitem
l,temp_okey t where l.l_orderkey = t.t_orderkey order by 1);

commit;
rem select DFO_NUMBER, tq_id, SERVER_TYPE,
NUM_ROWS, INSTANCE, PROCESS
rem from V\${PQ_TQSTAT} order by 1,2,3,5,6;

drop table temp_okey;
drop table temp_okey_et;
exit;
!

END=`$GTIME`

```

TPC Benchmark H™ Full Disclosure Report for HP Integrity Superdome - Itanium/1.6 GHz/18MB iL3 - 64p/128c - March 10, 2008

```

# Done

echo ""
echo "Update Function 2 Set $SETNUM done!"
echo "Elapsed Time is `echo $END - $START | bc`"
echo ""

```

F.18 scnt.sh

```

#!/bin/ksh

echo Process count for TPC-H RUN:$1 SEQUENCE:$2
while [ 1 = 1 ]; do
  cnt=`ps -ef | egrep "qexec|runTPCHus" | grep -v grep | wc -l`
  echo
  echo `date` : $cnt
  ps -ef | egrep "qexec|runTPCHus" | grep -v grep
  sleep 30
done

```

F.19 set_queue

```

#!/sbin/sh

#set -x

#
# set queue_depth
#

for i in `ls -l /dev/rdisk/*`
do
  #scsimgr set_attr -C disk -I $i -a max_q_depth=128
  #scsimgr set_attr -D $i -a max_q_depth=128
  scsimgr set_attr -D $i -a max_q_depth=128 > /dev/null
2>&1
done

exit

```

F.20 tshut

```

#!/bin/ksh

export ORACLE_SID=$ORACLE_SID

if [ "$1" = "abort" ]; then
sqlplus /NOLOG<< !
connect / as sysdba
shutdown abort

```

```
exit
!  
else  
sqlplus /NOLOG<< !  
connect / as sysdba  
shutdown abort  
exit  
!  
fi  
  
sleep 5  
  
exit
```

F.21 tshut.asm

```
#!/bin/ksh  
  
export ORACLE_SID=ASM  
  
sqlplus /NOLOG<< !  
connect / as sysdba;  
shutdown normal;  
exit  
!  
  
sleep 5  
  
exit
```

F.22 tstart

```
#!/bin/ksh  
  
export ORACLE_SID=$ORACLE_SID  
  
sqlplus /NOLOG << !  
connect / as sysdba  
startup pfile=$O/dbs/10TB_init.ora  
!  
sleep 5  
/Lvm/set_queue;  
exit
```

F.23 tstart.asm

```
#!/bin/ksh  
  
export ORACLE_SID=ASM  
  
sqlplus /NOLOG <<!  
connect / as sysdba  
startup pfile=/oracle/dbs/initasm.ora mount  
!  
  
exit
```

Appendix G Price Quotes

Sharada Bose
Performance Manager BCS
Hewlett-Packard
Pruneridge Avenue, MS4105
Cupertino, CA 95014
March 10, 2008



HP Unix Sales Development
19111 Pruneridge Avenue
Cupertino, CA 950014
(408) 447-2320

Description	Part Number	Reference Price	Qty	Extended Price	3 yr Maint Price	
Server Hardware						
Superdome left chassis	A9834A, Opt 429	235,950	1	235,950		
Superdome right chassis	A9835A, Opt 429	249,950	1	249,950		
Superdome sx2000 Cell Board	A9837A	19,250	16	308,000		
24x7x4hr - 3 Year Svc & Support Price (Hardware and Software)					1,256,004	
256GB Memory Bundle (128x2GB dimms)	A9856A	611,950	2	1,223,900		
12-Slot PCI-X I/O Chassis	A9836A	16,950	16	271,200		
Dual-Core Intel Itanium 9140N/1.6GHz/18MB L3	AD371A	23,000	64	1,472,000		
PCI-X 2 port 1000Base-SX Gigabit Adapter	A7011A	1,995	1	1,995		
PCI-X 4GB Fibre Channel Adapter (dual port)	AB379B	3,495	128	447,360		
PCI Dual Channel Ultra320 SCSI Adapter	A7173A	795	1	795		
HPDisk System 2120	A7382A	995	1	995		
1-36GB LP 15K HDD	A7527A	966	4	3,864		
HP Universal Rack 10642 G2 Pallet Rack	AF001A	1,249	1	1,249		
200-240 volt Modular Power Distribution Unit	252663-B24	299	1	299		
HP Tape Array 5300 (DVD and DAT tape)	C7508B	729	1	729		
HP DVD + RW Array Field Module	Q1592B	649	1	649		
HP rx2620 Server (inc mem/disk/monitor/keyboard/mouse)	AB333A	5,315	1	5,315		
I/O Chassis Enclosure for 12-Slot PCI-X Chassis	A9852A	25,750	4	103,000		
Graphite I/O expansion power subsystem	A5861D	34,860	2	69,720		
				Subtotal	4,396,970	1,256,004
Server Software						
HP-UX 11i v3 Foundation Operating Environment	B9429AC	2,370	128	303,360		
HP-UX 11i v3 HP9000/Integrity FOE Media	BA489AA, Opt AJR	565	1	565		
				Subtotal	303,925	0
Storage						
5m Fibre Channel Cables	221692-B22	82	256	20,992		
HP StorageWorks MSA 1000 (256 + 26 spares)	201723-B22	6,499	282	1,832,718		
3 Yr Support Price for MSA1000 and disks					Included	
146GB 15K Ultra320 Hard Drive (3072 + 308 spares)	347708- B22	509	3,380	1,720,420		
HP Universal Rack 10642 G2 Pallet Rack	AF001A	1,249	28	34,972		
200-240 volt Modular Power Distribution Unit	252663-B24	299	112	33,488		
ProLiant Cluster HA/200 for MSA1000	252409-B22	4,007	1	4,007		
				Subtotal	3,646,597	0
				Total	8,347,492	1,256,004
46.0 % Large Configuration Discount and Support Prepayment*					(3,741,860)	(678,242)
				Grand Total	4,605,632	577,762
				3-yr Cost of Ownership:		5,183,394

*All discounts are based on US list prices and for similar quantities and configurations

From: MaryBeth Pierantoni [<mailto:mary.beth.pierantoni@oracle.com>]
 Sent: Monday, March 03, 2008 5:26 PM
 To: Shirley, John David
 Subject: Oracle Pricing

Product	Price	Qty	Extended Price
Oracle Database 11g Enterprise Edition, Named User Plus for 3 years	\$10,000	64*	\$640,000
Partitioning, Named User Plus for 3 years	\$2,500	64*	\$160,000
Database Server Support Package for 3 years	\$6,000	1	\$6,000
Oracle Mandatory E-Business Discount			<\$161,200>
Oracle TOTAL			\$644,800

(* 64 = 0.50 * 128). Explanation: For the purposes of counting the number of processors which require licensing, an Intel multicore chip with "n" cores shall be determined by multiplying "n" cores by a factor of 0.50).

Contact: MaryBeth Pierantoni, mary.beth.pierantoni@oracle.com, 916-315-5081