

---

***HP AlphaServer ES45 Model 68/1000  
Using  
HP Tru64 UNIX V5.1A/IPK  
Oracle9i Database Enterprise Edition Release 2 with Real  
Application Clusters***

**TPC Benchmark™ H  
Full Disclosure Report**

**November 18, 2002**



**i n v e n t**

**ORACLE®**

Revised Edition – November 18, 2002

Hewlett Packard as the Sponsor of this benchmark test, believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. The Sponsor assumes no responsibility for any errors that may appear in this document.

The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, the Sponsor provides no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary as a result of these and other factors. Therefore, the TPC Benchmark H should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report was obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. No warranty of system performance or price/performance is expressed or implied in this report.

© Hewlett Packard 2002.

All rights reserved. Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text or on the title page of each item reproduced.

AlphaServer, Tru64 UNIX and the Hewlett Packard logo are registered trademarks of Hewlett Packard Company.

Oracle9i and the Oracle logo are trademarks of Oracle Corporation.

TPC Benchmark, is a trademark of the Transaction Processing Performance Council.

All other brand or product names mentioned herein must be considered trademarks or registered trademarks of their respective owners.




# HP AlphaServer ES45 Cluster Using Oracle9i Release 2 with Real Application Clusters

TPC-H Rev. 2.0

Report Date:  
November 18, 2002

Total System Cost		Composite Query per Hour Metric		Price / Performance	
<b>\$2,390,963</b>		<b>5976.7</b> QphH@300GB		<b>\$400.05</b> \$/QphH@300GB	
Database Size	Database Manager	Operating System	Other Software	Availability Date	
300GB	Oracle9i Enterprise Edition Release 2 with Real Application Clusters	HP Tru64 UNIX V5.1A/IPK	None	June 1, 2002	



Database Load Time = 2:04:44	Load Included Backup: N	Total Data Storage / Database Size = 36.01
RAID (Base tables only): N	RAID (Base tables and auxiliary data structures): N	RAID (All): Y

**System Configuration:** (4 Node Cluster Aggregate)  
**Processors:** 16 Alpha EV 68/1000 MHz CPUs with 8 MB cache  
**Memory:** 128 GB memory  
**Disks:** 640 Drives  
**Total Disk Storage:** 10,803.52 GB



## HP AlphaServer ES45 Cluster Using Oracle9i Release 2 with Real Application Clusters

TPC-H Rev. 2.0

Report Date:  
November 18, 2002

Description	Part Number	Third Party Brand	Unit Price	Qty	Extended Price	3 yr. Maint. Price
<b>Server Hardware</b>						
Compaq AS ES45 68/1000 M2 4GB Unix	DA-68DAA-DA	1	42,992	4	171,968	71,584
ES45 Tower Enclosure	BA61M-CT	1	275	4	1,100	Inc.
ES45 68/1000 SMP CPU Unix	KN610-DB	1	8,800	12	105,600	Inc.
ES45 4GB Memory Option	MS620-DA	1	14,643	28	410,004	Inc.
Optional Power Supply, Self Sensing	H7906-A9	1	688	4	2,752	Inc.
18.2GB 10K RPM Ultra3 SCSI	3R-A0585-AA	1	341	13	4,433	Inc.
Power Cord	BN18J-1K	1	7	8	56	Inc.
SCSI Drive Cage, 6 Slot	BA610-6D	1	413	4	1,652	Inc.
1 CH Wide Ultra-2 (LVD) Adapter	3X-KZPCA-AA	1	175	4	700	Inc.
PCI to Dual-Prt FE TX NIC	3X-DE602-AA	1	208	4	832	Inc.
Memory Channel Hub (w/4 line cards)	CCMHB-AA	1	5,386	1	5,386	Inc.
PCI MC2 Controller	CCMAB-AA	1	1,645	4	6,580	Inc.
10 Meter Cable for MC2	BN39B-10	1	231	4	924	Inc.
64 Bit FC HBA T64/VMS	DS-KGPSA-CA	1	1,869	16	29,904	Inc.
D Shelf 180W 1Doc BLW Metric Blue	DS-BA356-JD	1	778	2	1,556	Inc.
PCI to UltraSCSI Adapter UW SE	KZPBA-CA	1	253	2	506	Inc.
Ultra 68VHD 3M Cable Assembly	BN37A-03	1	77	2	154	Inc.
VT510;White; North Amer; No key	VT510-AA	1	336	4	1,344	0
US/CANADA W95 KYBD WHIT	PCXLA-NA	1	14	4	56	0
<b>Subtotal</b>					<b>745,507</b>	<b>71,584</b>
<b>STORAGE:</b>						
USA Model 914 Storage Shelf	DS-SWXEB-AA	1	39,267	8	314,136	127,080
Controller w/o ECB Cable Kit	DS-HSG80-BK	1	7,440	48	357,120	Inc.
16-Port SAN Switch	DS-DSGGB-AB	1	15,675	2	31,350	Inc.
Short-Wave Optical GBICs	DS-DXGGA-SA	1	204	32	6,528	Inc.
Model 2200 ECB	DS-SE2CS-CB	1	312	48	14,976	Inc.
Fibre Channel Cables	BNGBX-30	1	208	64	13,312	Inc.
12/24gb 4MM Dat 5.25 Tape Drive	TLZ10-LB	1	376	4	1,504	3,448
9.1GB 7200RPM Disk**	DS-RZ1DA-VW	1	358	6	2,148	Spared
18.2GB 10K RPM Ultra3 SCSI	3R-A0585-AA	1	341	634	216,194	Spared
<b>Subtotal</b>					<b>957,268</b>	<b>130,528</b>
<b>Software</b>						
3YR, AS ES40/45 UNIX BRNZ24X7	FM-E4W US-36	1	1,896	4		7,584
3YR Digital Unix O/S & LP	FM-CDDST-36	1	6,765	4		27,060
TRU64 UNIX AlphaCDROM	QA-MT4AA-H8	1	248	4	992	
3YR AS ES45 UNIX SMP	FM-62USM-36	1	214	12		2,568
3YR 7X24 HS*80 Platform SW	FM-PLAT2-36	1	414	48		19,872
HSG80 ACSsf All Lic/PCRM Pkg	QB-6BUAA-SB	1	3,850	48	184,800	
Oracle9i Database Enterprise Edition Release 2, Named User Plus for 3 years	Oracle	2	10,000	16	160,000	
Real Application Clusters, Names User Plus for 3 years	Oracle	2	5,000	16	80,000	
Partitioning, Named User Plus for 3 years	Oracle	2	2,500	16	40,000	
Oracle Database Server Support Pkg for 3 years	Oracle	2	6,000	4		24,000
Oracle Mandatory E-Business Discount (license and support)*	Oracle	2	(\$60,800)	1	(\$60,800)	
<b>Subtotal</b>					<b>404,992</b>	<b>81,084</b>

**Notes:\*\* 10% Spares**

**1=IC System Solutions, 2=Oracle(Herve Lejeune,  
herve.lejeune@oracle.com, 650 560-1894 (Please  
see Appendix G))**

**Subtotal      \$2,107,767      \$283,196**

**Three-Year Cost of Ownership:      \$2,390,963**  
**QphD      5,976.70**  
**\$/ QphD      \$400.05**

**Audited by InfoSizing**

All prices are based on similar quantities and configurations.

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.



**HP AlphaServer ES45 Cluster  
Using Oracle9i Release 2  
with Real Application Clusters**

TPC-H Rev. 2.0

Report Date:  
November 18, 2002

## Numerical Quantities

**Measurement Results:**

Database Scale Factor	= 300
Total Data Storage / Database Size	= 36.01
Start of Database Load	= 2002-04-21 00:45:40
End of Database Load	= 2002-04-21 02:50:24
Database Load Time	= 02:04:44
Query Streams for Throughput Test	= 6
TPC-H Power	= 7338.8 @300GB
TPC-H Throughput	= 4867.4 @300GB
TPC-H Composite Query-per-Hour Metric ( <u>QphH@Size</u> )	= 5976.7 @300GB
Total System Price Over 3 Years	= \$2,390,963
TPC-H Price/ Performance Metric ( <u>\$/QphH@Size</u> )	= \$400.05

**Measurement Intervals:**

Measurement Interval in Throughput Test (Ts)	= 28,289.0 seconds
----------------------------------------------	--------------------

**Duration of Stream Execution:**

Stream ID	Seed	Start Date	Start Time	End Date	End Time	Duration
Stream 0:	421025024	4/21/2002	2:57:01	4/21/2002	4:32:05	1:35:04
Stream 1:	421025025	4/21/2002	4:32:08	4/21/2002	12:15:10	7:43:02
Stream 2:	421025026	4/21/2002	4:32:08	4/21/2002	12:15:10	7:43:02
Stream 3:	421025027	4/21/2002	4:32:08	4/21/2002	11:37:39	7:05:31
Stream 4:	421025028	4/21/2002	4:32:08	4/21/2002	12:07:23	7:35:15
Stream 5:	421025029	4/21/2002	4:32:08	4/21/2002	12:15:11	7:43:03
Stream 6:	421025030	4/21/2002	4:32:08	4/21/2002	12:00:07	7:27:59
Refresh		4/21/2002	12:15:11	4/21/2002	12:40:17	0:25:06



**HP AlphaServer ES45 Cluster  
Using Oracle9i Release 2  
with Real Application Clusters**

TPC-H Rev. 2.0

Report Date:  
November 18, 2002

**TPC-H Timing Intervals (in seconds)**

	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8a	Q9	Q10	Q11	Q12
<b>Stream 00</b>	751.5	92.8	46.9	30.9	135.8	35.8	161.0	124.3	486.1	130.2	76.7	182.8
<b>Stream 01</b>	2765.5	635.4	400.5	55.0	876.7	242.9	1695.3	598.1	2278.0	954.7	779.1	1243.6
<b>Stream 02</b>	3504.6	611.5	182.7	462.4	1187.4	75.0	1037.2	821.6	2530.4	936.8	771.9	1579.0
<b>Stream 03</b>	2912.0	559.9	422.9	176.8	626.6	179.6	812.9	566.7	2529.5	600.0	908.3	1047.1
<b>Stream 04</b>	3342.2	468.1	321.5	87.1	742.0	308.0	799.2	597.5	2140.1	1021.5	1000.2	1874.9
<b>Stream 05</b>	3060.8	791.1	219.1	572.6	1575.3	260.0	1262.3	698.4	2198.5	609.3	310.0	2424.5
<b>Stream 06</b>	3223.2	686.2	181.0	356.6	1275.6	162.4	743.3	676.7	2723.0	561.8	411.1	1175.7
<b>Minimum</b>	2765.5	468.1	181.0	55.0	626.6	75.0	743.3	566.7	2140.1	561.8	310.0	1047.1
<b>Average</b>	3134.7	625.4	287.9	285.1	1047.3	204.6	1058.4	659.8	2399.9	780.7	696.8	1557.5
<b>Maximum</b>	3504.6	791.1	422.9	572.6	1575.3	308.0	1695.3	821.6	2723.0	1021.5	1000.2	2424.5

	Q13	Q14	Q15	Q16	Q17	Q18	Q19	Q20	Q21	Q22	RF1	RF2
<b>Stream 00</b>	376.5	23.5	84.0	101.6	434.7	881.7	251.9	121.8	801.9	85.5	132.0	152.0
<b>Stream 01</b>	1827.8	307.9	862.7	674.4	1735.8	3476.3	1090.8	377.1	4005.5	899.3	103.0	146.0
<b>Stream 02</b>	1791.8	326.1	857.7	758.0	1877.9	3027.9	1358.5	761.6	2779.7	542.0	103.0	145.0
<b>Stream 03</b>	1432.0	599.6	619.1	462.4	2089.6	2302.6	995.2	616.1	4254.9	817.8	108.0	158.0
<b>Stream 04</b>	1082.3	448.7	710.5	555.4	1833.8	3458.2	1749.8	436.5	3722.6	615.4	102.0	153.0
<b>Stream 05</b>	1407.5	85.2	474.5	774.9	1938.6	2792.2	1260.2	644.3	3994.4	429.3	104.0	144.0
<b>Stream 06</b>	1941.1	210.0	438.9	972.8	1710.9	3259.9	845.2	485.0	3842.4	996.5	104.0	136.0
<b>Minimum</b>	1082.3	85.2	438.9	462.4	1710.9	2302.6	845.2	377.1	2779.7	429.3	102.0	136.0
<b>Average</b>	1580.4	329.6	660.6	699.6	1864.4	3052.9	1216.6	553.4	3766.6	716.7	104.0	147.0
<b>Maximum</b>	1941.1	599.6	862.7	972.8	2089.6	3476.3	1749.8	761.6	4254.9	996.5	108.0	158.0

# Table of Contents

TABLE OF CONTENTS .....	VII
1 GENERAL ITEMS .....	11
1.1 BENCHMARK SPONSOR.....	11
1.2 PARAMETER SETTINGS .....	11
1.3 CONFIGURATION ITEMS .....	11
2 CLAUSE 1: LOGICAL DATABASE DESIGN.....	13
2.1 TABLE DEFINITIONS.....	13
2.2 PHYSICAL ORGANIZATION OF DATABASE .....	13
2.3 HORIZONTAL PARTITIONING.....	13
2.4 REPLICATION .....	13
3 CLAUSE 2: QUERIES AND UPDATE FUNCTIONS.....	14
3.1 QUERY LANGUAGE.....	14
3.2 RANDOM NUMBER GENERATION .....	14
3.3 SUBSTITUTION PARAMETERS GENERATION .....	14
3.4 QUERY TEXT AND OUTPUT DATA FROM DATABASE .....	14
3.5 QUERY SUBSTITUTION PARAMETERS AND SEEDS USED.....	14
3.6 QUERY ISOLATION LEVEL .....	14
3.7 REFRESH FUNCTION IMPLEMENTATION .....	15
4 CLAUSE 3: DATABASE SYSTEM PROPERTIES.....	16
4.1 ACID PROPERTIES .....	16
4.2 ATOMICITY .....	16
4.2.1 <i>Completed Transaction</i> .....	16
4.2.2 <i>Aborted Transaction</i> .....	16
4.3 CONSISTENCY.....	17
4.3.1 <i>Consistency Test</i> .....	17
4.4 ISOLATION.....	17
4.4.1 <i>Read-Write Conflict with Commit</i> .....	17
4.4.2 <i>Read-Write Conflict with Rollback</i> .....	17
4.4.3 <i>Write-Write Conflict with Commit</i> .....	18
4.4.4 <i>Write-Write Conflict with Rollback</i> .....	18
4.4.5 <i>Concurrent Read/Write Transactions on Different Tables</i> .....	18
4.4.6 <i>Read-Only Query Conflict with Update Transaction</i> .....	19
4.5 DURABILITY .....	19
4.5.1 <i>Failure of a Durable Medium</i> .....	19
4.5.2 <i>System Crash</i> .....	19
4.5.3 <i>Memory Failure</i> .....	19
5 CLAUSE 4: SCALING AND DATABASE POPULATION .....	20
5.1 CARDINALITY OF TABLES.....	20
5.2 DISTRIBUTION OF TABLES AND LOGS ACROSS MEDIA.....	20
5.3 PARTITIONING AND REPLICATION .....	21
5.4 RAID FEATURE .....	21
5.5 RAID INTENT.....	21
5.6 DBGEN VERSION AND MODIFICATIONS .....	21
5.7 DATABASE LOAD TIME.....	21
5.8 DATA STORAGE RATIO .....	22
5.9 DATABASE LOAD MECHANISM DETAILS AND ILLUSTRATION .....	22

5.10	QUALIFICATION DATABASE CONFIGURATION .....	22
6	CLAUSE 5: PERFORMANCE METRICS AND EXECUTION RULES .....	23
6.1	SYSTEM ACTIVITY BETWEEN LOAD AND PERFORMANCE TESTS .....	23
6.2	STEPS IN THE POWER TEST .....	23
6.3	TIMING INTERVALS.....	23
6.4	NUMBER OF STREAMS FOR THE THROUGHPUT TEST .....	23
6.5	START/FINISH TIME OF EACH QUERY STREAM .....	23
6.6	TOTAL ELAPSED TIME.....	24
6.7	START/FINISH TIME FOR THE REFRESH FUNCTION.....	24
6.8	TIMING INTERVALS FOR EACH QUERY AND REFRESH FUNCTION FOR EACH STREAM.....	24
6.9	PERFORMANCE METRICS.....	24
6.10	PERFORMANCE METRIC AND NUMERICAL QUANTITIES FROM BOTH RUNS.....	24
6.11	SYSTEM ACTIVITY BETWEEN PERFORMANCE RUNS.....	25
7	CLAUSE 6: SUT AND DRIVER IMPLEMENTATION .....	26
7.1	DRIVER.....	26
7.2	IMPLEMENTATION-SPECIFIC LAYER.....	26
7.3	PROFILE-DIRECTED OPTIMIZATION.....	26
8	CLAUSE 7: PRICING.....	27
8.1	HARDWARE AND SOFTWARE USED .....	27
8.2	TOTAL THREE YEAR PRICING .....	27
8.3	AVAILABILITY DATE.....	27
9	CLAUSE 9: AUDIT RELATED ITEMS.....	28
9.1	AUDITOR'S REPORT & ATTESTATION LETTER.....	28
	APPENDIX A: TRU64 UNIX AND ORACLE9I PARAMETERS .....	31
	ORACLE9I PARAMETERS .....	31
	<i>common.ora</i> .....	31
	<i>dbcreate.ora</i> .....	31
	<i>tpchorc1.ora (Node 1)</i> .....	31
	<i>tpchorc2.ora (Node 2)</i> .....	31
	<i>tpchorc3.ora (Node 3)</i> .....	31
	<i>tpchorc4.ora (Node 4)</i> .....	31
	ORACLE9I ENVIRONMENT VARIABLES .....	31
	<i>tpch.env.oracle</i> .....	31
	TRU64 UNIX PARAMETERS .....	32
	<i>sysconfig_tpchorc1 (Node 1)</i> .....	32
	<i>sysconfig_tpchorc2 (Node 2)</i> .....	33
	<i>sysconfig_tpchorc3 (Node 3)</i> .....	34
	<i>sysconfig_tpchorc4 (Node 4)</i> .....	35
	APPENDIX B: SCRIPTS AND PROGRAMS .....	37
	DATABASE CREATE AND LOAD .....	37
	<i>create_database_4node.sh</i> .....	37
	<i>create_tablespace_lineitem.sql</i> .....	37
	<i>create_tablespace_orders.sql</i> .....	40
	<i>create_tablespace_schema.sql</i> .....	43
	<i>create_tables_all_et.sql</i> .....	44
	<i>dbgen_flatfiles.sh</i> .....	45
	<i>shutdown_instance.sh</i> .....	46
	<i>startup_4_instances.sh</i> .....	46
	<i>database_load_tables_et.sh</i> .....	46



<i>create_indexes_all.sh</i> .....	50
<i>analyze_ops.sh</i> .....	50
ACID TEST SOURCE CODE .....	50
<i>atom.sh</i> .....	50
<i>atranspl.c</i> .....	51
<i>atranspl.h</i> .....	55
<i>ckpt.sh</i> .....	57
<i>cnt_hist.sql</i> .....	57
<i>consist.sh</i> .....	57
<i>consist.sql</i> .....	58
<i>count_tx.sh</i> .....	59
<i>d_hist.sql</i> .....	59
<i>end_acid.sh</i> .....	59
<i>gettime.c</i> .....	59
<i>iso1.sh</i> .....	62
<i>iso2.sh</i> .....	63
<i>iso3.sh</i> .....	64
<i>iso4.sh</i> .....	64
<i>iso5.sh</i> .....	65
<i>iso6.sh</i> .....	66
<i>randkey.c</i> .....	67
<i>randpsup.c</i> .....	69
<i>run_acid.sh</i> .....	69
<i>sample.sh</i> .....	70
<i>sample.sql</i> .....	70
DISK CONFIGURATION DATA .....	71
<i>HSG80_storage_array_configuration</i> .....	71
LOGICAL STORAGE MANAGER SCRIPTS .....	71
<i>lsm_create.sh</i> .....	71
<i>volsetup_disks.sh</i> .....	71
<i>sd_files.sh</i> .....	71
<i>sd_flatfiles.sh</i> .....	71
<i>sd_lineitem_1.sh</i> .....	71
<i>sd_lineitem_2.sh</i> .....	72
<i>sd_orders.sh</i> .....	72
<i>sd_system4.sh</i> .....	72
<i>sd_temps.sh</i> .....	72
<i>plex_files.sh</i> .....	72
<i>plex_flatfiles.sh</i> .....	73
<i>plex_lineitem_1.sh</i> .....	73
<i>plex_lineitem_2.sh</i> .....	73
<i>plex_orders.sh</i> .....	74
<i>plex_system4.sh</i> .....	74
<i>plex_temps.sh</i> .....	74
<i>prepare4acid.sh</i> .....	75
<i>create_300gb_tpch_links.sh</i> .....	75
APPENDIX C: QUERY TEXT AND RESULT OUTPUT .....	81
<i>mqs00q01</i> .....	81
<i>mqs00q02</i> .....	81
<i>mqs00q03</i> .....	84
<i>mqs00q04</i> .....	85
<i>mqs00q05</i> .....	85
<i>mqs00q06</i> .....	85
<i>mqs00q07</i> .....	85

<i>mqs00q08</i> .....	86
<i>mqs00q09</i> .....	86
<i>mqs00q10</i> .....	88
<i>mqs00q11</i> .....	89
<i>mqs00q12</i> .....	90
<i>mqs00q13</i> .....	90
<i>mqs00q14</i> .....	91
<i>mqs00q15</i> .....	91
<i>mqs00q16</i> .....	92
<i>mqs00q17</i> .....	93
<i>mqs00q18</i> .....	93
<i>mqs00q19</i> .....	94
<i>mqs00q20</i> .....	95
<i>mqs00q21</i> .....	96
<i>mqs00q22</i> .....	97
<b>APPENDIX D: SEED VALUES AND QUERY SUBSTITUTION PARAMETERS</b> .....	<b>99</b>
<i>seed_values</i> .....	99
<i>m1param.0</i> .....	99
<i>m1param.1</i> .....	99
<i>m1param.2</i> .....	99
<i>m1param.3</i> .....	99
<i>m1param.4</i> .....	99
<i>m1param.5</i> .....	100
<i>m1param.6</i> .....	100
<b>APPENDIX E: IMPLEMENTATION-SPECIFIC LAYER/DRIVER CODE</b> .....	<b>101</b>
<i>runTPCHall</i> .....	101
<i>runTPCHpt</i> .....	101
<i>runTPCHus</i> .....	103
<i>runuf1.sh</i> .....	104
<i>runuf2.sh</i> .....	105
<i>shutdown_instance.sh</i> .....	105
<i>startup_4_instances.sh</i> .....	105
<i>env</i> .....	106
<i>gtime.c</i> .....	106
<i>qexecpl.c</i> .....	106
<i>qexecpl.h</i> .....	112
<b>APPENDIX F</b> .....	<b>115</b>
<i>checkidx.sql</i> .....	115
<i>dbtables.sql</i> .....	115
<i>firstten.sql</i> .....	116
<b>APPENDIX G - PRICING</b> .....	<b>117</b>

# 1 General Items

---

## 1.1 Benchmark Sponsor

*A statement identifying the benchmark sponsor(s) and other participating companies must be provided.*

Hewlett Packard and Oracle Corporation are the sponsors of this TPC-H benchmark.

## 1.2 Parameter Settings

*Settings must be provided for all customer-tunable parameters and options that have been changed from the defaults found in actual products, including but not limited to:*

- *Database tuning options;*
- *Optimizer/Query execution options;*
- *Query processing tool/language configuration parameters;*
- *Recovery/commit options;*
- *Consistency/locking options;*
- *Operating system and configuration parameters;*
- *Configuration parameters and options for any other software component incorporated into the pricing structure;*
- *Compiler optimization options.*

Appendix A contains the tunable parameters for the database and operating system.

## 1.3 Configuration Items

*Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.*


The benchmark system is depicted on the following page and consists of (4) ES45 Model 68/1000 nodes each containing:

- (1) Internal SCSI Controller
- (4) KGPSA-CA PCI SCSI Controllers
- (1) 10/100 Base-T Ethernet Adapter
- (1) Memory Channel Interconnect Adapter
- (1) Qlogic SCSI Controller (Node 1 only)

Cluster wide:

- 1) Memory Channel Hubs with Line Cards
- (4) I/O Fibre Channel Switches
- (48) HSG80 Disk Controller Arrays (8 Full Cabinets)
- (5) DS-RZ1DA-VW (9.1GB 7200 RPM Disk Drives)
- (585) 18.2GB 10K RPM Ultra3 SCSI Disk Drives

## System Configuration Diagram (Measured and Priced)



24 HSG80 Controller Pairs in an Array of (8) Cabinets (48 Controllers)  
24 18.2GB 10K RPM Disk Drives per HSG80 Controller Pair  
Total Disk Drives in HSG80 Array = 576

## 2 **Clause 1: Logical Database Design**

---

### 2.1 **Table Definitions**

*Listings must be provided for all table definition statements and all other statements used to set-up the test and qualification databases.*

Appendix B contains the scripts that create and analyze the tables and indexes for the TPC-H database.

### 2.2 **Physical Organization of Database**

*The physical organization of tables and indices within the test and qualification databases must be disclosed. If the column ordering of any table is different from that specified in Clause 1.4, it must be noted.*

No record clustering or index clustering were used. Column ordering was changed for some tables. Refer to the table create statements in Appendix B for further details.

### 2.3 **Horizontal Partitioning**

*Horizontal partitioning of tables and rows in the test and qualification databases (see Clause 1.5.4 must be disclosed.)*

Horizontal partitioning was used for base tables LINEITEM, ORDERS, PARTSUPP, PART, SUPPLIER and CUSTOMER. The details for this partitioning can be understood by examining the syntax of the table and index definition statements in Appendix B.

### 2.4 **Replication**

*Any replication of physical objects must be disclosed and must conform to the requirements of Clause 1.5.6.*

Replication was not used for this benchmark.

## 3 Clause 2: Queries and Update Functions

---

### 3.1 Query Language

*The query language used to implement the queries must be identified.*

SQL was the query language used to implement all queries.

### 3.2 Random Number Generation

*The method of verification for the random number generation must be described unless the supplied DBGEN and QGEN were used.*

The TPC supplied version 1.3.0 of DBGEN and QGEN were used for this benchmark.

### 3.3 Substitution Parameters Generation

*The method used to generate values for substitution parameters must be disclosed. If QGEN is not used for this purpose, then the source code of any non-commercial tool used must be disclosed. If QGEN is used, the version number, release number, modification number and patch level of QGEN must be disclosed.*

The supplied QGEN version 1.3.0 was used to generate the substitution parameters.

### 3.4 Query Text and Output Data from Database

*The executable query text used for query validation must be disclosed along with the corresponding output data generated during the execution of the query text against the qualification database. If minor modifications (see Clause 2.2.3) have been applied to any functional query definitions or approved variants in order to obtain executable query text, these modifications must be disclosed and justified. The justification for a particular minor query modification can apply collectively to all queries for which it has been used. The output data for the power and throughput tests must be made available electronically upon request.*

1) Appendix C contains the query text and query output.

### 3.5 Query Substitution Parameters and Seeds Used

*All the query substitution parameters used during the performance test must be disclosed in tabular format, along with the seeds used to generate these parameters.*

Appendix D contains the seed and query substitution parameters.

### 3.6 Query Isolation Level

*The isolation level used to run the queries must be disclosed. If the isolation level does not map closely to one of the isolation levels defined in Clause 3.4, additional descriptive detail must be provided.*

The queries and transactions were run with isolation level 3 (repeatable read).

### 3.7 Refresh Function Implementation

*The details of how the refresh functions were implemented must be disclosed (including source code of any non-commercial program used).*

The refresh function is a part of the driver code. See Appendix E.

## 4 Clause 3: Database System Properties

---

### 4.1 ACID Properties

*The ACID (Atomicity, Consistency, Isolation, and Durability) properties of transaction processing systems must be supported by the system under test during the timed portion of this benchmark. Since TPC-H is not a transaction processing benchmark, the ACID properties must be evaluated outside the timed portion of the test.*

Source code for the ACID test is included in Appendix B.

### 4.2 Atomicity

*The system under test must guarantee that transactions are atomic; the system will either perform all individual operations on the data, or will assure that no partially-completed operations leave any effects on the data.*

#### 4.2.1 Completed Transaction

*Perform the ACID Transaction (see Clause 3.1.5) for a randomly selected set of input data and verify that the appropriate rows have been changed in the ORDERS, LINEITEM, and HISTORY tables.*

1. The total prices from the ORDER table and the extended price from the LINEITEM table were retrieved for a randomly selected order key.
2. The ACID Transaction was performed using the order key from step 1.
3. The ACID Transaction was committed.
4. The total price from the ORDER table and the extended price from the LINEITEM table were retrieved for the same order key. It was verified that the appropriate rows had been changed.

#### 4.2.2 Aborted Transaction

*Perform the ACID Transaction for a randomly selected set of input data, substituting a ROLLBACK of the transaction for the COMMIT of the transaction. Verify that the appropriate rows have not been changed in the ORDERS, LINEITEM, and HISTORY tables.*

1. The total price from the ORDER table and the extended price from the LINEITEM table were retrieved for a randomly selected order key.
2. The ACID Transaction was performed using the order key from step 1. The transaction was stopped prior to the commit.
3. The ACID Transaction was rolled back.
4. The total price from the ORDER table and the extended price from the LINEITEM table were retrieved for the same order key, and were verified to have not been changed.



## 4.3 Consistency

*Consistency is the property of the application that requires any execution of transactions to take the database from one consistent state to another.*

### 4.3.1 Consistency Test

*Verify that ORDERS and LINEITEM tables are initially consistent, submit the prescribed number of ACID Transactions with randomly selected input parameters, and re-verify the consistency of the ORDERS and LINEITEM.*

1. The consistency of the ORDER and LINEITEM tables was verified based on a sample of O\_ORDERKEYs.
2. 100 ACID transactions were submitted from each of 6 execution streams.
3. The consistency of the ORDER and LINEITEM tables was verified a second time.

## 4.4 Isolation

*Operations of concurrent transactions must yield results which are indistinguishable from the results which would be obtained by forcing each transaction to be serially executed to completion in some order.*

### 4.4.1 Read-Write Conflict with Commit

*Demonstrate isolation for the read-write conflict of a read-write transaction and a read-only transaction when the read-write transaction is committed.*

1. An ACID transaction was started for a randomly selected O\_KEY, L\_KEY, and DELTA. The ACID transaction was suspended prior to COMMIT.
2. An ACID query was started for the same O\_KEY used in step 1. The ACID query blocked and did not see the uncommitted changes made by the ACID transaction.
3. The ACID transaction was COMMITTED.
4. The ACID Query completed. It returned the data as committed by the ACID Transaction.

### 4.4.2 Read-Write Conflict with Rollback

*Demonstrate isolation for the read-write conflict of a read-write transaction and a read-only transaction when the read-write transaction is rolled back.*

1. An ACID transaction was started for a randomly selected O\_KEY, L\_KEY, and DELTA. The ACID transaction was suspended prior to ROLLBACK.
2. An ACID query was started for the same O\_KEY used in step 1. The ACID query completed and did not see the uncommitted changes made by the ACID transaction.
3. The ACID transaction was ROLLED BACK
4. The ACID Query completed.

#### 4.4.3 Write-Write Conflict with Commit

*Demonstrate isolation for the write-write conflict of two update transactions when the first transaction is committed.*

1. An ACID transaction, T1, was started for a randomly selected O\_KEY, L\_KEY, and DELTA. T1 was suspended prior to commit.
2. Another ACID transaction, T2, was started using the same O\_KEY and L\_KEY and a randomly selected DELTA.
3. T2 waited.
4. T1 was allowed to COMMIT and T2 completed.
5. It was verified that  $T2.L\_EXTENDEDPRICE = T1.L\_EXTENDEDPRICE + (DELTA * (T1.L\_EXTENDEDPRICE / T1.L\_QUANTITY))$ .

#### 4.4.4 Write-Write Conflict with Rollback

*Demonstrate isolation for the write-write conflict of two update transactions when the first transaction is rolled back.*

1. An ACID transaction, T1, was started for a randomly selected O\_KEY, L\_KEY, and DELTA. T1 was suspended prior to ROLLBACK.
2. Another ACID transaction, T2, was started using the same O\_KEY and L\_KEY and a randomly selected DELTA.
3. T2 waited.
4. T1 was allowed to ROLLBACK and T2 completed.
5. It was verified that  $T2.L\_EXTENDEDPRICE = T1.L\_EXTENDEDPRICE$ .

#### 4.4.5 Concurrent Read/Write Transactions on Different Tables

*Demonstrate the ability of read and write transactions affecting different database tables to make progress concurrently.*

1. An ACID transaction, T1, was started for a randomly selected O\_KEY, L\_KEY, and DELTA. T1 was suspended prior to ROLLBACK.
2. Another ACID transaction, T2, was started which did the following:  
  
For random values of PS\_PARTKEY and PS\_SUPPKEY, all columns of the PARTSUPP table for which PS\_PARTKEY and PS\_SUPPKEY are equal, are returned.
3. T2 completed.
4. T1 was allowed COMMIT.

5. It was verified that appropriate rows in ORDERS, LINEITEM and HISTORY tables were changed.

#### **4.4.6 Read-Only Query Conflict with Update Transaction**

*Demonstrate the continuous submission of arbitrary (read-only) queries against one or more tables of the database does not indefinitely delay update transactions affecting those tables from making progress.*

1. A Transaction, T1, executing Q1 against the qualification database, was started using a randomly selected DELTA.
2. An ACID Transaction, T2, was started using randomly selected values of O\_KEY, L\_KEY and DELTA.
3. T2 completed and appropriate rows in the ORDERS, LINEITEM and HISTORY tables were changed.
4. Transaction T1 completed executing Q1.

## **4.5 Durability**

*The SUT must guarantee durability: the ability to preserve the effects of committed transactions and ensure database consistency after recovery from any one of the failures listed in Clause 3.5.3.*

### **4.5.1 Failure of a Durable Medium**

*Guarantee the database and committed updates are preserved across a permanent irrecoverable failure of any single durable medium containing TPC-H database tables or recovery log tables.*

The disks containing TPC-H tables and log files and tables were mirrored. During the durability test the disk containing one side of a data file mirror was removed from its cabinet. Similarly the disk containing one side of a log file mirror was removed from its cabinet. The test continued uninterrupted, using the remaining side of the mirror.

### **4.5.2 System Crash**

*Guarantee the database and committed updates are preserved across an instantaneous interruption (system crash/system hang) in processing which requires the system to reboot to recover.*

- 1) The system crash and memory failure tests were combined. Power to both servers was turned off simultaneously by flipping breakers at the main electrical panel during the durability test. When power was restored, the system rebooted and the database was restarted. The durability success file and the HISTORY table were compared successfully.

### **4.5.3 Memory Failure**

*Guarantee the database and committed updates are preserved across failure of all or part of memory (loss of contents).*

See section 4.5.2.

## 5 Clause 4: Scaling and Database Population

---

### 5.1 Cardinality of Tables

The cardinality (e.g., the number of rows) of each table of the test database, as it existed at the completion of the database load (see Clause 4.2.5), must be disclosed.

TABLE	ROWS
ORDERS	450,000,000
LINEITEM	1,799,989,091
CUSTOMER	45,000,000
PART	60,000,000
SUPPLIER	3,000,000
PARTSUPP	240,000,000
NATION	25
REGION	5

### 5.2 Distribution of Tables and Logs Across Media

The distribution of tables and logs across all media must be explicitly described.

- All table, index, log and temp data and mirrors were striped across 24 HP HSG80 storage controller arrays, each controller array supporting 12 mirrored pairs of disks.
- The following disks were serviced by the internal SCSI controller:

Node 1:

- One disk for the operating system (standalone boot)
- One disk for the operating system (cluster root)
- One disk for the operating system (cluster member boot)
- One disk for Oracle
- One disk for /oracle\_save
- One spare disk

Nodes 2-4:

- One disk for the operating system (member boot)
- One spare disk

For more details refer to disk configuration section in Appendix B.

### 5.3 Partitioning and Replication

*The mapping of database partitions/replications must be explicitly described.*

The database was not replicated.

Horizontal partitioning was used for base tables LINEITEM, ORDERS, PARTSUPP, PART, SUPPLIER and CUSTOMER. The details for this partitioning can be understood by examining the syntax of the table and index definition statements in Appendix B.

### 5.4 RAID Feature

*Implementations may use some form of RAID . The RAID level used must be disclosed for each device.*

Hardware RAID 1 + 0 (mirroring and striping) was used to store data on log disks and all other database disks.

### 5.5 RAID Intent

*If RAID is used in an implementation, the logical intent of its use must be disclosed. Three levels of usage are defined:*

1. *Base tables only: In this case only the Base Tables (see Clause 1.2) are protected by any form of RAID;*
2. *Base tables and auxiliary data structures: in addition to the protection of the base tables, implementations in this class must also employ RAID to protect all auxiliary data structures;*
3. *Everything: implementations in this usage category must employ RAID to protect all database storage, including temporary or scratch space in addition to the base tables and auxiliary data structures.*

The level of intent for RAID was "Everything".

### 5.6 DBGEN Version and Modifications

*The version number, release number, modification number, and patch level of DBGEN must be disclosed. Any modifications to the DBGEN (see Clause 4.2.1) source code (see Appendix B) must be disclosed. In the event that a program other than DBGEN was used to populate the database, it must be disclosed in its entirety.*

The supplied DBGEN version 1.3.0 was used to generate the database population for this benchmark.

### 5.7 Database Load Time

*The database load time for the test database (see Clause 4.3) must be disclosed.*

The database load time was 2:04:44.

## 5.8 Data Storage Ratio

The data storage ratio must be disclosed. It is computed by dividing the total data storage of the priced configuration (expressed in GB) by the size chosen for the test database as defined in Clause 4.1.3.1. The ratio must be reported to the nearest 1/100th, rounded up. For example, a system configured with 96 disks of 2.1 GB capacity for a 300GB test database has a data storage ratio of 2.02.


The data storage ration is computed from the following information:

Disk Type	# of Disks	Space per Disk (GB)	Sub-Total Disk Space
18.2GB/OK RPM Ultra3-SCSI	634	16.96	10,752.6GB
9.1 GB 7200 RPM Ultra-SCSI	6	8.48	50.9GB
		Total Space =	10,803.5GB
		Data Storage Ration =	36.01

## 5.9 Database Load Mechanism Details and Illustration

The details of the database load must be disclosed, including a block diagram illustrating the overall process. Disclosure of the load procedure includes all steps, scripts, input and configuration files required to completely reproduce the test and qualification databases.

All load scripts are included in Appendix B.



## 5.10 Qualification Database Configuration

Any differences between the configuration of the qualification database and the test database must be disclosed.

The qualification database used identical scripts to create and load the data with adjustments for the size difference.

## 6 Clause 5: Performance Metrics and Execution Rules

---

### 6.1 System Activity Between Load and Performance Tests

*Any system activity on the SUT that takes place between the conclusion of the load test and the beginning of the performance test must be fully disclosed including listings of scripts or command logs.*

1. Executed DBTABLES.SQL using sqlplus
2. Executed FIRSTTEN.SQL using sqlplus
3. Executed CHECKIDX.SQL using sqlplus

The scripts may be found in Appendix F.

### 6.2 Steps in the Power Test

*The details of the steps followed to implement the power test (e.g., system boot, database restart, etc.) must be disclosed.*

1. RF1 Refresh Transaction
2. Stream 00 Execution
3. RF2 Refresh Transaction

### 6.3 Timing Intervals

*The timing intervals (see Clause 5.3.7) for each query and for both refresh functions must be reported for the power test.*

The timing intervals for each query and for both refresh functions are listed in the Numerical Quantities Summary earlier in this document (STREAM 00).

### 6.4 Number of Streams for the Throughput Test

*The number of query streams used for the throughput test must be disclosed.*

Six query streams were used for the throughput test in this benchmark.

### 6.5 Start/Finish Time of Each Query Stream

*The start time and finish time for each query stream must be reported for the throughput test.*

The start and finish time for each query stream are listed in the Numerical Quantities Summary earlier in this document.

## 6.6 Total Elapsed Time

*The total elapsed time of the measurement interval (see Clause 5.3.6) must be reported for the throughput test.*

The total elapsed time of the throughput test is listed in the Numerical Quantities Summary earlier in this document.

## 6.7 Start/Finish Time for the Refresh Function

*The start time and finish time for each refresh function in the refresh stream must be reported for the throughput test.*

The start and finish times for each refresh function in the refresh stream is listed in the Numerical Quantities Summary earlier in this document.

## 6.8 Timing Intervals for Each Query and Refresh Function for Each Stream

*The timing intervals (see Clause 5.3.7) for each query of each stream and for each refresh function must be reported for the throughput test.*

The timing intervals for each query of each stream and for each refresh function is listed in the Numerical Quantities Summary earlier in this document..

## 6.9 Performance Metrics

*The computed performance metric, related numerical quantities and the price performance metric must be reported.*

The computed performance metric, related numerical quantities and the price performance metric is listed in the Numerical Quantities Summary earlier in this document.

## 6.10 Performance Metric and Numerical Quantities from Both Runs

*The performance metric (QphH@Size) and the numerical quantities (TPC-H Power@Size and TPC-H Throughput@Size) from both of the runs must be disclosed (see Clause 5.4.1).*

Run ID	QppH@300GB	QthH@300GB	QphH@300GB
Run 1	7338.8	4867.4	5976.7
Run 2	7355.6	4866.4	5982.9
%Difference	.00229	.00021	.00104



## 6.11 System Activity Between Performance Runs

*Any activity on the SUT that takes place between the conclusion of Run1 and the beginning of Run2 must be fully disclosed including listings of scripts or command logs along with any system reboots or database restarts.*

There was no activity between Run 1 and Run 2.

## 7 Clause 6: SUT and Driver Implementation

---

### 7.1 Driver

*A detailed description of how the driver performs its functions must be supplied, including any related source code or scripts. This description should allow an independent reconstruction of the driver.*

The Power Test and Throughput Test are performed by a shell script called runTPCHpt. QGEN is first called with a stream id of 0 to generate the QET for the Power Test. UF1 is then started by executing the runuf1.sh script. Query submission follows, with the qexecpl.c.ISL program. The execution of the UF2 script runuf2.sh rounds out the Power Test execution. Both wall-clock and high-resolution times are collected for all measurement intervals.

Following the Power Test, QGEN is again called with the subsequent 6 stream ids to generate new QET for each Throughput Test. Qexecpl.c is called to run all 6 streams simultaneously to execute the queries as above. Immediately after that, the TPCHus script is called to run all 6 update pairs to finish the throughput run.

### 7.2 Implementation-Specific Layer

*If an implementation-specific layer is used, then a detailed description of how it performs its functions must be supplied, including any related source code or scripts. This description should allow an independent reconstruction of the implementation-specific layer.*

Query execution text generated by QGEN is picked up by the ISL program which submits the query to the SUT.

The ISL program (qexecpl.c) utilizes the Oracle Call Interface (OCI) to communicate with the Oracle database on the SUT. EQTs directly generated by QGEN are read and submitted to the SUT via the ISL program (qexecpl.c) as dynamic SQL statements. The ISL program then fetches the query execution output and reports it to the user. Timings are taken at intervals specified in Section 5.3.7 of the TPC-H benchmark specification.

The Update Functions use external tables to load data from flat files. Oracle9i's parallel insert and delete functionality was used to perform the Update Functions, selecting data from the temporary tables.

### 7.3 Profile-Directed Optimization

*If profile-directed optimization as described in Clause 5.2.9 is used, such use must be disclosed.*

Profile-directed optimization was not used.

## 8 Clause 7: Pricing

---

### 8.1 Hardware and Software Used

*A detailed list of hardware and software used in the priced system must be reported. Each item must have vendor part number, description, and release/revision level, and either general availability status or committed delivery date. If package-pricing is used, contents of the package must be disclosed. Pricing source(s) and effective date(s) of price(s) must also be reported.*

A detailed list of hardware and software used in the priced system is listed in the Pricing Summary earlier in this document.

### 8.2 Total Three Year Pricing

*The total 3-year price of the entire configuration must be reported including: hardware, software, and maintenance charges. Separate component pricing is recommended. The basis of all discounts used must be disclosed.*

See the Pricing Summary earlier in this document.

### 8.3 Availability Date

*The committed delivery date for general availability of products used in the price calculations must be reported. When the priced system includes products with different availability dates, the availability date reported on the executive summary must be the date by which all components are committed to being available. The full disclosure report must report availability dates individually for at least each of the categories for which a pricing subtotal must be provided.*

<b>Category</b>	<b>Available Date</b>
Server Hardware	May 6, 2002
Storage	May 6, 2002
Software	June 1, 2002

## 9 Clause 9: Audit Related Items

---

### 9.1 Auditor's Report & Attestation Letter

*The auditor's agency name, address, phone number, and attestation letter with a brief audit summary report indicating compliance must be included in the full disclosure report. A statement should be included specifying whom to contact in order to obtain further information regarding the audit process.*



Benchmark Sponsors: Dave Stanley  
Manager, Systems Quality &  
Performance Engineering  
Compaq Computer Corporation  
110 Spit Brook Rd  
Nashua, NH 03062-2698

Ray Glasstone  
Manager, DSS Performance  
Oracle Corporation  
100 Oracle Parkway  
Redwood Shores, CA 94065

April 30, 2002

I verified the TPC Benchmark™ H performance of the following configuration:

Platform: **Compaq AlphaServer ES45 Model 68/1000**  
Database Manager: **Oracle 9i Database Enterprise Edition Release 2 with Real Application Clusters and Partitioning Options**  
Operating System: **Compaq Tru64 UNIX V5.1A/IPK**

The results were:

CPU (Speed)	Memory	Disks	QphH@300GB
<b>4 nodes (aggregate) : Compaq AlphaServer ES45 Model 68/1000</b>			
16 x Alpha EV68 (1000 MHz)	8MB L2 Cache/cpu 128 GB Main	585 x 18.2 GB 5 x 9.1 GB	<b>5976.7</b>

In my opinion, this performance result was produced in compliance with the TPC's requirements for the benchmark. The following verification items were given special attention:

- The database records were defined with the proper layout and size
- The database population was generated using DBGEN
- The database was properly scaled to 300GB and populated accordingly
- The compliance of the database auxiliary data structures was verified
- The database load time was correctly measured and reported
- The required ACID properties were verified and met
- The query input variables were generated by QGEN
- The query text was produced using minor modifications and one variant
- The execution of the queries against the SF1 database produced compliant answers
- A compliant implementation specific layer was used to drive the tests
- The throughput tests involved 6 query streams
- The ratio between the longest and the shortest query was such that no query timing was adjusted
- The execution times for queries and refresh functions were correctly measured and reported
- The repeatability of the measured results was verified
- The required amount of database log was configured
- The system pricing was verified for major components and maintenance
- The major pages from the FDR were verified for accuracy

Respectfully Yours,



François Raab, President



Bradley J. Askins, Auditor



# Appendix A: Tru64 UNIX and Oracle9i Parameters

## Oracle9i Parameters

### common.ora

```
cluster_database = true
parallel_automatic_tuning = true
log_parallelism = 2
audit_trail = FALSE
compatible = 9.2.0
control_files = (/usr/users/oracle/control_files/cntrl300gb_920_1.dbf,
$SF/control_files/cntrl300gb_920_2.dbf, /flatfiles/cntrl300gb_920_3.dbf)
db_block_checksum = false
db_block_size = 32768
db_cache_size = 5g
db_file_multiblock_read_count = 32
db_files = 2048
db_name = tpch
db_writer_processes = 4
dml_locks = 20480
enqueue_resources = 20480
global_names = FALSE
java_pool_size = 0
large_pool_size = 3g
log_buffer = 100000
log_checkpoints_to_alert = TRUE
max_rollback_segments = 580
nls_date_format = YYYY-MM-DD
open_cursors = 1024
optimizer_features_enable = 9.2.0.1
optimizer_index_cost_adj = 25
optimizer_mode = CHOOSE
parallel_adaptive_multi_user = FALSE
parallel_execution_message_size = 32768
parallel_max_servers = 264
parallel_min_servers = 264
parallel_threads_per_cpu = 2
partition_view_enabled = TRUE
processes = 1024
query_rewrite_enabled = TRUE
replication_dependency_tracking = FALSE
sessions = 1024
shared_pool_size = 1g
sort_area_size = 20000000
hash_area_size = 20000000
transaction_auditing = FALSE
timed_statistics = FALSE
trace_enabled = FALSE
undo_management = auto
max_commit_propagation_delay = 700
```

### dbcreate.ora

```
# Init.ora for creating the 300GB TPC-H Oracle database
#
db_name = tpch
control_files = (/usr/users/oracle/control_files/cntrl300gb_920_1.dbf,
$SF/control_files/cntrl300gb_920_2.dbf, /flatfiles/cntrl300gb_920_3.dbf)
cluster_database = FALSE
audit_trail = FALSE
compatible = 9.0.0
db_block_buffers = 2000
db_block_size = 32768
db_block_checksum = FALSE
db_files = 1024
db_file_multiblock_read_count = 16
global_names = FALSE
log_checkpoints_to_alert = true
log_checkpoint_interval = 0
max_dump_file_size = 5000
```

```
max_rollback_segments = 160
nls_date_format = YYYY-MM-DD
open_cursors = 1024
optimizer_mode = CHOOSE
processes = 256
query_rewrite_enabled = true
sessions = 256
shared_pool_size = 400000000
sort_area_size = 1097152 #2097152
sort_area_retained_size = 1097152 #2097152
transactions = 512
undo_management = auto
```

### tpchorc1.ora (Node 1)

```
# init.ora for 300gb for Node 1 (tpchorc1)
#
instance_name=TPCH1
instance_number=1
parallel_instance_group=groupa
instance_groups=groupa,groupb
thread=1
ifile=$SF/control_files/common.ora
undo_tablespace=ts_undo1
```

### tpchorc2.ora (Node 2)

```
# init.ora for 300gb for Node 2 (tpchorc2)
#
instance_name=TPCH2
instance_number=2
instance_groups=groupa
thread=2
ifile=$SF/control_files/common.ora
undo_tablespace=ts_undo2
```

### tpchorc3.ora (Node 3)

```
# init.ora for 300gb for Node 3 (tpchorc3)
#
instance_name=TPCH3
instance_number=3
instance_groups=groupa
thread=3
ifile=$SF/control_files/common.ora
undo_tablespace=ts_undo3
```

### tpchorc4.ora (Node 4)

```
# init.ora for 300gb for Node 4 (tpchorc4)
#
instance_name=TPCH4
instance_number=4
instance_groups=groupa
thread=4
ifile=$SF/control_files/common.ora
undo_tablespace=ts_undo4
```

## Oracle9i Environment Variables

### tpch.env.oracle

```
#!/usr/bin/csh
set path=(. $HOME $HOME/bin /sbin /usr/sbin /Oracle9i/app/product/9.2.0.0212/bin
/usr/bin/X11 $path /usr/local/bin /Oracle9i/bin /Oracle9i/app/product/9.2.0.0212 )
setenv TPCW_HOME /Oracle9i/app/tpcw
setenv BENCH_HOME /Oracle9i/bench/tpc
```

```

setenv BENCH_GEN $BENCH_HOME/tpcc
setenv GEN_SQL $BENCH_GEN/sql
setenv TPCC_SOURCE $BENCH_HOME/tpcc/source
setenv TPCC_SQL $BENCH_HOME/tpcc/sql
setenv TPCC_BLOCKS $BENCH_HOME/tpcc/blocks
setenv TPCC_SCRIPTS $BENCH_HOME/tpcc/scripts
setenv TPCC_UTILS $TPCC_SCRIPTS/utlis
setenv AUDIT_SQL $BENCH_HOME/tpcc/audit/sql
setenv BUILD_SQL sql
setenv OUTDIR outdir
setenv MULT 1200
setenv SCRIPTS $BENCH_HOME/tpcw/scripts
setenv julier_scripts /Oracle9i/app/tpcw/scripts
setenv tool
#
setenv ORACLE_HOME /Oracle9i/app/product/9.2.0.0212
setenv ORACLE_BASE /Oracle9i/app/product/9.2.0.0212
setenv DBS $ORACLE_HOME/dbs
setenv ORACLE_817_HOME /Oracle/app/product/8.1.7
#
setenv ORA_NLS $ORACLE_HOME/ocommon/nls/admin/data
setenv ORA_NLS32 $ORACLE_HOME/ocommon/nls/admin/data
setenv ORACLE_TERM vt100
#
setenv ORACLE_SID TPCH'clu_get_info | grep "this member" | awk '{print $6}'
#setenv ORACLE_SID valid
setenv SRCHOME $ORACLE_HOME
setenv ALERT_LOG_DIR $ORACLE_HOME/rdbms/log
setenv ALERT_LOG $ORACLE_HOME/rdbms/log/alert_${ORACLE_SID}.log
unlimit stacksize
setenv O $ORACLE_HOME
#setenv PATH
$O/bin:$BENCH_HOME/util:$BENCH_HOME/benchrun/bin:$BENCH_HOME/bu
mpx:$BENCH_HOME/source:$SPATH
#
##### tpchr Kit variables #####
#
setenv KIT_DIR $ORACLE_HOME/tpch
setenv SF $KIT_DIR/SF_300GB
setenv SFDIR $KIT_DIR/SF_300GB
setenv SFN 300
setenv SCALE_FACTOR 300
setenv DATABASE_USER tpcd/tpcd
setenv QUAL_DIR $KIT_DIR/SF_1GB
setenv DBNAME tpch
#
# variables that depend on Scale Factor
#
setenv UPDATE_DIR $KIT_DIR/update
setenv RES_DIR $KIT_DIR/queries_run/results
setenv SCHEMA_DIR $$SF/schema_load
setenv LOGS $$SF/logs
setenv BENCH_RUN $$SF/benchmark_run
setenv PIPELOAD $$SCHEMA_DIR/pipe_load
setenv NUM_STREAMS 6
#
setenv PERL /usr/bin/perl
setenv BUMPX_DIR $KIT_DIR/bumpx
setenv BUMPX_OUT $KIT_DIR/bumpx
setenv UTILS $KIT_DIR/utlis
setenv TEST_DB /tmp
setenv QUAL_DB $TEST_DB
setenv DBGENDIR $KIT_DIR/dbgen
setenv DBGEN $KIT_DIR/dbgen
setenv ACID_DIR $KIT_DIR/acid
setenv QEXEC $KIT_DIR/utlis
setenv QUERIES $KIT_DIR/queries
setenv ANSWERS $KIT_DIR/answers
setenv ANS2VAL /tmp
setenv ACID_OUT $QUAL_DB/acid_out
setenv AUDIT $KIT_DIR/audit
setenv DSS_CONFIG $DBGENDIR
setenv DSS_QUERY $KIT_DIR/queries
setenv MAINT $KIT_DIR/maintenance
setenv CC cc
setenv FRAME $KIT_DIR/frame
setenv TEST $ORACLE_HOME/tpch/test
setenv LINKS $$SF/links
#setenv REGR_TEST $KIT_DIR/internal/regression_test

```

```

#
##### FRAME STUFF
#
setenv FRAME_PATH $KIT_DIR/frame
setenv FRAME_USER tpcd/tpcd
setenv RUN_PATH ""
#setenv ORACORE3INCL /vobs/oracore3/include
#setenv ORACORE3PUBL /vobs/oracore3/public
setenv ORACORE3INCL $ORACLE_HOME/rdbms/demo
setenv ORACORE3PUBL $ORACLE_HOME/rdbms/public
#setenv RDBMSPUBL /vobs/rdbms/public
setenv RDBMSPUBL $ORACLE_HOME/rdbms/public
#setenv NETWORKPUBL /vobs/network_src/public
setenv NETWORKPUBL $ORACLE_HOME/network/public
setenv RDBMSDEMO $ORACLE_HOME/rdbms/demo
setenv PLSQLEMO $ORACLE_HOME/plsql/demo
setenv PLSQLPUBL $ORACLE_HOME/plsql/public
setenv DSS_PATH /flatfiles
#setenv DSS_PATH /usr/pipe
#setenv PATH
./:${BUMPX_DIR}:${UTILS}:${DBGEN}:${MAINT}:${ACID_DIR}:${FRAME}/
bin:${FRAME}/bin:${REGR_TEST}:${PATH}
setenv PATH
./:${BUMPX_DIR}:${UTILS}:${DBGEN}:${MAINT}:${ACID_DIR}:${FRAME}/
bin:${FRAME}/bin:${PATH}
#
##### ENVIRONMENT VARIABLES #####
#
setenv WORKLOAD TPCH
setenv HOST tpchorc1
#setenv INITORA $KIT_DIR/schema/test_db/testdb.ora
setenv INITORA $KIT_DIR/schema/test_db/sf100.ora
#
##### ALIASES #####
#

```

## TRU64 UNIX Parameters

### sysconfig\_tpchorc1 (Node 1)

```

generic:
memberid=1
msgbuf_size=1048576
new_vers_high=1445664276479072064
new_vers_low=51969
act_vers_high=1445664276479072064
act_vers_low=51969
rolls_ver_lookup=0
    version_vendor = Compaq Computer Corporation
    version_avendor = COMPAQ
    version_product = Tru64 UNIX
    version_banner = Compaq Tru64 UNIX
locktype = 0
replicate_text = 1
dump_user_pte_pages = 1
dump_kernel_text = 1
live_dump_zero_suppress = 0

vm:
swapdevice=/dev/disk/dsk58b
vm_page_free_reserved=20
vm_page_free_min=30
vm_swap_eager=0
    dump_user_pte_pages = 1
    new_wire_method = 1
    replicate_user_text = 1
    ubc_minpercent=5
    ubc_maxpercent=10
gh_chunks = 2750

aud97:
    Subsystem_Description = Creative Ensoniq Audio
    Device_Major_Req = Same
    Device_Char_Major = ANY
    Device_Char_Files = aud97
    Device_Char_Minor = 0

```



```
Module_Config_Name = aud97
AUD97_Developer_Debug = 0
Num_Installed = 1
PCI_Option = PCL_SE_Rev - 0x210, Vendor_Id - 0x1274, Device_Id -
0x1371, Rev - 0, Base - 0, Sub - 0, Pif - 0 Sub_Vid - 0, Sub_Did - 0, Vid_Mo_Flag -
1, Did_Mo_Flag - 1, Rev_Mo_Flag - 0, Base_Mo_Flag - 0, Sub_Mo_Flag - 0,
Pif_Mo_Flag - 0, Sub_Vid_Mo_Flag - 0, Sub_Did_Mo_Flag - 0, Driver_Name -
aud97, Type - C, Adpt_Config - N
CMA_Option = Size - 0x40000, Alignment - 0x10000, Addrlimit - 0,
Type - 29, Flag - 1
```

mmsess:

```
Subsystem_Description = ESS Tech. 1888/1887 audio driver
Device_Major_Req = Same
Device_Char_Major = ANY
Device_Char_Files = mmsess0
Device_Char_Minor = 0
Module_Config_Name = mmsess
Mmsess_Developer_Debug = 0
Num_Installed = 1
ISA_Option = Board_Id - Null, Function_Name - 'ES1888', Driver_Name -
mmsess, Type - C, Adpt_Config - N
EISA_Option = Board_Id - ISA2100, Function_Name - Null, Driver_Name -
mmsess, Type - C, Adpt_Config - N
CMA_Option = Size - 0x40000, Alignment - 0x10000, Addrlimit - 0,
Type - 29, Flag - 1
```

```
Playback_DMA_Channel_Override = -1
Playback_Mixer_Not_Used = 0
Playback_Mixer_Wave_Out = 0xff
Playback_Mixer_Microphone = 0
Playback_Mixer_Line_In = 0
Playback_Mixer_Synthesizer = 0
Playback_Mixer_Aux_CD = 255
Playback_Mixer_AuxB = 0
Record_Mixer_Wave_Out_1887 = 0
Record_Mixer_Microphone = 0
Record_Mixer_Line_In = 0
Record_Mixer_Synthesizer_1887 = 0
Record_Mixer_Aux_CD = 255
Record_Mixer_AuxB = 0
Pc_Speaker = 1
Input_Source = MIC
Record_Volume = 12
Master_Volume_Left = 0x20
Master_Volume_Right = 0x20
Microphone_Preamplifier_Enable = 0
```

per:

```
Module_Config_Name = per
PER_Developer_Debug = 0
PCI_Option = PCL_SE_Rev - 0x210, Vendor_Id - 0x10ba, Device_Id -
0x304, Vid_Mo_Flag - 1, Did_Mo_Flag - 1, Rev_Mo_Flag - 0, Base_Mo_Flag - 0,
Sub_Mo_Flag - 0, Pif_Mo_Flag - 0, Sub_Vid_Mo_Flag - 0, Sub_Did_Mo_Flag - 0,
Driver_Name - per, Type - C, Adpt_Config - N
```

rdg:

```
max_objs=8960
max_async_req=1000
msg_size=32768
```

inet:

```
udp_recvspace=65535
udp_sendspace=65535
```

lsm:

```
lsm_rootdev_is_volume=0
Enable_LSM_Stats = 1
```

rt:

```
aio_task_max_num = 2048
```

io:

```
basic_dma_window_size = 2048
```

proc:

```
give_boost = 0
max_per_proc_stack_size = 3354432
max_per_proc_address_space = 128000000000
max_per_proc_data_size = 128000000000
```

```
max_proc_per_user = 2048
max_threads_per_user = 2048
per_proc_address_space = 128000000000
per_proc_data_size = 128000000000
```

ipc:

```
msg_max = 32768
msg_mnb = 30000
msg_mni = 256
msg_tql = 1024
sem_aem = 32768
sem_mni = 1024
sem_msl = 2000
sem_opm = 2000
sem_ume = 2000
sem_vmx = 320000
shm_max = 32212254720
shm_mni = 1024
shm_seg = 512
shm_threshold = 0
shm_allocate_stripped = 1
```

sec:

```
acl_mode = disable
```

clubase:

```
cluster_expected_votes=1
cluster_name=tpchorc
cluster_node_name=tpchorc1
cluster_node_inter_name=tpchorc1-ics0
cluster_node_votes=1
cluster_interconnect=mct
cluster_seqdisk_major=19
cluster_seqdisk_minor=1016
cluster_qdisk_major=0
cluster_qdisk_minor=0
cluster_qdisk_votes=0
```

pcount:

```
Subsystem_Description = pcount device driver
Module_Config_Name = pcount
Module_Type = Dynamic
```

```
# Device_Major_Req = Same
Device_Char_Major = ANY
Device_Char_Minor = 0
Device_Char_Files = pcount0
```

## sysconfig\_tpchorc2 (Node 2)

generic:

```
memberid=2
msgbuf_size=1048576
new_vers_high=1445664276479072064
new_vers_low=51969
act_vers_high=1445664276479072064
act_vers_low=51969
rolls_ver_lookup=0
version_vendor = Compaq Computer Corporation
version_avendor = COMPAQ
version_product = Tru64 UNIX
version_banner = Compaq Tru64 UNIX
locktype = 0
replicate_text = 1
dump_user_pte_pages = 1
dump_kernel_text = 1
live_dump_zero_suppress = 0
```

vm:

```
swapdevice=/dev/disk/dsk59b
vm_page_free_reserved=20
vm_page_free_min=30
vm_swap_eager=0
dump_user_pte_pages = 1
new_wire_method = 1
replicate_user_text = 1
ubc_minpercent=5
ubc_maxpercent=10
gh_chunks = 2750
```

```

rdg:
  max_objs=8960
  max_async_req=1000
  msg_size=32768

inet:
  udp_recvspace=65535
  udp_sendspace=65535

lsm:
  lsm_rootdev_is_volume=0
  Enable_LSM_Stats = 1

clubase:
  cluster_expected_votes=1
  cluster_name=tpchorch
  cluster_node_name=tpchorc2
  cluster_node_inter_name=tpchorc2-ics0
  cluster_node_votes=0
  cluster_interconnect=mct
  cluster_seqdisk_major=19
  cluster_seqdisk_minor=1032
  cluster_qdisk_major=0
  cluster_qdisk_minor=0
  cluster_qdisk_votes=0

sec:
  acl_mode = disable

per:
  Module_Config_Name = per
  PER_Developer_Debug = 0
  PCI_Option = PCI_SE_Rev - 0x210, Vendor_Id - 0x10ba, Device_Id -
0x304, Vid_Mo_Flag - 1, Did_Mo_Flag - 1, Rev_Mo_Flag - 0, Base_Mo_Flag - 0,
Sub_Mo_Flag - 0, Pif_Mo_Flag - 0, Sub_Vid_Mo_Flag - 0, Sub_Did_Mo_Flag - 0,
Driver_Name - per, Type - C, Adpt_Config - N

rt:
  aio_task_max_num = 2048

io:
  basic_dma_window_size = 2048

proc:
  give_boost = 0
  max_per_proc_stack_size = 33554432
  max_per_proc_address_space = 128000000000
  max_per_proc_data_size = 128000000000
  max_proc_per_user = 2048
  max_threads_per_user = 2048
  per_proc_address_space = 128000000000
  per_proc_data_size = 128000000000

ipc:
  msg_max = 32768
  msg_mnb = 30000
  msg_mni = 256
  msg_tql = 1024
  sem_aem = 32768
  sem_mni = 1024
  sem_msl = 2000
  sem_opm = 2000
  sem_ume = 2000
  sem_vmx = 320000
  shm_max = 32212254720
  shm_mni = 1024
  shm_seg = 512
  ssm_threshold = 0
  shm_allocate_striped = 1

aud97:
  Subsystem_Description = Creative Ensoniq Audio
  Device_Major_Req = Same
  Device_Char_Major = ANY
  Device_Char_Files = aud97
  Device_Char_Minor = 0
  Module_Config_Name = aud97
  AUD97_Developer_Debug = 0

```

```

  Num_Installed = 1
  PCI_Option = PCI_SE_Rev - 0x210, Vendor_Id - 0x1274, Device_Id -
0x1371, Rev - 0, Base - 0, Sub - 0, Pif - 0 Sub_Vid - 0, Sub_Did - 0, Vid_Mo_Flag -
1, Did_Mo_Flag - 1, Rev_Mo_Flag - 0, Base_Mo_Flag - 0, Sub_Mo_Flag - 0,
Pif_Mo_Flag - 0, Sub_Vid_Mo_Flag - 0, Sub_Did_Mo_Flag - 0, Driver_Name -
aud97, Type - C, Adpt_Config - N
  CMA_Option = Size - 0x40000, Alignment - 0x10000, Addrlimit - 0,
Type - 29, Flag - 1

mmsess:
  Subsystem_Description = ESS Tech. 1888/1887 audio driver
  Device_Major_Req = Same
  Device_Char_Major = ANY
  Device_Char_Files = mmsess0
  Device_Char_Minor = 0
  Module_Config_Name = mmsess
  Mmsess_Developer_Debug = 0
  Num_Installed = 1
  ISA_Option = Board_Id - Null, Function_Name - 'ES1888', Driver_Name -
mmsess, Type - C, Adpt_Config - N
  EISA_Option = Board_Id - ISA2100, Function_Name - Null, Driver_Name -
mmsess, Type - C, Adpt_Config - N
  CMA_Option = Size - 0x40000, Alignment - 0x10000, Addrlimit - 0,
Type - 29, Flag - 1
  Playback_DMA_Channel_Override = -1
  Playback_Mixer_Not_Used = 0
  Playback_Mixer_Wave_Out = 0xff
  Playback_Mixer_Microphone = 0
  Playback_Mixer_Line_In = 0
  Playback_Mixer_Synthesizer = 0
  Playback_Mixer_Aux_CD = 255
  Playback_Mixer_AuxB = 0
  Record_Mixer_Wave_Out_1887 = 0
  Record_Mixer_Microphone = 0
  Record_Mixer_Line_In = 0
  Record_Mixer_Synthesizer_1887 = 0
  Record_Mixer_Aux_CD = 255
  Record_Mixer_AuxB = 0
  Pc_Speaker = 1
  Input_Source = MIC
  Record_Volume = 12
  Master_Volume_Left = 0x20
  Master_Volume_Right = 0x20
  Microphone_Preamplifier_Enable = 0

```

### sysconfig\_tpchorc3 (Node 3)

```

generic:
  memberid=3
  msgbuf_size=1048576
  new_vers_high=1445664276479072064
  new_vers_low=51969
  act_vers_high=1445664276479072064
  act_vers_low=51969
  rolls_ver_lookup=0
  version_vendor = Compaq Computer Corporation
  version_avendor = COMPAQ
  version_product = Tru64 UNIX
  version_banner = Compaq Tru64 UNIX
  locktype = 0
  replicate_text = 1
  dump_user_pte_pages = 1
  dump_kernel_text = 1
  live_dump_zero_suppress = 0

vm:
  swapdevice=/dev/disk/dsk60b
  vm_page_free_reserved=20
  vm_page_free_min=30
  vm_swap_eager=0
  dump_user_pte_pages = 1
  new_wire_method = 1
  replicate_user_text = 1
  ubc_minpercent=5
  ubc_maxpercent=10
  gh_chunks = 2750

rdg:

```

```

max_objs=8960
max_async_req=1000
msg_size=32768

inet:
udp_rcvspace=65535
udp_sendspace=65535

lsm:
lsm_rootdev_is_volume=0
Enable_LSM_Stats = 1

rt:
aio_task_max_num = 2048

io:
basic_dma_window_size = 2048

proc:
give_boost = 0
max_per_proc_stack_size = 33554432
max_per_proc_address_space = 128000000000
max_per_proc_data_size = 128000000000
max_proc_per_user = 2048
max_threads_per_user = 2048
per_proc_address_space = 128000000000
per_proc_data_size = 128000000000

ipc:
msg_max = 32768
msg_mnb = 30000
msg_mni = 256
msg_tql = 1024
sem_aem = 32768
sem_mni = 1024
sem_msl = 2000
sem_opm = 2000
sem_ume = 2000
sem_vmx = 320000
shm_max = 32212254720
shm_mni = 1024
shm_seg = 512
ssm_threshold = 0
shm_allocate_striped = 1

clubase:
cluster_expected_votes=1
cluster_name=tpchorch
cluster_node_name=tpchorc3
cluster_node_inter_name=tpchorc3-ics0
cluster_node_votes=0
cluster_interconnect=mct
cluster_seqdisk_major=19
cluster_seqdisk_minor=1080
cluster_qdisk_major=0
cluster_qdisk_minor=0
cluster_qdisk_votes=0

sec:
acl_mode = disable

per:
Module_Config_Name = per
PER_Developer_Debug = 0
PCI_Option = PCI_SE_Rev - 0x210, Vendor_Id - 0x10ba, Device_Id -
0x304, Vid_Mo_Flag - 1, Did_Mo_Flag - 1, Rev_Mo_Flag - 0, Base_Mo_Flag - 0,
Sub_Mo_Flag - 0, Pif_Mo_Flag - 0, Sub_Vid_Mo_Flag - 0, Sub_Did_Mo_Flag - 0,
Driver_Name - per, Type - C, Adpt_Config - N

aud97:
Subsystem_Description = Creative Ensoniq Audio
Device_Major_Req = Same
Device_Char_Major = ANY
Device_Char_Files = aud97
Device_Char_Minor = 0
Module_Config_Name = aud97
AUD97_Developer_Debug = 0
Num_Installed = 1

```

```

PCI_Option = PCI_SE_Rev - 0x210, Vendor_Id - 0x1274, Device_Id -
0x1371, Rev - 0, Base - 0, Sub - 0, Pif - 0 Sub_Vid - 0, Sub_Did - 0, Vid_Mo_Flag -
1, Did_Mo_Flag - 1, Rev_Mo_Flag - 0, Base_Mo_Flag - 0, Sub_Mo_Flag - 0,
Pif_Mo_Flag - 0, Sub_Vid_Mo_Flag - 0, Sub_Did_Mo_Flag - 0, Driver_Name -
aud97, Type - C, Adpt_Config - N
CMA_Option = Size - 0x40000, Alignment - 0x10000, Addrlimit - 0,
Type - 29, Flag - 1

mmsess:
Subsystem_Description = ESS Tech. 1888/1887 audio driver
Device_Major_Req = Same
Device_Char_Major = ANY
Device_Char_Files = mmsess0
Device_Char_Minor = 0
Module_Config_Name = mmsess
Mmsess_Developer_Debug = 0
Num_Installed = 1
ISA_Option = Board_Id - Null, Function_Name - 'ES1888', Driver_Name -
mmsess, Type - C, Adpt_Config - N
EISA_Option = Board_Id - ISA2100, Function_Name - Null, Driver_Name -
mmsess, Type - C, Adpt_Config - N
CMA_Option = Size - 0x40000, Alignment - 0x10000, Addrlimit - 0,
Type - 29, Flag - 1
Playback_DMA_Channel_Override = -1
Playback_Mixer_Not_Used = 0
Playback_Mixer_Wave_Out = 0xff
Playback_Mixer_Microphone = 0
Playback_Mixer_Line_In = 0
Playback_Mixer_Synthesizer = 0
Playback_Mixer_Aux_CD = 255
Playback_Mixer_AuxB = 0
Record_Mixer_Wave_Out_1887 = 0
Record_Mixer_Microphone = 0
Record_Mixer_Line_In = 0
Record_Mixer_Synthesizer_1887 = 0
Record_Mixer_Aux_CD = 255
Record_Mixer_AuxB = 0
Pc_Speaker = 1
Input_Source = MIC
Record_Volume = 12
Master_Volume_Left = 0x20
Master_Volume_Right = 0x20
Microphone_Preamplifier_Enable = 0

```

## sysconfig\_tpchorc4 (Node 4)

```

generic:
memberid=4
msgbuf_size=1048576
new_vers_high=1445664276479072064
new_vers_low=51969
act_vers_high=1445664276479072064
act_vers_low=51969
rolls_ver_lookup=0
version_vendor = Compaq Computer Corporation
version_avendor = COMPAQ
version_product = Tru64 UNIX
version_banner = Compaq Tru64 UNIX
locktype = 0
replicate_text = 1
dump_user_pte_pages = 1
dump_kernel_text = 1
live_dump_zero_suppress = 0

vm:
swapdevice=/dev/disk/dsk62b
vm_page_free_reserved=20
vm_page_free_min=30
vm_swap_eager=0
dump_user_pte_pages = 1
new_wire_method = 1
replicate_user_text = 1
ubc_minpercent=5
ubc_maxpercent=10
gh_chunks = 2750

rdg:
max_objs=8960

```

```

max_async_req=1000
msg_size=32768

inet:
  udp_recvspace=65535
  udp_sendspace=65535

lsm:
lsm_rootdev_is_volume=0
  Enable_LSM_Stats = 1

rt:
  aio_task_max_num = 2048

io:
  basic_dma_window_size = 2048

proc:
  give_boost = 0
  max_per_proc_stack_size = 33554432
  max_per_proc_address_space = 128000000000
  max_per_proc_data_size = 128000000000
  max_proc_per_user = 2048
  max_threads_per_user = 2048
  per_proc_address_space = 128000000000
  per_proc_data_size = 128000000000

ipc:
  msg_max = 32768
  msg_mnb = 30000
  msg_mni = 256
  msg_tql = 1024
  sem_aem = 32768
  sem_mni = 1024
  sem_msl = 2000
  sem_opm = 2000
  sem_ume = 2000
  sem_vmx = 320000
  shm_max = 32212254720
  shm_mni = 1024
  shm_seg = 512
  ssm_threshold = 0
  shm_allocate_striped = 1

clubase:
cluster_expected_votes=1
cluster_name=tpchorch
cluster_node_name=tpchorc4
cluster_node_inter_name=tpchorc4-ics0
cluster_node_votes=0
cluster_interconnect=mct
cluster_seqdisk_major=19
cluster_seqdisk_minor=1144
cluster_qdisk_major=0
cluster_qdisk_minor=0
cluster_qdisk_votes=0

sec:
acl_mode = disable

per:
  Module_Config_Name = per
  PER_Developer_Debug = 0
  PCI_Option = PCI_SE_Rev - 0x210, Vendor_Id - 0x10ba, Device_Id -
0x304, Vid_Mo_Flag - 1, Did_Mo_Flag - 1, Rev_Mo_Flag - 0, Base_Mo_Flag - 0,
Sub_Mo_Flag - 0, Pif_Mo_Flag - 0, Sub_Vid_Mo_Flag - 0, Sub_Did_Mo_Flag - 0,
Driver_Name - per, Type - C, Adpt_Config - N

aud97:
  Subsystem_Description = Creative Ensoniq Audio
  Device_Major_Req = Same
  Device_Char_Major = ANY
  Device_Char_Files = aud97
  Device_Char_Minor = 0
  Module_Config_Name = aud97
  AUD97_Developer_Debug = 0
  Num_Installed = 1
  PCI_Option = PCI_SE_Rev - 0x210, Vendor_Id - 0x1274, Device_Id -
0x1371, Rev - 0, Base - 0, Sub - 0, Pif - 0, Sub_Vid - 0, Sub_Did - 0, Vid_Mo_Flag -
1, Did_Mo_Flag - 1, Rev_Mo_Flag - 0, Base_Mo_Flag - 0, Sub_Mo_Flag - 0,
Pif_Mo_Flag - 0, Sub_Vid_Mo_Flag - 0, Sub_Did_Mo_Flag - 0, Driver_Name -
aud97, Type - C, Adpt_Config - N
  CMA_Option = Size - 0x40000, Alignment - 0x10000, Addrlimit - 0,
Type - 29, Flag - 1

mmsess:
  Subsystem_Description = ESS Tech. 1888/1887 audio driver
  Device_Major_Req = Same
  Device_Char_Major = ANY
  Device_Char_Files = mmsess0
  Device_Char_Minor = 0
  Module_Config_Name = mmsess
  Mmsess_Developer_Debug = 0
  Num_Installed = 1
  ISA_Option = Board_Id - Null, Function_Name - 'ES1888', Driver_Name -
mmsess, Type - C, Adpt_Config - N
  EISA_Option = Board_Id - ISA2100, Function_Name - Null, Driver_Name -
mmsess, Type - C, Adpt_Config - N
  CMA_Option = Size - 0x40000, Alignment - 0x10000, Addrlimit - 0,
Type - 29, Flag - 1
  Playback_DMA_Channel_Override = -1
  Playback_Mixer_Not_Used = 0
  Playback_Mixer_Wave_Out = 0xff
  Playback_Mixer_Microphone = 0
  Playback_Mixer_Line_In = 0
  Playback_Mixer_Synthesizer = 0
  Playback_Mixer_Aux_CD = 255
  Playback_Mixer_AuxB = 0
  Record_Mixer_Wave_Out_1887 = 0
  Record_Mixer_Microphone = 0
  Record_Mixer_Line_In = 0
  Record_Mixer_Synthesizer_1887 = 0
  Record_Mixer_Aux_CD = 255
  Record_Mixer_AuxB = 0
  Pc_Speaker = 1
  Input_Source = MIC
  Record_Volume = 12
  Master_Volume_Left = 0x20
  Master_Volume_Right = 0x20
  Microphone_Preamplifier_Enable = 0

```

# Appendix B: Scripts and Programs

## Database Create and Load

### create\_database\_4node.sh

```
#!/bin/ksh
#
# Create 300GB Oracle TPC-H Database - Compaq Computer Corporation
# Performance Engineers: Eric L. Speed and Nancy Fleming
#
date
sqlplus <<EOF
/ as sysdba
set echo on
spool create_database_4node_spool.log
startup nomount pfile=$SF/control_files/dbcreate.ora ;
create database tpc
controlfile reuse
logfile '$LINKS/redolog1' size 6703m reuse,
        '$LINKS/redolog2' size 6703m reuse,
        '$LINKS/redolog3' size 6703m reuse
        datafile '$LINKS/system1' size 6703m reuse
undo tablespace ts_undo1 datafile '$SF/links/ts_undo1' size 9903m reuse
maxdatafiles 750
maxinstances 4;

alter tablespace ts_undo1 add datafile '$SF/links/ts_undo2' size 9903m reuse;

-- The next lines are added for the 2nd instance's redolog files NEF 11-1-000

alter database add logfile thread 2 '$LINKS/redolog4' size 6703m reuse;
alter database add logfile thread 2 '$LINKS/redolog5' size 6703m reuse;
alter database add logfile thread 2 '$LINKS/redolog6' size 6703m reuse;

alter database add logfile thread 3 '$LINKS/redolog7' size 6703m reuse;
alter database add logfile thread 3 '$LINKS/redolog8' size 6703m reuse;
alter database add logfile thread 3 '$LINKS/redolog9' size 6703m reuse;

alter database add logfile thread 4 '$LINKS/redolog10' size 6703m reuse;
alter database add logfile thread 4 '$LINKS/redolog11' size 6703m reuse;
alter database add logfile thread 4 '$LINKS/redolog12' size 6703m reuse;

alter database enable public thread 2;
alter database enable public thread 3;
alter database enable public thread 4;

alter tablespace system add datafile '$SF/links/system2' size 6703m reuse;
alter tablespace system add datafile '$SF/links/system3' size 6703m reuse;
alter tablespace system add datafile '$SF/links/system4' size 6703m reuse;

create undo tablespace ts_undo2 datafile '$SF/links/ts_undo3' size 9903m reuse;
alter tablespace ts_undo2 add datafile '$SF/links/ts_undo4' size 9903m reuse;

create undo tablespace ts_undo3 datafile '$SF/links/ts_undo5' size 9903m reuse;
alter tablespace ts_undo3 add datafile '$SF/links/ts_undo6' size 9903m reuse;

create undo tablespace ts_undo4 datafile '$SF/links/ts_undo7' size 9903m reuse;
alter tablespace ts_undo4 add datafile '$SF/links/ts_undo8' size 9903m reuse;

-- Building data dictionary

set termout off
set echo off
@$ORACLE_HOME/rdbms/admin/catalog.sql;
@$ORACLE_HOME/rdbms/admin/catparr.sql;
@$ORACLE_HOME/rdbms/admin/catproc.sql;
exit;
EOF

sqlplus system/manager <<EOF
drop user tpcd cascade;
```

```
grant DBA
to tpcd identified by tpcd;
```

```
@$ORACLE_HOME/rdbms/admin/utlxplan.sql;
@$ORACLE_HOME/sqlplus/admin/publd.sql;
exit;
EOF
```

```
sqlplus <<EOF
/ as sysdba
set echo on
set termout on
@$SF/schema_load/create_tablespace_schema.sql
@$SF/schema_load/create_tablespace_orders.sql
@$SF/schema_load/create_tablespace_lineitem.sql
exit;
EOF
```

```
sqlplus tpcd/tpcd <<EOF
@$SF/schema_load/create_tables_all_et.sql
@$ORACLE_HOME/rdbms/admin/utlxplan.sql;
exit;
EOF
```

```
sqlplus system/manager <<EOF
alter user tpcd temporary tablespace ts_temp;
alter user tpcd default tablespace ts_s;
spool off
exit;
EOF
date
```

### create\_tablespace\_lineitem.sql

```
set echo on ;

-- tablespace ts_11 thru ts_184 are for the LineItem Partitions

drop tablespace ts_11 including contents;
create tablespace ts_11 datafile '$SF/links/ts_11_1' size 1117m reuse
;
drop tablespace ts_12 including contents;
create tablespace ts_12 datafile '$SF/links/ts_12_1' size 1117m reuse
;
drop tablespace ts_13 including contents;
create tablespace ts_13 datafile '$SF/links/ts_13_1' size 1117m reuse
;
drop tablespace ts_14 including contents;
create tablespace ts_14 datafile '$SF/links/ts_14_1' size 1117m reuse
;
drop tablespace ts_15 including contents;
create tablespace ts_15 datafile '$SF/links/ts_15_1' size 1117m reuse
;
drop tablespace ts_16 including contents;
create tablespace ts_16 datafile '$SF/links/ts_16_1' size 1117m reuse
;
drop tablespace ts_17 including contents;
create tablespace ts_17 datafile '$SF/links/ts_17_1' size 1117m reuse
;
drop tablespace ts_18 including contents;
create tablespace ts_18 datafile '$SF/links/ts_18_1' size 1117m reuse
;
drop tablespace ts_19 including contents;
create tablespace ts_19 datafile '$SF/links/ts_19_1' size 1117m reuse
;
drop tablespace ts_110 including contents;
create tablespace ts_110 datafile '$SF/links/ts_110_1' size 1117m reuse
;
drop tablespace ts_111 including contents;
create tablespace ts_111 datafile '$SF/links/ts_111_1' size 1117m reuse
;
drop tablespace ts_112 including contents;
create tablespace ts_112 datafile '$SF/links/ts_112_1' size 1117m reuse
;
drop tablespace ts_113 including contents;
create tablespace ts_113 datafile '$SF/links/ts_113_1' size 1117m reuse
;
drop tablespace ts_114 including contents;
```













```
alter tablespace ts_o83 add datafile '$SF/links/ts_o83_3' size 361m reuse;
alter tablespace ts_o84 add datafile '$SF/links/ts_o84_3' size 361m reuse;
```

## create\_tablespace\_schema.sql

```
--
-- Schema Tablespace Creation Phase
-- 300GB Schema
-- Edit History
--
-- NEF      24-Apr-2001 Create.
--
set echo on ;

-- Creating tablespaces

drop tablespace ts_s including contents;
create tablespace ts_s
    datafile '$SF/links/ts_s1' size 6703m reuse
    extent management local
    autoallocate;

alter tablespace ts_s add datafile '$SF/links/ts_s2' size 6703m reuse;
alter tablespace ts_s add datafile '$SF/links/ts_s3' size 6703m reuse;

drop tablespace ts_c including contents;
create tablespace ts_c
    datafile '$SF/links/ts_c1' size 6703m reuse
    extent management local
    autoallocate;

alter tablespace ts_c add datafile '$SF/links/ts_c2' size 6703m reuse;
alter tablespace ts_c add datafile '$SF/links/ts_c3' size 6703m reuse;

drop tablespace ts_ps including contents;
create tablespace ts_ps
    datafile '$SF/links/ts_ps1' size 6703m reuse
    extent management local
    autoallocate;

alter tablespace ts_ps add datafile '$SF/links/ts_ps2' size 6703m reuse;
alter tablespace ts_ps add datafile '$SF/links/ts_ps3' size 6703m reuse;
alter tablespace ts_ps add datafile '$SF/links/ts_ps4' size 6703m reuse;
alter tablespace ts_ps add datafile '$SF/links/ts_ps5' size 6703m reuse;
alter tablespace ts_ps add datafile '$SF/links/ts_ps6' size 6703m reuse;
alter tablespace ts_ps add datafile '$SF/links/ts_ps7' size 6703m reuse;
alter tablespace ts_ps add datafile '$SF/links/ts_ps8' size 6703m reuse;
alter tablespace ts_ps add datafile '$SF/links/ts_ps9' size 6703m reuse;
alter tablespace ts_ps add datafile '$SF/links/ts_ps10' size 6703m reuse;
alter tablespace ts_ps add datafile '$SF/links/ts_ps11' size 6703m reuse;
alter tablespace ts_ps add datafile '$SF/links/ts_ps12' size 6703m reuse;

drop tablespace ts_p including contents;
create tablespace ts_p
    datafile '$SF/links/ts_p1' size 6703m reuse
    extent management local
    autoallocate;

alter tablespace ts_p add datafile '$SF/links/ts_p2' size 6703m reuse;
alter tablespace ts_p add datafile '$SF/links/ts_p3' size 6703m reuse;
alter tablespace ts_p add datafile '$SF/links/ts_p4' size 6703m reuse;
alter tablespace ts_p add datafile '$SF/links/ts_p5' size 6703m reuse;
alter tablespace ts_p add datafile '$SF/links/ts_p6' size 6703m reuse;

drop tablespace ts_i_1 including contents;
create tablespace ts_i_1
    datafile '$SF/links/ts_i_11' size 9903m reuse
    extent management local
    autoallocate;

alter tablespace ts_i_1 add datafile '$SF/links/ts_i_12' size 9903m reuse;
alter tablespace ts_i_1 add datafile '$SF/links/ts_i_13' size 9903m reuse;
alter tablespace ts_i_1 add datafile '$SF/links/ts_i_14' size 9903m reuse;
alter tablespace ts_i_1 add datafile '$SF/links/ts_i_15' size 9903m reuse;
alter tablespace ts_i_1 add datafile '$SF/links/ts_i_16' size 9903m reuse;
```

```
-- creating tpcd's ts_i_o tablespace
```

```
drop tablespace ts_i_o including contents;
create tablespace ts_i_o
    datafile '$SF/links/ts_i_o1' size 6703m reuse
    extent management local
    autoallocate;

alter tablespace ts_i_o add datafile '$SF/links/ts_i_o2' size 6703m reuse;
alter tablespace ts_i_o add datafile '$SF/links/ts_i_o3' size 6703m reuse;
alter tablespace ts_i_o add datafile '$SF/links/ts_i_o4' size 6703m reuse;
alter tablespace ts_i_o add datafile '$SF/links/ts_i_o5' size 6703m reuse;
alter tablespace ts_i_o add datafile '$SF/links/ts_i_o6' size 6703m reuse;
alter tablespace ts_i_o add datafile '$SF/links/ts_i_o7' size 6703m reuse;
alter tablespace ts_i_o add datafile '$SF/links/ts_i_o8' size 6703m reuse;
alter tablespace ts_i_o add datafile '$SF/links/ts_i_o9' size 6703m reuse;

drop tablespace ts_i_p including contents;
create tablespace ts_i_p
    datafile '$SF/links/ts_i_p1' size 6703m reuse
    extent management local
    autoallocate;

alter tablespace ts_i_p add datafile '$SF/links/ts_i_p2' size 6703m reuse;
alter tablespace ts_i_p add datafile '$SF/links/ts_i_p3' size 6703m reuse;

drop tablespace ts_i_ps including contents;
create tablespace ts_i_ps
    datafile '$SF/links/ts_i_ps1' size 6703m reuse
    extent management local
    autoallocate;

alter tablespace ts_i_ps add datafile '$SF/links/ts_i_ps2' size 6703m reuse;
alter tablespace ts_i_ps add datafile '$SF/links/ts_i_ps3' size 6703m reuse;
alter tablespace ts_i_ps add datafile '$SF/links/ts_i_ps4' size 6703m reuse;
alter tablespace ts_i_ps add datafile '$SF/links/ts_i_ps5' size 6703m reuse;
alter tablespace ts_i_ps add datafile '$SF/links/ts_i_ps6' size 6703m reuse;

drop tablespace ts_i_c including contents;
create tablespace ts_i_c
    datafile '$SF/links/ts_i_c1' size 6703m reuse
    extent management local
    autoallocate;

alter tablespace ts_i_c add datafile '$SF/links/ts_i_c2' size 6703m reuse;
alter tablespace ts_i_c add datafile '$SF/links/ts_i_c3' size 6703m reuse;

drop tablespace ts_i_s including contents;
create tablespace ts_i_s
    datafile '$SF/links/ts_i_s1' size 6703m reuse
    extent management local
    autoallocate;

alter tablespace ts_i_s add datafile '$SF/links/ts_i_s2' size 6703m reuse;
alter tablespace ts_i_s add datafile '$SF/links/ts_i_s3' size 6703m reuse;

drop tablespace ts_temp including contents;
create temporary tablespace ts_temp tempfile '$SF/links/ts_temp1' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp2' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp3' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp4' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp5' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp6' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp7' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp8' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp9' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp10' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp11' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp12' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp13' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp14' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp15' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp16' size 11172m reuse;
```

```

alter tablespace ts_temp add tempfile '$SF/links/ts_temp17' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp18' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp19' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp20' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp21' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp22' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp23' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp24' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp25' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp26' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp27' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp28' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp29' size 11172m reuse;
alter tablespace ts_temp add tempfile '$SF/links/ts_temp30' size 11172m reuse;

```

## create\_tables\_all\_et.sql

```

drop directory data_dir;
create directory data_dir as /flatfiles';

```

```

drop table lineitem_et;
create table lineitem_et (
  l_shipdate      date ,
  l_orderkey      number ,
  l_discount      number ,
  l_extendedprice number ,
  l_suppkey       number ,
  l_quantity      number ,
  l_returnflag    char(1) ,
  l_partkey       number ,
  l_linestatus    char(1) ,
  l_tax           number ,
  l_commitdate    date ,
  l_receiptdate   date ,
  l_shipmode      char(10) ,
  l_linenum       number ,
  l_shipinstruct  char(25) ,
  l_comment       varchar(44)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
  records delimited by newline
  nobadfile
  nologfile
  nodiscardfile
  fields terminated by '|'
  missing field values are null
)
)
location (
'lineitem.tbl.1','lineitem.tbl.2','lineitem.tbl.3',
'lineitem.tbl.4','lineitem.tbl.5','lineitem.tbl.6',
'lineitem.tbl.7','lineitem.tbl.8','lineitem.tbl.9',
'lineitem.tbl.10','lineitem.tbl.11','lineitem.tbl.12',
'lineitem.tbl.13','lineitem.tbl.14','lineitem.tbl.15',
'lineitem.tbl.16'
))reject limit unlimited;
alter table lineitem_et parallel;

```

```

drop table orders_et;
create table orders_et (
  o_orderdate      date ,
  o_orderkey       number ,
  o_custkey        number ,
  o_orderpriority  char(15) ,
  o_shippriority   number ,
  o_clerk          char(15) ,
  o_orderstatus    char(1) ,
  o_totalprice     number ,
  o_comment        varchar(79)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(

```

```

  records delimited by newline
  nobadfile
  nologfile
  nodiscardfile
  fields terminated by '|'
  missing field values are null
)
)
location (
'orders.tbl.1','orders.tbl.2','orders.tbl.3',
'orders.tbl.4','orders.tbl.5','orders.tbl.6',
'orders.tbl.7','orders.tbl.8','orders.tbl.9',
'orders.tbl.10','orders.tbl.11','orders.tbl.12',
'orders.tbl.13','orders.tbl.14','orders.tbl.15',
'orders.tbl.16'
))reject limit unlimited;
alter table orders_et parallel;

```

```

drop table part_et;
create table part_et (
  p_partkey      number ,
  p_type         varchar(25) ,
  p_size         number ,
  p_brand        char(10) ,
  p_name         varchar(55) ,
  p_container    char(10) ,
  p_mfgr        char(25) ,
  p_retailprice  number ,
  p_comment      varchar(23)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
  records delimited by newline
  nobadfile
  nologfile
  nodiscardfile
  fields terminated by '|'
  missing field values are null
)
)
location (
'part.tbl.1','part.tbl.2','part.tbl.3',
'part.tbl.4','part.tbl.5','part.tbl.6',
'part.tbl.7','part.tbl.8','part.tbl.9',
'part.tbl.10','part.tbl.11','part.tbl.12',
'part.tbl.13','part.tbl.14','part.tbl.15',
'part.tbl.16'
))reject limit unlimited;
alter table part_et parallel;

```

```

drop table partsupp_et;
create table partsupp_et (
  ps_partkey      number ,
  ps_suppkey      number ,
  ps_supplycost   number ,
  ps_availqty     number ,
  ps_comment      varchar(199)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
  records delimited by newline
  nobadfile
  nologfile
  nodiscardfile
  fields terminated by '|'
  missing field values are null
)
)
location (
'partsupp.tbl.1','partsupp.tbl.2','partsupp.tbl.3',
'partsupp.tbl.4','partsupp.tbl.5','partsupp.tbl.6',
'partsupp.tbl.7','partsupp.tbl.8','partsupp.tbl.9',
'partsupp.tbl.10','partsupp.tbl.11','partsupp.tbl.12',
'partsupp.tbl.13','partsupp.tbl.14','partsupp.tbl.15',
'partsupp.tbl.16'
)

```

```

))reject limit unlimited;
alter table partsupp_et parallel;

drop table supplier_et;
create table supplier_et (
  s_suppkey      number ,
  s_nationkey    number ,
  s_comment      varchar(101) ,
  s_name         char(25) ,
  s_address      varchar(40) ,
  s_phone        char(15) ,
  s_acctbal      number
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
  records delimited by newline
  nobadfile
  nologfile
  nodiscardfile
  fields terminated by '|'
  missing field values are null
)
location (
'supplier.tbl.1','supplier.tbl.2','supplier.tbl.3',
'supplier.tbl.4','supplier.tbl.5','supplier.tbl.6',
'supplier.tbl.7','supplier.tbl.8','supplier.tbl.9',
'supplier.tbl.10','supplier.tbl.11','supplier.tbl.12',
'supplier.tbl.13','supplier.tbl.14','supplier.tbl.15',
'supplier.tbl.16'
))reject limit unlimited;
alter table supplier_et parallel;

```

```

drop table customer_et;
create table customer_et (
  c_custkey      number ,
  c_mktsegment   char(10) ,
  c_nationkey    number ,
  c_name         varchar(25) ,
  c_address      varchar(40) ,
  c_phone        char(15) ,
  c_acctbal      number ,
  c_comment      varchar(117)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
  records delimited by newline
  nobadfile
  nologfile
  nodiscardfile
  fields terminated by '|'
  missing field values are null
)
location (
'customer.tbl.1','customer.tbl.2','customer.tbl.3',
'customer.tbl.4','customer.tbl.5','customer.tbl.6',
'customer.tbl.7','customer.tbl.8','customer.tbl.9',
'customer.tbl.10','customer.tbl.11','customer.tbl.12',
'customer.tbl.13','customer.tbl.14','customer.tbl.15',
'customer.tbl.16'
))reject limit unlimited;
alter table customer_et parallel;

```

```

drop table nation_et;
create table nation_et (
  n_nationkey    number ,
  n_name         char(25) ,
  n_regionkey    number ,
  n_comment      varchar(152)
)
organization external (
type ORACLE_LOADER
default directory data_dir

```

```

access parameters
(
  records delimited by newline
  nobadfile
  nologfile
  nodiscardfile
  fields terminated by '|'
  missing field values are null
)
location (
'nation.tbl'
))reject limit unlimited;
alter table nation_et parallel;

```

```

drop table region_et;
create table region_et (
  r_regionkey    number ,
  r_name         char(25) ,
  r_comment      varchar(152)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
  records delimited by newline
  nobadfile
  nologfile
  nodiscardfile
  fields terminated by '|'
  missing field values are null
)
location (
'region.tbl'
))reject limit unlimited;
alter table region_et parallel;

```

## dbgen\_flatfiles.sh

```

#!/bin/ksh

#####
# Data (Flat File) Generation Phase
#####

# Lineitem Table Flatfile Generation

dbgen -f -T L -s 300 -C 16 -S 1 &
dbgen -f -T L -s 300 -C 16 -S 2 &
dbgen -f -T L -s 300 -C 16 -S 3 &
dbgen -f -T L -s 300 -C 16 -S 4 &
dbgen -f -T L -s 300 -C 16 -S 5 &
dbgen -f -T L -s 300 -C 16 -S 6 &
dbgen -f -T L -s 300 -C 16 -S 7 &
dbgen -f -T L -s 300 -C 16 -S 8 &
wait

dbgen -f -T L -s 300 -C 16 -S 9 &
dbgen -f -T L -s 300 -C 16 -S 10 &
dbgen -f -T L -s 300 -C 16 -S 11 &
dbgen -f -T L -s 300 -C 16 -S 12 &
dbgen -f -T L -s 300 -C 16 -S 13 &
dbgen -f -T L -s 300 -C 16 -S 14 &
dbgen -f -T L -s 300 -C 16 -S 15 &
dbgen -f -T L -s 300 -C 16 -S 16 &
wait

# Orders Table Flatfile Generation

dbgen -f -T O -s 300 -C 16 -S 1 &
dbgen -f -T O -s 300 -C 16 -S 2 &
dbgen -f -T O -s 300 -C 16 -S 3 &
dbgen -f -T O -s 300 -C 16 -S 4 &
dbgen -f -T O -s 300 -C 16 -S 5 &
dbgen -f -T O -s 300 -C 16 -S 6 &

```

```
dbgen -f -T O -s 300 -C 16 -S 7 &
dbgen -f -T O -s 300 -C 16 -S 8 &
wait
```

```
dbgen -f -T O -s 300 -C 16 -S 9 &
dbgen -f -T O -s 300 -C 16 -S 10 &
dbgen -f -T O -s 300 -C 16 -S 11 &
dbgen -f -T O -s 300 -C 16 -S 12 &
dbgen -f -T O -s 300 -C 16 -S 13 &
dbgen -f -T O -s 300 -C 16 -S 14 &
dbgen -f -T O -s 300 -C 16 -S 15 &
dbgen -f -T O -s 300 -C 16 -S 16 &
wait
```

# Part Table Flatfile Generation

```
dbgen -f -T P -s 300 -C 16 -S 1 &
dbgen -f -T P -s 300 -C 16 -S 2 &
dbgen -f -T P -s 300 -C 16 -S 3 &
dbgen -f -T P -s 300 -C 16 -S 4 &
dbgen -f -T P -s 300 -C 16 -S 5 &
dbgen -f -T P -s 300 -C 16 -S 6 &
dbgen -f -T P -s 300 -C 16 -S 7 &
dbgen -f -T P -s 300 -C 16 -S 8 &
wait
```

```
dbgen -f -T P -s 300 -C 16 -S 9 &
dbgen -f -T P -s 300 -C 16 -S 10 &
dbgen -f -T P -s 300 -C 16 -S 11 &
dbgen -f -T P -s 300 -C 16 -S 12 &
dbgen -f -T P -s 300 -C 16 -S 13 &
dbgen -f -T P -s 300 -C 16 -S 14 &
dbgen -f -T P -s 300 -C 16 -S 15 &
dbgen -f -T P -s 300 -C 16 -S 16 &
wait
```

# Partsupp Table Flatfile Generation

```
dbgen -f -T S -s 300 -C 16 -S 1
dbgen -f -T S -s 300 -C 16 -S 2
dbgen -f -T S -s 300 -C 16 -S 3
dbgen -f -T S -s 300 -C 16 -S 4
dbgen -f -T S -s 300 -C 16 -S 5
dbgen -f -T S -s 300 -C 16 -S 6
dbgen -f -T S -s 300 -C 16 -S 7
dbgen -f -T S -s 300 -C 16 -S 8
dbgen -f -T S -s 300 -C 16 -S 9
dbgen -f -T S -s 300 -C 16 -S 10
dbgen -f -T S -s 300 -C 16 -S 11
dbgen -f -T S -s 300 -C 16 -S 12
dbgen -f -T S -s 300 -C 16 -S 13
dbgen -f -T S -s 300 -C 16 -S 14
dbgen -f -T S -s 300 -C 16 -S 15
dbgen -f -T S -s 300 -C 16 -S 16
```

# Supplier Table Flatfile Generation

```
dbgen -f -T s -s 300 -C 16 -S 1
dbgen -f -T s -s 300 -C 16 -S 2
dbgen -f -T s -s 300 -C 16 -S 3
dbgen -f -T s -s 300 -C 16 -S 4
dbgen -f -T s -s 300 -C 16 -S 5
dbgen -f -T s -s 300 -C 16 -S 6
dbgen -f -T s -s 300 -C 16 -S 7
dbgen -f -T s -s 300 -C 16 -S 8
dbgen -f -T s -s 300 -C 16 -S 9
dbgen -f -T s -s 300 -C 16 -S 10
dbgen -f -T s -s 300 -C 16 -S 11
dbgen -f -T s -s 300 -C 16 -S 12
dbgen -f -T s -s 300 -C 16 -S 13
dbgen -f -T s -s 300 -C 16 -S 14
dbgen -f -T s -s 300 -C 16 -S 15
dbgen -f -T s -s 300 -C 16 -S 16
```

# Customer Table Flatfile Generation

```
dbgen -f -T c -s 300 -C 16 -S 1
dbgen -f -T c -s 300 -C 16 -S 2
dbgen -f -T c -s 300 -C 16 -S 3
```

```
dbgen -f -T c -s 300 -C 16 -S 4
dbgen -f -T c -s 300 -C 16 -S 5
dbgen -f -T c -s 300 -C 16 -S 6
dbgen -f -T c -s 300 -C 16 -S 7
dbgen -f -T c -s 300 -C 16 -S 8
dbgen -f -T c -s 300 -C 16 -S 9
dbgen -f -T c -s 300 -C 16 -S 10
dbgen -f -T c -s 300 -C 16 -S 11
dbgen -f -T c -s 300 -C 16 -S 12
dbgen -f -T c -s 300 -C 16 -S 13
dbgen -f -T c -s 300 -C 16 -S 14
dbgen -f -T c -s 300 -C 16 -S 15
dbgen -f -T c -s 300 -C 16 -S 16
```

# Nation and Region Table Flatfile Generation

```
dbgen -f -T n -s 300 -C 1 -S 1
dbgen -f -T r -s 300 -C 1 -S 1
```

echo FlatFile Generation Complete...

## shutdown\_instance.sh

```
#!/bin/ksh
```

```
sqlplus <<EOF
/ as sysdba
shutdown
exit
EOF
```

## startup\_4\_instances.sh

```
#!/bin/ksh
```

echo "Starting Up Oracle on tpchore1 Now..."

\$\$SF/scripts/startup\_tpchore1.sh

echo "...Oracle Startup Complete on tpchore1"

sleep 3

echo "Starting Up Oracle on tpchore2 Now..."

rsh tpchore2 \$\$SF/scripts/startup\_tpchore2.sh

echo "...Oracle Startup Complete on tpchore2"

sleep 3

echo "Starting Up Oracle on tpchore3 Now..."

rsh tpchore3 \$\$SF/scripts/startup\_tpchore3.sh

echo "...Oracle Startup Complete on tpchore3"

sleep 3

echo "Starting Up Oracle on tpchore4 Now..."

rsh tpchore4 \$\$SF/scripts/startup\_tpchore4.sh

echo "...Oracle Startup Complete on tpchore4"

## database\_load\_tables\_et.sh

```
#!/bin/ksh
```

# Create All TPC-H Schema Tables and Load...

```
sqlplus tpch/tpcd <<EOF
spool database_load_tables_et.log
set echo on;
drop table lineitem;
create table lineitem(
    l_shipdate          ,
    l_orderkey          NOT NULL,
```

```

    l_discount          ,
    l_extendedprice    ,
    l_suppkey          NOT NULL,
    l_quantity         ,
    l_returnflag       ,
    l_partkey          NOT NULL,
    l_linestatus       ,
    l_tax              NOT NULL,
    l_commitdate       ,
    l_receiptdate      ,
    l_shipmode         ,
    l_linenumbr       NOT NULL,
    l_shipinstruct     ,
    l_comment
)
pctfree 1
pctused 99
intrans 10
parallel(degree 16 instances 4)
nologging
partition by range (l_shipdate)
subpartition by hash(l_partkey)
subpartitions 32
(
partition item1 values less than (to_date('1992-01-01','YYYY-MM-DD'))
tablespace ts_11,
partition item2 values less than (to_date('1992-02-01','YYYY-MM-DD'))
tablespace ts_12,
partition item3 values less than (to_date('1992-03-01','YYYY-MM-DD'))
tablespace ts_13,
partition item4 values less than (to_date('1992-04-01','YYYY-MM-DD'))
tablespace ts_14,
partition item5 values less than (to_date('1992-05-01','YYYY-MM-DD'))
tablespace ts_15,
partition item6 values less than (to_date('1992-06-01','YYYY-MM-DD'))
tablespace ts_16,
partition item7 values less than (to_date('1992-07-01','YYYY-MM-DD'))
tablespace ts_17,
partition item8 values less than (to_date('1992-08-01','YYYY-MM-DD'))
tablespace ts_18,
partition item9 values less than (to_date('1992-09-01','YYYY-MM-DD'))
tablespace ts_19,
partition item10 values less than (to_date('1992-10-01','YYYY-MM-DD'))
tablespace ts_110,
partition item11 values less than (to_date('1992-11-01','YYYY-MM-DD'))
tablespace ts_111,
partition item12 values less than (to_date('1992-12-01','YYYY-MM-DD'))
tablespace ts_112,
partition item13 values less than (to_date('1993-01-01','YYYY-MM-DD'))
tablespace ts_113,
partition item14 values less than (to_date('1993-02-01','YYYY-MM-DD'))
tablespace ts_114,
partition item15 values less than (to_date('1993-03-01','YYYY-MM-DD'))
tablespace ts_115,
partition item16 values less than (to_date('1993-04-01','YYYY-MM-DD'))
tablespace ts_116,
partition item17 values less than (to_date('1993-05-01','YYYY-MM-DD'))
tablespace ts_117,
partition item18 values less than (to_date('1993-06-01','YYYY-MM-DD'))
tablespace ts_118,
partition item19 values less than (to_date('1993-07-01','YYYY-MM-DD'))
tablespace ts_119,
partition item20 values less than (to_date('1993-08-01','YYYY-MM-DD'))
tablespace ts_120,
partition item21 values less than (to_date('1993-09-01','YYYY-MM-DD'))
tablespace ts_121,
partition item22 values less than (to_date('1993-10-01','YYYY-MM-DD'))
tablespace ts_122,
partition item23 values less than (to_date('1993-11-01','YYYY-MM-DD'))
tablespace ts_123,
partition item24 values less than (to_date('1993-12-01','YYYY-MM-DD'))
tablespace ts_124,
partition item25 values less than (to_date('1994-01-01','YYYY-MM-DD'))
tablespace ts_125,
partition item26 values less than (to_date('1994-02-01','YYYY-MM-DD'))
tablespace ts_126,
partition item27 values less than (to_date('1994-03-01','YYYY-MM-DD'))
tablespace ts_127,
partition item28 values less than (to_date('1994-04-01','YYYY-MM-DD'))
tablespace ts_128,
partition item29 values less than (to_date('1994-05-01','YYYY-MM-DD'))
tablespace ts_129,
partition item30 values less than (to_date('1994-06-01','YYYY-MM-DD'))
tablespace ts_130,
partition item31 values less than (to_date('1994-07-01','YYYY-MM-DD'))
tablespace ts_131,
partition item32 values less than (to_date('1994-08-01','YYYY-MM-DD'))
tablespace ts_132,
partition item33 values less than (to_date('1994-09-01','YYYY-MM-DD'))
tablespace ts_133,
partition item34 values less than (to_date('1994-10-01','YYYY-MM-DD'))
tablespace ts_134,
partition item35 values less than (to_date('1994-11-01','YYYY-MM-DD'))
tablespace ts_135,
partition item36 values less than (to_date('1994-12-01','YYYY-MM-DD'))
tablespace ts_136,
partition item37 values less than (to_date('1995-01-01','YYYY-MM-DD'))
tablespace ts_137,
partition item38 values less than (to_date('1995-02-01','YYYY-MM-DD'))
tablespace ts_138,
partition item39 values less than (to_date('1995-03-01','YYYY-MM-DD'))
tablespace ts_139,
partition item40 values less than (to_date('1995-04-01','YYYY-MM-DD'))
tablespace ts_140,
partition item41 values less than (to_date('1995-05-01','YYYY-MM-DD'))
tablespace ts_141,
partition item42 values less than (to_date('1995-06-01','YYYY-MM-DD'))
tablespace ts_142,
partition item43 values less than (to_date('1995-07-01','YYYY-MM-DD'))
tablespace ts_143,
partition item44 values less than (to_date('1995-08-01','YYYY-MM-DD'))
tablespace ts_144,
partition item45 values less than (to_date('1995-09-01','YYYY-MM-DD'))
tablespace ts_145,
partition item46 values less than (to_date('1995-10-01','YYYY-MM-DD'))
tablespace ts_146,
partition item47 values less than (to_date('1995-11-01','YYYY-MM-DD'))
tablespace ts_147,
partition item48 values less than (to_date('1995-12-01','YYYY-MM-DD'))
tablespace ts_148,
partition item49 values less than (to_date('1996-01-01','YYYY-MM-DD'))
tablespace ts_149,
partition item50 values less than (to_date('1996-02-01','YYYY-MM-DD'))
tablespace ts_150,
partition item51 values less than (to_date('1996-03-01','YYYY-MM-DD'))
tablespace ts_151,
partition item52 values less than (to_date('1996-04-01','YYYY-MM-DD'))
tablespace ts_152,
partition item53 values less than (to_date('1996-05-01','YYYY-MM-DD'))
tablespace ts_153,
partition item54 values less than (to_date('1996-06-01','YYYY-MM-DD'))
tablespace ts_154,
partition item55 values less than (to_date('1996-07-01','YYYY-MM-DD'))
tablespace ts_155,
partition item56 values less than (to_date('1996-08-01','YYYY-MM-DD'))
tablespace ts_156,
partition item57 values less than (to_date('1996-09-01','YYYY-MM-DD'))
tablespace ts_157,
partition item58 values less than (to_date('1996-10-01','YYYY-MM-DD'))
tablespace ts_158,
partition item59 values less than (to_date('1996-11-01','YYYY-MM-DD'))
tablespace ts_159,
partition item60 values less than (to_date('1996-12-01','YYYY-MM-DD'))
tablespace ts_160,
partition item61 values less than (to_date('1997-01-01','YYYY-MM-DD'))
tablespace ts_161,
partition item62 values less than (to_date('1997-02-01','YYYY-MM-DD'))
tablespace ts_162,
partition item63 values less than (to_date('1997-03-01','YYYY-MM-DD'))
tablespace ts_163,
partition item64 values less than (to_date('1997-04-01','YYYY-MM-DD'))
tablespace ts_164,
partition item65 values less than (to_date('1997-05-01','YYYY-MM-DD'))
tablespace ts_165,
partition item66 values less than (to_date('1997-06-01','YYYY-MM-DD'))
tablespace ts_166,
partition item67 values less than (to_date('1997-07-01','YYYY-MM-DD'))
tablespace ts_167,

```

```

partition item68 values less than (to_date('1997-08-01','YYYY-MM-DD'))
tablespace ts_168,
partition item69 values less than (to_date('1997-09-01','YYYY-MM-DD'))
tablespace ts_169,
partition item70 values less than (to_date('1997-10-01','YYYY-MM-DD'))
tablespace ts_170,
partition item71 values less than (to_date('1997-11-01','YYYY-MM-DD'))
tablespace ts_171,
partition item72 values less than (to_date('1997-12-01','YYYY-MM-DD'))
tablespace ts_172,
partition item73 values less than (to_date('1998-01-01','YYYY-MM-DD'))
tablespace ts_173,
partition item74 values less than (to_date('1998-02-01','YYYY-MM-DD'))
tablespace ts_174,
partition item75 values less than (to_date('1998-03-01','YYYY-MM-DD'))
tablespace ts_175,
partition item76 values less than (to_date('1998-04-01','YYYY-MM-DD'))
tablespace ts_176,
partition item77 values less than (to_date('1998-05-01','YYYY-MM-DD'))
tablespace ts_177,
partition item78 values less than (to_date('1998-06-01','YYYY-MM-DD'))
tablespace ts_178,
partition item79 values less than (to_date('1998-07-01','YYYY-MM-DD'))
tablespace ts_179,
partition item80 values less than (to_date('1998-08-01','YYYY-MM-DD'))
tablespace ts_180,
partition item81 values less than (to_date('1998-09-01','YYYY-MM-DD'))
tablespace ts_181,
partition item82 values less than (to_date('1998-10-01','YYYY-MM-DD'))
tablespace ts_182,
partition item83 values less than (to_date('1998-11-01','YYYY-MM-DD'))
tablespace ts_183,
partition item84 values less than (MAXVALUE)
tablespace ts_184)
as select * from lineitem_et;
drop table orders;
create table orders(
  o_orderdate      ,
  o_orderkey       NOT NULL,
  o_custkey        NOT NULL,
  o_orderpriority  ,
  o_shippriority   ,
  o_clerk          ,
  o_orderstatus    ,
  o_totalprice     ,
  o_comment
)
pctfree 1
pctused 99
initrans 10
parallel(degree 16 instances 4)
nologging
partition by range (o_orderdate)
subpartition by hash(o_custkey)
subpartitions 32
(
  partition ord1 values less than (to_date('1992-01-01','YYYY-MM-DD'))
  tablespace ts_o1,
  partition ord2 values less than (to_date('1992-02-01','YYYY-MM-DD'))
  tablespace ts_o2,
  partition ord3 values less than (to_date('1992-03-01','YYYY-MM-DD'))
  tablespace ts_o3,
  partition ord4 values less than (to_date('1992-04-01','YYYY-MM-DD'))
  tablespace ts_o4,
  partition ord5 values less than (to_date('1992-05-01','YYYY-MM-DD'))
  tablespace ts_o5,
  partition ord6 values less than (to_date('1992-06-01','YYYY-MM-DD'))
  tablespace ts_o6,
  partition ord7 values less than (to_date('1992-07-01','YYYY-MM-DD'))
  tablespace ts_o7,
  partition ord8 values less than (to_date('1992-08-01','YYYY-MM-DD'))
  tablespace ts_o8,
  partition ord9 values less than (to_date('1992-09-01','YYYY-MM-DD'))
  tablespace ts_o9,
  partition ord10 values less than (to_date('1992-10-01','YYYY-MM-DD'))
  tablespace ts_o10,
  partition ord11 values less than (to_date('1992-11-01','YYYY-MM-DD'))
  tablespace ts_o11,
  partition ord12 values less than (to_date('1992-12-01','YYYY-MM-DD'))

```

```

tablespace ts_o12,
partition ord13 values less than (to_date('1993-01-01','YYYY-MM-DD'))
tablespace ts_o13,
partition ord14 values less than (to_date('1993-02-01','YYYY-MM-DD'))
tablespace ts_o14,
partition ord15 values less than (to_date('1993-03-01','YYYY-MM-DD'))
tablespace ts_o15,
partition ord16 values less than (to_date('1993-04-01','YYYY-MM-DD'))
tablespace ts_o16,
partition ord17 values less than (to_date('1993-05-01','YYYY-MM-DD'))
tablespace ts_o17,
partition ord18 values less than (to_date('1993-06-01','YYYY-MM-DD'))
tablespace ts_o18,
partition ord19 values less than (to_date('1993-07-01','YYYY-MM-DD'))
tablespace ts_o19,
partition ord20 values less than (to_date('1993-08-01','YYYY-MM-DD'))
tablespace ts_o20,
partition ord21 values less than (to_date('1993-09-01','YYYY-MM-DD'))
tablespace ts_o21,
partition ord22 values less than (to_date('1993-10-01','YYYY-MM-DD'))
tablespace ts_o22,
partition ord23 values less than (to_date('1993-11-01','YYYY-MM-DD'))
tablespace ts_o23,
partition ord24 values less than (to_date('1993-12-01','YYYY-MM-DD'))
tablespace ts_o24,
partition ord25 values less than (to_date('1994-01-01','YYYY-MM-DD'))
tablespace ts_o25,
partition ord26 values less than (to_date('1994-02-01','YYYY-MM-DD'))
tablespace ts_o26,
partition ord27 values less than (to_date('1994-03-01','YYYY-MM-DD'))
tablespace ts_o27,
partition ord28 values less than (to_date('1994-04-01','YYYY-MM-DD'))
tablespace ts_o28,
partition ord29 values less than (to_date('1994-05-01','YYYY-MM-DD'))
tablespace ts_o29,
partition ord30 values less than (to_date('1994-06-01','YYYY-MM-DD'))
tablespace ts_o30,
partition ord31 values less than (to_date('1994-07-01','YYYY-MM-DD'))
tablespace ts_o31,
partition ord32 values less than (to_date('1994-08-01','YYYY-MM-DD'))
tablespace ts_o32,
partition ord33 values less than (to_date('1994-09-01','YYYY-MM-DD'))
tablespace ts_o33,
partition ord34 values less than (to_date('1994-10-01','YYYY-MM-DD'))
tablespace ts_o34,
partition ord35 values less than (to_date('1994-11-01','YYYY-MM-DD'))
tablespace ts_o35,
partition ord36 values less than (to_date('1994-12-01','YYYY-MM-DD'))
tablespace ts_o36,
partition ord37 values less than (to_date('1995-01-01','YYYY-MM-DD'))
tablespace ts_o37,
partition ord38 values less than (to_date('1995-02-01','YYYY-MM-DD'))
tablespace ts_o38,
partition ord39 values less than (to_date('1995-03-01','YYYY-MM-DD'))
tablespace ts_o39,
partition ord40 values less than (to_date('1995-04-01','YYYY-MM-DD'))
tablespace ts_o40,
partition ord41 values less than (to_date('1995-05-01','YYYY-MM-DD'))
tablespace ts_o41,
partition ord42 values less than (to_date('1995-06-01','YYYY-MM-DD'))
tablespace ts_o42,
partition ord43 values less than (to_date('1995-07-01','YYYY-MM-DD'))
tablespace ts_o43,
partition ord44 values less than (to_date('1995-08-01','YYYY-MM-DD'))
tablespace ts_o44,
partition ord45 values less than (to_date('1995-09-01','YYYY-MM-DD'))
tablespace ts_o45,
partition ord46 values less than (to_date('1995-10-01','YYYY-MM-DD'))
tablespace ts_o46,
partition ord47 values less than (to_date('1995-11-01','YYYY-MM-DD'))
tablespace ts_o47,
partition ord48 values less than (to_date('1995-12-01','YYYY-MM-DD'))
tablespace ts_o48,
partition ord49 values less than (to_date('1996-01-01','YYYY-MM-DD'))
tablespace ts_o49,
partition ord50 values less than (to_date('1996-02-01','YYYY-MM-DD'))
tablespace ts_o50,
partition ord51 values less than (to_date('1996-03-01','YYYY-MM-DD'))
tablespace ts_o51,

```



```

partition ord52 values less than (to_date('1996-04-01','YYYY-MM-DD'))
tablespace ts_o52,
partition ord53 values less than (to_date('1996-05-01','YYYY-MM-DD'))
tablespace ts_o53,
partition ord54 values less than (to_date('1996-06-01','YYYY-MM-DD'))
tablespace ts_o54,
partition ord55 values less than (to_date('1996-07-01','YYYY-MM-DD'))
tablespace ts_o55,
partition ord56 values less than (to_date('1996-08-01','YYYY-MM-DD'))
tablespace ts_o56,
partition ord57 values less than (to_date('1996-09-01','YYYY-MM-DD'))
tablespace ts_o57,
partition ord58 values less than (to_date('1996-10-01','YYYY-MM-DD'))
tablespace ts_o58,
partition ord59 values less than (to_date('1996-11-01','YYYY-MM-DD'))
tablespace ts_o59,
partition ord60 values less than (to_date('1996-12-01','YYYY-MM-DD'))
tablespace ts_o60,
partition ord61 values less than (to_date('1997-01-01','YYYY-MM-DD'))
tablespace ts_o61,
partition ord62 values less than (to_date('1997-02-01','YYYY-MM-DD'))
tablespace ts_o62,
partition ord63 values less than (to_date('1997-03-01','YYYY-MM-DD'))
tablespace ts_o63,
partition ord64 values less than (to_date('1997-04-01','YYYY-MM-DD'))
tablespace ts_o64,
partition ord65 values less than (to_date('1997-05-01','YYYY-MM-DD'))
tablespace ts_o65,
partition ord66 values less than (to_date('1997-06-01','YYYY-MM-DD'))
tablespace ts_o66,
partition ord67 values less than (to_date('1997-07-01','YYYY-MM-DD'))
tablespace ts_o67,
partition ord68 values less than (to_date('1997-08-01','YYYY-MM-DD'))
tablespace ts_o68,
partition ord69 values less than (to_date('1997-09-01','YYYY-MM-DD'))
tablespace ts_o69,
partition ord70 values less than (to_date('1997-10-01','YYYY-MM-DD'))
tablespace ts_o70,
partition ord71 values less than (to_date('1997-11-01','YYYY-MM-DD'))
tablespace ts_o71,
partition ord72 values less than (to_date('1997-12-01','YYYY-MM-DD'))
tablespace ts_o72,
partition ord73 values less than (to_date('1998-01-01','YYYY-MM-DD'))
tablespace ts_o73,
partition ord74 values less than (to_date('1998-02-01','YYYY-MM-DD'))
tablespace ts_o74,
partition ord75 values less than (to_date('1998-03-01','YYYY-MM-DD'))
tablespace ts_o75,
partition ord76 values less than (to_date('1998-04-01','YYYY-MM-DD'))
tablespace ts_o76,
partition ord77 values less than (to_date('1998-05-01','YYYY-MM-DD'))
tablespace ts_o77,
partition ord78 values less than (to_date('1998-06-01','YYYY-MM-DD'))
tablespace ts_o78,
partition ord79 values less than (to_date('1998-07-01','YYYY-MM-DD'))
tablespace ts_o79,
partition ord80 values less than (to_date('1998-08-01','YYYY-MM-DD'))
tablespace ts_o80,
partition ord81 values less than (to_date('1998-09-01','YYYY-MM-DD'))
tablespace ts_o81,
partition ord82 values less than (to_date('1998-10-01','YYYY-MM-DD'))
tablespace ts_o82,
partition ord83 values less than (to_date('1998-11-01','YYYY-MM-DD'))
tablespace ts_o83,
partition ord84 values less than (MAXVALUE)
tablespace ts_o84)
as select * from orders_et;
drop table partsupp;
create table partsupp(
  ps_partkey      NOT NULL,
  ps_suppkey      NOT NULL,
  ps_supplycost   NOT NULL,
  ps_availqty     ,
  ps_comment      )
pctfree 1
pctused 99
tablespace ts_ps
parallel(degree 16 instances 4)

```

```

nologging
partition by hash (ps_suppkey)
partitions 32
as select * from partsupp_et
;
drop table part;
create table part(
  p_partkey      NOT NULL,
  p_type         ,
  p_size         ,
  p_brand        ,
  p_name         ,
  p_container    ,
  p_mfgr        ,
  p_retailprice  ,
  p_comment      )
pctfree 1
pctused 99
tablespace ts_p
parallel(degree 16 instances 4)
nologging
partition by hash (p_partkey)
partitions 32
as select * from part_et
;
drop table customer;
create table customer(
  c_custkey      NOT NULL,
  c_mktsegment   ,
  c_nationkey    ,
  c_name         ,
  c_address      ,
  c_phone        ,
  c_acctbal      ,
  c_comment      )
pctfree 1
pctused 99
tablespace ts_c
parallel(degree 16 instances 4)
nologging
partition by hash (c_custkey)
partitions 32
as select * from customer_et
;
drop table supplier;
create table supplier(
  s_suppkey      NOT NULL,
  s_nationkey    ,
  s_comment      ,
  s_name         ,
  s_address      ,
  s_phone        ,
  s_acctbal      )
pctfree 1
pctused 99
tablespace ts_s
parallel(degree 16 instances 4)
nologging
partition by hash (s_suppkey)
partitions 32
as select * from supplier_et
;
drop table nation;
create table nation(
  n_nationkey    NOT NULL,
  n_name         ,
  n_regionkey    ,
  n_comment      )
tablespace ts_s
parallel(degree 16 instances 4)
as select * from nation_et
;
drop table region;
create table region(
  r_regionkey    ,

```

```

    r_name
    r_comment
)
tablespace ts_s
parallel(degree 1 instances 4)
as select * from region_et
;
drop table lineitem_et;
drop table orders_et;
drop table part_et;
drop table supplier_et;
drop table partsupp_et;
drop table customer_et;
drop table nation_et;
drop table region_et;
spool off;
exit;
EOF

```

## create\_indexes\_all.sh

```

#!/bin/ksh

# Create All TPC-H Schema Indexes...

sqlplus tpcd/tpcd <<EOF
spool create_indexes_all_spool.log;
drop index i_ps_partkey_supkey;
create unique index i_ps_partkey_supkey
on partsupp (ps_partkey,ps_supkey)
pctfree 2
intrans 10
nologging
compute statistics
tablespace ts_i_ps
parallel (degree 16 instances 4);
drop index i_c_custkey;
create unique index i_c_custkey
on customer (c_custkey)
pctfree 2
intrans 10
nologging
compute statistics
tablespace ts_i_c
parallel (degree 16 instances 4);
drop index i_o_orderkey;
create unique index i_o_orderkey
on orders (o_orderkey)
pctfree 2
intrans 10
nologging
compute statistics
tablespace ts_i_o
parallel (degree 16 instances 4);
drop index i_l_orderkey;
create index i_l_orderkey
on lineitem (l_orderkey)
pctfree 2
intrans 10
nologging
compute statistics
tablespace ts_i_l
parallel (degree 16 instances 4);
spool off;
EOF

```

## analyze\_ops.sh

```

#!/bin/ksh

echo "Starting Database Analyze Step..." `date`

sqlplus tpcd/tpcd <<EOF
spool analyze_ops_spool.log;
rem alter session set parallel_instance_group = 'groupb';
execute dbms_stats.gather_schema_stats('tpcd', estimate_percent => 1, degree => 64
, granularity => 'GLOBAL')

```

```

spool off;
EOF

echo "Completed Database Analyze Step..." `date`

```

## ACID Test Source Code

### atom.sh

```

#!/bin/ksh
#
# $Header: atom.sh 05-sep-2001.08:03:33 mpoess Exp $
#
# atom.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation. All rights reserved.
#
# NAME
#   atom.sh - <one-line expansion of the name>
#
# DESCRIPTION
#   Performs atomicity tests.
#   Usage: atom.sh [-n iter] [-p prog] [-u usr/pswd] -h
#
# Options: See usage below
#
# NOTES
#   <other useful comments, qualifications, etc.>
#
# MODIFIED (MM/DD/YY)
#   mpoess   09/05/01 - reduce lines
#   mpoess   07/10/01 - change scale factor to 1
#   mpoess   08/08/99 - Creation
#   mpoess   08/08/99 - Creation
#
. $KIT_DIR/env

ITER=3
SF=1
PROG=atranspl
OUT=${ACID_OUT}/atom
USER=${DATABASE_USER}

echo "Starting Atomicity Test at `date` ..."
echo ""
echo "Performing $ITER ACID transactions with COMMIT"
echo ""

randkey $ITER $SF u$USER | $PROG 1 1 1 0 u$USER > ${OUT}c 2>&1

echo "ACID transactions with COMMIT ended. Output in ${OUT}c"
echo ""
echo "Performing $ITER ACID transactions with ROLLBACK"
echo ""

randkey $ITER $SF u$USER | $PROG 1 1 0 0 u$USER > ${OUT}r 2>&1

echo "ACID transactions with ROLLBACK ended. Output in ${OUT}r"
echo ""
echo "Ending Atomicity Test at `date` ..."

```

### atrans.sql

```

Rem
Rem $Header: atrans.sql 07-aug-99.21:27:13 mpoess Exp $
Rem
Rem atrans.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All Rights Reserved.
Rem

```

```

Rem NAME
Rem   atrans.sql - <one-line expansion of the name>
Rem
Rem DESCRIPTION
Rem   Creates ACID Transaction Package for TPC-D benchmark.
Rem   Asks user to input values for o_key, delta and output file.
Rem
Rem NOTES
Rem   <other useful comments, qualifications, etc.>
Rem
Rem MODIFIED (MM/DD/YY)
Rem   mpoess 08/07/99 - Creation
Rem   mpoess 08/07/99 - Created
Rem

```

```

set serverout on;
set termout on;
set echo on;

```

```

CREATE OR REPLACE PACKAGE d_atrans
IS
PROCEDURE doatrans
(
    l_key          IN OUT integer,
    o_key          IN OUT integer,
    delta          IN OUT integer,
    l_pkey         IN OUT integer,
    l_skey         IN OUT integer,
    l_quan         IN OUT integer,
    l_newquan      IN OUT integer,
    l_tax          IN OUT number,
    l_disc         IN OUT number,
    l_eprice       IN OUT number,
    l_neweprice    IN OUT number,
    o_tprice       IN OUT number,
    o_newtprice    IN OUT number,
    rprice         IN OUT number,
    cost           IN OUT number
);
END;
/

```

```

CREATE OR REPLACE PACKAGE BODY d_atrans
IS
PROCEDURE doatrans
(
    l_key          IN OUT integer,
    o_key          IN OUT integer,
    delta          IN OUT integer,
    l_pkey         IN OUT integer,
    l_skey         IN OUT integer,
    l_quan         IN OUT integer,
    l_newquan      IN OUT integer,
    l_tax          IN OUT number,
    l_disc         IN OUT number,
    l_eprice       IN OUT number,
    l_neweprice    IN OUT number,
    o_tprice       IN OUT number,
    o_newtprice    IN OUT number,
    rprice         IN OUT number,
    cost           IN OUT number
)
IS
    ototal number;
    not_serializable EXCEPTION;
    PRAGMA EXCEPTION_INIT(not_serializable,-8177);
BEGIN
    LOOP BEGIN

        select o_totalprice
            into o_tprice
            from orders
            where o_orderkey = o_key;

        select l_quantity, l_extendedprice, l_partkey, l_suppkey, l_tax, l_discount
            into l_quan, l_eprice, l_pkey, l_skey, l_tax, l_disc
            from lineitem
            where l_orderkey = o_key

```

```

        and l_linenumber = l_key;

        ototal := o_tprice - trunc((trunc((l_eprice * (1.0-l_disc)),2) * (1.0+l_tax)),2);
        rprice := trunc((l_eprice/l_quan), 2);
        cost := trunc((rprice * delta), 2);
        l_neweprice := l_eprice + cost;
        o_newtprice := trunc((l_neweprice * (1.0 - l_disc)), 2);
        o_newtprice := ototal + trunc((o_newtprice * (1.0 + l_tax)), 2);
        l_newquan := l_quan + delta;

        update lineitem
            set l_extendedprice = l_neweprice,
                l_quantity = l_newquan
            where l_orderkey = o_key
            and l_linenumber = l_key;

        update orders
            set o_totalprice = o_newtprice
            where o_orderkey = o_key;

        insert into history (h_p_key, h_s_key, h_o_key, h_l_key, h_delta, h_date_t)
            values (l_pkey, l_skey, o_key, l_key, delta, sysdate);

        EXIT;

    EXCEPTION
        WHEN not_serializable THEN
            ROLLBACK;
    END;

END LOOP;

END doatrans;
END;
/

exit;

```

## atranspl.c

/\* Copyright (c) 2001, Oracle Corporation. All rights reserved. \*/

```

/*
NAME
    atranspl.c - <one-line expansion of the name>

DESCRIPTION
    TPC-HR benchmark ACID transaction driver, OCI version 8

NOTES
    <other useful comments, qualifications, etc.>

MODIFIED (MM/DD/YY)
    mpoess 10/17/01 - add parameter in ACIDinit
    mpoess 02/22/01 - enlarge timing array
    mpoess 01/04/01 - Creation
*/

#include <stdio.h>
#include <stdlib.h>
#include <sys/types.h>
#include <sys/stat.h>
#include <fcntl.h>

#include "atranspl.h"

/* Declare error handling functions */

double gettime();
void sql_error();
void usage();
void ACIDinit();
void ACIDexit();
int atoi();
void srand48();

```

```

long lrand48();

/* declarations for ORDERS */

int o_key = 0;
double o_tprice = 0.0;
double o_newtprice = 0.0;

/* declarations for LINEITEM */

int l_key = 0;
int l_pkey = 0;
int l_skey = 0;

int l_quan = 0;
int l_newquan = 0;
double l_eprice = 0.0;
double l_neweprice = 0.0;
double l_disc = 0.0;
double l_tax = 0.0;

sb2 l_npricei;

/* other declarations */

int delta = 0;
double rprice;
double cost;

int proc_no = 1; /* process number, global */
int num_streams = 1; /* number of transaction streams */
int trig = 0; /* Trigger Time */
int slp = 0; /* Sleep Time */

int logfile; /* fdes for logfile for durability (optional) */
int outfile = 1; /* output file (optional) */
#ifdef LINUX
FILE *infile; /* input file (optional) */
#else
FILE *infile = stdin; /* input file (optional) */
/* in the format of <o_key> <delta> */
#endif
char lname[UNAME_LEN]; /* username/passwd combo */
char *passwd; /* pointer to password */

char buf[WRITE_BUF_LEN]; /* buffer to write */

unsigned flag = (unsigned) 0; /* flag to store all sorts of options */

#define INFILE 0x01u
#define OUTFILE 0x02u
#define LOGFILE 0x04u
#define COMMIT 0x08u
#define DELTA 0x10u

double tr_end = 0.0; /* transaction end time */
double tr_start = 0.0; /* transaction start time */

int num_iter = 0; /* number of iterations */

time_t curr_time; /* Current Time */

/* OCI handles */

OCIEnv *tpcenv = NULL;
OCIError *tpcsrv = NULL;
OCIError *errhp = NULL;
OCISvcCtx *tpscvc = NULL;
OCISession *tpcusr = NULL;
OCISmt *curi = NULL;
OCISmt *curr = NULL;
OCISmt *cure1 = NULL;
OCISmt *cure2 = NULL;

/* OCI bind handles */

#ifdef NOLKEY
OCIBind *l_key1_bp = NULL;
OCIBind *o_key1_bp = NULL;

```

```

#endif /* NOLKEY */

OCIBind *l_key_bp = NULL;
OCIBind *o_key_bp = NULL;
OCIBind *delta_bp = NULL;
OCIBind *l_pkey_bp = NULL;
OCIBind *l_skey_bp = NULL;
OCIBind *l_quan_bp = NULL;
OCIBind *l_newquan_bp = NULL;
OCIBind *l_tax_bp = NULL;
OCIBind *l_disc_bp = NULL;
OCIBind *l_eprice_bp = NULL;
OCIBind *l_neweprice_bp = NULL;
OCIBind *o_tprice_bp = NULL;
OCIBind *o_newtprice_bp = NULL;
OCIBind *rprice_bp = NULL;
OCIBind *cost_bp = NULL;

OCIBind *l_neweprice1_bp = NULL;
OCIBind *l_newquan1_bp = NULL;
OCIBind *o_key1_bp = NULL;
OCIBind *l_key1_bp = NULL;

OCIBind *o_newtprice2_bp = NULL;
OCIBind *o_key2_bp = NULL;

sword status = OCI_SUCCESS; /* OCI return value */

char sqlstmt[1024];

/* usage: prints the usage of the program */

void usage()
{
    fprintf(stderr, "\nUsage: atrans.o[st]t <proc_no> <num_streams> <commit>
<delta>\n[i<pathname for input>] [o<pathname for output>] [d<pathname for
durability file>] [u<uid/passwd>] \n\n");

    fprintf(stderr, " proc_no :the process number within this ACID\n");
    fprintf(stderr, " num_streams :the total number of ACID transaction streams\n");
    fprintf(stderr, " commit :1 to commit transaction, abort otherwise\n");
    fprintf(stderr, " delta :1 to generate new random delta, otherwise obtain delta
from input\n");
    fprintf(stderr, " OPTIONAL PARAMETERS:\n");
    fprintf(stderr, " i<pathname for input> :full path name for input file - default is
stdin\n");
    fprintf(stderr, " o<pathname for output> :full path name for output file - default is
stdout\n");
    fprintf(stderr, " d<pathname for durability> :full path name for durability success
file - must specify for durability test\n");
    fprintf(stderr, " u<uid/passwd> :Username/Password string - default is
tcpd/tcpd\n");
    fprintf(stderr, " t<trigger> :Trigger Time - sleep <trigger> seconds before
start\n");
    fprintf(stderr, " s<sleep> :Sleep Time - sleep <sleep> seconds before
commit or rollback\n");
    exit(-1);
}

void ACIDexit() {
    OCILogoff(tpscvc, errhp);
    OCIHfree(tpcenv, OCI_HTYPE_STMT);
    OCIHfree(tpscvc, OCI_HTYPE_SVCCTX);
    OCIHfree(tpcsrv, OCI_HTYPE_SERVER);
    OCIHfree(tpcusr, OCI_HTYPE_SESSION);
}

/* type: 0 if environment handle is passed, 1 if error handle is passwd */

void sql_error(errhp, status, type)
    OCIError *errhp;
    sword status;

```

```

sword type;
{
char msg[2048];
ub4 errcode;
ub4 msglen;
int i,j;

switch(status) {
case OCI_SUCCESS_WITH_INFO:
fprintf(stderr, "Error: Statement returned with info.\n");
if (type)
(void) OCIErrGet(errhp,1,NULL,(sb4*) &errcode, (text*) msg,
2048, OCI_HTYPE_ERROR);
else
(void) OCIErrGet(errhp,1,NULL,(sb4*) &errcode, (text*) msg,
2048, OCI_HTYPE_ENV);
fprintf(stderr,"%s\n",msg);
break;
case OCI_ERROR:
fprintf(stderr, "Error: OCI call error.\n");
if (type)
(void) OCIErrGet(errhp,1,NULL, (sb4 *) &errcode, (text*) msg,
2048,OCI_HTYPE_ERROR);
else
(void) OCIErrGet(errhp,1,NULL, (sb4 *) &errcode, (text*) msg,
2048,OCI_HTYPE_ENV);
fprintf(stderr,"%s\n",msg);
break;
case OCI_INVALID_HANDLE:
fprintf(stderr, "Error: Invalid Handle.\n");
if (type)
(void) OCIErrGet(errhp,1,NULL, (sb4 *) &errcode, (text*) msg,
2048,OCI_HTYPE_ERROR);
else
(void) OCIErrGet(errhp,1,NULL, (sb4 *) &errcode, (text*) msg,
2048,OCI_HTYPE_ENV);
fprintf(stderr,"%s\n",msg);
break;
}
/* Rollback just in case */
(void) OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);

fprintf(stderr, "Exiting Oracle...\n");
fflush(stderr);

ACIDexit();

exit(1);
}

#ifdef LINUX
int main(argc,argv)
#else
void main(argc,argv)
#endif
{
int argc;
char *argv[];
{
int i;
char line[64];
ub4 errcode;
char msg[2048];
int need_commit = 0;

/* Initialize some variables */
#ifdef LINUX
infile=fopen("/dev/stdin","r");
#endif
strcpy((char *) Iname, "tpcd/tpcd");

if ((argc > 10) || (argc < 5)) {
usage();
}

/* argv[1] -- Process Number */
proc_no = atoi(argv[1]);

/* argv[2] -- Number of Streams */
num_streams = atoi(argv[2]);

/* argv[3] -- Commit? */
if (atoi(argv[3]) == 1)
BIS(flag, COMMIT);

/* argv[4] -- Delta? */
if (atoi(argv[4]) == 1)
BIS(flag, DELTA);

/* Process optional parameters */
argc -= 4;
argv += 4;

while(--argc) {
++argv;
switch(argv[0][0]) {
case 'u':
strncpy((char *) Iname, ++(argv[0]), UNAME_LEN);
if (strcmp((char *) Iname, '/') == NULL) {
fprintf(stderr, "Login name must be in the format of userid/passwd\n");
usage();
exit(-1);
}
break;
case 'i':
if ((infile = fopen(++(argv[0]), "r")) == NULL) {
fprintf(stderr,"Cannot open input file %s\n", argv[0]);
fprintf(stderr,"%s\n",strerror(errno));
exit(-1);
}
BIS(flag, INFILE);
break;
case 'o':
if ((outfile = open(++(argv[0]), (O_RDWR | O_SYNC | O_CREAT), S_IRWXU))
== -1) {
fprintf(stderr,"Cannot open output file %s\n", argv[0]);
fprintf(stderr,"%s\n",strerror(errno));
exit(-1);
}
BIS(flag, OUTFILE);
break;
case 'd':
if ((logfile = open(++(argv[0]), (O_RDWR | O_SYNC | O_CREAT), S_IRWXU))
== -1) {
fprintf(stderr,"Cannot open durability success file %s\n", argv[0]);
fprintf(stderr,"%s\n",strerror(errno));
exit(-1);
}
BIS(flag, LOGFILE);
break;
case 'b':
num_iter = atoi(++(argv[0]));
break;
case 't':
trig = atoi(++(argv[0]));
break;
case 's':
slp = atoi(++(argv[0]));
break;
default:
fprintf(stderr, "Unknown argument %s\n", argv[0]);
usage();
break;
}
}

FPRTF(outfile,"-----\n");

/* Initialize the cursors etc. */
(void) ACIDinit();

```

```

/* sleep for some time (triggering) */
sleep(trig);

/* start doing the ACID transactions */
tr_start = gettimeofday();

/* The number of iteration we will run depends on the number of */
/* input lines */
while (fgets(line, 64, infile) != NULL) {

#ifdef NOLKEY
    sscanf(line, "%d %d\n", &o_key, &delta);

    /* Obtain l_key from l_key query */

    OCIsexe(tpcsvc,curi,errhp,1);

    /* l_key is the highest l_linenum available. We need to pick */
    /* at random a number between 1..l_key. */
    l_key = (int) ((lrand48() % l_key) + 1);
#else
    sscanf(line, "%d %d %d\n", &o_key, &l_key, &delta);
#endif /* NOLKEY */

    /* Generate delta if necessary */

    if (BIT(flag, DELTA))
        delta = (int) (floor((drand48() * 100)) + 1);

    /* Now, we are ready to run the ACID transaction. */

    curr_time = time(NULL);

    FPRTF2(outfile, "Starting ACID transaction %d at %s...\n", (++num_iter),
           ctime(&curr_time));

    FPRTF1(outfile, "o_key: %d\n", (int) o_key);
    FPRTF1(outfile, "l_key: %d\n", (int) l_key);
    FPRTF1(outfile, "delta: %d\n", (int) delta);

    OCIsexe(tpcsvc,curr,errhp,1);

    curr_time = time(NULL);

    if (!BIT(flag, LOGFILE)) {
        FPRTF1(outfile, "BEFORE COMMIT/ROLLBACK TRANSACTION at %s\n",
               ctime(&curr_time));
        FPRTF1(outfile, "l_extendedprice: %.2f\n", l_eprice);
        FPRTF1(outfile, "l_quantity: %d\n", (int) l_quan);
        FPRTF1(outfile, "o_totalprice: %.2f\n", o_tprice);
    }

    FPRTF1(outfile, "Sleep %d seconds before COMMIT/ROLLBACK...\n", slp);
    sleep(slp);

    /* Shall we commit? */

    if (BIT(flag, COMMIT)) {
        need_commit = 1;
        while (need_commit) {
            if (status=OCITransCommit(tpcsvc,errhp,OCI_DEFAULT)) != OCI_SUCCESS)
            {
                OCIrol(tpcsvc,errhp);
                OCIsexe(tpcsvc,curr,errhp,1);
            } else {
                need_commit = 0;
                curr_time = time(NULL);
                FPRTF2(outfile, "ACID Transaction iteration %d COMMITED at %s\n",
                       num_iter, ctime(&curr_time));
            }
        }
    } else {
        OCIrol(tpcsvc,errhp);
        curr_time = time(NULL);
        FPRTF2(outfile, "ACID Transaction iteration %d ROLLBACK at %s\n",
               num_iter, ctime(&curr_time));
    }

    num_iter, ctime(&curr_time));
}

/* Report all results to outfile and if necessary, to success file. */

/* Report initial and new values for o_totalprice, l_extendedprice, */
/* l_quantity. */

curr_time = time(NULL);
FPRTF1(outfile, "Transaction Completed at %s\n", ctime(&curr_time));

/* Get the values in LINEITEM and ORDERS after the transaction */

if (BIT(flag, LOGFILE)) {
    FPRTF1(logfile, "p_key: %d\n", (int) l_pkey);
    FPRTF1(logfile, "s_key: %d\n", (int) l_skey);
    FPRTF1(logfile, "o_key: %d\n", (int) o_key);
    FPRTF1(logfile, "l_key: %d\n", (int) l_key);
    FPRTF1(logfile, "delta: %d\n", (int) delta);
    FPRTF1(logfile, "Transaction Completed at %s\n", ctime(&curr_time));
    FPRTF(logfile, "-----\n");
} else {
    OCIsexe(tpcsvc,cure1,errhp,1);
    OCIsexe(tpcsvc,cure2,errhp,1);

    FPRTF(outfile, "AFTER TRANSACTION:\n");
    FPRTF1(outfile, "l_extendedprice: %.2f\n", l_newprice);
    FPRTF1(outfile, "l_quantity: %d\n", (int) l_newquan);
    FPRTF1(outfile, "o_totalprice: %.2f\n", o_newtprice);
    FPRTF1(outfile, "l_tax: %.2f\n", l_tax);
    FPRTF1(outfile, "l_discount: %.2f\n", l_disc);
    FPRTF1(outfile, "rprice: %.2f\n", rprice);
    FPRTF1(outfile, "cost: %.2f\n", cost);
    FPRTF(outfile, "-----\n");
}

tr_end = gettimeofday();

if (!BIT(flag, LOGFILE)) {
    FPRTF1(outfile, "Start Time: %.2f\n", tr_start);
    FPRTF1(outfile, "End Time: %.2f\n", tr_end);
    FPRTF1(outfile, "Elapsed Time: %.2f\n", (tr_end - tr_start));
    FPRTF1(outfile, "Transaction Count: %d\n", num_iter);
    FPRTF1(outfile, "Transaction Rate: %.2f\n", num_iter/(tr_end - tr_start));
} else {
    FPRTF1(logfile, "Start Time: %.2f\n", tr_start);
    FPRTF1(logfile, "End Time: %.2f\n", tr_end);
    FPRTF1(logfile, "Elapsed Time: %.2f\n", (tr_end - tr_start));
    FPRTF1(logfile, "Transaction Count: %d\n", num_iter);
}

/* Disconnect from ORACLE. */

if (BIT(flag, INFILE))
    fclose(infile);
if (BIT(flag, OUTFILE))
    close(outfile);
if (BIT(flag, LOGFILE))
    close(logfile);

ACIDexit();

exit(0);
}

void ACIDinit()
{
    /* run random seed */
    srand48(getpid());

    /* Connect to ORACLE. Program will call sql_error()
    if an error occurs in connecting to the default database. */
}

```

```

(void) OCIInitialize(OCI_DEFAULT,(dvoid *)0,0,0);
if((status=OCIEnvInit((OCIEnv **)&tpcenv,OCI_DEFAULT,0,(dvoid **)0)) !=
OCI_SUCCESS)
    sql_error(tpcenv, status, 0);

OCIHalloc(tpcenv,&errhp,OCI_HTYPE_ERROR);
OCIHalloc(tpcenv,&curi,OCI_HTYPE_STMT);
OCIHalloc(tpcenv,&curr,OCI_HTYPE_STMT);
OCIHalloc(tpcenv,&cure1,OCI_HTYPE_STMT);
OCIHalloc(tpcenv,&cure2,OCI_HTYPE_STMT);
OCIHalloc(tpcenv,&tpcscv,OCI_HTYPE_SVCCTX);
OCIHalloc(tpcenv,&tpcsrv,OCI_HTYPE_SERVER);
OCIHalloc(tpcenv,&tpcusr,OCI_HTYPE_SESSION);

/* Disables auto commit */
/*
if (ocof(&tpclda)) {
    sql_error(&tpclda, &tpclda);
    ologof(&tpclda);
    exit(-1);
}
*/

/* get username and password */

passwd = strchr(lname, '/');
*passwd = '\0';
passwd++;

if ((status = OCIServerAttach(tpcsrv, errhp, (text *)0, 0, OCI_DEFAULT)) !=
OCI_SUCCESS)
    sql_error(errhp, status, 1);

OCIaset(tpcscv, OCI_HTYPE_SVCCTX, tpcsrv, 0, OCI_ATTR_SERVER, errhp);

OCIaset(tpcusr, OCI_HTYPE_SESSION, lname, strlen(lname), OCI_ATTR_USERNAME,
errhp);

OCIaset(tpcusr, OCI_HTYPE_SESSION, passwd, strlen(passwd), OCI_ATTR_PASSWORD,
errhp);

if ((status = OCISessionBegin(tpcscv, errhp, tpcusr, OCI_CRED_RDBMS,
OCI_DEFAULT)) != OCI_SUCCESS)
    sql_error(errhp, status, 1);

OCIaset(tpcscv, OCI_HTYPE_SVCCTX, tpcusr, 0, OCI_ATTR_SESSION, errhp);

/* Enable session parallel dml */

sprintf((char *) sqlstmt, PDMLTXT);
OCIStmtPrepare(cur, errhp, (text *)sqlstmt, strlen((char *)sqlstmt),
OCI_NTV_SYNTAX, OCI_DEFAULT);
OCIExec(tpcscv, cur, errhp, 1);

/* Enable session parallel ddl */

/*sprintf((char *) sqlstmt, PDDLTX);
OCIStmtPrepare(cur, errhp, (text *)sqlstmt, strlen((char *)sqlstmt),
OCI_NTV_SYNTAX, OCI_DEFAULT);
OCIExec(tpcscv, cur, errhp, 1);*/

/* Make session serializable */

sprintf((char *) sqlstmt, ISOTXT);
OCIStmtPrepare(cur, errhp, (text *)sqlstmt, strlen((char *)sqlstmt),
OCI_NTV_SYNTAX, OCI_DEFAULT);
OCIExec(tpcscv, cur, errhp, 1);

/* Set optimizer_index_cost_adj = 25 */

sprintf((char *) sqlstmt, OICATXT);
OCIStmtPrepare(cur, errhp, (text *)sqlstmt, strlen((char *)sqlstmt),
OCI_NTV_SYNTAX, OCI_DEFAULT);
OCIExec(tpcscv, cur, errhp, 1);

```

```

curr_time = time(NULL);
printf("\nConnected to ORACLE as user: %s at %s\n", lname, ctime(&curr_time));

#ifdef NOLKEY
/* Open and Parse cursor for query to choose determine l_key. */
/* Binds l_key to :l_key. */

sprintf((char *) sqlstmt, SQLTXT1);
OCIStmtPrepare(cur, errhp, sqlstmt, strlen((char *)sqlstmt),
OCI_NTV_SYNTAX, OCI_DEFAULT);

OCIbname(cur, &l_keyi_bp, errhp, ":l_key", ADR(l_key), SIZ(l_key), SQLT_INT);
OCIbname(cur, &o_keyi_bp, errhp, ":o_key", ADR(o_key), SIZ(o_key), SQLT_INT);

#endif /* NOLKEY */

/* Open and Parse cursor for the ACID transaction. */

sprintf((char *) sqlstmt, SQLTXT2);
OCIStmtPrepare(curr, errhp, (text *)sqlstmt, strlen((char *)sqlstmt),
OCI_NTV_SYNTAX, OCI_DEFAULT);

/* bind variables */

OCIbname(curr, l_key_bp, errhp, ":l_key", ADR(l_key), SIZ(l_key), SQLT_INT);
OCIbname(curr, o_key_bp, errhp, ":o_key", ADR(o_key), SIZ(o_key), SQLT_INT);
OCIbname(curr, delta_bp, errhp, ":delta", ADR(delta), SIZ(delta), SQLT_INT);
OCIbname(curr, l_pkey_bp, errhp, ":l_pkey", ADR(l_pkey), SIZ(l_pkey), SQLT_INT);
OCIbname(curr, l_skey_bp, errhp, ":l_skey", ADR(l_skey), SIZ(l_skey), SQLT_INT);
OCIbname(curr, l_quan_bp, errhp, ":l_quan", ADR(l_quan), SIZ(l_quan), SQLT_INT);
OCIbname(curr, l_newquan_bp, errhp, ":l_newquan", ADR(l_newquan),
SIZ(l_newquan), SQLT_INT);
OCIbname(curr, l_tax_bp, errhp, ":l_tax", ADR(l_tax), SIZ(l_tax), SQLT_FLT);
OCIbname(curr, l_disc_bp, errhp, ":l_disc", ADR(l_disc), SIZ(l_disc), SQLT_FLT);
OCIbname(curr, l_eprice_bp, errhp, ":l_eprice", ADR(l_eprice), SIZ(l_eprice),
SQLT_FLT);
OCIbname(curr, l_newprice_bp, errhp, ":l_newprice", ADR(l_newprice),
SIZ(l_newprice), SQLT_FLT);

OCIbname(curr, o_tprice_bp, errhp, ":o_tprice", ADR(o_tprice), SIZ(o_tprice),
SQLT_FLT);
OCIbname(curr, o_newtprice_bp, errhp, ":o_newtprice", ADR(o_newtprice),
SIZ(o_newtprice), SQLT_FLT);
OCIbname(curr, rprice_bp, errhp, ":rprice", ADR(rprice), SIZ(rprice), SQLT_FLT);
OCIbname(curr, cost_bp, errhp, ":cost", ADR(cost), SIZ(cost), SQLT_FLT);

/* Open & Parse cursor for end values query */

sprintf((char *) sqlstmt, SQLTXT3);
OCIStmtPrepare(cure1, errhp, (text *)sqlstmt, strlen((char *)sqlstmt),
OCI_NTV_SYNTAX, OCI_DEFAULT);

sprintf((char *) sqlstmt, SQLTXT4);
OCIStmtPrepare(cure2, errhp, (text *)sqlstmt, strlen((char *)sqlstmt),
OCI_NTV_SYNTAX, OCI_DEFAULT);

/* bind variables */

OCIbname(cure1, l_newprice1_bp, errhp, ":l_newprice", ADR(l_newprice),
SIZ(l_newprice), SQLT_FLT);
OCIbname(cure1, l_newquan1_bp, errhp, ":l_newquan", ADR(l_newquan),
SIZ(l_newquan), SQLT_INT);
OCIbname(cure1, o_key1_bp, errhp, ":o_key", ADR(o_key), SIZ(o_key), SQLT_INT);
OCIbname(cure1, l_key1_bp, errhp, ":l_key", ADR(l_key), SIZ(l_key), SQLT_INT);

OCIbname(cure2, o_newtprice2_bp, errhp, ":o_newtprice", ADR(o_newtprice),
SIZ(o_newtprice), SQLT_FLT);
OCIbname(cure2, o_key2_bp, errhp, ":o_key", ADR(o_key), SIZ(o_key), SQLT_INT);
}

```

## atranspl.h

/\* Copyright (c) 2001, Oracle Corporation. All rights reserved. \*/

```

/*
NAME
    atranspl.h - <one-line expansion of the name>

DESCRIPTION

MODIFIED (MM/DD/YY)
mposs 10/17/01 - add TXT parameter
mposs 04/09/01 - add hint to find max linenumber
mposs 01/04/01 - Creation
*/
#ifndef ATRANSPL_H
#define ATRANSPL_H

#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <sys/param.h>
#include <sys/types.h>
#include <time.h>
#include <errno.h>
#include <math.h>

#include <oratypes.h>
#ifndef OCIDFN
#include <ocidfn.h>
#endif /* OCIDFN */

#ifndef OCI_ORACLE
#include <oci.h>
#endif /* OCI_ORACLE */

/*
#ifdef __STDC__
#include <ociapr.h>
#else
#include <ocikpr.h>
#endif /* __STDC__ */

extern int errno;

#ifndef NULL
#define NULL 0
#endif

#ifndef NULLP
# define NULLP (void *)NULL
#endif /* NULLP */

#ifndef DISCARD
# define DISCARD (void)
#endif

#ifndef sword
# define sword int
#endif

#ifndef ub1
#define ub1 unsigned char
#endif

#define UNAME_LEN 64
#define WRITE_BUF_LEN 1024

#define NA -1 /* ANSI SQL NULL */
#define VER7 2
#define NOT_SERIALIZABLE 8177 /* ORA-08177: transaction not serializable */
#define WRITE_BUF_LEN 1024

#define ADR(object) ((ub1 *)&(object))
#define SIZ(object) ((sword)sizeof(object))
#define BIS(flag,mask) (unsigned) (flag | (unsigned) mask)
#define BIT(flag,mask) (unsigned) ((unsigned) flag & (unsigned) mask)

#define FPRINTF(fd,s) \
    {sprintf(buf,s); write(fd, buf, strlen(s));}
#define FPRINTF1(fd,s,p) \
    {sprintf(buf,s,p); write(fd, buf, strlen(buf));}

#define OCIhalloc(envh,hndl,htyp) \
    if((status=OCIHandleAlloc((dvoid *)envh,(dvoid **)hndl,htyp,0,(dvoid **)0))!=OCI_SUCCESS) \
        sql_error(envh,status,0); \
    else \
        DISCARD 0

#define OCIhfree(hndl,htyp) \
    if((status=OCIHandleFree((dvoid *)hndl,htyp))==OCI_SUCCESS) \
        fprintf(stderr, "Error freeing handle of type %d\n", htyp)

#define OCIaget(hndl,htyp,attp,size,atyp,errh) \
    if((status=OCIAttrGet((dvoid *)hndl,htyp,(dvoid *)attp,(dvoid *)size,atyp,errh)) != OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define OCIaset(hndl,htyp,attp,size,atyp,errh) \
    if((status=OCIAttrSet((dvoid *)hndl,htyp,(dvoid *)attp,size,atyp,errh)) != OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define OCIsExec(svch,stmh,errh,iter) \
    if((status=OCISmtExecute(svch,stmh,errh,iter,0,NULL,NULL,OCI_DEFAULT)) != OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define OCIBbyname(stmh,bindp,errh,sqlvar,progv,progvl,ftype) \
    if((status=OCIBindByName(stmh,&bindp,errh,(text *)sqlvar,strlen(sqlvar), \
        progv,progvl,ftype,0,0,0,0,OCI_DEFAULT)) != OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define OCIBbynamei(stmh,bindp,errh,sqlvar,progv,progvl,ftype,indp) \
    if((status=OCIHandleAlloc((dvoid *)stmh,(dvoid **)&bindp,OCI_HTYPE_BIND, \
        0,(dvoid **)0))!=OCI_SUCCESS) \
        sql_error(stmh,status,0); \
    if((status=OCIBindByName(stmh,&bindp,errh,(text *)sqlvar,strlen(sqlvar), \
        progv,progvl,ftype,indp,0,0,0,OCI_DEFAULT)) != OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define OCIcom(svcp,errh) \
    if((status=OCITransCommit(svcp,errh,OCI_DEFAULT)) != OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define OCIRol(svcp,errh) \
    if((status=OCITransRollback(svcp,errh,OCI_DEFAULT)) != OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define ISOTXT "alter session set isolation_level = serializable"
#define PDMLTXT "alter session force parallel dml parallel (degree 4)"
#define PDDLTX "alter session force parallel ddl parallel (degree 4)"
#define OICATXT "alter session set optimizer_index_cost_adj=25"

#define SQTXT1 "BEGIN SELECT /*+ index(lineitem,i_1_orderkey) */ \
    MAX(l_linenumber) INTO :l_key FROM lineitem \
    WHERE l_orderkey = :o_key; END;"

#define SQTXT2 "BEGIN d_atrans.doatrans(:l_key, :o_key, :delta, :l_pkey, \
    :l_skey, :l_quan, :l_newquan, :l_tax, :l_disc, :l_eprice, :l_neweprice, \
    :o_tprice, :o_newtprice, :rprice, :cost); END;"

```



```

#define SQLTXT3 "BEGIN SELECT l_extendedprice, l_quantity \
INTO :l_neweprice, :l_newquan \
FROM lineitem \
WHERE l_orderkey = :o_key \
AND l_linenumber = :l_key; END;"

#define SQLTXT4 "BEGIN SELECT o_totalprice INTO :o_newtprice \
FROM orders \
WHERE o_orderkey = :o_key; END;"

#define SQLTXT5 "BEGIN SELECT l_extendedprice, l_quantity \
INTO :l_eprice, :l_quan \
FROM lineitem \
WHERE l_orderkey = :o_key \
AND l_linenumber = :l_key; END;"

#define SQLTXT6 "BEGIN SELECT o_totalprice INTO :o_tprice \
FROM orders \
WHERE o_orderkey = :o_key; END;"

#endif /* ATRANSPL_H */

```

## ckpt.sh

```

#!/bin/ksh
#
# $Header: ckpt.sh 10-jul-2001.11:12:03 mpoess Exp $
#
# ckpt.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation. All rights reserved.
#
# NAME
# ckpt.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: ckpt.sh
# Start database checkpoint
#
# NOTES
# <other useful comments, qualifications, etc.>
#
# MODIFIED (MM/DD/YY)
# mpoess 07/10/01 - change svrmgrl to sqlplus
# mpoess 08/08/99 - Creation
# mpoess 08/08/99 - Creation
#

. $KIT_DIR/env

sqlplus -s /NOLOG<< !

    connect / as sysdba;
        alter system switch logfile;
        alter system switch logfile;
        exit;
!

```

## cnt\_hist.sql

```

select count(*) from history;
exit;

```

## consist.sh

```

#!/bin/ksh
#
# $Header: consist.sh 05-sep-2001.08:09:57 mpoess Exp $
#
# consist.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation. All rights reserved.
#

```

```

# NAME
# consist.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Performs consistency tests.
# Usage: consist.sh [-n iter] [-s number of stream] [-p prog]
# [-u usr/pswd] -h
#
# Options: See usage below
#
# NOTES
# <other useful comments, qualifications, etc.>
#
# MODIFIED (MM/DD/YY)
# mpoess 09/05/01 - reduce lines
# mpoess 07/10/01 - add automatic stream setting
# mpoess 08/08/99 - Creation
# mpoess 08/08/99 - Creation
#

```

```

. $KIT_DIR/env

```

```

KEY=${ACID_DIR}/key$$_
OUTFILE=${ACID_OUT}/consrte
CON1=${ACID_OUT}/conb
CON2=${ACID_OUT}/cona
CHK=${ACID_OUT}/conscpkt
SF=1

```

```

/bin/rm -rf ${KEY}* $CON1 $CON2 $OUTFILE $CHK

```

```

trap "/bin/rm -rf ${KEY}*; exit 1" 1 2 3 15

```

```

STREAM=6
let STREAM="$STREAM + 1" # add one for the update stream
ITER=100
PROG=atranspl
USER=${DATABASE_USER}
CK=10

```

```

usage() {

```

```

    echo ""
    echo "Usage: $0 [-n iter] [-s number of stream] [-p prog] [-u usr/pswd] -h"
    echo ""
    echo "-n iter          : number of iterations, default is 100"
    echo "-s number of stream : number of streams, default is 2"
    echo "-p prog          : program to run, default is atranspl.ott"
    echo "-u usr/pswd      : user/password for database access, default is tpcd/tpcd"
    echo "-t chkpt         : time after the start of ACID transaction to perform the
checkpoint"
    echo "                  default is 10 seconds"
    echo "-h               : print this usage summary"
    exit 1;
}

```

```

set -- `getopt "n:p:u:s:h" "$@"` || usage

```

```

while :
do
    case "$1" in
-s) shift; STREAM=$1;;
-n) shift; ITER=$1;;
-p) shift; PROG=$1;;
-u) shift; USER=$1;;
-t) shift; CK=$1;;
-h) usage; exit 0;;
-*) break;;
esac
    shift
done

```

```

if [ $ITER -lt 100 ]
then
    echo "Error: Must at least run 100 iterations!"
    echo "Exiting..."
    exit 1
fi

```

```

if [ $$STREAM -lt 2 ]
then
echo "Error: Must at least run 2 streams!"
echo "Exiting..."
exit 1
fi

echo "Starting Consistency Test at `date`..."
echo ""
echo "Generate some keys first"
echo ""

i=0

while [ $i -lt $$STREAM ]
do
echo randkey $ITER $$SF u$USER
randkey $ITER $$SF u$USER > ${KEY}$i
i=`expr $i + 1`
done

echo "Check consistency before Submitting Transactions `date`"
echo "Check consistency before Submitting Transactions `date`" >> $CON1

echo "Obtain 10 keys from the each key file to check consistency"

i=0
while [ $i -lt $$STREAM ]
do
KEYS=`head -10 ${KEY}$i | awk '{printf "%d ", $1}'`
echo "The 10 Keys for file $i are: $KEYS"
#for j in `head -10 ${KEY}$i | awk '{printf "%d ", $1}'`
for j in $KEYS
do
sqlplus $USER @consist $j >> $CON1
echo "-----" >> $CON1
done
i=`expr $i + 1`
done

echo ""
echo "Starting ACID transactions at `date`"
echo ""

i=0

while [ $i -lt $$STREAM ]
do
$PROG $i $$STREAM 1 0 u${USER} i${KEY}$i o${OUTFILE}$i s1 &
i=`expr $i + 1`
done

echo "Schedule a Checkpoint"
echo "Checkpoint scheduled at $CK seconds after `date`"

(sleep $CK; $ACID_DIR/consistency/ckpt.sh) &

wait

echo ""
echo "Ending ACID transactions at `date`"
echo ""

echo "Completed $$STREAM transaction streams with $ITER iterations each"
echo ""

echo "Check consistency after Submitting Transactions `date`"
echo "Check consistency after Submitting Transactions `date`" >> $CON2

cat ${ORACLE_HOME}/rdbms/log/alert_${ORACLE_SID}.log >> $CHK

i=0
while [ $i -lt $$STREAM ]
do
KEYS=`head -10 ${KEY}$i | awk '{printf "%d ", $1}'`
echo "The keys to check for consistency after the test from file $i are:"
echo "$KEYS"
for j in $KEYS

```

```

do
sqlplus $USER @consist $j >> $CON2
echo "-----" >> $CON2
done
i=`expr $i + 1`
done

```

## consist.sql

```

Rem
Rem $Header: template.sql 16-feb-2001.19:27:01 mpoess Exp $
Rem
Rem consist.sql
Rem
Rem Copyright (c) Oracle Corporation 2001. All Rights Reserved.
Rem
Rem NAME
Rem consist.sql - <one-line expansion of the name>
Rem
Rem DESCRIPTION
Rem Verifies the consistency of TPC-D database using the
Rem consistency condition.
Rem
Rem NOTES
Rem REQUIRES PACKAGES prvtotpt and dbmsotpt
Rem
Rem MODIFIED (MM/DD/YY)
Rem mpoess 07/10/01 - Created
Rem

SET FEEDBACK 1
SET NUMWIDTH 10
SET LINESIZE 80
SET TRIMSPOOL ON
SET TAB OFF
SET PAGESIZE 100
SET ECHO ON

set verify off
rem set termout on
rem set echo on

REM
REM Get today's date.
REM

select
substr(TO_CHAR(sysdate,'YYYY-MM-DD HH:MI:SS'),1,20) as CURRENT_TIME
from dual;

set serverout on;

DECLARE
o_okey number;
o_tprice number;
l_tprice number;
diff number;

BEGIN
select o_totalprice
into o_tprice
from orders
where o_orderkey = &&1;

select sum(trunc((trunc((l_extendedprice * (1-l_discount)), 2)
*(1+l_tax)), 2))
into l_tprice
from lineitem
where l_orderkey = &&1;

diff := l_tprice - o_tprice;

dbms_output.put_line('O_TOTALPRICE: ' || TO_CHAR(trunc(o_tprice,2));
dbms_output.put_line('L_TOTALPRICE: ' || TO_CHAR(trunc(l_tprice,2));
dbms_output.put_line('Difference: ' || TO_CHAR(trunc(diff,2));

END;

```

```
.  
/
```

```
spool off  
exit
```

## count\_tx.sh

```
#!/bin/ksh  
  
STEM=$1  
ITER=$2  
OUT=$3  
FIN=FALSE  
while [ "$FIN" = "FALSE" ]  
do  
  s=0  
  FIN=TRUE  
  while [ $s -lt $STEM ]  
  do  
    nt=`grep "Transaction Completed" $OUT/dura${s} | wc -l`  
    if [ $nt -lt $ITER ];then  
      FIN=FALSE  
    fi  
    s=`expr $s + 1`  
  done  
  sleep 5  
done  
echo all streams have committed $ITER transactions
```

## d\_hist.sql

```
Rem  
Rem $Header: d_hist.sql 07-aug-99.21:33:08 mpoess Exp $  
Rem  
Rem d_hist.sql  
Rem  
Rem Copyright (c) Oracle Corporation 1999. All Rights Reserved.  
Rem  
Rem NAME  
Rem d_hist.sql - <one-line expansion of the name>  
Rem  
Rem DESCRIPTION  
Rem Creates a history table for ACID test purpose.  
Rem  
Rem NOTES  
Rem <other useful comments, qualifications, etc.>  
Rem  
Rem MODIFIED (MM/DD/YY)  
Rem mpoess 08/07/99 - Creation  
Rem mpoess 08/07/99 - Created  
Rem
```

```
set termout on;  
set serverout on;  
set echo on;
```

```
drop table history;
```

```
create table history
```

```
(  
  h_p_key number,  
  h_s_key number,  
  h_o_key number,  
  h_l_key number,  
  h_delta number,  
  h_date_t date  
);
```

```
exit;
```

## end\_acid.sh

```
#!/bin/ksh  
#  
# $Header: end_acid.sh 08-aug-99.17:06:20 mpoess Exp $  
#  
# end_acid.sh  
#  
# Copyright (c) Oracle Corporation 1999. All Rights Reserved.  
#  
# NAME  
# end_acid.sh - <one-line expansion of the name>  
#  
# DESCRIPTION  
# end_cons.sh <pid of the durability run>  
# Options: See usage below  
#  
# NOTES  
# <other useful comments, qualifications, etc.>  
#  
# MODIFIED (MM/DD/YY)  
# mpoess 08/08/99 - Creation  
# mpoess 08/08/99 - Creation  
#
```

```
. $KIT_DIR/env
```

```
OH=$ORACLE_HOME  
# ACID_DIR=$OH/tpcd/audit set in env  
OUT_DIR=$ACID_OUT/  
DURA_DIR=$ACID_OUT/dura  
RUN_ID_FILE=$ACID_DIR/run_id
```

```
ITER=100  
STEM=7  
PROG=${ACID_DIR}/atranspl.ott  
IN=${ACID_DIR}/acid_in  
DURA=${DURA_DIR}/dura  
OUT=${DURA_DIR}/drate  
DSMPL=${DURA_DIR}/durasmpl  
KEY=${DURA_DIR}/key${1}_  
USER=tpcd/tpcd  
TRIG=1  
HCNT=duracnta
```

```
# get history count
```

```
sqlplus $USER @cnt_hist > $DURA_DIR/$HCNT 2>&1
```

```
# perform the consistency
```

```
i=0  
while [ $i -lt $STEM ]  
do  
  for j in `head -10 ${KEY}${i} | awk '{printf "%d ",$1}'`  
  do  
    sqlplus tpcd/tpcd @consist $j >> $DURA_DIR/duraconsa  
  done  
  i=`expr $i + 1`  
done
```

```
i=0  
while [ $i -lt $STEM ]  
do  
  sample.sh $DURAS{i} > ${DSMPL}${i} 2>&1  
  i=`expr $i + 1`  
done
```

## gettime.c

```
#ifdef RCSID  
static char *RCSid =  
"$Header: gettime.c 15-jul-99.14:27:44 mpoess Exp $";  
#endif /* RCSID */
```

```
/* Copyright (c) Oracle Corporation 1999. All Rights Reserved. */
```

```
/*
```

```

NAME
  gettime.c

DESCRIPTION
  get wall clock time.
  get cpu time.

FUNCTIONS
  get wall clock time.
  get cpu time.

NOTES
  Both routines return time in seconds as a double.
MODIFIED (MM/DD/YY)
mpoess 07/15/99 - Creation
mpoess 07/15/99 - Creation
espeed 01/15/02 - Customize for Compaq Tru64 UNIX
*/

/*
** Options:
** TIME_W_TIMES:  implement gettime() with times().
** TIME_W_GETTIME: implement gettime() with gettimeofday().
** CPU_W_TIMES:   implement getcpu() with times().
** CPU_W_GETRU:   implement getcpu() with getrusage().
** GETRU_STATS:   collect getrusage statistics
** GET_P_STATS:   collect get_process_stats statistics
*/

#define SUN_OS5

#if defined(SUN_OS5)
#define TIME_W_GETTIME
#define CPU_W_TIMES
#undef GETRU_STATS
#undef CPU_W_GETRU
#endif /* SUN_OS5 */

#if defined(sequent) || defined(SEQ_PSX)
# define GET_P_STATS
#endif /* sequent */

#if defined(aix) || defined(AIXRIOS)
# define TIME_W_GETTIME
# define CPU_W_TIMES
# define GETRU_STATS
#endif /* AIXRIOS */

#if defined(a_osf) || defined(A_OSF)
# define TIME_W_GETTIME
# define CPU_W_GETRU
# define GETRU_STATS
#endif /* AIXRIOS */

#if defined(HPUX) || defined(XENIX_386) || defined(SYSV_386) ||
defined(ATT_3B)
# define TIME_W_TIMES
# define CPU_W_TIMES
#endif /* HPUX || XENIX_386 || SYSV_386 */

#if !defined(TIME_W_GETTIME) && !defined(TIME_W_TIMES)
# define TIME_W_TIMES
#endif

#if !defined(CPU_W_GETRU) && !defined(CPU_W_TIMES)
# define CPU_W_TIMES
#endif

#ifdef GET_P_STATS
# ifdef GETRU_STATS
# undef GETRU_STATS
# endif
#endif

#if defined(TIME_W_GETTIME) || defined(CPU_W_GETRU) ||
defined(GETRU_STATS)
# include <sys/time.h>
#endif /* TIME_W_GETTIME || CPU_W_GETRU || GETRU_STATS */

#ifdef CPU_W_GETRU || defined(GETRU_STATS)
# include <sys/resource.h>
#endif /* CPU_W_GETRU || GETRU_STATS */

#ifdef TIME_W_TIMES || defined(CPU_W_TIMES)
# include <sys/types.h>
# include <sys/times.h>
/* # include <sys/param.h> most systems define HZ here */
/* but Compaq Tru64 UNIX requires the following 2 includes */
# include <sys/sysinfo.h>
# include <machine/hal_sysinfo.h>
#endif /* TIME_W_TIMES or CPU_W_TIMES */

#ifdef GET_P_STATS
# include <sys/types.h>
# include <sys/procstats.h>
#endif /* GET_P_STATS */

# include <stdio.h>

#ifdef GETRU_STATS
struct rusage selfru;
struct rusage kidsru;
#endif /* GETRU_STATS */

#ifdef GET_P_STATS
struct process_stats selfru;
struct process_stats kidsru;
#endif /* GET_P_STATS */

double gettime ()
{
#ifdef TIME_W_GETTIME
  struct timeval tv;

  (void) gettimeofday (&tv, (struct timezone *) 0);
  return ((double) tv.tv_sec + (1.0e-6 * (double) tv.tv_usec));
#endif /* TIME_W_GETTIME */

#ifdef TIME_W_TIMES
  struct tms buf;

  /* Next 2 lines for Compaq Tru64 UNIX */
  int HZ;
  getsysinfo(GSI_CLK_TCK, (char *)&HZ, sizeof(HZ));

  return ((double) times (&buf) / HZ);
#endif /* TIME_W_TIMES */
}

double getcpu ()
{
#ifdef CPU_W_TIMES
  struct tms buf;

  /* Next 2 lines for Compaq Tru64 UNIX */
  int HZ;
  getsysinfo(GSI_CLK_TCK, (char *)&HZ, sizeof(HZ));

  (void) times (&buf);
  return (((double) buf.tms_utime + (double) buf.tms_stime) / HZ);
#endif /* CPU_W_TIMES */

#ifdef CPU_W_GETRU
  struct rusage ru;
  double usecs;

```

```

(void) getrusage (0, &ru);
usecs = 1.0e-6 * (double) (ru.ru_utime.tv_usec + ru.ru_stime.tv_usec);
return ((double) (ru.ru_utime.tv_sec + ru.ru_stime.tv_sec) + usecs);
#endif /* CPU_W_GETRU */
}

```

```
getru (fp, kids, config, runname, proc_no)
```

```

FILE *fp;
int kids;
char *config;
char *runname;
int proc_no;

{

#ifdef GETRU_STATS
    struct rusage ru;

    fprintf (fp, "%-10.10s %-10.10s %10d %10d ", config,runname, proc_no, kids);
    getrusage (kids ? RUSAGE_CHILDREN : RUSAGE_SELF, &ru);
    print_ru (fp, &ru);
    fprintf (fp, "\n");
#endif /* GETRU_STATS */

#ifdef GET_P_STATS
    timeval_t tv;
    struct process_stats ru;

    fprintf (fp, "%-10.10s %-10.10s %10d %10d ", config,runname, proc_no, kids);
    if (kids)
        get_process_stats (&tv, PS_SELF, (struct process_stats *) 0, &ru);
    else
        get_process_stats (&tv, PS_SELF, &ru, (struct process_stats *) 0);
    print_ru (fp, &ru);
    fprintf (fp, "\n");
#endif /* GET_P_STATS */

}

```

```
getru1 (kids)
```

```

int kids;

{

#ifdef GETRU_STATS
    if (kids) {
        memset (&kidsru, 0, sizeof (kidsru));
        getrusage (RUSAGE_CHILDREN, &kidsru);
    }
    else {
        memset (&selfru, 0, sizeof (selfru));
        getrusage (RUSAGE_SELF, &selfru);
    }
#endif /* GETRU_STATS */

#ifdef GET_P_STATS
    timeval_t tv;

    if (kids) {
        memset (&kidsru, 0, sizeof (kidsru));
        get_process_stats (&tv, PS_SELF, (struct process_stats *) 0, &kidsru);
    }
    else {
        memset (&selfru, 0, sizeof (selfru));
        get_process_stats (&tv, PS_SELF, &selfru, (struct process_stats *) 0);
    }
#endif /* GET_P_STATS */

}

```

```
getru2 (fp, kids, config, runname, proc_no)
```

```

FILE *fp;
int kids;
char *config;
char *runname;
int proc_no;

{

#ifdef GETRU_STATS
    struct rusage ru;

    fprintf (fp, "%-10.10s %-10.10s %10d %10d ", config, runname, proc_no, kids);
    getrusage (kids ? RUSAGE_CHILDREN : RUSAGE_SELF, &ru);
    if (kids)
        diffru (&ru, &kidsru);
    else
        diffru (&ru, &selfru);
    print_ru (fp, &ru);
    fprintf (fp, "\n");
#endif /* GETRU_STATS */

#ifdef GET_P_STATS
    timeval_t tv;
    struct process_stats ru;

    fprintf (fp, "%-10.10s %-10.10s %10d %10d ", config, runname, proc_no, kids);
    if (kids)
        get_process_stats (&tv, PS_SELF, (struct process_stats *) 0, &ru);
    else
        get_process_stats (&tv, PS_SELF, &ru, (struct process_stats *) 0);
    if (kids)
        diffru (&ru, &kidsru);
    else
        diffru (&ru, &selfru);
    print_ru (fp, &ru);
    fprintf (fp, "\n");
#endif /* GET_P_STATS */

}

```

```
#ifdef GETRU_STATS
```

```
print_ru (fp, ru)
```

```

FILE *fp;
struct rusage *ru;

{

    fprintf (fp, "%10ld ", ru->ru_utime.tv_sec * 1000 +
        (ru->ru_utime.tv_usec/1000));
    fprintf (fp, "%10ld ", ru->ru_stime.tv_sec * 1000 +
        (ru->ru_stime.tv_usec/1000));
    fprintf (fp, "%10ld ", ru->ru_maxrss);
    fprintf (fp, "%10ld ", ru->ru_majflt);
    fprintf (fp, "%10ld ", ru->ru_minflt);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", ru->ru_nswap);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", ru->ru_nvcsw);
    fprintf (fp, "%10ld ", ru->ru_nivcsw);
    fprintf (fp, "%10ld ", ru->ru_signals);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", ru->ru_inblock);
    fprintf (fp, "%10ld ", ru->ru_oublock);
    fprintf (fp, "%10ld ", 0);
    fprintf (fp, "%10ld ", 0);
}

```

```
}
```

```

diffru (ru2, ru)

struct rusage *ru2;
struct rusage *ru;

{

    ru2->ru_utime.tv_sec -= ru->ru_utime.tv_sec;
    ru2->ru_utime.tv_usec -= ru->ru_utime.tv_usec;
    ru2->ru_stime.tv_sec -= ru->ru_stime.tv_sec;
    ru2->ru_stime.tv_usec -= ru->ru_stime.tv_usec;
    ru2->ru_maxrss -= ru->ru_maxrss;
    ru2->ru_ixrss -= ru->ru_ixrss;
    ru2->ru_idrss -= ru->ru_idrss;
    ru2->ru_minflt -= ru->ru_minflt;
    ru2->ru_majflt -= ru->ru_majflt;
    ru2->ru_nswap -= ru->ru_nswap;
    ru2->ru_inblock -= ru->ru_inblock;
    ru2->ru_oublock -= ru->ru_oublock;
    ru2->ru_msgsnd -= ru->ru_msgsnd;
    ru2->ru_msgrcv -= ru->ru_msgrcv;
    ru2->ru_nsignals -= ru->ru_nsignals;
    ru2->ru_nvcsw -= ru->ru_nvcsw;
    ru2->ru_nivcsw -= ru->ru_nivcsw;

}

#endif /* GETRU_STATS */

```

```
#ifdef GET_P_STATS
```

```
print_ru (fp, ps)
```

```

FILE *fp;
struct process_stats *ps;

{

    fprintf (fp, "%lu ", ps->ps_utime.tv_sec * 1000 +
             (ps->ps_utime.tv_usec/1000));
    fprintf (fp, "%lu ", ps->ps_stime.tv_sec * 1000 +
             (ps->ps_stime.tv_usec/1000));
    fprintf (fp, "%lu ", ps->ps_maxrss);
    fprintf (fp, "%lu ", ps->ps_pagein);
    fprintf (fp, "%lu ", ps->ps_reclaim);
    fprintf (fp, "%lu ", ps->ps_zerofill);
    fprintf (fp, "%lu ", ps->ps_pffincr);
    fprintf (fp, "%lu ", ps->ps_pffdecr);
    fprintf (fp, "%lu ", ps->ps_swap);
    fprintf (fp, "%lu ", ps->ps_syscall);
    fprintf (fp, "%lu ", ps->ps_volcsw);
    fprintf (fp, "%lu ", ps->ps_involcsw);
    fprintf (fp, "%lu ", ps->ps_signal);
    fprintf (fp, "%lu ", ps->ps_lread);
    fprintf (fp, "%lu ", ps->ps_lwrite);
    fprintf (fp, "%lu ", ps->ps_bread);
    fprintf (fp, "%lu ", ps->ps_bwrite);
    fprintf (fp, "%lu ", ps->ps_phread);
    fprintf (fp, "%lu ", ps->ps_phwrite);

}

```

```
diffru (ru2, ru)
```

```

struct process_stats *ru2;
struct process_stats *ru;

{

    ru2->ps_utime.tv_sec -= ru->ps_utime.tv_sec;
    ru2->ps_utime.tv_usec -= ru->ps_utime.tv_usec;
    ru2->ps_stime.tv_sec -= ru->ps_stime.tv_sec;
    ru2->ps_stime.tv_usec -= ru->ps_stime.tv_usec;
    ru2->ps_maxrss -= ru->ps_maxrss;
    ru2->ps_pagein -= ru->ps_pagein;

```

```

ru2->ps_reclaim -= ru->ps_reclaim;
ru2->ps_zerofill -= ru->ps_zerofill;
ru2->ps_pffincr -= ru->ps_pffincr;
ru2->ps_pffdecr -= ru->ps_pffdecr;
ru2->ps_swap -= ru->ps_swap;
ru2->ps_syscall -= ru->ps_syscall;
ru2->ps_volcsw -= ru->ps_volcsw;
ru2->ps_involcsw -= ru->ps_involcsw;
ru2->ps_signal -= ru->ps_signal;
ru2->ps_lread -= ru->ps_lread;
ru2->ps_lwrite -= ru->ps_lwrite;
ru2->ps_bread -= ru->ps_bread;
ru2->ps_bwrite -= ru->ps_bwrite;
ru2->ps_phread -= ru->ps_phread;
ru2->ps_phwrite -= ru->ps_phwrite;

}

#endif /* GET_P_STATS */

```

## iso1.sh

```

#!/bin/ksh
#
# $Header: iso1.sh 10-jul-2001.11:17:34 mpoess Exp $
#
# iso1.sh
#
# Copyright (c) 1998, 2001, Oracle Corporation. All rights reserved.
#
# NAME
#   iso1.sh
#
# DESCRIPTION
#   Usage: iso1.sh [-u user/passwd] [-n remote_node] -h
#   Options: See usage below
#
# NOTES
#   For a cross node isolation test, assume the local node is
#   one of the participating nodes. The other node can be
#   specified by the -n option.
#   You need to set the environment variable TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)
#   mpoess   07/10/01 - change tpcd/tpcd to DATABASE_USER
#   mpoess   12/16/98 - update to version 8.1.6
#   mpoess   09/25/98 - update audit
#   akarasik 07/29/98 -
#   akarasik 07/29/98 - Creation
#
. $KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=$ORACLE_HOME
#ACID_DIR=$KIT_DIR/acid is set in env
OUT_DIR=$ACID_OUT

TXN1FILE=$OUT_DIR/txn1$$out
TXN2FILE=$OUT_DIR/txn2$$out
KEYFILE=$OUT_DIR/key$$out
ISOFILE=$OUT_DIR/iso1

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE; exit 1" 1 2 3 15

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n remote_node] -h"
    echo ""
    exit 1;
}

```

```

}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
  case "$1" in
    -u) shift; USER=$1;;
    -n) shift; RHOST="$1";;
    -h) usage; exit 0;;
    --) break;;
    esac
  shift;
done

de=`direxists.sh $ACID_OUT c` # I am not using $de afterward, but I want to avoid
the output of direxists

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is "$OKEY

# before the ACID transaction, let's run a ACID query to record the
# initial state of lineitem

echo "Running ACID query BEFORE the start of Isolation Test 1" >> $TXN2FILE
echo "" date" >> $TXN2FILE
echo "" >> $TXN2FILE
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY >> $TXN2FILE
echo "" >> $TXN2FILE
echo "-----" >> $TXN2FILE

sleep 1

# start ACID transaction, Sleep for 60 second before COMMIT

$PROG 1 1 1 0 i$KEYFILE u$USER s60 >> $TXN1FILE &

# let's sleep 10 seconds before starting ACID query

sleep 10

# start ACID query with the same OKEY

echo "Running ACID query 10 seconds AFTER the start of ACID Transaction" \
>> $TXN2FILE
echo "" date" >> $TXN2FILE
if [ "$RHOST" != "" ]
then
echo "Starting ACID query on node $RHOST" >> $TXN2FILE
${RSH} -n ${RHOST} sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY >>
$TXN2FILE
else
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY >> $TXN2FILE
fi

echo "-----" >> $TXN2FILE
wait
echo "-----" >> $TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

## iso2.sh

```

#!/bin/ksh
#
# $Header: iso2.sh 10-jul-2001.11:17:36 mpoess Exp $
#
# iso2.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation. All rights reserved.

```

```

#
# NAME
#   iso2.sh - <one-line expansion of the name>
#
# DESCRIPTION
#   Usage: iso2.sh [-u user/password] [-n remote_node] -h
#   Options: See usage below
# NOTES
#   For a cross node isolation test, assume the local node is
#   one of the participating nodes. The other node can be
#   specified by the -n option.
#   You need to set the environment variable TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)
#   mpoess 07/10/01 - change tpcd/tpcd to DATABASE_USER
#   mpoess 08/04/99 - Creation
#   mpoess 08/04/99 - Creation
#
=====
====#+
# May need to change the following:

.SKIT_DIR/env

RSH=rsh

OH=$ORACLE_HOME
# ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$$
TXN2FILE=$OUT_DIR/txn2$$
KEYFILE=$OUT_DIR/key$$
ISOFILE=$OUT_DIR/iso2

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE; exit 1" 1 2 3 15

usage() {
  echo ""
  echo "Usage: $0 [-u user/passwd] [-n remote_node] -h"
  echo ""
  exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
  case "$1" in
    -u) shift; USER=$1;;
    -n) shift; RHOST="$1";;
    -h) usage; exit 0;;
    --) break;;
    esac
  shift;
done

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is "$OKEY

# before the ACID transaction, let's run a ACID query to record the
# initial state of lineitem

echo "Running ACID query BEFORE the start of Isolation Test 1" >> $TXN2FILE

```

```

echo ""date"" >> $TXN2FILE
echo "" >> $TXN2FILE
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY >> $TXN2FILE
echo "" >> $TXN2FILE
echo "-----" >> $TXN2FILE

sleep 1

# start ACID transaction, Sleep for 30 second before ROLLBACK

$PROG 1 1 0 0 i$KEYFILE u$USER s30 >> $TXN1FILE &

# let's sleep 10 seconds before starting ACID query

sleep 10

# start ACID query with the same OKEY

echo "Running ACID query 10 seconds AFTER the start of ACID transaction" \
>> $TXN2FILE
echo ""date"" >> $TXN2FILE
if [ "$RHOST" != "" ]
then
echo "Starting ACID query on node $RHOST" >> $TXN2FILE
${RSH} -n ${RHOST} sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY >>
$TXN2FILE
else
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY >> $TXN2FILE
fi

echo "-----" >> $TXN2FILE
wait
echo "-----" >> $TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

## iso3.sh

```

#!/bin/ksh
#
# $Header: iso3.sh 10-jul-2001.11:17:37 mpoess Exp $
#
# iso3.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation. All rights reserved.
#
# NAME
# iso3.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: iso3.sh [-u user/password] [-n remote_node] -h
# Options: See usage below
# NOTES
# For a cross node isolation test, assume the local node is
# one of the participating nodes. The other node can be
# specified by the -n option.
# We need to make sure the remote node has access to the
# file system on the local node. Otherwise, we need to rcp
# the keyfile to the remote system.
# You need to set the environment variable TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)
# mpoess 07/10/01 - change tpcd/tpcd to DATABASE_USER
# mpoess 08/04/99 - Creation
# mpoess 08/04/99 - Creation
#

.$KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=$ORACLE_HOME
#ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

```

```

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$$
TXN2FILE=$OUT_DIR/txn2$$
KEYFILE=$OUT_DIR/key$$
ISOFILE=$OUT_DIR/iso3

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE; exit 1" 1 2 3 15

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n remote_node] -h"
    echo ""
    exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
case "$1" in
-u) shift; USER=$1;;
-n) shift; RHOST="$1";;
-h) usage; exit 0;;
--) break;;
esac
shift
done

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE

sleep 1

# start ACID transaction, Sleep for 30 second before COMMIT

$PROG 1 2 1 0 i$KEYFILE u$USER s30 >> $TXN1FILE &

# let's sleep 10 seconds before starting second ACID transaction

sleep 10

# start another ACID transaction with the same LKEY and OKEY
# but different DELTA

# Do not sleep before COMMIT so that we can see TXN2 has waited.

if [ "$RHOST" != "" ]
then
echo "Starting TXN2 on node $RHOST" >> $TXN2FILE
${RSH} -n ${RHOST} $PROG 2 2 1 1 i$KEYFILE u$USER s1 >> $TXN2FILE &
else
$PROG 2 2 1 1 i$KEYFILE u$USER s1 >> $TXN2FILE &
fi

wait
echo "-----" >> $TXN2FILE
echo "-----" >> $TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

## iso4.sh

```

#!/bin/ksh
#
# $Header: iso4.sh 10-jul-2001.11:17:38 mpoess Exp $
#
# iso4.sh

```



```

#
# Copyright (c) 1999, 2001, Oracle Corporation. All rights reserved.
#
# NAME
# iso4.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: iso4.sh [-u user/password] [-n remote_node] -h
# Options: See usage below
# NOTES
# For a cross node isolation test, assume the local node is
# one of the participating nodes. The other node can be
# specified by the -n option.
# We need to make sure the remote node has access to the
# file system on the local node. Otherwise, we need to rcp
# the keyfile to the remote system.
# You need to set the environment variable TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)
# mpoess 07/10/01 - change tpcd/tpcd to DATABASE_USER
# mpoess 08/04/99 - Creation
# mpoess 08/04/99 - Creation
#

.$KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=$ORACLE_HOME
# ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$$$.out
TXN2FILE=$OUT_DIR/txn2$$$.out
KEYFILE=$OUT_DIR/key$$$.out
ISOFILE=$OUT_DIR/iso4

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE; exit 1" 1 2 3 15

usage() {
    echo ""
    echo "Usage: $0 [-u user/passwd] [-n remote_node] -h"
    echo ""
    exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
    case "$1" in
        -u) shift; USER=$1;;
        -n) shift; RHOST="$1";;
        -h) usage; exit 0;;
        --) break;;
    esac
    shift
done

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE

sleep 1

# start ACID transaction, Sleep for 30 second before ROLLBACK
$PROG 1 2 0 0 i$KEYFILE u$USER s30 >> $TXN1FILE &

```

```

# let's sleep 10 seconds before starting second ACID transaction

sleep 10

# start another ACID transaction with the same LKEY and OKEY
# but different DELTA

# Do not sleep before COMMIT so that we can see TXN2 has waited.

if [ "$RHOST" != "" ]
then
echo "Starting TXN2 on node $RHOST" >> $TXN2FILE
${RSH} -n ${RHOST} $PROG 2 2 1 1 i$KEYFILE u$USER s1 >> $TXN2FILE &
else
$PROG 2 2 1 1 i$KEYFILE u$USER s1 >> $TXN2FILE &
fi

wait
echo "-----" >> $TXN2FILE
echo "-----" >> $TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

```

## iso5.sh

```

#!/bin/ksh
#
# $Header: iso5.sh 10-jul-2001.11:17:39 mpoess Exp $
#
# iso5.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation. All rights reserved.
#
# NAME
# iso5.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: iso5.sh [-u user/password] [-n remote_node] -h
# Options: See usage below
# NOTES
# For a cross node isolation test, assume the local node is
# one of the participating nodes. The other node can be
# specified by the -n option.
# You need to set the environment variable TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)
# mpoess 07/10/01 - change tpcd/tpcd to DATABASE_USER
# mpoess 08/04/99 - Creation
# mpoess 08/04/99 - Creation
#

.$KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=$ORACLE_HOME
# ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT
DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$$$.out
TXN2FILE=$OUT_DIR/txn2$$$.out
KEYFILE=$OUT_DIR/key$$$.out
ISOFILE=$OUT_DIR/iso5

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE; exit 1" 1 2 3 15

usage() {
    echo ""

```

```

echo "Usage: $0 [-u user/passwd] [-n remote_node] -h"
echo ""
exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
case "$1" in
-u) shift; USER=$1;;
-n) shift; RHOST="$1";;
-h) usage; exit 0;;
--) break;;
esac
shift;
done

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is "$OKEY

# before the ACID transaction, let's run a ACID query to record the
# initial state of lineitem

echo "Running ACID query BEFORE the start of Isolation Test 5" >> $TXN1FILE
echo "" date" >> $TXN1FILE
echo "" >> $TXN1FILE
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY >> $TXN1FILE
echo "" >> $TXN1FILE
echo "-----" >> $TXN1FILE

sleep 1

# start ACID transaction, Sleep for 60 second before COMMIT

$PROG 1 1 1 0 i$KEYFILE u$USER s60 >> $TXN1FILE &

# let's sleep 5 seconds before starting PARTSUPP query

sleep 5

# First generate PS_PARTKEY and PS_SUPPKEY

PSKEY=`randpsup 0.1`

echo "Running PARTSUPP query 5 seconds AFTER the start of ACID Transaction" \
>> $TXN2FILE
echo "" date" >> $TXN2FILE
echo "PS_PARTKEY and PS_SUPPKEY are: $PSKEY" >> $TXN2FILE

if [ "$RHOST" != "" ]
then
echo "Starting PARTSUPP query on node $RHOST" >> $TXN2FILE
${RSH} -n ${RHOST} sqlplus $USER @$ACID_DIR/isolation/a_query2
${PSKEY} >> $TXN2FILE &
else
sqlplus $USER @$ACID_DIR/isolation/a_query2 ${PSKEY} >> $TXN2FILE &
fi

wait

echo "-----" >> $TXN2FILE
echo "-----" >> $TXN1FILE

cat $TXN1FILE $TXN2FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $KEYFILE

iso6.sh

#!/bin/ksh
#
# $Header: iso6.sh 10-jul-2001.11:17:41 mpoess Exp $

```

```

#
# iso6.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation. All rights reserved.
#
# NAME
# iso6.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: iso6.sh [-u user/passwd] [-n remote_node] -h
# Options: See usage below
# NOTES
# For a cross node isolation test, assume the local node is
# one of the participating nodes. The other node can be
# specified by the -n option.
# We need to make sure the remote node has access to the
# file system on the local node. Otherwise, we need to rcp
# the keyfile to the remote system.
# You need to set the environment variable TPCD_KIT_DIR
#
# MODIFIED (MM/DD/YY)
# mpoess 07/10/01 - change tpcd/tpcd to DATABASE_USER
# mpoess 08/04/99 - Creation
# mpoess 08/04/99 - Creation
#

. $KIT_DIR/env

# May need to change the following:
RSH=rsh

OH=/private/tpcd
# ACID_DIR=$TPCD_KIT_DIR/audit is set in env
OUT_DIR=$ACID_OUT

DURA_DIR=$ACID_DIR/dura

TXN1FILE=$OUT_DIR/txn1$.out
TXN2FILE=$OUT_DIR/txn2$.out
TXN3FILE=$OUT_DIR/txn3$.out
KEYFILE=$OUT_DIR/key$.out
ISOFILE=$OUT_DIR/iso6

USER=$DATABASE_USER
PROG=atranspl

/bin/rm -rf $TXN1FILE $TXN2FILE $TXN3FILE $KEYFILE

trap "/bin/rm -rf $TXN1FILE $TXN2FILE $TXN3FILE $KEYFILE; exit 1" 1 2 3 15

usage() {
echo ""
echo "Usage: $0 [-u user/passwd] [-n remote_node] -h"
echo ""
exit 1;
}

set -- `getopt "u:n:h" "$@"` || usage

while :
do
case "$1" in
-u) shift; USER=$1;;
-n) shift; RHOST="$1";;
-h) usage; exit 0;;
--) break;;
esac
shift;
done

# generate key files

randkey 1 0.1 u"$USER" > $KEYFILE

OKEY=`cat $KEYFILE | awk '{print $1}'`
echo "o_key is "$OKEY

```

```

# before the any transaction, let's run a ACID query to record the
# initial state of lineitem

echo "Running ACID query BEFORE the start of Isolation Test 6" >> $TXN2FILE
echo ""date"" >> $TXN2FILE
echo "" >> $TXN2FILE
sqlplus $USER @$ACID_DIR/isolation/a_query $OKEY >> $TXN2FILE
echo "" >> $TXN2FILE
echo "-----" >> $TXN2FILE

sleep 1

# start Query 17, use 0 as the delta

echo "Running Query 17b at `date`" >> $TXN1FILE
sqlplus $USER @q1 >> $TXN1FILE &

# sleep 2 seconds before starting ACID transaction

sleep 2

# start ACID transaction, COMMIT after one second

echo "Starting AICD transaction at `date`" >> $TXN2FILE

if [ "$RHOST" != "" ]
then
echo "Starting ACID transaction on node $RHOST" >> $TXN2FILE
${RSH} -n ${RHOST} $PROG 1 1 1 0 i$KEYFILE u$USER s1 >> $TXN2FILE &
else
$PROG 1 1 1 0 i$KEYFILE u$USER s1 >> $TXN2FILE &
fi

# start Query 17

sleep 2

echo "Running 2nd Query 17b at `date`" >> $TXN3FILE
sqlplus $USER @q1 >> $TXN3FILE &
# wait for everyone to finish

wait

echo "-----" >> $TXN3FILE
echo "-----" >> $TXN2FILE
echo "-----" >> $TXN1FILE

cat $TXN1FILE $TXN2FILE $TXN3FILE >> $ISOFILE

/bin/rm -rf $TXN1FILE $TXN2FILE $TXN3FILE $KEYFILE

```

## randkey.c

```

/* Copyright (c) Oracle Corporation 2001. All Rights Reserved. */

/*

NAME
    randkey.c - <one-line expansion of the name>

DESCRIPTION
    Generate random keys for ACID transactions:
    O_ORDERKEY unique random (1..SF*150000*4) and only
    first 8 keys out of every 32 are populated.
    and
    L_ORDERKEY based on Clause 3.1.6.2
    DELTA random (1..100)
*/

#include <stdio.h>
#include <stdlib.h>
#include <math.h>
#include "atranspl.h"

#define ORDERCNT 150000.0

/* MK_SPARSE adopted from dss.h */

```

```

#define MK_SPARSE(key, seq) \
    (((key>>3)<<2)|(seq & 0x0003)<<3)|(key & 0x0007))

void sql_error();
void usage();
void ACIDinit();
long atol();
void srand48();
long lrand48();

/* Not really used here, but retained it for future purposes. */

typedef struct aciddef {
    long okey;
    long lkey;
    int delta;
} adef;

long l_key = 0;
long o_key = 0;
char lname[UNAME_LEN];
char *passwd;

/* OCI handles */

OCIEnv *tpcenv;
OCIServer *tpcsrv;
OCIError *errhp;
OCISvcCtx *tpscvc;
OCISession *tpcusr;
OCIStmt *curi;

OCIBind *l_key_bp;
OCIBind *o_key_bp;

sword status = OCI_SUCCESS; /* OCI return value */

char sqlstmt[1024];

void ACIDexit() {
    OCILogout(tpscvc,errhp);
    OCIlfree(tpcenv,OCI_HTYPE_STMT);
    OCIlfree(tpscvc,OCI_HTYPE_SVCCTX);
    OCIlfree(tpcsrv,OCI_HTYPE_SERVER);
    OCIlfree(tpcusr,OCI_HTYPE_SESSION);
}

/* type: 0 if environment handle is passed, 1 if error handle is passwd */

void sql_error(errhp,status,type)
    OCIError *errhp;
    sword status;
    sword type;
{
    char msg[2048];
    sb4 errcode;
    ub4 msglen;
    int i,j;

    switch(status) {
    case OCI_SUCCESS_WITH_INFO:
        fprintf(stderr, "Error: Statement returned with info.\n");
        if (type)
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *) &errcode,(text *)msg,
                2048,OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *) &errcode,(text *)msg,
                2048,OCI_HTYPE_ENV);
        fprintf(stderr,"%s\n",msg);
        break;
    case OCI_ERROR:
        fprintf(stderr, "Error: OCI call error.\n");
        if (type)
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *) &errcode,(text *)msg,
                2048,OCI_HTYPE_ERROR);
        else
            (void) OCIErrorGet(errhp,1,NULL,(sb4 *) &errcode,(text *)msg,

```

```

        2048,OCI_HTYPE_ENV);
fprintf(stderr,"%s\n",msg);
break;
case OCI_INVALID_HANDLE:
fprintf(stderr, "Error: Invalid Handle.\n");
if (type)
    (void) OCIErrGet(errhp,1,NULL,(sb4 *) &errcode,(text *)msg,
        2048,OCI_HTYPE_ERROR);
else
    (void) OCIErrGet(errhp,1,NULL,(sb4 *) &errcode,(text *)msg,
        2048,OCI_HTYPE_ENV);
fprintf(stderr,"%s\n",msg);
break;
}
/* Rollback just in case */

(void) OCITransRollback(tpcsvc,errhp,OCI_DEFAULT);

fprintf(stderr, "Exiting Oracle...\n");
fflush(stderr);

ACIDexit();

exit(1);
}

main(argc, argv)
int argc;
char **argv;
{

long count;
long i;
double sf; /* need to accomodate sf 0.1 */
double random;
double ordcnt;
adev *res;

if ((argc < 3) || (argc > 4)) {
usage();
exit(-1);
}

strcpy((char *) Iname, "tpcd/tpcd");

count = atol(argv[1]);
sf = atof(argv[2]);

argc -= 2;
argv += 2;

while (--argc) {
++argv;
switch(argv[0][0]) {
case 'u':
strcpy((char *) Iname, ++(argv[0]), UNAME_LEN);
if (strchr((char *) Iname, '/') == NULL) {
usage();
exit(-1);
}
break;
default:
fprintf(stderr, "Unknown argument %s\n", argv[0]);
usage();
break;
}
}

ACIDinit();

/* initialize array for random numbers */

res = (adev *) malloc(count*sizeof(adev));
ordcnt = (double) ORDERCNT * (double) sf;

for (i=0; i<count; i++) {

/* The algorithm: */
/* Assumes drand's output is 'unique', first get a number within */
/* the range of [0..sf*ORDERCNT) and then maps the different */
/* ranges to generate the real output. */

random = floor(drand48() * (double) ordcnt) + 1;
res[i].okey = o_key = (long) MK_SPARSE((long) random, 0);
res[i].delta = (long) floor(drand48() * 100) + 1;

/* Obtain l_key from l_key query */

OCIExec(tpcsvc,curi,errhp,1);

/* l_key is the highest l_linenumber available. We need to pick */
/* at random a number between 1..l_key. */

res[i].lkey = (lrand48() % l_key) + 1;

printf("%ld %ld %ld\n", res[i].okey, res[i].lkey, res[i].delta);
}

ACIDexit();
free(res);
}

void usage() {

fprintf(stderr, "Usage: randkey <number of random keys to generate> <SF> <user/password>\n");
fprintf(stderr, "\n");
}

void ACIDinit()
{

/* run random seed */

srand48(getpid());

/* Connect to ORACLE. Program will call sql_error()
if an error occurs in connecting to the default database. */

(void) OCIInitialize(OCI_DEFAULT,(dvoid *)0,0,0);
if((status=OCIEnvInit((OCIEnv **)&tpcenv,OCI_DEFAULT,0,(dvoid **)0)) !=
OCI_SUCCESS)
sql_error(tpcenv, status, 0);

OCIhalloc(tpcenv,&errhp,OCI_HTYPE_ERROR);
OCIhalloc(tpcenv,&curi,OCI_HTYPE_STMT);
OCIhalloc(tpcenv,&tpcsvc,OCI_HTYPE_SVCCTX);
OCIhalloc(tpcenv,&tpcsrv,OCI_HTYPE_SERVER);
OCIhalloc(tpcenv,&tpcusr,OCI_HTYPE_SESSION);

/* get username and password */

passwd = strchr(Iname, '/');
*passwd = '\0';
passwd++;

if ((status=OCIServerAttach(tpcsrv,errhp,(text
*)0,0,OCI_DEFAULT))!=OCI_SUCCESS)
sql_error(errhp,status,1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcsrv,0,OCI_ATTR_SERVER,errhp);

OCIaset(tpcusr,OCI_HTYPE_SESSION,Iname,strlen(Iname),OCI_ATTR_USERNAME,
errhp);

OCIaset(tpcusr,OCI_HTYPE_SESSION,passwd,strlen(passwd),OCI_ATTR_PASSWORD,
errhp);

if ((status = OCISessionBegin(tpcsvc, errhp, tpcusr, OCI_CRED_RDBMS,
OCI_DEFAULT)) != OCI_SUCCESS)
sql_error(errhp,status,1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcusr,0,OCI_ATTR_SESSION,errhp);

```

```

/* Open and Parse cursor for query to choose determine l_key. */
/* Binds l_key to :l_key. */

sprintf((char *) sqlstmt,SQLTXT1);
OCIStmtPrepare(curi,errhp,(text *)sqlstmt,strlen((char *)sqlstmt),
              OCI_NTV_SYNTAX,OCI_DEFAULT);

OCIbname(curi,l_key_bp,errhp,":l_key",ADR(l_key),SIZ(l_key),SQLT_INT);
OCIbname(curi,o_key_bp,errhp,":o_key",ADR(o_key),SIZ(o_key),SQLT_INT);
}

```

## randpsup.c

/\* Copyright (c) Oracle Corporation 2001. All Rights Reserved. \*/

/\*

NAME  
randpsup.c - <one-line expansion of the name>

DESCRIPTION  
Generate random keys for ACID PARTSUPP transactions:  
(Clause 4.2.3)  
PS\_PARTKEY random within [SF\*200000]  
and  
PS\_SUPPKEY = (PS\_PARTKEY + (i \* ((S/4) + (int)(PS\_PARTKEY - 1) / S)) % S + 1  
where i random within [0..3] and S = SF \* 10000

MODIFIED  
mpoess 01/04/01 - Creation

\*/

```

#include <stdio.h>
#include <stdlib.h>
#include <math.h>

```

```

#define PS_PER_SF 200000.0
#define S_PER_SF 10000.0
#define SUPP_PER_PART 4

```

/\* borrowed from build.c in the dbgen distribution \*/

```

#define PART_SUPP_BRIDGE(tgt, p, s) \
{ \
long tot_scnt = (long) (S_PER_SF * sf); \
tgt = (p + s * (tot_scnt / SUPP_PER_PART + \
(long) ((p - 1) / tot_scnt))) % tot_scnt + 1; \
}

```

```

void usage();
double atof();
void srand48();
long lrand48();

```

```

main(argc, argv)
int argc;
char **argv;
{

```

```

double sf = 0.1; /* scale factor */
long supp; /* the i-th supplier */
long pkey; /* partkey */
long maxpkey; /* highest partkey */
long ps_skey; /* ps_suppkey */

```

```

if (argc < 2) {
usage();
exit(-1);
}

```

/\* seed the random number generator \*/

```
srand48(getpid());
```

```

sf = atof(argv[1]);
maxpkey = (long) (sf * PS_PER_SF);
supp = lrand48() % 4;
pkey = lrand48() % maxpkey + 1;

PART_SUPP_BRIDGE(ps_skey, pkey, supp);

fprintf(stdout, "%ld %ld", pkey, ps_skey);

exit(0);
}

```

```

void usage()
{
fprintf(stderr, "Usage: randpsup <SF>\n\n");
}

```

## run\_acid.sh

```

#!/bin/ksh
#
# $Header: run_acid.sh 08-aug-99.15:30:10 mpoess Exp $
#
# run_acid.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights Reserved.
#
# NAME
# run_acid.sh - <one-line expansion of the name>
#
# DESCRIPTION
# Usage: run_acid.sh [-n iter] [-s stream] [-p prog] [-i infile]
# [-o outfile] [-d durafile] [-u usr/pswd]
# [-t trigger] [-f scale factor] -h
#
# Options: See usage below
#
# MODIFIED (MM/DD/YY)
# mpoess 08/08/99 - Creation
# mpoess 08/08/99 - Creation
#

```

```

OH=$ORACLE_HOME
OUT_DIR=$ACID_OUT

```

```

usage() {
echo ""
echo "Usage: $0 [-n iter] [-s stream] [-p prog] [-i infile] [-o outfile]"
echo "          [-d durafile] [-u usr/pswd] -h"
echo ""
echo "-n iter : number of iterations, default is 100"
echo "-s stream : number of streams, default is 2"
echo "-p prog : program to run, default is atranspl.ott"
echo "-i infile : input file prefix, suffix by process number within a"
echo "          stream and run ID, default is ./acid_in"
echo "-o outfile : output file prefix, similar to input file"
echo "          default is ./out/acid_out"
echo "-d durafile : durability file prefix, used for durability tests"
echo "          default is ./dura/acid_dura"
echo "-u usr/pswd : user/password combo for database access, default is tpch/tpch"
echo "-t trigger : trigger time between process starts, default is 1 second"
echo "-h : print this usage summary"
exit 1;
}

```

```

ITER=400
STEM=7
SF=1
PROG=atranspl
IN=${ACID_DIR}/acid_in
DURA_DIR=$ACID_OUT/dura
OUT=$DURA_DIR/drate
DURA=$DURA_DIR/dura
KEY=${DURA_DIR}/key$$_
USER=tpcd/tpcd

```

```

TRIG=1
HCNT=duracntb

set -- `getopt "n:s:p:i:o:d:u:h:t:f:" "$@"` || usage

# get all the options

while :
do
  case "$1" in
    -n) shift; ITER=$1;;
    -s) shift; STEM=$1;;
    -p) shift; PROG=$1;;
    -i) shift; IN=$1;;
    -o) shift; OUT=$1;;
    -d) shift; DURA=$1;;
    -u) shift; USER=$1;;
    -h) usage; exit 0;;
    -t) shift; TRIG=$1;;
    -f) shift; SF=$1;;
    --) break;;
    esac
    shift;
done

echo "Starting ACID run..."

i=0
T=`expr $STEM \* $TRIG + 6`

# Get history count before the run

sqlplus $USER @cnt_hist > $DURA_DIR/$HCNT 2>&1

while [ $i -lt $STEM ]
do
  randkey $ITER ${SF} u${USER} > ${KEY}${i} &
  i=`expr $i + 1`
done

wait
# perform the consistency

i=0
while [ $i -lt $STEM ]
do
  for j in `head -10 ${KEY}${i} | awk '{printf "%d ",$1}'`
  do
    sqlplus tpcd/tpcd @consist $j >> $DURA_DIR/duraconsb
  done
  i=`expr $i + 1`
done

echo "Starting Transaction Counting Program"
count_tx.sh $STEM 100 $DURA_DIR &

i=0
while [ $i -lt $STEM ]
do
  $PROG $i $STEM 1 0 i${KEY}${i} o${OUT}${i} d${DURA}${i} u$USER s1 &
  T=`expr $T - $TRIG`
  i=`expr $i + 1`
done

wait

echo "ACID run completed"

```

## sample.sh

```

#!/bin/ksh
#
# $Header: sample.sh 08-aug-99.17:10:00 mpoess Exp $
#
# sample.sh

```

```

#
# Copyright (c) Oracle Corporation 1999. All Rights Reserved.
#
# NAME
#   sample.sh - <one-line expansion of the name>
#
# DESCRIPTION
#   <short description of component this file declares/defines>
#
# NOTES
#   <other useful comments, qualifications, etc.>
#
# MODIFIED (MM/DD/YY)
#   mpoess   08/08/99 - Creation
#   mpoess   08/08/99 - Creation
#
# $1 durability output file

.$KIT_DIR/env

cat $1 | grep o_key | awk '{printf "%d\n", $2}' > /tmp/okey$$
cat $1 | grep l_key | awk '{printf "%d\n", $2}' > /tmp/lkey$$

paste /tmp/okey$$ /tmp/lkey$$ > /tmp/keys$$
tail -6 /tmp/keys$$ > /tmp/6keys$$

echo "Keys chosen are:"
cat /tmp/6keys$$

i=1
while [ $i -le 6 ]
do

j=`cat /tmp/6keys$$ | tail -${i} | head -1`
sqlplus tpcd/tpcd @sample $j
i=`expr $i + 1`
done

/bin/rm -f /tmp/*key*

```

## sample.sql

```

Rem
Rem $Header: sample.sql 08-aug-99.17:10:34 mpoess Exp $
Rem
Rem sample.sql
Rem
Rem Copyright (c) Oracle Corporation 1999. All Rights Reserved.
Rem
Rem NAME
Rem   sample.sql - <one-line expansion of the name>
Rem
Rem DESCRIPTION
Rem   <short description of component this file declares/defines>
Rem
Rem NOTES
Rem   <other useful comments, qualifications, etc.>
Rem
Rem MODIFIED (MM/DD/YY)
Rem   mpoess   08/08/99 - Creation
Rem   mpoess   08/08/99 - Created
Rem

alter session set nls_date_format = 'YYYY-MM-DD HH:MI:SS';
select * from history where h_o_key = &&1 and h_l_key = &&2;

exit;

```

## Disk Configuration Data

### HSG80\_storage\_array\_configuration

HSG80 Configuration/Layout for ORACLE 300GB TPC-H Project

For each of the (24) HSG80 Controller Pair Arrays:

RUN CONFIG

```
ADD MIRRORSET M1 DISK10000 DISK20100
ADD MIRRORSET M2 DISK10100 DISK20000
ADD MIRRORSET M3 DISK30000 DISK40100
ADD MIRRORSET M4 DISK30100 DISK40000
ADD MIRRORSET M5 DISK50000 DISK60100
ADD MIRRORSET M6 DISK50100 DISK60000
ADD MIRRORSET M7 DISK10200 DISK20300
ADD MIRRORSET M8 DISK10300 DISK20200
ADD MIRRORSET M9 DISK30200 DISK40300
ADD MIRRORSET M10 DISK30300 DISK40200
ADD MIRRORSET M11 DISK50200 DISK60300
ADD MIRRORSET M12 DISK50300 DISK60200
```

```
ADD STRIPESET S1 M1 M2 M3 M4 M5 M6
ADD STRIPESET S2 M7 M8 M9 M10 M11 M12
```

```
INIT S1 (Default CHUNKSIZE = 256 blocks or 128K)
INIT S2
```

```
ADD UNIT D1 S1 WRITEBACK_CACHE
ADD UNIT D101 S2 WRITEBACK_CACHE
```

Note: Each HSG80 UNIT is recognized as a "disk" LUN by the Tru64 UNIX Operating System upon boot.

## Logical Storage Manager Scripts

### lsm\_create.sh

```
./volsetup_disks.sh
./sd_flatfiles.sh
./plex_flatfiles.sh
./sd_orders.sh
./plex_orders.sh
./sd_lineitem_1.sh
./plex_lineitem_1.sh
./sd_files.sh
./plex_files.sh
./sd_temps.sh
./plex_temps.sh
./sd_lineitem_2.sh
./plex_lineitem_2.sh
./sd_system4.sh
./plex_system4.sh
date
```

### volsetup\_disks.sh

```
#!/bin/sh
set -x
date
#
volsetup -c -o force privlen=32768 dsk2 dsk3 dsk4 dsk5 dsk6 dsk7 dsk8 dsk9 dsk10
dsk11 dsk12 dsk13 dsk19 dsk20 dsk21 dsk22 dsk23 dsk24 dsk25 dsk26 dsk27 dsk28
dsk29 dsk30 dsk31 dsk32 dsk33 dsk34 dsk35 dsk36 dsk37 dsk38 dsk39 dsk40 dsk41
dsk42 dsk43 dsk44 dsk45 dsk46 dsk47 dsk48 dsk49 dsk50 dsk51 dsk52 dsk53 dsk54
date
```

### sd\_files.sh

```
#!/bin/ksh
set -x
#-----
# sd_files.sh
# NEf Apr 26, 2001 Creation of subdisks for regular db files
#-----
echo "start of sd_files"
DDISKS="2 3 4 5 6 7 8 9 10 11 12 13 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54"

SD_NUM=72
SD_SIZE=903168

for DISK in $DDISKS
do
CNT=1
OFFSET=72744040

while [ $CNT -le $SD_NUM ]
do
volmake sd sd${DISK}_files${CNT} dsk${DISK} offset=${OFFSET}
len=${SD_SIZE}
CNT=`expr $CNT + 1`
OFFSET=`expr $OFFSET + $SD_SIZE`
done
done

echo "end of sd_files.sh"
```

### sd\_flatfiles.sh

```
#!/bin/ksh
set -x
#-----
# sd_flatfiles.sh
# NEf apr 20, 2001 Creation of subdisk for the flatfile area.
# NEf Apr 26, 2001 Upped size so total disk is 515 gig.
# NEf Jul 10, 2001 Fix list of disks since hardware failure
# ELS Nov 05, 2001 Modify for New ES45 disk numbers
#-----
echo "start of sd_flat"
DDISKS="2 3 4 5 6 7 8 9 10 11 12 13 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54"
SD_NUM=1
SD_SIZE=22528000

for DISK in $DDISKS
do
CNT=1
OFFSET=0

while [ $CNT -le $SD_NUM ]
do
volmake sd sd${DISK}_flat${CNT} dsk${DISK} offset=${OFFSET}
len=${SD_SIZE}
CNT=`expr $CNT + 1`
OFFSET=`expr $OFFSET + $SD_SIZE`
done
done

echo "end of sd_flat.sh"
```

### sd\_lineitem\_1.sh

```
#!/bin/ksh
set -x
#-----
# sd_lineitem.sh
# NEf April 26, 2001 Creation SDNUM is number of volumes in order.
#-----
echo "start of sd_lineitem"
```

```
DDISKS="2 3 4 5 6 7 8 9 10 11 12 13 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54"
```

```
SD_NUM=252
SD_SIZE=150528
```

```
for DISK in $DDISKS
```

```
do
  CNT=1
  OFFSET=34810984
```

```
  while [ $CNT -le $SD_NUM ]
  do
    volmake sd sd${DISK}_line${CNT} dsk${DISK} offset=${OFFSET}
    len=${SD_SIZE}
    CNT=`expr $CNT + 1`
    OFFSET=`expr $OFFSET + $SD_SIZE`
  done
done
```

```
echo "end of sd_lineitem.sh"
```

## sd\_lineitem\_2.sh

```
#!/bin/ksh
set -x
#-----
# sd_lineitem.sh
# NEF April 26, 2001 Creation SDNUM is number of volumes in order.
#-----
echo "start of sd_lineitem_2"
DDISKS="2 3 4 5 6 7 8 9 10 11 12 13 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54"
```

```
SD_NUM=84
SD_SIZE=150528
```

```
for DISK in $DDISKS
```

```
do
  CNT=1
  OFFSET=191962216
```

```
  while [ $CNT -le $SD_NUM ]
  do
    volmake sd sd${DISK}_line_2${CNT} dsk${DISK} offset=${OFFSET}
    len=${SD_SIZE}
    CNT=`expr $CNT + 1`
    OFFSET=`expr $OFFSET + $SD_SIZE`
  done
done
```

```
echo "end of sd_lineitem_2.sh"
```

## sd\_orders.sh

```
#!/bin/ksh
set -x
#-----
# sd_orders.sh
# NEF Apr 26, 2001 Creation
# ELS Nov 05, 2001 Modify for New ES45 Disk Numbers
#-----
echo "start of sd_orders"
DDISKS="2 3 4 5 6 7 8 9 10 11 12 13 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54"
SD_NUM=252
SD_SIZE=48742
```

```
for DISK in $DDISKS
```

```
do
  CNT=1
  OFFSET=22528000
```

```
  while [ $CNT -le $SD_NUM ]
  do
```

```
    volmake sd sd${DISK}_ord${CNT} dsk${DISK} offset=${OFFSET}
    len=${SD_SIZE}
    CNT=`expr $CNT + 1`
    OFFSET=`expr $OFFSET + $SD_SIZE`
  done
done
```

```
echo "end of sd_orders.sh"
```

## sd\_system4.sh

```
#!/bin/ksh
set -x
#-----
# sd_system4.sh
# NEF May 7, 2001 create 4th system datafile
#-----
echo "start of sd_system4"
DDISKS="2 3 4 5 6 7 8 9 10 11 12 13 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54"
SD_NUM=1
SD_SIZE=903168
```

```
for DISK in $DDISKS
```

```
do
  CNT=1
  OFFSET=204606568
```

```
  while [ $CNT -le $SD_NUM ]
  do
    volmake sd sd${DISK}_sys${CNT} dsk${DISK} offset=${OFFSET}
    len=${SD_SIZE}
    CNT=`expr $CNT + 1`
    OFFSET=`expr $OFFSET + $SD_SIZE`
  done
done
```

```
echo "end of sd_sys.sh"
```

## sd\_temps.sh

```
#!/bin/ksh
set -x
#-----
# sd_temps.sh
# NEF Apr 26, 2001 Creation of subdisks for 36 db temps & ts_i11&2
#-----
echo "start of sd_temps"
DDISKS="2 3 4 5 6 7 8 9 10 11 12 13 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54"
SD_NUM=36
SD_SIZE=1505280
```

```
for DISK in $DDISKS
```

```
do
  CNT=1
  OFFSET=137772136
```

```
  while [ $CNT -le $SD_NUM ]
  do
    volmake sd sd${DISK}_temps${CNT} dsk${DISK} offset=${OFFSET}
    len=${SD_SIZE}
    CNT=`expr $CNT + 1`
    OFFSET=`expr $OFFSET + $SD_SIZE`
  done
done
```

```
echo "end of sd_temps.sh"
```

## plex\_files.sh

```
#!/bin/sh
```



```

#
set -x
#
#
WIDTH=256
#
#-----
# plex_files.sh
# Create plexes & vols for regular data files of the same size
# NEF Apr 26, 2001
#-----
NUM=506
sdNUM=1
while [ $sdNUM -le 72 ]
do

```

```

volmake plex pl_$NUM
sd=sd2_files${sdNUM},sd3_files${sdNUM},sd4_files${sdNUM},sd5_files${sdNUM},sd6_files${sdNUM},sd7_files${sdNUM},sd8_files${sdNUM},sd9_files${sdNUM},sd10_files${sdNUM},sd11_files${sdNUM},sd12_files${sdNUM},sd13_files${sdNUM},sd14_files${sdNUM},sd15_files${sdNUM},sd16_files${sdNUM},sd17_files${sdNUM},sd18_files${sdNUM},sd19_files${sdNUM},sd20_files${sdNUM},sd21_files${sdNUM},sd22_files${sdNUM},sd23_files${sdNUM},sd24_files${sdNUM},sd25_files${sdNUM},sd26_files${sdNUM},sd27_files${sdNUM},sd28_files${sdNUM},sd29_files${sdNUM},sd30_files${sdNUM},sd31_files${sdNUM},sd32_files${sdNUM},sd33_files${sdNUM},sd34_files${sdNUM},sd35_files${sdNUM},sd36_files${sdNUM},sd37_files${sdNUM},sd38_files${sdNUM},sd39_files${sdNUM},sd40_files${sdNUM},sd41_files${sdNUM},sd42_files${sdNUM},sd43_files${sdNUM},sd44_files${sdNUM},sd45_files${sdNUM},sd46_files${sdNUM},sd47_files${sdNUM},sd48_files${sdNUM},sd49_files${sdNUM},sd50_files${sdNUM},sd51_files${sdNUM},sd52_files${sdNUM},sd53_files${sdNUM},sd54_files${sdNUM} layout=STRIPE stwidth=$WIDTH ncol=48

```

```

volmake -U gen vol vol_$NUM plex=pl_$NUM read_pol=SELECT user=oracle
group=dba mode=0777 log_type=NONE len=0

```

```

volume start vol_$NUM
volume init active vol_$NUM
NUM=`expr $NUM + 1`
sdNUM=`expr $sdNUM + 1`
done

```

```

echo "end of plex_files.sh"

```

## plex\_flatfiles.sh

```

#!/bin/sh
#
set -x
#
#
WIDTH=128
#
#-----
# plex_flatfiles.sh
# Create plex & vol for flatfile space
# NEF Oct 120, 2001
#-----
NUM=1
sdNUM=1
while [ $sdNUM -le 1 ]
do

```

```

volmake plex pl_$NUM
sd=sd2_flat${sdNUM},sd3_flat${sdNUM},sd4_flat${sdNUM},sd5_flat${sdNUM},sd6_flat${sdNUM},sd7_flat${sdNUM},sd8_flat${sdNUM},sd9_flat${sdNUM},sd10_flat${sdNUM},sd11_flat${sdNUM},sd12_flat${sdNUM},sd13_flat${sdNUM},sd14_flat${sdNUM},sd15_flat${sdNUM},sd16_flat${sdNUM},sd17_flat${sdNUM},sd18_flat${sdNUM},sd19_flat${sdNUM},sd20_flat${sdNUM},sd21_flat${sdNUM},sd22_flat${sdNUM},sd23_flat${sdNUM},sd24_flat${sdNUM},sd25_flat${sdNUM},sd26_flat${sdNUM},sd27_flat${sdNUM},sd28_flat${sdNUM},sd29_flat${sdNUM},sd30_flat${sdNUM},sd31_flat${sdNUM},sd32_flat${sdNUM},sd33_flat${sdNUM},sd34_flat${sdNUM},sd35_flat${sdNUM},sd36_flat${sdNUM},sd37_flat${sdNUM},sd38_flat${sdNUM},sd39_flat${sdNUM},sd40_flat${sdNUM},sd41_flat${sdNUM},sd42_flat${sdNUM},sd43_flat${sdNUM},sd44_flat${sdNUM},sd45_flat${sdNUM},sd46_flat${sdNUM},sd47_flat${sdNUM},sd48_flat${sdNUM},sd49_flat${sdNUM},sd50_flat${sdNUM},sd51_flat${sdNUM},sd52_flat${sdNUM},sd53_flat${sdNUM},sd54_flat${sdNUM} layout=STRIPE stwidth=$WIDTH ncol=48

```

```

volmake -U gen vol vol_$NUM plex=pl_$NUM read_pol=SELECT user=oracle
group=dba mode=0777 log_type=NONE len=0

```

```

volume start vol_$NUM
volume init active vol_$NUM
NUM=`expr $NUM + 1`
sdNUM=`expr $sdNUM + 1`
done

```

```

echo "end of plex_flatfiles.sh"

```

## plex\_lineitem\_1.sh

```

#!/bin/sh
#
set -x
#
#
WIDTH=256
#
#-----
# plex_lineitem.sh
# Create plexes & vols for lineitem.
# NEF Apr 26, 2001
#-----
NUM=254
sdNUM=1
while [ $sdNUM -le 252 ]
do

```

```

volmake plex pl_$NUM
sd=sd2_line${sdNUM},sd3_line${sdNUM},sd4_line${sdNUM},sd5_line${sdNUM},sd6_line${sdNUM},sd7_line${sdNUM},sd8_line${sdNUM},sd9_line${sdNUM},sd10_line${sdNUM},sd11_line${sdNUM},sd12_line${sdNUM},sd13_line${sdNUM},sd14_line${sdNUM},sd15_line${sdNUM},sd16_line${sdNUM},sd17_line${sdNUM},sd18_line${sdNUM},sd19_line${sdNUM},sd20_line${sdNUM},sd21_line${sdNUM},sd22_line${sdNUM},sd23_line${sdNUM},sd24_line${sdNUM},sd25_line${sdNUM},sd26_line${sdNUM},sd27_line${sdNUM},sd28_line${sdNUM},sd29_line${sdNUM},sd30_line${sdNUM},sd31_line${sdNUM},sd32_line${sdNUM},sd33_line${sdNUM},sd34_line${sdNUM},sd35_line${sdNUM},sd36_line${sdNUM},sd37_line${sdNUM},sd38_line${sdNUM},sd39_line${sdNUM},sd40_line${sdNUM},sd41_line${sdNUM},sd42_line${sdNUM},sd43_line${sdNUM},sd44_line${sdNUM},sd45_line${sdNUM},sd46_line${sdNUM},sd47_line${sdNUM},sd48_line${sdNUM},sd49_line${sdNUM},sd50_line${sdNUM},sd51_line${sdNUM},sd52_line${sdNUM},sd53_line${sdNUM},sd54_line${sdNUM} layout=STRIPE stwidth=$WIDTH ncol=48

```

```

volmake -U gen vol vol_$NUM plex=pl_$NUM read_pol=SELECT user=oracle
group=dba mode=0777 log_type=NONE len=0

```

```

volume start vol_$NUM
volume init active vol_$NUM
NUM=`expr $NUM + 1`
sdNUM=`expr $sdNUM + 1`
done

```

```

echo "end of plex_lineitem.sh"

```

## plex\_lineitem\_2.sh

```

#!/bin/sh
#
set -x
#
#
WIDTH=256
#
#-----
# plex_lineitem_2.sh
# Create plexes & vols for lineitem.
# NEF Apr 26, 2001
#-----
NUM=614
sdNUM=1
while [ $sdNUM -le 84 ]

```

do

```
volmake plex pl_${sNUM}
sd=sd2_line_2${sNUM},sd3_line_2${sNUM},sd4_line_2${sNUM},sd5_line_2$
{sNUM},sd6_line_2${sNUM},sd7_line_2${sNUM},sd8_line_2${sNUM},sd9_1
ine_2${sNUM},sd10_line_2${sNUM},sd11_line_2${sNUM},sd12_line_2${sN
UM},sd13_line_2${sNUM},sd19_line_2${sNUM},sd20_line_2${sNUM},sd21_1
ine_2${sNUM},sd22_line_2${sNUM},sd23_line_2${sNUM},sd24_line_2${sN
UM},sd25_line_2${sNUM},sd26_line_2${sNUM},sd27_line_2${sNUM},sd28_1
ine_2${sNUM},sd29_line_2${sNUM},sd30_line_2${sNUM},sd31_line_2${sN
UM},sd32_line_2${sNUM},sd33_line_2${sNUM},sd34_line_2${sNUM},sd35_1
ine_2${sNUM},sd36_line_2${sNUM},sd37_line_2${sNUM},sd38_line_2${sN
UM},sd39_line_2${sNUM},sd40_line_2${sNUM},sd41_line_2${sNUM},sd42_1
ine_2${sNUM},sd43_line_2${sNUM},sd44_line_2${sNUM},sd45_line_2${sN
UM},sd46_line_2${sNUM},sd47_line_2${sNUM},sd48_line_2${sNUM},sd49_1
ine_2${sNUM},sd50_line_2${sNUM},sd51_line_2${sNUM},sd52_line_2${sN
UM},sd53_line_2${sNUM},sd54_line_2${sNUM} layout=STRIPE
stwidth=$WIDTH ncol=48
```

```
volmake -U gen vol vol_${sNUM} plex=pl_${sNUM} read_pol=SELECT user=oracle
group=dba mode=0777 log_type=NONE len=0
```

```
volume start vol_${sNUM}
volume init active vol_${sNUM}
NUM=`expr $sNUM + 1`
sdNUM=`expr $sNUM + 1`
done
```

echo "end of plex\_lineitem\_2.sh"

## plex\_orders.sh

```
#!/bin/sh
#
set -x
#
WIDTH=256
#
#-----
# plex_orders.sh
# Create plexes & vols for orders.
# NEF Oct 11, 2000
#-----
NUM=2
sdNUM=1
while [ $sdNUM -le 252 ]
do
```

```
volmake plex pl_${sNUM}
sd=sd2_ord${sNUM},sd3_ord${sNUM},sd4_ord${sNUM},sd5_ord${sNUM},s
d6_ord${sNUM},sd7_ord${sNUM},sd8_ord${sNUM},sd9_ord${sNUM},sd10_
ord${sNUM},sd11_ord${sNUM},sd12_ord${sNUM},sd13_ord${sNUM},sd19_
ord${sNUM},sd20_ord${sNUM},sd21_ord${sNUM},sd22_ord${sNUM},sd23_
ord${sNUM},sd24_ord${sNUM},sd25_ord${sNUM},sd26_ord${sNUM},sd27_
ord${sNUM},sd28_ord${sNUM},sd29_ord${sNUM},sd30_ord${sNUM},sd31_
ord${sNUM},sd32_ord${sNUM},sd33_ord${sNUM},sd34_ord${sNUM},sd35_
ord${sNUM},sd36_ord${sNUM},sd37_ord${sNUM},sd38_ord${sNUM},sd39_
ord${sNUM},sd40_ord${sNUM},sd41_ord${sNUM},sd42_ord${sNUM},sd43_
ord${sNUM},sd44_ord${sNUM},sd45_ord${sNUM},sd46_ord${sNUM},sd47_
ord${sNUM},sd48_ord${sNUM},sd49_ord${sNUM},sd50_ord${sNUM},sd51_
ord${sNUM},sd52_ord${sNUM},sd53_ord${sNUM},sd54_ord${sNUM}
layout=STRIPE stwidth=$WIDTH ncol=48
```

```
volmake -U gen vol vol_${sNUM} plex=pl_${sNUM} read_pol=SELECT user=oracle
group=dba mode=0777 log_type=NONE len=0
```

```
volume start vol_${sNUM}
volume init active vol_${sNUM}
NUM=`expr $sNUM + 1`
sdNUM=`expr $sNUM + 1`
done
```

echo "end of plex\_orders.sh"

## plex\_system4.sh

```
#!/bin/sh
#
set -x
#
#
WIDTH=256
#
#-----
# plex_system4.sh
# Create plex & vol for 4th system datafile
# NEF May7, 2001
#-----
NUM=698
sdNUM=1
while [ $sdNUM -le 1 ]
do
```

```
volmake plex pl_${sNUM}
sd=sd2_sys${sNUM},sd3_sys${sNUM},sd4_sys${sNUM},sd5_sys${sNUM},s
d6_sys${sNUM},sd7_sys${sNUM},sd8_sys${sNUM},sd9_sys${sNUM},sd10_
sys${sNUM},sd11_sys${sNUM},sd12_sys${sNUM},sd13_sys${sNUM},sd19_
sys${sNUM},sd20_sys${sNUM},sd21_sys${sNUM},sd22_sys${sNUM},sd23_
sys${sNUM},sd24_sys${sNUM},sd25_sys${sNUM},sd26_sys${sNUM},sd27_
sys${sNUM},sd28_sys${sNUM},sd29_sys${sNUM},sd30_sys${sNUM},sd31_
sys${sNUM},sd32_sys${sNUM},sd33_sys${sNUM},sd34_sys${sNUM},sd35_
sys${sNUM},sd36_sys${sNUM},sd37_sys${sNUM},sd38_sys${sNUM},sd39_
sys${sNUM},sd40_sys${sNUM},sd41_sys${sNUM},sd42_sys${sNUM},sd43_
sys${sNUM},sd44_sys${sNUM},sd45_sys${sNUM},sd46_sys${sNUM},sd47_
sys${sNUM},sd48_sys${sNUM},sd49_sys${sNUM},sd50_sys${sNUM},sd51_
sys${sNUM},sd52_sys${sNUM},sd53_sys${sNUM},sd54_sys${sNUM}
layout=STRIPE stwidth=$WIDTH ncol=48
```

```
volmake -U gen vol vol_${sNUM} plex=pl_${sNUM} read_pol=SELECT user=oracle
group=dba mode=0777 log_type=NONE len=0
```

```
volume start vol_${sNUM}
volume init active vol_${sNUM}
NUM=`expr $sNUM + 1`
sdNUM=`expr $sNUM + 1`
done
```

echo "end of plex\_system4.sh"

## plex\_temps.sh

```
#!/bin/sh
#
set -x
#
#
WIDTH=256
#
#-----
# plex_temps.sh
# Create plexes & vols for temps and ts_i11&2 .
# NEF Oct 12, 2000
#-----
NUM=578
sdNUM=1
while [ $sdNUM -le 36 ]
do
```

```
volmake plex pl_${sNUM}
sd=sd2_temps${sNUM},sd3_temps${sNUM},sd4_temps${sNUM},sd5_temps$
{sNUM},sd6_temps${sNUM},sd7_temps${sNUM},sd8_temps${sNUM},sd9_te
mps${sNUM},sd10_temps${sNUM},sd11_temps${sNUM},sd12_temps${sDN
UM},sd13_temps${sNUM},sd19_temps${sNUM},sd20_temps${sNUM},sd21_tem
ps${sNUM},sd22_temps${sNUM},sd23_temps${sNUM},sd24_temps${sNUM}
,sd25_temps${sNUM},sd26_temps${sNUM},sd27_temps${sNUM},sd28_temps$
{sNUM},sd29_temps${sNUM},sd30_temps${sNUM},sd31_temps${sNUM},sd
32_temps${sNUM},sd33_temps${sNUM},sd34_temps${sNUM},sd35_temps$
{sNUM},sd36_temps${sNUM},sd37_temps${sNUM},sd38_temps${sNUM},sd39_
temps${sNUM},sd40_temps${sNUM},sd41_temps${sNUM},sd42_temps${sN
UM},sd43_temps${sNUM},sd44_temps${sNUM},sd45_temps${sNUM},sd46_te
mps${sNUM},sd47_temps${sNUM},sd48_temps${sNUM},sd49_temps${sNUM}
```

```
M},sd50_temps${sdNUM},sd51_temps${sdNUM},sd52_temps${sdNUM},sd53_temps${sdNUM},sd54_temps${sdNUM} layout=STRIPE stwidth=$WIDTH ncol=48
```

```
volmake -U gen vol vol_ $NUM plex=pl_ $NUM read_pol=SELECT user=oracle group=dba mode=0777 log_type=NONE len=0
```

```
volume start vol_ $NUM
volume init active vol_ $NUM
NUM=`expr $NUM + 1`
sdNUM=`expr $sdNUM + 1`
done
```

```
echo "end of plex_temps.sh"
```

## prepare4acid.sh

```
#!/bin/ksh
#
# $Header: prepare4acid.sh 12-aug-99.17:09:18 mpoess Exp $
#
# prepare4acid.sh
#
# Copyright (c) Oracle Corporation 1999. All Rights Reserved.
#
# NAME
#   prepare4acid.sh
#
# DESCRIPTION
#   Prepares the qualification database for the acid tests.
#
# NOTES
#
# MODIFIED (MM/DD/YY)
#   mpoess    08/12/99 - Creation
#   mpoess    08/12/99 - Creation
#
. $KIT_DIR/env

sqlplus tpced/tpced @atrans
sqlplus tpced/tpced @d_hist
```

## create\_300gb\_tpch\_links.sh

```
#!/bin/ksh
# Establish Links For Oracle 300GB TPC-H Database Tablespace Datafiles...
```

```
ln -s /dev/rvol/vol_1      flatfiles
ln -s /dev/rvol/vol_2      ts_o1_1
ln -s /dev/rvol/vol_3      ts_o2_1
ln -s /dev/rvol/vol_4      ts_o3_1
ln -s /dev/rvol/vol_5      ts_o4_1
ln -s /dev/rvol/vol_6      ts_o5_1
ln -s /dev/rvol/vol_7      ts_o6_1
ln -s /dev/rvol/vol_8      ts_o7_1
ln -s /dev/rvol/vol_9      ts_o8_1
ln -s /dev/rvol/vol_10     ts_o9_1
ln -s /dev/rvol/vol_11     ts_o10_1
ln -s /dev/rvol/vol_12     ts_o11_1
ln -s /dev/rvol/vol_13     ts_o12_1
ln -s /dev/rvol/vol_14     ts_o13_1
ln -s /dev/rvol/vol_15     ts_o14_1
ln -s /dev/rvol/vol_16     ts_o15_1
ln -s /dev/rvol/vol_17     ts_o16_1
ln -s /dev/rvol/vol_18     ts_o17_1
ln -s /dev/rvol/vol_19     ts_o18_1
ln -s /dev/rvol/vol_20     ts_o19_1
ln -s /dev/rvol/vol_21     ts_o20_1
ln -s /dev/rvol/vol_22     ts_o21_1
ln -s /dev/rvol/vol_23     ts_o22_1
ln -s /dev/rvol/vol_24     ts_o23_1
ln -s /dev/rvol/vol_25     ts_o24_1
ln -s /dev/rvol/vol_26     ts_o25_1
ln -s /dev/rvol/vol_27     ts_o26_1
ln -s /dev/rvol/vol_28     ts_o27_1
```

```
ln -s /dev/rvol/vol_29     ts_o28_1
ln -s /dev/rvol/vol_30     ts_o29_1
ln -s /dev/rvol/vol_31     ts_o30_1
ln -s /dev/rvol/vol_32     ts_o31_1
ln -s /dev/rvol/vol_33     ts_o32_1
ln -s /dev/rvol/vol_34     ts_o33_1
ln -s /dev/rvol/vol_35     ts_o34_1
ln -s /dev/rvol/vol_36     ts_o35_1
ln -s /dev/rvol/vol_37     ts_o36_1
ln -s /dev/rvol/vol_38     ts_o37_1
ln -s /dev/rvol/vol_39     ts_o38_1
ln -s /dev/rvol/vol_40     ts_o39_1
ln -s /dev/rvol/vol_41     ts_o40_1
ln -s /dev/rvol/vol_42     ts_o41_1
ln -s /dev/rvol/vol_43     ts_o42_1
ln -s /dev/rvol/vol_44     ts_o43_1
ln -s /dev/rvol/vol_45     ts_o44_1
ln -s /dev/rvol/vol_46     ts_o45_1
ln -s /dev/rvol/vol_47     ts_o46_1
ln -s /dev/rvol/vol_48     ts_o47_1
ln -s /dev/rvol/vol_49     ts_o48_1
ln -s /dev/rvol/vol_50     ts_o49_1
ln -s /dev/rvol/vol_51     ts_o50_1
ln -s /dev/rvol/vol_52     ts_o51_1
ln -s /dev/rvol/vol_53     ts_o52_1
ln -s /dev/rvol/vol_54     ts_o53_1
ln -s /dev/rvol/vol_55     ts_o54_1
ln -s /dev/rvol/vol_56     ts_o55_1
ln -s /dev/rvol/vol_57     ts_o56_1
ln -s /dev/rvol/vol_58     ts_o57_1
ln -s /dev/rvol/vol_59     ts_o58_1
ln -s /dev/rvol/vol_60     ts_o59_1
ln -s /dev/rvol/vol_61     ts_o60_1
ln -s /dev/rvol/vol_62     ts_o61_1
ln -s /dev/rvol/vol_63     ts_o62_1
ln -s /dev/rvol/vol_64     ts_o63_1
ln -s /dev/rvol/vol_65     ts_o64_1
ln -s /dev/rvol/vol_66     ts_o65_1
ln -s /dev/rvol/vol_67     ts_o66_1
ln -s /dev/rvol/vol_68     ts_o67_1
ln -s /dev/rvol/vol_69     ts_o68_1
ln -s /dev/rvol/vol_70     ts_o69_1
ln -s /dev/rvol/vol_71     ts_o70_1
ln -s /dev/rvol/vol_72     ts_o71_1
ln -s /dev/rvol/vol_73     ts_o72_1
ln -s /dev/rvol/vol_74     ts_o73_1
ln -s /dev/rvol/vol_75     ts_o74_1
ln -s /dev/rvol/vol_76     ts_o75_1
ln -s /dev/rvol/vol_77     ts_o76_1
ln -s /dev/rvol/vol_78     ts_o77_1
ln -s /dev/rvol/vol_79     ts_o78_1
ln -s /dev/rvol/vol_80     ts_o79_1
ln -s /dev/rvol/vol_81     ts_o80_1
ln -s /dev/rvol/vol_82     ts_o81_1
ln -s /dev/rvol/vol_83     ts_o82_1
ln -s /dev/rvol/vol_84     ts_o83_1
ln -s /dev/rvol/vol_85     ts_o84_1
ln -s /dev/rvol/vol_86     ts_o1_2
ln -s /dev/rvol/vol_87     ts_o2_2
ln -s /dev/rvol/vol_88     ts_o3_2
ln -s /dev/rvol/vol_89     ts_o4_2
ln -s /dev/rvol/vol_90     ts_o5_2
ln -s /dev/rvol/vol_91     ts_o6_2
ln -s /dev/rvol/vol_92     ts_o7_2
ln -s /dev/rvol/vol_93     ts_o8_2
ln -s /dev/rvol/vol_94     ts_o9_2
ln -s /dev/rvol/vol_95     ts_o10_2
ln -s /dev/rvol/vol_96     ts_o11_2
ln -s /dev/rvol/vol_97     ts_o12_2
ln -s /dev/rvol/vol_98     ts_o13_2
ln -s /dev/rvol/vol_99     ts_o14_2
ln -s /dev/rvol/vol_100    ts_o15_2
ln -s /dev/rvol/vol_101    ts_o16_2
ln -s /dev/rvol/vol_102    ts_o17_2
ln -s /dev/rvol/vol_103    ts_o18_2
ln -s /dev/rvol/vol_104    ts_o19_2
ln -s /dev/rvol/vol_105    ts_o20_2
ln -s /dev/rvol/vol_106    ts_o21_2
ln -s /dev/rvol/vol_107    ts_o22_2
```

```

ln -s /dev/rvol/vol_108 ts_o23_2
ln -s /dev/rvol/vol_109 ts_o24_2
ln -s /dev/rvol/vol_110 ts_o25_2
ln -s /dev/rvol/vol_111 ts_o26_2
ln -s /dev/rvol/vol_112 ts_o27_2
ln -s /dev/rvol/vol_113 ts_o28_2
ln -s /dev/rvol/vol_114 ts_o29_2
ln -s /dev/rvol/vol_115 ts_o30_2
ln -s /dev/rvol/vol_116 ts_o31_2
ln -s /dev/rvol/vol_117 ts_o32_2
ln -s /dev/rvol/vol_118 ts_o33_2
ln -s /dev/rvol/vol_119 ts_o34_2
ln -s /dev/rvol/vol_120 ts_o35_2
ln -s /dev/rvol/vol_121 ts_o36_2
ln -s /dev/rvol/vol_122 ts_o37_2
ln -s /dev/rvol/vol_123 ts_o38_2
ln -s /dev/rvol/vol_124 ts_o39_2
ln -s /dev/rvol/vol_125 ts_o40_2
ln -s /dev/rvol/vol_126 ts_o41_2
ln -s /dev/rvol/vol_127 ts_o42_2
ln -s /dev/rvol/vol_128 ts_o43_2
ln -s /dev/rvol/vol_129 ts_o44_2
ln -s /dev/rvol/vol_130 ts_o45_2
ln -s /dev/rvol/vol_131 ts_o46_2
ln -s /dev/rvol/vol_132 ts_o47_2
ln -s /dev/rvol/vol_133 ts_o48_2
ln -s /dev/rvol/vol_134 ts_o49_2
ln -s /dev/rvol/vol_135 ts_o50_2
ln -s /dev/rvol/vol_136 ts_o51_2
ln -s /dev/rvol/vol_137 ts_o52_2
ln -s /dev/rvol/vol_138 ts_o53_2
ln -s /dev/rvol/vol_139 ts_o54_2
ln -s /dev/rvol/vol_140 ts_o55_2
ln -s /dev/rvol/vol_141 ts_o56_2
ln -s /dev/rvol/vol_142 ts_o57_2
ln -s /dev/rvol/vol_143 ts_o58_2
ln -s /dev/rvol/vol_144 ts_o59_2
ln -s /dev/rvol/vol_145 ts_o60_2
ln -s /dev/rvol/vol_146 ts_o61_2
ln -s /dev/rvol/vol_147 ts_o62_2
ln -s /dev/rvol/vol_148 ts_o63_2
ln -s /dev/rvol/vol_149 ts_o64_2
ln -s /dev/rvol/vol_150 ts_o65_2
ln -s /dev/rvol/vol_151 ts_o66_2
ln -s /dev/rvol/vol_152 ts_o67_2
ln -s /dev/rvol/vol_153 ts_o68_2
ln -s /dev/rvol/vol_154 ts_o69_2
ln -s /dev/rvol/vol_155 ts_o70_2
ln -s /dev/rvol/vol_156 ts_o71_2
ln -s /dev/rvol/vol_157 ts_o72_2
ln -s /dev/rvol/vol_158 ts_o73_2
ln -s /dev/rvol/vol_159 ts_o74_2
ln -s /dev/rvol/vol_160 ts_o75_2
ln -s /dev/rvol/vol_161 ts_o76_2
ln -s /dev/rvol/vol_162 ts_o77_2
ln -s /dev/rvol/vol_163 ts_o78_2
ln -s /dev/rvol/vol_164 ts_o79_2
ln -s /dev/rvol/vol_165 ts_o80_2
ln -s /dev/rvol/vol_166 ts_o81_2
ln -s /dev/rvol/vol_167 ts_o82_2
ln -s /dev/rvol/vol_168 ts_o83_2
ln -s /dev/rvol/vol_169 ts_o84_2
ln -s /dev/rvol/vol_170 ts_o1_3
ln -s /dev/rvol/vol_171 ts_o2_3
ln -s /dev/rvol/vol_172 ts_o3_3
ln -s /dev/rvol/vol_173 ts_o4_3
ln -s /dev/rvol/vol_174 ts_o5_3
ln -s /dev/rvol/vol_175 ts_o6_3
ln -s /dev/rvol/vol_176 ts_o7_3
ln -s /dev/rvol/vol_177 ts_o8_3
ln -s /dev/rvol/vol_178 ts_o9_3
ln -s /dev/rvol/vol_179 ts_o10_3
ln -s /dev/rvol/vol_180 ts_o11_3
ln -s /dev/rvol/vol_181 ts_o12_3
ln -s /dev/rvol/vol_182 ts_o13_3
ln -s /dev/rvol/vol_183 ts_o14_3
ln -s /dev/rvol/vol_184 ts_o15_3
ln -s /dev/rvol/vol_185 ts_o16_3
ln -s /dev/rvol/vol_186 ts_o17_3
ln -s /dev/rvol/vol_187 ts_o18_3
ln -s /dev/rvol/vol_188 ts_o19_3
ln -s /dev/rvol/vol_189 ts_o20_3
ln -s /dev/rvol/vol_190 ts_o21_3
ln -s /dev/rvol/vol_191 ts_o22_3
ln -s /dev/rvol/vol_192 ts_o23_3
ln -s /dev/rvol/vol_193 ts_o24_3
ln -s /dev/rvol/vol_194 ts_o25_3
ln -s /dev/rvol/vol_195 ts_o26_3
ln -s /dev/rvol/vol_196 ts_o27_3
ln -s /dev/rvol/vol_197 ts_o28_3
ln -s /dev/rvol/vol_198 ts_o29_3
ln -s /dev/rvol/vol_199 ts_o30_3
ln -s /dev/rvol/vol_200 ts_o31_3
ln -s /dev/rvol/vol_201 ts_o32_3
ln -s /dev/rvol/vol_202 ts_o33_3
ln -s /dev/rvol/vol_203 ts_o34_3
ln -s /dev/rvol/vol_204 ts_o35_3
ln -s /dev/rvol/vol_205 ts_o36_3
ln -s /dev/rvol/vol_206 ts_o37_3
ln -s /dev/rvol/vol_207 ts_o38_3
ln -s /dev/rvol/vol_208 ts_o39_3
ln -s /dev/rvol/vol_209 ts_o40_3
ln -s /dev/rvol/vol_210 ts_o41_3
ln -s /dev/rvol/vol_211 ts_o42_3
ln -s /dev/rvol/vol_212 ts_o43_3
ln -s /dev/rvol/vol_213 ts_o44_3
ln -s /dev/rvol/vol_214 ts_o45_3
ln -s /dev/rvol/vol_215 ts_o46_3
ln -s /dev/rvol/vol_216 ts_o47_3
ln -s /dev/rvol/vol_217 ts_o48_3
ln -s /dev/rvol/vol_218 ts_o49_3
ln -s /dev/rvol/vol_219 ts_o50_3
ln -s /dev/rvol/vol_220 ts_o51_3
ln -s /dev/rvol/vol_221 ts_o52_3
ln -s /dev/rvol/vol_222 ts_o53_3
ln -s /dev/rvol/vol_223 ts_o54_3
ln -s /dev/rvol/vol_224 ts_o55_3
ln -s /dev/rvol/vol_225 ts_o56_3
ln -s /dev/rvol/vol_226 ts_o57_3
ln -s /dev/rvol/vol_227 ts_o58_3
ln -s /dev/rvol/vol_228 ts_o59_3
ln -s /dev/rvol/vol_229 ts_o60_3
ln -s /dev/rvol/vol_230 ts_o61_3
ln -s /dev/rvol/vol_231 ts_o62_3
ln -s /dev/rvol/vol_232 ts_o63_3
ln -s /dev/rvol/vol_233 ts_o64_3
ln -s /dev/rvol/vol_234 ts_o65_3
ln -s /dev/rvol/vol_235 ts_o66_3
ln -s /dev/rvol/vol_236 ts_o67_3
ln -s /dev/rvol/vol_237 ts_o68_3
ln -s /dev/rvol/vol_238 ts_o69_3
ln -s /dev/rvol/vol_239 ts_o70_3
ln -s /dev/rvol/vol_240 ts_o71_3
ln -s /dev/rvol/vol_241 ts_o72_3
ln -s /dev/rvol/vol_242 ts_o73_3
ln -s /dev/rvol/vol_243 ts_o74_3
ln -s /dev/rvol/vol_244 ts_o75_3
ln -s /dev/rvol/vol_245 ts_o76_3
ln -s /dev/rvol/vol_246 ts_o77_3
ln -s /dev/rvol/vol_247 ts_o78_3
ln -s /dev/rvol/vol_248 ts_o79_3
ln -s /dev/rvol/vol_249 ts_o80_3
ln -s /dev/rvol/vol_250 ts_o81_3
ln -s /dev/rvol/vol_251 ts_o82_3
ln -s /dev/rvol/vol_252 ts_o83_3
ln -s /dev/rvol/vol_253 ts_o84_3
ln -s /dev/rvol/vol_254 ts_o11_1
ln -s /dev/rvol/vol_255 ts_o12_1
ln -s /dev/rvol/vol_256 ts_o13_1
ln -s /dev/rvol/vol_257 ts_o14_1
ln -s /dev/rvol/vol_258 ts_o15_1
ln -s /dev/rvol/vol_259 ts_o16_1
ln -s /dev/rvol/vol_260 ts_o17_1
ln -s /dev/rvol/vol_261 ts_o18_1
ln -s /dev/rvol/vol_262 ts_o19_1
ln -s /dev/rvol/vol_263 ts_o110_1
ln -s /dev/rvol/vol_264 ts_o111_1
ln -s /dev/rvol/vol_265 ts_o112_1

```

ln -s /dev/rvol/vol_266	ts_113_1	ln -s /dev/rvol/vol_345	ts_18_2
ln -s /dev/rvol/vol_267	ts_114_1	ln -s /dev/rvol/vol_346	ts_19_2
ln -s /dev/rvol/vol_268	ts_115_1	ln -s /dev/rvol/vol_347	ts_110_2
ln -s /dev/rvol/vol_269	ts_116_1	ln -s /dev/rvol/vol_348	ts_111_2
ln -s /dev/rvol/vol_270	ts_117_1	ln -s /dev/rvol/vol_349	ts_112_2
ln -s /dev/rvol/vol_271	ts_118_1	ln -s /dev/rvol/vol_350	ts_113_2
ln -s /dev/rvol/vol_272	ts_119_1	ln -s /dev/rvol/vol_351	ts_114_2
ln -s /dev/rvol/vol_273	ts_120_1	ln -s /dev/rvol/vol_352	ts_115_2
ln -s /dev/rvol/vol_274	ts_121_1	ln -s /dev/rvol/vol_353	ts_116_2
ln -s /dev/rvol/vol_275	ts_122_1	ln -s /dev/rvol/vol_354	ts_117_2
ln -s /dev/rvol/vol_276	ts_123_1	ln -s /dev/rvol/vol_355	ts_118_2
ln -s /dev/rvol/vol_277	ts_124_1	ln -s /dev/rvol/vol_356	ts_119_2
ln -s /dev/rvol/vol_278	ts_125_1	ln -s /dev/rvol/vol_357	ts_120_2
ln -s /dev/rvol/vol_279	ts_126_1	ln -s /dev/rvol/vol_358	ts_121_2
ln -s /dev/rvol/vol_280	ts_127_1	ln -s /dev/rvol/vol_359	ts_122_2
ln -s /dev/rvol/vol_281	ts_128_1	ln -s /dev/rvol/vol_360	ts_123_2
ln -s /dev/rvol/vol_282	ts_129_1	ln -s /dev/rvol/vol_361	ts_124_2
ln -s /dev/rvol/vol_283	ts_130_1	ln -s /dev/rvol/vol_362	ts_125_2
ln -s /dev/rvol/vol_284	ts_131_1	ln -s /dev/rvol/vol_363	ts_126_2
ln -s /dev/rvol/vol_285	ts_132_1	ln -s /dev/rvol/vol_364	ts_127_2
ln -s /dev/rvol/vol_286	ts_133_1	ln -s /dev/rvol/vol_365	ts_128_2
ln -s /dev/rvol/vol_287	ts_134_1	ln -s /dev/rvol/vol_366	ts_129_2
ln -s /dev/rvol/vol_288	ts_135_1	ln -s /dev/rvol/vol_367	ts_130_2
ln -s /dev/rvol/vol_289	ts_136_1	ln -s /dev/rvol/vol_368	ts_131_2
ln -s /dev/rvol/vol_290	ts_137_1	ln -s /dev/rvol/vol_369	ts_132_2
ln -s /dev/rvol/vol_291	ts_138_1	ln -s /dev/rvol/vol_370	ts_133_2
ln -s /dev/rvol/vol_292	ts_139_1	ln -s /dev/rvol/vol_371	ts_134_2
ln -s /dev/rvol/vol_293	ts_140_1	ln -s /dev/rvol/vol_372	ts_135_2
ln -s /dev/rvol/vol_294	ts_141_1	ln -s /dev/rvol/vol_373	ts_136_2
ln -s /dev/rvol/vol_295	ts_142_1	ln -s /dev/rvol/vol_374	ts_137_2
ln -s /dev/rvol/vol_296	ts_143_1	ln -s /dev/rvol/vol_375	ts_138_2
ln -s /dev/rvol/vol_297	ts_144_1	ln -s /dev/rvol/vol_376	ts_139_2
ln -s /dev/rvol/vol_298	ts_145_1	ln -s /dev/rvol/vol_377	ts_140_2
ln -s /dev/rvol/vol_299	ts_146_1	ln -s /dev/rvol/vol_378	ts_141_2
ln -s /dev/rvol/vol_300	ts_147_1	ln -s /dev/rvol/vol_379	ts_142_2
ln -s /dev/rvol/vol_301	ts_148_1	ln -s /dev/rvol/vol_380	ts_143_2
ln -s /dev/rvol/vol_302	ts_149_1	ln -s /dev/rvol/vol_381	ts_144_2
ln -s /dev/rvol/vol_303	ts_150_1	ln -s /dev/rvol/vol_382	ts_145_2
ln -s /dev/rvol/vol_304	ts_151_1	ln -s /dev/rvol/vol_383	ts_146_2
ln -s /dev/rvol/vol_305	ts_152_1	ln -s /dev/rvol/vol_384	ts_147_2
ln -s /dev/rvol/vol_306	ts_153_1	ln -s /dev/rvol/vol_385	ts_148_2
ln -s /dev/rvol/vol_307	ts_154_1	ln -s /dev/rvol/vol_386	ts_149_2
ln -s /dev/rvol/vol_308	ts_155_1	ln -s /dev/rvol/vol_387	ts_150_2
ln -s /dev/rvol/vol_309	ts_156_1	ln -s /dev/rvol/vol_388	ts_151_2
ln -s /dev/rvol/vol_310	ts_157_1	ln -s /dev/rvol/vol_389	ts_152_2
ln -s /dev/rvol/vol_311	ts_158_1	ln -s /dev/rvol/vol_390	ts_153_2
ln -s /dev/rvol/vol_312	ts_159_1	ln -s /dev/rvol/vol_391	ts_154_2
ln -s /dev/rvol/vol_313	ts_160_1	ln -s /dev/rvol/vol_392	ts_155_2
ln -s /dev/rvol/vol_314	ts_161_1	ln -s /dev/rvol/vol_393	ts_156_2
ln -s /dev/rvol/vol_315	ts_162_1	ln -s /dev/rvol/vol_394	ts_157_2
ln -s /dev/rvol/vol_316	ts_163_1	ln -s /dev/rvol/vol_395	ts_158_2
ln -s /dev/rvol/vol_317	ts_164_1	ln -s /dev/rvol/vol_396	ts_159_2
ln -s /dev/rvol/vol_318	ts_165_1	ln -s /dev/rvol/vol_397	ts_160_2
ln -s /dev/rvol/vol_319	ts_166_1	ln -s /dev/rvol/vol_398	ts_161_2
ln -s /dev/rvol/vol_320	ts_167_1	ln -s /dev/rvol/vol_399	ts_162_2
ln -s /dev/rvol/vol_321	ts_168_1	ln -s /dev/rvol/vol_400	ts_163_2
ln -s /dev/rvol/vol_322	ts_169_1	ln -s /dev/rvol/vol_401	ts_164_2
ln -s /dev/rvol/vol_323	ts_170_1	ln -s /dev/rvol/vol_402	ts_165_2
ln -s /dev/rvol/vol_324	ts_171_1	ln -s /dev/rvol/vol_403	ts_166_2
ln -s /dev/rvol/vol_325	ts_172_1	ln -s /dev/rvol/vol_404	ts_167_2
ln -s /dev/rvol/vol_326	ts_173_1	ln -s /dev/rvol/vol_405	ts_168_2
ln -s /dev/rvol/vol_327	ts_174_1	ln -s /dev/rvol/vol_406	ts_169_2
ln -s /dev/rvol/vol_328	ts_175_1	ln -s /dev/rvol/vol_407	ts_170_2
ln -s /dev/rvol/vol_329	ts_176_1	ln -s /dev/rvol/vol_408	ts_171_2
ln -s /dev/rvol/vol_330	ts_177_1	ln -s /dev/rvol/vol_409	ts_172_2
ln -s /dev/rvol/vol_331	ts_178_1	ln -s /dev/rvol/vol_410	ts_173_2
ln -s /dev/rvol/vol_332	ts_179_1	ln -s /dev/rvol/vol_411	ts_174_2
ln -s /dev/rvol/vol_333	ts_180_1	ln -s /dev/rvol/vol_412	ts_175_2
ln -s /dev/rvol/vol_334	ts_181_1	ln -s /dev/rvol/vol_413	ts_176_2
ln -s /dev/rvol/vol_335	ts_182_1	ln -s /dev/rvol/vol_414	ts_177_2
ln -s /dev/rvol/vol_336	ts_183_1	ln -s /dev/rvol/vol_415	ts_178_2
ln -s /dev/rvol/vol_337	ts_184_1	ln -s /dev/rvol/vol_416	ts_179_2
ln -s /dev/rvol/vol_338	ts_11_2	ln -s /dev/rvol/vol_417	ts_180_2
ln -s /dev/rvol/vol_339	ts_12_2	ln -s /dev/rvol/vol_418	ts_181_2
ln -s /dev/rvol/vol_340	ts_13_2	ln -s /dev/rvol/vol_419	ts_182_2
ln -s /dev/rvol/vol_341	ts_14_2	ln -s /dev/rvol/vol_420	ts_183_2
ln -s /dev/rvol/vol_342	ts_15_2	ln -s /dev/rvol/vol_421	ts_184_2
ln -s /dev/rvol/vol_343	ts_16_2	ln -s /dev/rvol/vol_422	ts_11_3
ln -s /dev/rvol/vol_344	ts_17_2	ln -s /dev/rvol/vol_423	ts_12_3

ln -s /dev/rvol/vol_424	ts_13_3	ln -s /dev/rvol/vol_503	ts_l82_3
ln -s /dev/rvol/vol_425	ts_14_3	ln -s /dev/rvol/vol_504	ts_l83_3
ln -s /dev/rvol/vol_426	ts_15_3	ln -s /dev/rvol/vol_505	ts_l84_3
ln -s /dev/rvol/vol_427	ts_16_3	ln -s /dev/rvol/vol_506	system1
ln -s /dev/rvol/vol_428	ts_17_3	ln -s /dev/rvol/vol_507	system2
ln -s /dev/rvol/vol_429	ts_18_3	ln -s /dev/rvol/vol_508	system3
ln -s /dev/rvol/vol_430	ts_19_3	ln -s /dev/rvol/vol_509	ts_s1
ln -s /dev/rvol/vol_431	ts_110_3	ln -s /dev/rvol/vol_510	ts_s2
ln -s /dev/rvol/vol_432	ts_111_3	ln -s /dev/rvol/vol_511	ts_s3
ln -s /dev/rvol/vol_433	ts_112_3	ln -s /dev/rvol/vol_512	ts_c1
ln -s /dev/rvol/vol_434	ts_113_3	ln -s /dev/rvol/vol_513	ts_c2
ln -s /dev/rvol/vol_435	ts_114_3	ln -s /dev/rvol/vol_514	ts_c3
ln -s /dev/rvol/vol_436	ts_115_3	ln -s /dev/rvol/vol_515	ts_i_s1
ln -s /dev/rvol/vol_437	ts_116_3	ln -s /dev/rvol/vol_516	ts_i_s2
ln -s /dev/rvol/vol_438	ts_117_3	ln -s /dev/rvol/vol_517	ts_i_s3
ln -s /dev/rvol/vol_439	ts_118_3	ln -s /dev/rvol/vol_518	ts_i_p1
ln -s /dev/rvol/vol_440	ts_119_3	ln -s /dev/rvol/vol_519	ts_i_p2
ln -s /dev/rvol/vol_441	ts_120_3	ln -s /dev/rvol/vol_520	ts_i_p3
ln -s /dev/rvol/vol_442	ts_121_3	ln -s /dev/rvol/vol_521	ts_i_c1
ln -s /dev/rvol/vol_443	ts_122_3	ln -s /dev/rvol/vol_522	ts_i_c2
ln -s /dev/rvol/vol_444	ts_123_3	ln -s /dev/rvol/vol_523	ts_i_c3
ln -s /dev/rvol/vol_445	ts_124_3	ln -s /dev/rvol/vol_524	ts_i_ps1
ln -s /dev/rvol/vol_446	ts_125_3	ln -s /dev/rvol/vol_525	ts_i_ps2
ln -s /dev/rvol/vol_447	ts_126_3	ln -s /dev/rvol/vol_526	ts_i_ps3
ln -s /dev/rvol/vol_448	ts_127_3	ln -s /dev/rvol/vol_527	ts_i_ps4
ln -s /dev/rvol/vol_449	ts_128_3	ln -s /dev/rvol/vol_528	ts_i_ps5
ln -s /dev/rvol/vol_450	ts_129_3	ln -s /dev/rvol/vol_529	ts_i_ps6
ln -s /dev/rvol/vol_451	ts_130_3	ln -s /dev/rvol/vol_530	ts_p1
ln -s /dev/rvol/vol_452	ts_131_3	ln -s /dev/rvol/vol_531	ts_p2
ln -s /dev/rvol/vol_453	ts_132_3	ln -s /dev/rvol/vol_532	ts_p3
ln -s /dev/rvol/vol_454	ts_133_3	ln -s /dev/rvol/vol_533	ts_p4
ln -s /dev/rvol/vol_455	ts_134_3	ln -s /dev/rvol/vol_534	ts_p5
ln -s /dev/rvol/vol_456	ts_135_3	ln -s /dev/rvol/vol_535	ts_p6
ln -s /dev/rvol/vol_457	ts_136_3	ln -s /dev/rvol/vol_536	ts_ps1
ln -s /dev/rvol/vol_458	ts_137_3	ln -s /dev/rvol/vol_537	ts_ps2
ln -s /dev/rvol/vol_459	ts_138_3	ln -s /dev/rvol/vol_538	ts_ps3
ln -s /dev/rvol/vol_460	ts_139_3	ln -s /dev/rvol/vol_539	ts_ps4
ln -s /dev/rvol/vol_461	ts_140_3	ln -s /dev/rvol/vol_540	ts_ps5
ln -s /dev/rvol/vol_462	ts_141_3	ln -s /dev/rvol/vol_541	ts_ps6
ln -s /dev/rvol/vol_463	ts_142_3	ln -s /dev/rvol/vol_542	ts_ps7
ln -s /dev/rvol/vol_464	ts_143_3	ln -s /dev/rvol/vol_543	ts_ps8
ln -s /dev/rvol/vol_465	ts_144_3	ln -s /dev/rvol/vol_544	ts_ps9
ln -s /dev/rvol/vol_466	ts_145_3	ln -s /dev/rvol/vol_545	ts_ps10
ln -s /dev/rvol/vol_467	ts_146_3	ln -s /dev/rvol/vol_546	ts_ps11
ln -s /dev/rvol/vol_468	ts_147_3	ln -s /dev/rvol/vol_547	ts_ps12
ln -s /dev/rvol/vol_469	ts_148_3	ln -s /dev/rvol/vol_548	ts_i_o1
ln -s /dev/rvol/vol_470	ts_149_3	ln -s /dev/rvol/vol_549	ts_i_o2
ln -s /dev/rvol/vol_471	ts_150_3	ln -s /dev/rvol/vol_550	ts_i_o3
ln -s /dev/rvol/vol_472	ts_151_3	ln -s /dev/rvol/vol_551	ts_i_o4
ln -s /dev/rvol/vol_473	ts_152_3	ln -s /dev/rvol/vol_552	ts_i_o5
ln -s /dev/rvol/vol_474	ts_153_3	ln -s /dev/rvol/vol_553	ts_i_o6
ln -s /dev/rvol/vol_475	ts_154_3	ln -s /dev/rvol/vol_554	ts_i_o7
ln -s /dev/rvol/vol_476	ts_155_3	ln -s /dev/rvol/vol_555	ts_i_o8
ln -s /dev/rvol/vol_477	ts_156_3	ln -s /dev/rvol/vol_556	ts_i_o9
ln -s /dev/rvol/vol_478	ts_157_3	ln -s /dev/rvol/vol_557	redolog1
ln -s /dev/rvol/vol_479	ts_158_3	ln -s /dev/rvol/vol_558	redolog2
ln -s /dev/rvol/vol_480	ts_159_3	ln -s /dev/rvol/vol_559	redolog3
ln -s /dev/rvol/vol_481	ts_160_3	ln -s /dev/rvol/vol_560	redolog4
ln -s /dev/rvol/vol_482	ts_161_3	ln -s /dev/rvol/vol_561	redolog5
ln -s /dev/rvol/vol_483	ts_162_3	ln -s /dev/rvol/vol_562	redolog6
ln -s /dev/rvol/vol_484	ts_163_3	ln -s /dev/rvol/vol_563	redolog7
ln -s /dev/rvol/vol_485	ts_164_3	ln -s /dev/rvol/vol_564	redolog8
ln -s /dev/rvol/vol_486	ts_165_3	ln -s /dev/rvol/vol_565	redolog9
ln -s /dev/rvol/vol_487	ts_166_3	ln -s /dev/rvol/vol_566	redolog10
ln -s /dev/rvol/vol_488	ts_167_3	ln -s /dev/rvol/vol_567	redolog11
ln -s /dev/rvol/vol_489	ts_168_3	ln -s /dev/rvol/vol_568	redolog12
ln -s /dev/rvol/vol_490	ts_169_3	ln -s /dev/rvol/vol_569	ts_undo1
ln -s /dev/rvol/vol_491	ts_170_3	ln -s /dev/rvol/vol_570	ts_undo2
ln -s /dev/rvol/vol_492	ts_171_3	ln -s /dev/rvol/vol_571	ts_undo3
ln -s /dev/rvol/vol_493	ts_172_3	ln -s /dev/rvol/vol_572	ts_undo4
ln -s /dev/rvol/vol_494	ts_173_3	ln -s /dev/rvol/vol_573	ts_undo5
ln -s /dev/rvol/vol_495	ts_174_3	ln -s /dev/rvol/vol_574	ts_undo6
ln -s /dev/rvol/vol_496	ts_175_3	ln -s /dev/rvol/vol_575	ts_undo7
ln -s /dev/rvol/vol_497	ts_176_3	ln -s /dev/rvol/vol_576	ts_undo8
ln -s /dev/rvol/vol_498	ts_177_3	ln -s /dev/rvol/vol_577	ts_undo9
ln -s /dev/rvol/vol_499	ts_178_3	ln -s /dev/rvol/vol_578	ts_temp1
ln -s /dev/rvol/vol_500	ts_179_3	ln -s /dev/rvol/vol_579	ts_temp2
ln -s /dev/rvol/vol_501	ts_180_3	ln -s /dev/rvol/vol_580	ts_temp3
ln -s /dev/rvol/vol_502	ts_181_3	ln -s /dev/rvol/vol_581	ts_temp4

```

ln -s /dev/rvol/vol_582 ts_temp5
ln -s /dev/rvol/vol_583 ts_temp6
ln -s /dev/rvol/vol_584 ts_temp7
ln -s /dev/rvol/vol_585 ts_temp8
ln -s /dev/rvol/vol_586 ts_temp9
ln -s /dev/rvol/vol_587 ts_temp10
ln -s /dev/rvol/vol_588 ts_temp11
ln -s /dev/rvol/vol_589 ts_temp12
ln -s /dev/rvol/vol_590 ts_temp13
ln -s /dev/rvol/vol_591 ts_temp14
ln -s /dev/rvol/vol_592 ts_temp15
ln -s /dev/rvol/vol_593 ts_temp16
ln -s /dev/rvol/vol_594 ts_temp17
ln -s /dev/rvol/vol_595 ts_temp18
ln -s /dev/rvol/vol_596 ts_temp19
ln -s /dev/rvol/vol_597 ts_temp20
ln -s /dev/rvol/vol_598 ts_temp21
ln -s /dev/rvol/vol_599 ts_temp22
ln -s /dev/rvol/vol_600 ts_temp23
ln -s /dev/rvol/vol_601 ts_temp24
ln -s /dev/rvol/vol_602 ts_temp25
ln -s /dev/rvol/vol_603 ts_temp26
ln -s /dev/rvol/vol_604 ts_temp27
ln -s /dev/rvol/vol_605 ts_temp28
ln -s /dev/rvol/vol_606 ts_temp29
ln -s /dev/rvol/vol_607 ts_temp30
ln -s /dev/rvol/vol_608 ts_i_11
ln -s /dev/rvol/vol_609 ts_i_12
ln -s /dev/rvol/vol_610 ts_i_13
ln -s /dev/rvol/vol_611 ts_i_14
ln -s /dev/rvol/vol_612 ts_i_15
ln -s /dev/rvol/vol_613 ts_i_16
ln -s /dev/rvol/vol_614 ts_11_4
ln -s /dev/rvol/vol_615 ts_12_4
ln -s /dev/rvol/vol_616 ts_13_4
ln -s /dev/rvol/vol_617 ts_14_4
ln -s /dev/rvol/vol_618 ts_15_4
ln -s /dev/rvol/vol_619 ts_16_4
ln -s /dev/rvol/vol_620 ts_17_4
ln -s /dev/rvol/vol_621 ts_18_4
ln -s /dev/rvol/vol_622 ts_19_4
ln -s /dev/rvol/vol_623 ts_110_4
ln -s /dev/rvol/vol_624 ts_111_4
ln -s /dev/rvol/vol_625 ts_112_4
ln -s /dev/rvol/vol_626 ts_113_4
ln -s /dev/rvol/vol_627 ts_114_4
ln -s /dev/rvol/vol_628 ts_115_4
ln -s /dev/rvol/vol_629 ts_116_4
ln -s /dev/rvol/vol_630 ts_117_4
ln -s /dev/rvol/vol_631 ts_118_4
ln -s /dev/rvol/vol_632 ts_119_4
ln -s /dev/rvol/vol_633 ts_120_4
ln -s /dev/rvol/vol_634 ts_121_4
ln -s /dev/rvol/vol_635 ts_122_4
ln -s /dev/rvol/vol_636 ts_123_4
ln -s /dev/rvol/vol_637 ts_124_4
ln -s /dev/rvol/vol_638 ts_125_4
ln -s /dev/rvol/vol_639 ts_126_4
ln -s /dev/rvol/vol_640 ts_127_4
ln -s /dev/rvol/vol_641 ts_128_4
ln -s /dev/rvol/vol_642 ts_129_4
ln -s /dev/rvol/vol_643 ts_130_4
ln -s /dev/rvol/vol_644 ts_131_4
ln -s /dev/rvol/vol_645 ts_132_4
ln -s /dev/rvol/vol_646 ts_133_4
ln -s /dev/rvol/vol_647 ts_134_4
ln -s /dev/rvol/vol_648 ts_135_4
ln -s /dev/rvol/vol_649 ts_136_4
ln -s /dev/rvol/vol_650 ts_137_4
ln -s /dev/rvol/vol_651 ts_138_4
ln -s /dev/rvol/vol_652 ts_139_4
ln -s /dev/rvol/vol_653 ts_140_4
ln -s /dev/rvol/vol_654 ts_141_4
ln -s /dev/rvol/vol_655 ts_142_4
ln -s /dev/rvol/vol_656 ts_143_4
ln -s /dev/rvol/vol_657 ts_144_4
ln -s /dev/rvol/vol_658 ts_145_4
ln -s /dev/rvol/vol_659 ts_146_4
ln -s /dev/rvol/vol_660 ts_147_4

ln -s /dev/rvol/vol_661 ts_148_4
ln -s /dev/rvol/vol_662 ts_149_4
ln -s /dev/rvol/vol_663 ts_150_4
ln -s /dev/rvol/vol_664 ts_151_4
ln -s /dev/rvol/vol_665 ts_152_4
ln -s /dev/rvol/vol_666 ts_153_4
ln -s /dev/rvol/vol_667 ts_154_4
ln -s /dev/rvol/vol_668 ts_155_4
ln -s /dev/rvol/vol_669 ts_156_4
ln -s /dev/rvol/vol_670 ts_157_4
ln -s /dev/rvol/vol_671 ts_158_4
ln -s /dev/rvol/vol_672 ts_159_4
ln -s /dev/rvol/vol_673 ts_160_4
ln -s /dev/rvol/vol_674 ts_161_4
ln -s /dev/rvol/vol_675 ts_162_4
ln -s /dev/rvol/vol_676 ts_163_4
ln -s /dev/rvol/vol_677 ts_164_4
ln -s /dev/rvol/vol_678 ts_165_4
ln -s /dev/rvol/vol_679 ts_166_4
ln -s /dev/rvol/vol_680 ts_167_4
ln -s /dev/rvol/vol_681 ts_168_4
ln -s /dev/rvol/vol_682 ts_169_4
ln -s /dev/rvol/vol_683 ts_170_4
ln -s /dev/rvol/vol_684 ts_171_4
ln -s /dev/rvol/vol_685 ts_172_4
ln -s /dev/rvol/vol_686 ts_173_4
ln -s /dev/rvol/vol_687 ts_174_4
ln -s /dev/rvol/vol_688 ts_175_4
ln -s /dev/rvol/vol_689 ts_176_4
ln -s /dev/rvol/vol_690 ts_177_4
ln -s /dev/rvol/vol_691 ts_178_4
ln -s /dev/rvol/vol_692 ts_179_4
ln -s /dev/rvol/vol_693 ts_180_4
ln -s /dev/rvol/vol_694 ts_181_4
ln -s /dev/rvol/vol_695 ts_182_4
ln -s /dev/rvol/vol_696 ts_183_4
ln -s /dev/rvol/vol_697 ts_184_4
ln -s /dev/rvol/vol_698 system4

```





# Appendix C: Query Text and Result Output

## mqs00q01

Begin Execution at Thu Apr 11 11:02:04 2002

-- using default substitutions

```
select
l_returnflag,
l_linestatus,
sum(l_quantity) as sum_qty,
sum(l_extendedprice) as sum_base_price,
sum(l_extendedprice * (1 - l_discount)) as sum_disc_price,
sum(l_extendedprice * (1 - l_discount) * (1 + l_tax)) as sum_charge,
avg(l_quantity) as avg_qty,
avg(l_extendedprice) as avg_price,
avg(l_discount) as avg_disc,
count(*) as count_order
from
lineitem
where
l_shipdate <= to_date ('1998-12-01','YYYY-MM-DD') - 90
group by
l_returnflag,
l_linestatus
order by
l_returnflag,
l_linestatus
```

L_RETURNFLAG	L_LINESTATUS	SUM_QTY	SUM_BASE_PRICE	SUM_DISC_PRICE	SUM_CHARGE	AVG_QTY	AVG_PRICE	AVG_DISC	COUNT_ORDER
A	F	37734107.00	56586554400.73	37734107.00	56586554400.73	25.52	53758257134.87	0.05	1478493.00
N	F	991417.00	1487504710.38	991417.00	1487504710.38	25.52	1413082168.05	0.05	38854.00
N	O	74476040.00	111701729697.74	74476040.00	111701729697.74	25.50	106118230307.61	0.05	2920374.00
R	F	37719753.00	56568041380.90	37719753.00	56568041380.90	25.51	53741292684.60	0.05	1478870.00

4 rows processed.  
Query Processed in 6.04 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:10 2002

Stream Started at 1018540924.36  
Stream Ended at 1018540930.40  
Stream Processed in 6.04 seconds

SQL statements processed: 1

## mqs00q02

Begin Execution at Thu Apr 11 11:02:10 2002

-- using default substitutions

```
select * from (
select
s_acctbal,
s_name,
n_name,
p_partkey,
p_mfgr,
s_address,
s_phone,
s_comment
from
part,
supplier,
partsupp,
nation,
region
where
p_partkey = ps_partkey
and s_suppkey = ps_suppkey
and p_size = 15
and p_type like '%BRASS'
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'EUROPE'
and ps_supplycost = (
select
min(ps_supplycost)
from
partsupp,
supplier,
nation,
region
where
p_partkey = ps_partkey
and s_suppkey = ps_suppkey
and s_nationkey = n_nationkey
and n_regionkey = r_regionkey
and r_name = 'EUROPE'
)
)
order by
s_acctbal desc,
n_name,
s_name,
p_partkey
)
where rownum <= 100
```

S_ACCTBAL	S_NAME	N_NAME
P_PARTKEY	P_MFGR	
S_ADDRESS	S_PHONE	
S_COMMENT		
9938.53	Supplier#000005359	UNITED KINGDOM
185358.00	Manufacturer#4	
QKuHYh.vZGiwu2FWEJoLDx04		33-429-790-6131
blithely silent pinto beans are furiously. slyly final deposits across		
9937.84	Supplier#000005969	ROMANIA
108438.00	Manufacturer#1	
ANDENSOSmk,miq23Xfb5RWt6dvUcvt6Qa		29-520-692-3537
carefully slow deposits use furiously. slyly ironic platelets above the ironic		
9936.22	Supplier#000005250	UNITED KINGDOM
249.00	Manufacturer#4	
B3rqp0xbSEim4Mpy2RH J		33-320-228-2957
blithely special packages are. stealthily express deposits across the closely final		
instructi		

9923.77	Supplier#000002324	GERMANY	qNHZ7WmCzygwMPRDO9Ps	29-973-481-1831
29821.00	Manufacturer#4		furious final deposits	
y3OD9UywSTOK	17-779-299-1839		9558.10	Supplier#000003532 UNITED KINGDOM
quickly express packages breach quiet pinto beans. requ			88515.00	Manufacturer#4
9871.22	Supplier#000006373	GERMANY	EOeuiOn21OVpTIGguufFDfsbN1p0lhpXHp	33-152-301-2164
43868.00	Manufacturer#5		daring, sly accounts breach about th	
J8fcXWsTqM	17-813-485-8637		9492.79	Supplier#000005975 GERMANY
never silent deposits integrate furiously blit			25974.00	Manufacturer#5
9870.78	Supplier#000001286	GERMANY	S6mliCTx82z71V	17-992-579-4839
81285.00	Manufacturer#2		always pending packages boost slyly.	
YKA,E2fjiVd7eUrzp2E8j1QxGo2DFnosaTEH	17-516-924-4574		9461.05	Supplier#000002536 UNITED KINGDOM
final theodolites cajole slyly special.			20033.00	Manufacturer#1
9870.78	Supplier#000001286	GERMANY	8mmGbyzaU 7ZS2wJumTibypncu9pNkDc4FYA	33-556-973-5522
181285.00	Manufacturer#4		even foxes are quickly furiously express requests. packages	
YKA,E2fjiVd7eUrzp2E8j1QxGo2DFnosaTEH	17-516-924-4574		9453.01	Supplier#000000802 ROMANIA
final theodolites cajole slyly special.			175767.00	Manufacturer#1
9852.52	Supplier#000008973	RUSSIA	,6HYXb4uaHITmtMBj4Ak57Pd	29-342-882-6463
18972.00	Manufacturer#2		final, regular packages across the slowly regular packag	
t5L67YdBYH6o,Vz24jDyQ9	32-188-594-7038		9408.65	Supplier#000007772 UNITED KINGDOM
quickly regular instructions wake-- carefully unusual braids into the expres			117771.00	Manufacturer#4
9847.83	Supplier#000008097	RUSSIA	AiC5YAH,du0i7	33-152-491-1126
130557.00	Manufacturer#2		blithely final ideas sleep carefully. requests are	
xMe97bpE69NzdwLoX	32-375-640-3593		9359.61	Supplier#000004856 ROMANIA
slyly regular dependencies sleep slyly furiously express dep			62349.00	Manufacturer#5
9847.57	Supplier#000006345	FRANCE	HYogcF3Jb yhl	29-334-870-9731
86344.00	Manufacturer#1		carefully unusual packages sleep carefully even ideas. dogged accoun	
VSt3rzK3qG698u6ld8HhOBByvrTcSTsvQIDQDag	16-886-766-7945		9357.45	Supplier#000006188 UNITED KINGDOM
silent pinto beans should have to snooze carefully along the final reques			138648.00	Manufacturer#1
9847.57	Supplier#000006345	FRANCE	g801.ssP8wpTk4Hm	33-583-607-1633
173827.00	Manufacturer#2		carefully regular deposits wake carefully furiously even i	
VSt3rzK3qG698u6ld8HhOBByvrTcSTsvQIDQDag	16-886-766-7945		9352.04	Supplier#000003439 GERMANY
silent pinto beans should have to snooze carefully along the final reques			170921.00	Manufacturer#4
9836.93	Supplier#000007342	RUSSIA	qYPDgoiBghCYxjgC	17-128-996-4650
4841.00	Manufacturer#4		fluffily regular pinto beans wake. unusual, final ideas c	
JOIK7C1,7xrEZSSow	32-399-414-5385		9312.97	Supplier#000007807 RUSSIA
final accounts haggle. bold accounts are furiously dugouts. furiously silent asymptotes			90279.00	Manufacturer#5
are slyly			oGYMPck9XHGB2PBfKRnHA	32-673-872-5854
9817.10	Supplier#000002352	RUSSIA	unusual asymptotes above the	
124815.00	Manufacturer#2		9312.97	Supplier#000007807 RUSSIA
4LfoHuzjgEbAKw TgdKcGoc4D4uCYw	32-551-831-1437		100276.00	Manufacturer#5
blithely pending packages across the ironic accounts grow slyly after the furiously			oGYMPck9XHGB2PBfKRnHA	32-673-872-5854
9817.10	Supplier#000002352	RUSSIA	unusual asymptotes above the	
152351.00	Manufacturer#3		9280.27	Supplier#000007194 ROMANIA
4LfoHuzjgEbAKw TgdKcGoc4D4uCYw	32-551-831-1437		47193.00	Manufacturer#3
blithely pending packages across the ironic accounts grow slyly after the furiously			zhRUQkBSrFYxIAXTfInj vyGRQjeK	29-318-454-2133
9739.86	Supplier#000003384	FRANCE	slyly ironic requests despite the unusual ins	
138357.00	Manufacturer#2		9274.80	Supplier#000008854 RUSSIA
o,Z3v4POifevE k9U1b 6J1ucX,I	16-494-913-5925		76346.00	Manufacturer#3
slyly ironic theodolites hag			1xhLoOUM7I3mZ1mKnerw OSqdbb4QbGa	32-524-148-5221
9721.95	Supplier#000008757	UNITED KINGDOM	ruthlessly ironic instructions along the regular, furious requests integrate car	
156241.00	Manufacturer#3		9249.35	Supplier#000003973 FRANCE
Atg6GnM4dT2	33-821-407-2995		26466.00	Manufacturer#1
ironic, even dolphins above the furiously ironic foxes sleep slyly around the caref			d18GiDsL6Wm2IsGXM,RZf1jCsgZAOjNYVThTRP4	16-722-866-1658
9681.33	Supplier#000008406	RUSSIA	quickly ironic sauternes use b	
78405.00	Manufacturer#1		9249.35	Supplier#000003973 FRANCE
.qUuXcftUl	32-139-873-8571		33972.00	Manufacturer#1
furiously even deposits affix thinly special theodolites. furiou			d18GiDsL6Wm2IsGXM,RZf1jCsgZAOjNYVThTRP4	16-722-866-1658
9643.55	Supplier#000005148	ROMANIA	quickly ironic sauternes use b	
107617.00	Manufacturer#1		9208.70	Supplier#000007769 ROMANIA
KT4ciVFsIx9z4s79p Js825	29-252-617-4850		40256.00	Manufacturer#5
doggedly even ideas boost furiously against the furiously express			rsimdze 5o9P Ht7xS	29-964-424-9649
9624.82	Supplier#000001816	FRANCE	furiously ruthless epitaphs among the furiously regular accounts use slowly fluffily ev	
34306.00	Manufacturer#3		9201.47	Supplier#000009690 UNITED KINGDOM
e7vab91vLJPWxxZnewmndBpDmxYHrb	16-392-237-6726		67183.00	Manufacturer#5
blithely regular accounts cajole furiously. regular			CB BnUTlmi5zdeE17R7	33-121-267-9529
9624.78	Supplier#000009658	ROMANIA	blithely unusual accounts integrate slyly. platelets	
189657.00	Manufacturer#1		9192.10	Supplier#000000115 UNITED KINGDOM
oE9uBgEfSS4oplcepXyAYM,x	29-748-876-2014		85098.00	Manufacturer#3
regular deposits haggle. furiously express asympto			nJ 2t0f7Ve,wL1,6WzGBJLNBUCKIsV	33-597-248-1220
9612.94	Supplier#000003228	ROMANIA	slyly bold pinto beans boost across the furiously regular packages. carefully regu	
120715.00	Manufacturer#2		9189.98	Supplier#000001226 GERMANY
KDdpNKN3cWu7ZSrbdp7AfSLxx,qWB	29-325-784-8187		21225.00	Manufacturer#4
carefully pending accounts serve. furiously close deposits boost slyly. q			qsLCqSvLyZfuXlpjz	17-725-903-1381
9612.94	Supplier#000003228	ROMANIA	final, express instruction	
198189.00	Manufacturer#4		9128.97	Supplier#000004311 RUSSIA
KDdpNKN3cWu7ZSrbdp7AfSLxx,qWB	29-325-784-8187		146768.00	Manufacturer#5
carefully pending accounts serve. furiously close deposits boost slyly. q			I8JjnXd7NSJrs594RxsRR0	32-155-440-7120
9571.83	Supplier#000004305	ROMANIA	regular pinto beans sleep ca	
179270.00	Manufacturer#2		9104.83	Supplier#000008520 GERMANY

150974.00	Manufacturer#4		
RqRVDgDOER J9 b41vR2,3		17-728-804-1793	
deposits sleep carefully e			
9101.00	Supplier#000005791	ROMANIA	
128254.00	Manufacturer#5		
zub2zCV_jhHPPQqi,P2INAJE1zI n66cOEoXFG		29-549-251-5384	
carefully ironic packages after the			
9094.57	Supplier#000004582	RUSSIA	
39575.00	Manufacturer#1		
WB0XkCSG3r,mnQ n,h9VIXj9ARHFvKgMdf		32-587-577-1351	
asymptotes above the slyly even requests haggle furiously about the regular accounts			
8996.87	Supplier#000004702	FRANCE	
102191.00	Manufacturer#5		
8XVcQK23akp		16-811-269-8946	
stealthy requests haggle c			
8996.14	Supplier#000009814	ROMANIA	
139813.00	Manufacturer#2		
af005pg83IPU4IDVMEyIXZVqYZQzSDIYLAmR		29-995-571-8781	
ironic theodolites are evenly unusual requests-- pending pinto beans across the in			
8968.42	Supplier#000010000	ROMANIA	
119999.00	Manufacturer#5		
aTGLEusCiL4F PDBdv665XBjhpPyCOB0i		29-578-432-2146	
furiously final ideas believe furiously. furiously final ideas			
8936.82	Supplier#000007043	UNITED KINGDOM	
109512.00	Manufacturer#1		
FVajceZInZdbJE6Z9XsRUxrUEpiwHDR0Xi,1Rz		33-784-177-8208	
furiously regular excuses wake after the blithely special pinto beans? even instructions			
sl			
8929.42	Supplier#000008770	FRANCE	
173735.00	Manufacturer#4		
R7cG26TtXrHAP9 HckhRi		16-242-746-9248	
final accounts sleep furiously. blithely ironic foxes wake boldly across the furiously s			
8920.59	Supplier#000003967	ROMANIA	
26460.00	Manufacturer#1		
eHoAXe62SY9		29-194-731-3944	
quickly even requests should have to affix blithely-- fur			
8920.59	Supplier#000003967	ROMANIA	
173966.00	Manufacturer#2		
eHoAXe62SY9		29-194-731-3944	
quickly even requests should have to affix blithely-- fur			
8913.96	Supplier#000004603	UNITED KINGDOM	
137063.00	Manufacturer#2		
OUzlvMUr7n,utLxmPNeYKSF3T24OXskxB5		33-789-255-7342	
slyly ironic packages detect furious accounts. ironic de			
8877.82	Supplier#000007967	FRANCE	
167966.00	Manufacturer#5		
A3pi1BARM4nx6R,qrwFoRPU		16-442-147-9345	
final deposits after the silent deposits ha			
8862.24	Supplier#000003323	ROMANIA	
73322.00	Manufacturer#3		
W9 IYcsC9FwBqk3iL		29-736-951-3710	
unusual, pending theodolites integrate furiously slyly even pinto beans. unusual			
sheaves sleep before			
8841.59	Supplier#000005750	ROMANIA	
100729.00	Manufacturer#5		
Erx3lAgu0g62iaHF9x50uMH4EgeN9HEG		29-344-502-5481	
excuses after the blithely regular packages mold carefully deposits. regular a			
8781.71	Supplier#000003121	ROMANIA	
13120.00	Manufacturer#5		
wNqTogx238ZYCamFb,50v,bj 4IbNFW9Bvw1xP		29-707-291-5144	
packages are quickly after the final, even packages. furiously regular			
8754.24	Supplier#000009407	UNITED KINGDOM	
179406.00	Manufacturer#4		
CHRCbkaWcf5B		33-903-970-9604	
regular dependencies haggle across the carefully bold			
8691.06	Supplier#000004429	UNITED KINGDOM	
126892.00	Manufacturer#2		
k,BQms5UhoAF1B2Asi,flib		33-964-337-5038	
quickly special foxes against the furiously silent platelets wake quickly after t			
8655.99	Supplier#000006330	RUSSIA	
193810.00	Manufacturer#2		
UozlaENr0ytKe2w6CeIEWFwn iO3S8Rae7Ou		32-561-198-3705	
blithely even packages alongside			
8638.36	Supplier#000002920	RUSSIA	
75398.00	Manufacturer#1		
Je2a8bszf3L		32-122-621-7549	
express deposits wake. furiously silent requests wake carefully silent instru			
8638.36	Supplier#000002920	RUSSIA	
170402.00	Manufacturer#3		
Je2a8bszf3L		32-122-621-7549	
express deposits wake. furiously silent requests wake carefully silent instru			
8607.69	Supplier#000006003	UNITED KINGDOM	
76002.00	Manufacturer#2		
EH9wADcEiuenM0NR08zDwMidw,5Y2RYlEiA		33-416-807-5206	
always special foxes wake slyly bold, ironic accounts. ironic instructions affix careful			
8569.52	Supplier#000005936	RUSSIA	
5935.00	Manufacturer#5		
jXaNz6vwnEWJ2ksLZjptgt0bY2a3AU		32-644-251-7916	
packages sleep furiously. special requests about the fluffily even accounts detect			
8564.12	Supplier#000000033	GERMANY	
110032.00	Manufacturer#1		
gfeKpYw3400L0SDyWXA6Ya1QmqIw6YB9f3R		17-138-897-9374	
ironic instructions are. special pearls above			
8553.82	Supplier#000003979	ROMANIA	
143978.00	Manufacturer#4		
BfmVhCAncMY3jzpjUMy4CNW59 HzpQR7INJU		29-124-646-4897	
express. ironic pinto beans cajole around the express, even packages. qu			
8517.23	Supplier#000009529	RUSSIA	
37025.00	Manufacturer#5		
e44R8o7JAIS9iMcr		32-565-297-8775	
furiously silent requests cajole furiously furiously ironic foxes. slyly express p			
8517.23	Supplier#000009529	RUSSIA	
59528.00	Manufacturer#2		
e44R8o7JAIS9iMcr		32-565-297-8775	
furiously silent requests cajole furiously furiously ironic foxes. slyly express p			
8503.70	Supplier#000006830	RUSSIA	
44325.00	Manufacturer#4		
BC4WFCYRUZyAlgchU 4S		32-147-878-5069	
quickly regular excuses detect evenly around			
8457.09	Supplier#000009456	UNITED KINGDOM	
19455.00	Manufacturer#1		
7SBhZs8gP1cJtOQf433YBk		33-858-440-4349	
carefully final accounts sleep blithely special foxes. slyly regular pinto beans all			
8441.40	Supplier#000003817	FRANCE	
141302.00	Manufacturer#2		
hU3fz3xL78		16-339-356-5115	
blithely blithe ideas are			
8432.89	Supplier#000003990	RUSSIA	
191470.00	Manufacturer#1		
webHBP1RQbfxAYDASS75MsywmsKHRVdkrvNe6m		32-839-509-9301	
final requests along the blithely ironic packages kindle against the carefully fina			
8431.40	Supplier#000002675	ROMANIA	
5174.00	Manufacturer#1		
HJFStOu9R5NGPOegKhgbzBdyvrG2yh8w		29-474-643-1443	
express, final deposits cajole carefully. stealthily unusual requests			
8407.04	Supplier#000005406	RUSSIA	
162889.00	Manufacturer#4		
j7 gYF5RW8DC5UjKc		32-626-152-4621	
quickly final sheaves boost. car			
8386.08	Supplier#000008518	FRANCE	
36014.00	Manufacturer#3		
2jqzqAVe9crMVGp,n9nTsQXuNLTUYoJEDCqVW		16-618-780-7481	
slyly ironic theodolites are slyly. dogged, pendin			
8376.52	Supplier#000005306	UNITED KINGDOM	
190267.00	Manufacturer#5		
9t8Y8 QqSisoADPt6Nldk,TP5zyRx41oBUlgoGc9		33-632-514-7931	
furiously even instructions integrate during the furiously regular re			
8348.74	Supplier#000008851	FRANCE	
66344.00	Manufacturer#4		
nWxi7GwEbjhw1		16-796-240-2472	
ironic instructions nag slyly against the slyly even theodolites. requests alongside of			
8338.58	Supplier#000007269	FRANCE	
17268.00	Manufacturer#4		
ZwhJSwABUoiB04,3		16-267-277-4365	
ruthlessly regular asymptotes a			
8328.46	Supplier#000001744	ROMANIA	
69237.00	Manufacturer#5		
oLo3fv64q2,FKHa3p,qHnS7Yzv.ps8		29-330-728-5873	
blithely silent excuses are slyly above the furiously even courts			
8307.93	Supplier#000003142	GERMANY	
18139.00	Manufacturer#1		
dqblvV8dCNAorGij		17-595-447-6026	
theodolites sleep blithely carefully regular warhorses. slyly regular ins			
8231.61	Supplier#000009558	RUSSIA	
192000.00	Manufacturer#2		
mcdgen,yT1iJDHDS5fV		32-762-137-5858	
slyly regular theodolites sleep fluffily express depos			
8152.61	Supplier#000002731	ROMANIA	

15227.00 Manufacturer#4  
 nluXJCuY1tu 29-805-463-2030  
 gifts use. slyly silent ideas are carefully beneath the silent instructions. slyly sil  
 8109.09 Supplier#000009186 FRANCE  
 99185.00 Manufacturer#1  
 wgfosrVPexI9pEXWywaqlBMDYYf 16-668-570-1402  
 quickly pending requests are blithely along the ironic, final requests; instr  
 8102.62 Supplier#000003347 UNITED KINGDOM  
 18344.00 Manufacturer#5  
 m CtXS2S16i 33-454-274-8532  
 packages grow special orbits. regular theodolites about the carefully pe  
 8046.07 Supplier#000008780 FRANCE  
 191222.00 Manufacturer#3  
 AczzuE0UK9osj ,Lx0Jmh 16-473-215-6395  
 regular epitaphs integrate slyly.  
 8042.09 Supplier#000003245 RUSSIA  
 135705.00 Manufacturer#4  
 Dh8Ikg39onrbOL4DyTfGw8a9oKUX3d9Y 32-836-132-8872  
 carefully regular instructions integrate blithely silent foxes. furiously express  
 instructions hagg  
 8042.09 Supplier#000003245 RUSSIA  
 150729.00 Manufacturer#1  
 Dh8Ikg39onrbOL4DyTfGw8a9oKUX3d9Y 32-836-132-8872  
 carefully regular instructions integrate blithely silent foxes. furiously express  
 instructions hagg  
 7992.40 Supplier#000006108 FRANCE  
 118574.00 Manufacturer#1  
 8tBydnTDwUqfBfV413 16-974-998-8937  
 regular pinto beans are after  
 7980.65 Supplier#000001288 FRANCE  
 13784.00 Manufacturer#4  
 zE,7HgVPrCn 16-646-464-8247  
 unusual pinto beans cajole furiously according t  
 7950.37 Supplier#000008101 GERMANY  
 33094.00 Manufacturer#5  
 kkYvL6luvojJgTNG IKkaXQDYgx8ILohj 17-627-663-8014  
 quickly regular requests are furiously. pending deposits wake  
 7937.93 Supplier#000009012 ROMANIA  
 83995.00 Manufacturer#2  
 iUiTziH,Ek3i4lwSgunXMgrcTzwd 29-250-925-9690  
 blithely bold ideas haggle quickly final, regular request  
 7914.45 Supplier#000001013 RUSSIA  
 125988.00 Manufacturer#2  
 riRcntps4KEDtYScjpMIWeYF6mNnR 32-194-698-3365  
 final, ironic theodolites alongside of the ironic  
 7912.91 Supplier#000004211 GERMANY  
 159180.00 Manufacturer#5  
 2wQRVovHrm3,v03IKzfTd,1PYsFXQFFOG 17-266-947-7315  
 final requests integrate slyly above the silent, even  
 7912.91 Supplier#000004211 GERMANY  
 184210.00 Manufacturer#4  
 2wQRVovHrm3,v03IKzfTd,1PYsFXQFFOG 17-266-947-7315  
 final requests integrate slyly above the silent, even  
 7894.56 Supplier#000007981 GERMANY  
 85472.00 Manufacturer#4  
 NSJ96vMROAbeXP 17-963-404-3760  
 regular, even theodolites integrate carefully. bold, special theodolites are slyly fluffily  
 iron  
 7887.08 Supplier#000009792 GERMANY  
 164759.00 Manufacturer#3  
 Y28ITVeYriT3kiGdV2K8fSZ V2UqT5HI0tz 17-988-938-4296  
 pending, ironic packages sleep among the carefully ironic accounts. quickly final  
 accounts  
 7871.50 Supplier#000007206 RUSSIA  
 104695.00 Manufacturer#1  
 3w fNCnrVmvJJE95sgWZzvW 32-432-452-7731  
 furiously dogged pinto beans cajole. bold, express notornis until the slyly pending  
 7852.45 Supplier#000005864 RUSSIA  
 8363.00 Manufacturer#4  
 WCNfBPZeSXh3h,c 32-454-883-3821  
 blithely regular deposits  
 7850.66 Supplier#000001518 UNITED KINGDOM  
 86501.00 Manufacturer#1  
 ONda3YJiHKJOC 33-730-383-3892  
 furiously final accounts wake carefully idle requests. even dolphins wake acc  
 7843.52 Supplier#000006683 FRANCE  
 11680.00 Manufacturer#4  
 2Z0JGkiv01Y00oCFwUGfviIbhzcDy 16-464-517-8943  
 carefully bold accounts doub

100 rows processed.  
 Query Processed in 1.32 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:11 2002

Stream Started at 1018540930.57  
 Stream Ended at 1018540931.89  
 Stream Processed in 1.32 seconds

SQL statements processed: 1

## mqs00q03

Begin Execution at Thu Apr 11 11:02:12 2002

-- using default substitutions

```
select * from (
select
l_orderkey,
sum(l_extendedprice * (1 - l_discount)) as revenue,
o_orderdate,
o_shippriority
from
customer,
orders,
lineitem
where
c_mktsegment = 'BUILDING'
and c_custkey = o_custkey
and l_orderkey = o_orderkey
and o_orderdate < to_date( '1995-03-15', 'YYYY-MM-DD')
and l_shipdate > to_date( '1995-03-15', 'YYYY-MM-DD')
group by
l_orderkey,
o_orderdate,
o_shippriority
order by
revenue desc,
o_orderdate)
where rownum <= 10
```

L_ORDERKEY	REVENUE	O_ORDERDATE	O_SHIPPRIORITY
2456423.00	406181.01	1995-03-05	0.00
3459808.00	405838.70	1995-03-04	0.00
492164.00	390324.06	1995-02-19	0.00
1188320.00	384537.94	1995-03-09	0.00
2435712.00	378673.06	1995-02-26	0.00
4878020.00	378376.80	1995-03-12	0.00
5521732.00	375153.92	1995-03-13	0.00
2628192.00	373133.31	1995-02-22	0.00
993600.00	371407.46	1995-03-05	0.00
2300070.00	367371.15	1995-03-13	0.00

10 rows processed.  
 Query Processed in 2.33 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:14 2002

Stream Started at 1018540932.05  
 Stream Ended at 1018540934.37  
 Stream Processed in 2.33 seconds

SQL statements processed: 1

## mqs00q04

Begin Execution at Thu Apr 11 11:02:14 2002

-- using default substitutions

```
select
o_orderpriority,
count(*) as order_count
from
orders
where
o_orderdate >= to_date( '1993-07-01', 'YYYY-MM-DD')
and o_orderdate < add_months(to_date( '1993-07-01', 'YYYY-MM-DD'),3)
and exists (
select
*
from
lineitem
where
l_orderkey = o_orderkey
and l_commitdate < l_receiptdate
)
group by
o_orderpriority
order by
o_orderpriority
```

O_ORDERPRIORITY	ORDER_COUNT
1-URGENT	10594.00
2-HIGH	10476.00
3-MEDIUM	10410.00
4-NOT SPECIFIED	10556.00
5-LOW	10487.00

5 rows processed.  
Query Processed in 2.41 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:16 2002

Stream Started at 1018540934.53  
Stream Ended at 1018540936.94  
Stream Processed in 2.41 seconds

SQL statements processed: 1

## mqs00q05

Begin Execution at Thu Apr 11 11:02:17 2002

-- using default substitutions

```
select
n_name,
sum(l_extendedprice * (1 - l_discount)) as revenue
from
customer,
orders,
lineitem,
supplier,
nation,
region
where
c_custkey = o_custkey
and l_orderkey = o_orderkey
and l_suppkey = s_suppkey
and c_nationkey = s_nationkey
and s_nationkey = n_nationkey
```

```
and n_regionkey = r_regionkey
and r_name = 'ASIA'
and o_orderdate >= to_date( '1994-01-01', 'YYYY-MM-DD')
and o_orderdate < add_months(to_date( '1994-01-01', 'YYYY-MM-DD'), 12)
group by
n_name
order by
revenue desc
```

N_NAME	REVENUE
INDONESIA	55502041.17
VIETNAM	55295087.00
CHINA	53724494.26
INDIA	52035512.00
JAPAN	45410175.70

5 rows processed.  
Query Processed in 3.81 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:20 2002

Stream Started at 1018540937.09  
Stream Ended at 1018540940.90  
Stream Processed in 3.81 seconds

SQL statements processed: 1

## mqs00q06

Begin Execution at Thu Apr 11 11:02:21 2002

-- using default substitutions

```
select
sum(l_extendedprice * l_discount) as revenue
from
lineitem
where
l_shipdate >= to_date( '1994-01-01', 'YYYY-MM-DD')
and l_shipdate < add_months(to_date( '1994-01-01', 'YYYY-MM-DD'), 12)
and l_discount between .06 - 0.01 and .06 + 0.01
and l_quantity < 24
```

REVENUE
123141078.23

1 row\_ processed.  
Query Processed in 0.80 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:21 2002

Stream Started at 1018540941.06  
Stream Ended at 1018540941.86  
Stream Processed in 0.80 seconds

SQL statements processed: 1

## mqs00q07

Begin Execution at Thu Apr 11 11:02:22 2002

-- using default substitutions

```

select
supp_nation,
cust_nation,
l_year,
sum(volume) as revenue
from
(
select
n1.n_name as supp_nation,
n2.n_name as cust_nation,
to_number(to_char(l_shipdate,'yyyy')) as
l_year,
l_extendedprice * (1 - l_discount) as volume
from
supplier,
lineitem,
orders,
customer,
nation n1,
nation n2
where
s_suppkey = l_suppkey
and o_orderkey = l_orderkey
and c_custkey = o_custkey
and s_nationkey = n1.n_nationkey
and c_nationkey = n2.n_nationkey
and (
(n1.n_name = 'FRANCE' and n2.n_name = 'GERMANY')
or (n1.n_name = 'GERMANY' and n2.n_name = 'FRANCE')
)
and l_shipdate between to_date('1995-01-01', 'YYYY-MM-DD') and to_date('1996-
12-31', 'YYYY-MM-DD')
) shipping
group by
supp_nation,
cust_nation,
l_year
order by
supp_nation,
cust_nation,
l_year

```

SUPP_NATION	CUST_NATION	L_YEAR	REVENUE
FRANCE	GERMANY	1995.00	54639732.73
FRANCE	GERMANY	1996.00	54633083.31
GERMANY	FRANCE	1995.00	52531746.67
GERMANY	FRANCE	1996.00	52520549.02

4 rows processed.  
Query Processed in 2.10 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:24 2002

Stream Started at 1018540942.02  
Stream Ended at 1018540944.12  
Stream Processed in 2.10 seconds

SQL statements processed: 1

### mqs00q08

Begin Execution at Thu Apr 11 11:02:24 2002

-- using default substitutions

```
select
```

```

o_year,
sum(case when nation='BRAZIL' then volume else 0 end) / sum(volume)
as mkt_share
from
(
select
to_number(to_char(o_orderdate, 'yyyy')) as o_year,
l_extendedprice * (1 - l_discount) as volume,
n2.n_name as nation
from
part,
supplier,
lineitem,
orders,
customer,
nation n1,
nation n2,
region
where
p_partkey = l_partkey
and s_suppkey = l_suppkey
and l_orderkey = o_orderkey
and o_custkey = c_custkey
and c_nationkey = n1.n_nationkey
and n1.n_regionkey = r_regionkey
and r_name = 'AMERICA'
and s_nationkey = n2.n_nationkey
and o_orderdate between to_date('1995-01-01', 'YYYY-MM-DD') and to_date
('1996-12-31', 'YYYY-MM-DD')
and p_type = 'ECONOMY ANODIZED STEEL'
) all_nations
group by
o_year
order by
o_year

```

O_YEAR	MKT_SHARE
1995.00	0.03
1996.00	0.04

2 rows processed.  
Query Processed in 6.17 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:30 2002

Stream Started at 1018540944.28  
Stream Ended at 1018540950.45  
Stream Processed in 6.17 seconds

SQL statements processed: 1

### mqs00q09

Begin Execution at Thu Apr 11 11:02:30 2002

-- using default substitutions

```

select
nation,
o_year,
sum(amount) as sum_profit
from
(
select
n_name as nation,
to_number(to_char(o_orderdate, 'yyyy')) as o_year,
l_extendedprice * (1 - l_discount) - ps_supplycost * l_quantity as amount
from
part,
supplier,
lineitem,

```

```

partsupp,
orders,

nation

where
s_suppkey = l_suppkey
and ps_suppkey = l_suppkey
and ps_partkey = l_partkey
and p_partkey = l_partkey
and o_orderkey = l_orderkey
and s_nationkey = n_nationkey
and p_name like %green%
) profit
group by
nation,
o_year
order by
nation,
o_year desc

```

NATION	O_YEAR	SUM_PROFIT
ALGERIA	1998.00	31342867.23
ALGERIA	1997.00	57138193.02
ALGERIA	1996.00	56140140.13
ALGERIA	1995.00	53051469.65
ALGERIA	1994.00	53867582.13
ALGERIA	1993.00	54942718.13
ALGERIA	1992.00	54628034.71
ARGENTINA	1998.00	30211185.71
ARGENTINA	1997.00	50805741.75
ARGENTINA	1996.00	51923746.58
ARGENTINA	1995.00	49298625.77
ARGENTINA	1994.00	50835610.11
ARGENTINA	1993.00	51646079.18
ARGENTINA	1992.00	50410314.99
BRAZIL	1998.00	27217924.38
BRAZIL	1997.00	48378669.20
BRAZIL	1996.00	50482870.36
BRAZIL	1995.00	47623383.63
BRAZIL	1994.00	47840165.73
BRAZIL	1993.00	49054694.04
BRAZIL	1992.00	48667639.08
CANADA	1998.00	30379833.77
CANADA	1997.00	50465052.31
CANADA	1996.00	52560501.39
CANADA	1995.00	52375332.81
CANADA	1994.00	52600364.66
CANADA	1993.00	52644504.07
CANADA	1992.00	53932871.70
CHINA	1998.00	31075466.16
CHINA	1997.00	50551874.45
CHINA	1996.00	51039293.88
CHINA	1995.00	49287534.62
CHINA	1994.00	50851090.07
CHINA	1993.00	54229629.83
CHINA	1992.00	52400529.37
EGYPT	1998.00	29054433.39
EGYPT	1997.00	50627611.45
EGYPT	1996.00	49542212.84
EGYPT	1995.00	48311550.32
EGYPT	1994.00	49790644.74
EGYPT	1993.00	48904292.97
EGYPT	1992.00	49434932.62
ETHIOPIA	1998.00	28040717.27
ETHIOPIA	1997.00	47455009.87
ETHIOPIA	1996.00	46491097.57
ETHIOPIA	1995.00	46804449.30
ETHIOPIA	1994.00	48516143.92
ETHIOPIA	1993.00	46551891.56
ETHIOPIA	1992.00	44934648.64
FRANCE	1998.00	32226407.84
FRANCE	1997.00	47121485.86
FRANCE	1996.00	47263135.50
FRANCE	1995.00	47275997.57
FRANCE	1994.00	47067209.33
FRANCE	1993.00	51163370.11
FRANCE	1992.00	47846235.33
GERMANY	1998.00	28624942.66
GERMANY	1997.00	49309074.88
GERMANY	1996.00	49918683.17
GERMANY	1995.00	52650718.72
GERMANY	1994.00	50346900.42
GERMANY	1993.00	50991895.81
GERMANY	1992.00	48274126.10
INDIA	1998.00	29943144.35
INDIA	1997.00	50665453.23
INDIA	1996.00	50283092.29
INDIA	1995.00	50006774.64
INDIA	1994.00	48995190.76
INDIA	1993.00	50286902.85
INDIA	1992.00	50850329.40
INDONESIA	1998.00	27672340.00
INDONESIA	1997.00	50512145.73
INDONESIA	1996.00	51653060.12
INDONESIA	1995.00	51508779.59
INDONESIA	1994.00	52817950.32
INDONESIA	1993.00	47959994.96
INDONESIA	1992.00	51776605.03
IRAN	1998.00	29065736.24
IRAN	1997.00	50042063.05
IRAN	1996.00	50926653.19
IRAN	1995.00	51249667.65
IRAN	1994.00	50337085.87
IRAN	1993.00	51730763.49
IRAN	1992.00	49955856.56
IRAQ	1998.00	31624551.00
IRAQ	1997.00	55121749.02
IRAQ	1996.00	55897663.79
IRAQ	1995.00	54815472.52
IRAQ	1994.00	54408516.13
IRAQ	1993.00	53633167.98
IRAQ	1992.00	55891939.34
JAPAN	1998.00	27934179.67
JAPAN	1997.00	44517162.55
JAPAN	1996.00	42545606.12
JAPAN	1995.00	43749356.40
JAPAN	1994.00	44840243.07
JAPAN	1993.00	44660015.53
JAPAN	1992.00	45410249.12
JORDAN	1998.00	26901488.58
JORDAN	1997.00	45471878.41
JORDAN	1996.00	46794325.79
JORDAN	1995.00	45178828.58
JORDAN	1994.00	45333636.51
JORDAN	1993.00	47971496.10
JORDAN	1992.00	44717239.18
KENYA	1998.00	28597614.34
KENYA	1997.00	47949733.73
KENYA	1996.00	46886924.62
KENYA	1995.00	46072338.76
KENYA	1994.00	45772061.17
KENYA	1993.00	46308728.23
KENYA	1992.00	47257780.84
MOROCCO	1998.00	26732115.58
MOROCCO	1997.00	45637304.25
MOROCCO	1996.00	45558221.75
MOROCCO	1995.00	47851318.89
MOROCCO	1994.00	46272172.94
MOROCCO	1993.00	46764326.18
MOROCCO	1992.00	48122783.58
MOZAMBIQUE	1998.00	30712392.01
MOZAMBIQUE	1997.00	50316528.76
MOZAMBIQUE	1996.00	51640320.25
MOZAMBIQUE	1995.00	50693774.51
MOZAMBIQUE	1994.00	49253277.63
MOZAMBIQUE	1993.00	49153016.54
MOZAMBIQUE	1992.00	48247551.85
PERU	1998.00	29326102.32
PERU	1997.00	49753780.40
PERU	1996.00	50935170.29
PERU	1995.00	53309883.41
PERU	1994.00	50643531.80
PERU	1993.00	51584622.00
PERU	1992.00	47523899.05
ROMANIA	1998.00	30368667.40
ROMANIA	1997.00	50365683.85
ROMANIA	1996.00	49598999.01
ROMANIA	1995.00	47537642.87
ROMANIA	1994.00	51455283.01

ROMANIA	1993.00	50407136.89
ROMANIA	1992.00	48185385.13
RUSSIA	1998.00	28322384.03
RUSSIA	1997.00	50106685.18
RUSSIA	1996.00	51753342.43
RUSSIA	1995.00	49215820.36
RUSSIA	1994.00	52205666.44
RUSSIA	1993.00	51860230.03
RUSSIA	1992.00	53251677.15
SAUDI ARABIA	1998.00	31541259.81
SAUDI ARABIA	1997.00	52438750.81
SAUDI ARABIA	1996.00	52543737.82
SAUDI ARABIA	1995.00	52938696.53
SAUDI ARABIA	1994.00	51389601.97
SAUDI ARABIA	1993.00	52937508.88
SAUDI ARABIA	1992.00	54843459.64
UNITED KINGDOM	1998.00	28494874.00
UNITED KINGDOM	1997.00	49381810.90
UNITED KINGDOM	1996.00	51386853.96
UNITED KINGDOM	1995.00	51509586.79
UNITED KINGDOM	1994.00	48086499.71
UNITED KINGDOM	1993.00	49166827.22
UNITED KINGDOM	1992.00	49349122.08
UNITED STATES	1998.00	25126238.95
UNITED STATES	1997.00	50077306.42
UNITED STATES	1996.00	48048649.47
UNITED STATES	1995.00	48809032.42
UNITED STATES	1994.00	49296747.18
UNITED STATES	1993.00	48029946.80
UNITED STATES	1992.00	48671944.50
VIETNAM	1998.00	30442736.06
VIETNAM	1997.00	50309179.79
VIETNAM	1996.00	50488161.41
VIETNAM	1995.00	49658284.61
VIETNAM	1994.00	50596057.26
VIETNAM	1993.00	50953919.15
VIETNAM	1992.00	49613838.32

175 rows processed.  
Query Processed in 5.92 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:36 2002

Stream Started at 1018540950.61  
Stream Ended at 1018540956.53  
Stream Processed in 5.92 seconds

SQL statements processed: 1

## mqs00q10

Begin Execution at Thu Apr 11 11:02:36 2002

-- using default substitutions

```
select * from (
select
c_custkey,
c_name,
sum(l_extendedprice * (1 - l_discount)) as revenue,
c_acctbal,
n_name,
c_address,
c_phone,
c_comment
from
customer,
orders,
lineitem,
nation
where
```

```
c_custkey = o_custkey
and l_orderkey = o_orderkey
and o_orderdate >= to_date('1993-10-01', 'YYYY-MM-DD')
and o_orderdate < add_months( to_date('1993-10-01', 'YYYY-MM-DD'), 3)
and l_returnflag = 'R'
and c_nationkey = n_nationkey
group by
c_custkey,
c_name,
c_acctbal,
c_phone,
n_name,
c_address,
c_comment
order by
revenue desc)
where rownum <= 20
```

C_CUSTKEY	C_NAME	REVENUE
C_ACCTBAL	N_NAME	
C_ADDRESS	C_PHONE	
C_COMMENT		
57040.00	Customer#000057040	734235.25
632.87	JAPAN	
Eioyzi4pp	22-895-641-3466	
requests sleep blithely about the furiously i		
143347.00	Customer#000143347	721002.69
2557.47	EGYPT	
1aReFYv,Kw4	14-742-935-3718	
fluffily bold excuses haggle finally after the u		
60838.00	Customer#000060838	679127.31
2454.77	BRAZIL	
64EaJ5vMAHWJIBOXJklpNc2RJiWE	12-913-494-9813	
furiously even pinto beans integrate under the ruthless foxes; ironic, even dolphins		
across the slyl		
101998.00	Customer#000101998	637029.57
3790.89	UNITED KINGDOM	
01c9CILnNtfOQYmZj	33-593-865-6378	
accounts doze blithely! enticing, final deposits sleep blithely special accounts. slyly		
express accounts pla		
125341.00	Customer#000125341	633508.09
4983.51	GERMANY	
S29ODD6bceU8QSuuEJznkNaK	17-582-695-5962	
quickly express requests wake quickly blithely		
25501.00	Customer#000025501	620269.78
7725.04	ETHIOPIA	
W556MXuoiaYCCZamJI,Rn0B4ACUGdkQ8DZ	15-874-808-6793	
quickly special requests sleep evenly among the special deposits. special deposi		
115831.00	Customer#000115831	596423.87
5098.10	FRANCE	
rFeBbEEyk dl ne7zV5fDrmiq1oK09wV7pxqCglc	16-715-386-3788	
carefully bold excuses sleep alongside of the thinly idle		
84223.00	Customer#000084223	594998.02
528.65	UNITED KINGDOM	
nAVZCs6BaWap rRM27N 2qBnzc5WBauxbA	33-442-824-8191	
pending, final ideas haggle final requests. unusual, regular asymptotes affix according		
to the even foxes.		
54289.00	Customer#000054289	585603.39
5583.02	IRAN	
vXCxoCsU0Bad5JQI ,oobkZ	20-834-292-4707	
express requests sublate blithely regular requests. regular, even ideas solve.		
39922.00	Customer#000039922	584878.11
7321.11	GERMANY	
Zgy4s5012GKN4pLDPBU8m342gIw6R	17-147-757-8036	
even pinto beans haggle. slyly bold accounts inte		
6226.00	Customer#000006226	576783.76
2230.09	UNITED KINGDOM	
8gPu8,NPGkfyQQ0hcIYUGPIBwC.ybP5g,	33-657-701-3391	
quickly final requests against the regular instructions wake blithely final instructions.		
pa		
922.00	Customer#00000922	576767.53
3869.25	GERMANY	
Az9RFaut7NkPnc5zSD2PwHgVwr4jRzq	17-945-916-9648	
boldly final requests cajole blith		
147946.00	Customer#000147946	576455.13
2030.13	ALGERIA	
iANyZHjqhyy7Ajah0pTrYyhJ	10-886-956-3143	
furiously even accounts are blithely above the furiousl		
115640.00	Customer#000115640	569341.19



6436.10 ARGENTINA )  
 Vtgfia9qI 7EpHgecUIX 11-411-543-4901 order by  
 final instructions are slyly according to the value desc  
 73606.00 Customer#000073606 568656.86  
 1785.67 JAPAN PS\_PARTKEY VALUE  
 xuR0Tro5yChDfOCrkd2ol 22-437-653-6966 129760.00 17538456.86  
 furiously bold orbits about the furiously busy requests wake across the furiously quiet 166726.00 16503353.92  
 theodolites. d 191287.00 16474801.97  
 110246.00 Customer#000110246 566842.98 161758.00 16101755.54  
 7763.35 VIETNAM 34452.00 15983844.72  
 7KzflgX MDOq7sOkI 31-943-426-9837 139035.00 15907078.34  
 dolphins sleep blithely among the slyly final 9403.00 15451755.62  
 142549.00 Customer#000142549 563537.24 154358.00 15212937.88  
 5085.99 INDONESIA 38823.00 15064802.86  
 ChqEoK43OysjdHbtKCp6dKqjNyyvvi9 19-955-562-2398 85606.00 15053957.15  
 regular, unusual dependencies boost slyly; ironic attainments nag fluffily into the 33354.00 14408297.40  
 unusual packages? 154747.00 14407580.68  
 146149.00 Customer#000146149 557254.99 82865.00 14235489.78  
 1791.55 ROMANIA 76094.00 14094247.04  
 s87fvzFQpU 29-744-164-6487 222.00 13937777.74  
 silent, unusual requests detect quickly slyly regul 121271.00 13908336.00  
 52528.00 Customer#000052528 556397.35 55221.00 13716120.47  
 551.79 ARGENTINA 22819.00 13666434.28  
 NFztyTOR10UOJ 11-208-192-3205 76281.00 13646853.68  
 unusual requests detect. slyly dogged theodolites use slyly. deposit 85298.00 13581154.93  
 23431.00 Customer#000023431 554269.54 85158.00 13554904.00  
 3381.86 ROMANIA 139684.00 13535538.72  
 HgiV0phqhaIa9aydNolIb 29-915-458-2654 31034.00 13498025.25  
 instructions nag quickly. furiously bold accounts cajol 87305.00 13482847.04  
 10181.00 13445148.75  
 62323.00 13411824.30  
 26489.00 13377256.38  
 96493.00 13339057.83  
 56548.00 13329014.97  
 55576.00 13306843.35  
 159751.00 13306614.48  
 92406.00 13287414.50  
 182636.00 13223726.74  
 199969.00 13135288.21  
 62865.00 13001926.94  
 7284.00 12945298.19  
 197867.00 12944510.52  
 11562.00 12931575.51  
 75165.00 12916918.12  
 97175.00 12911283.50  
 140840.00 12896562.23  
 65241.00 12890600.46  
 166120.00 12876927.22  
 9035.00 12863828.70  
 144616.00 12853549.30  
 176723.00 12832309.74  
 170884.00 12792136.58  
 29790.00 12723300.33  
 95213.00 12555483.73  
 183873.00 12550533.05  
 171235.00 12476538.30  
 21533.00 12437821.32  
 17290.00 12432159.50  
 156397.00 12260623.50  
 122611.00 12222812.98  
 139155.00 12220319.25  
 146316.00 12215800.61  
 171381.00 12199734.52  
 198633.00 12078226.95  
 167417.00 12046637.62  
 59512.00 12043468.76  
 31688.00 12034893.64  
 159586.00 12001505.84

20 rows processed.  
 Query Processed in 2.88 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:39 2002

Stream Started at 1018540956.69  
 Stream Ended at 1018540959.57  
 Stream Processed in 2.88 seconds

SQL statements processed: 1

## mqs00q11

Begin Execution at Thu Apr 11 11:02:39 2002

-- using default substitutions

```
select
ps_partkey,
sum(ps_supplycost * ps_availqty) as value
from
partsupp,
supplier,
nation
where
ps_suppkey = s_suppkey
and s_nationkey = n_nationkey
and n_name = 'GERMANY'
group by
ps_partkey having
sum(ps_supplycost * ps_availqty) > (
select
sum(ps_supplycost * ps_availqty) * 0.0001000000
from
partsupp,
supplier,
nation
where
ps_suppkey = s_suppkey
and s_nationkey = n_nationkey
and n_name = 'GERMANY'
```

129760.00 17538456.86  
 166726.00 16503353.92  
 191287.00 16474801.97  
 161758.00 16101755.54  
 34452.00 15983844.72  
 139035.00 15907078.34  
 9403.00 15451755.62  
 154358.00 15212937.88  
 38823.00 15064802.86  
 85606.00 15053957.15  
 33354.00 14408297.40  
 154747.00 14407580.68  
 82865.00 14235489.78  
 76094.00 14094247.04  
 222.00 13937777.74  
 121271.00 13908336.00  
 55221.00 13716120.47  
 22819.00 13666434.28  
 76281.00 13646853.68  
 85298.00 13581154.93  
 85158.00 13554904.00  
 139684.00 13535538.72  
 31034.00 13498025.25  
 87305.00 13482847.04  
 10181.00 13445148.75  
 62323.00 13411824.30  
 26489.00 13377256.38  
 96493.00 13339057.83  
 56548.00 13329014.97  
 55576.00 13306843.35  
 159751.00 13306614.48  
 92406.00 13287414.50  
 182636.00 13223726.74  
 199969.00 13135288.21  
 62865.00 13001926.94  
 7284.00 12945298.19  
 197867.00 12944510.52  
 11562.00 12931575.51  
 75165.00 12916918.12  
 97175.00 12911283.50  
 140840.00 12896562.23  
 65241.00 12890600.46  
 166120.00 12876927.22  
 9035.00 12863828.70  
 144616.00 12853549.30  
 176723.00 12832309.74  
 170884.00 12792136.58  
 29790.00 12723300.33  
 95213.00 12555483.73  
 183873.00 12550533.05  
 171235.00 12476538.30  
 21533.00 12437821.32  
 17290.00 12432159.50  
 156397.00 12260623.50  
 122611.00 12222812.98  
 139155.00 12220319.25  
 146316.00 12215800.61  
 171381.00 12199734.52  
 198633.00 12078226.95  
 167417.00 12046637.62  
 59512.00 12043468.76  
 31688.00 12034893.64  
 159586.00 12001505.84  
 \*\*\* Deleted Rows Here \*\*\*  
 80408.00 7963312.17  
 37728.00 7961875.68  
 26624.00 7961772.31  
 44736.00 7961144.10  
 29763.00 7960605.03  
 36147.00 7959463.68  
 146040.00 7957587.66  
 115469.00 7957485.14  
 142276.00 7956790.63  
 181280.00 7954037.35

115096.00 7953047.55  
 109650.00 7952258.73  
 93862.00 7951992.24  
 158325.00 7950728.30  
 55952.00 7950387.06  
 122397.00 7947106.27  
 28114.00 7946945.72  
 11966.00 7945197.48  
 47814.00 7944083.00  
 85096.00 7943691.06  
 51657.00 7943593.77  
 196680.00 7943578.89  
 13141.00 7942730.34  
 193327.00 7941036.25  
 152612.00 7940663.71  
 139680.00 7939242.36  
 31134.00 7938318.30  
 45636.00 7937240.85  
 56694.00 7936015.95  
 8114.00 7933921.88  
 71518.00 7932261.69  
 72922.00 7930400.64  
 146699.00 7929167.40  
 92387.00 7928972.67  
 186289.00 7928786.19  
 95952.00 7927972.78  
 196514.00 7927180.70  
 4403.00 7925729.04  
 2267.00 7925649.37  
 45924.00 7925047.68  
 11493.00 7916722.23  
 104478.00 7916253.60  
 166794.00 7913842.00  
 161995.00 7910874.27  
 23538.00 7909752.06  
 41093.00 7909579.92  
 112073.00 7908617.57  
 92814.00 7908262.50  
 88919.00 7907992.50  
 79753.00 7907933.88  
 108765.00 7905338.98  
 146530.00 7905336.60  
 71475.00 7903367.58  
 36289.00 7901946.50  
 61739.00 7900794.00  
 52338.00 7898638.08  
 194299.00 7898421.24  
 105235.00 7897829.94  
 77207.00 7897752.72  
 96712.00 7897575.27  
 10157.00 7897046.25  
 171154.00 7896814.50  
 79373.00 7896186.00  
 113808.00 7893353.88  
 27901.00 7892952.00  
 128820.00 7892882.72  
 25891.00 7890511.20  
 122819.00 7888881.02  
 154731.00 7888301.33  
 101674.00 7879324.60  
 51968.00 7879102.21  
 72073.00 7877736.11  
 5182.00 7874521.73

1048 rows processed.  
 Query Processed in 2.00 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:41 2002

Stream Started at 1018540959.73  
 Stream Ended at 1018540961.73  
 Stream Processed in 2.00 seconds

SQL statements processed: 1

## mqs00q12

Begin Execution at Thu Apr 11 11:02:41 2002

-- using default substitutions

```
select
    l_shipmode,
    sum(case
        when o_orderpriority = '1-URGENT'
        or o_orderpriority = '2-HIGH'
        then 1
        else 0
    end) as high_line_count,
    sum(case
        when o_orderpriority <> '1-URGENT'
        and o_orderpriority <> '2-HIGH'
        then 1
        else 0
    end) as low_line_count
from
    orders,
    lineitem
where
    o_orderkey = l_orderkey
    and l_shipmode in ('MAIL', 'SHIP')
    and l_commitdate < l_receiptdate
    and l_shipdate < l_commitdate
    and l_receiptdate >= to_date('1994-01-01', 'YYYY-MM-DD')
    and l_receiptdate < add_months(to_date('1994-01-01', 'YYYY-MM-DD'), 12)
group by
    l_shipmode
order by
    l_shipmode

L_SHIPMODE HIGH_LINE_COUNT LOW_LINE_COUNT
MAIL 6202.00 9324.00
SHIP 6200.00 9262.00
```

2 rows processed.  
 Query Processed in 2.15 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:44 2002

Stream Started at 1018540961.89  
 Stream Ended at 1018540964.04  
 Stream Processed in 2.15 seconds

SQL statements processed: 1

## mqs00q13

Begin Execution at Thu Apr 11 11:02:44 2002

-- using default substitutions

```
select
    c_count,
    count(*) as custdist
from
    (
    select
        c_custkey,
        count(o_orderkey) as c_count
    from
        customer, orders where
```

```

c_custkey = o_custkey(+)
and o_comment(+) not like '%special%requests%'
group by
c_custkey
) c_orders
group by
c_count
order by
custdist desc,
c_count desc

```

C_COUNT	CUSTDIST
0.00	50004.00
9.00	6641.00
10.00	6566.00
11.00	6058.00
8.00	5949.00
12.00	5553.00
13.00	4989.00
19.00	4748.00
7.00	4707.00
18.00	4625.00
15.00	4552.00
17.00	4530.00
14.00	4484.00
20.00	4461.00
16.00	4323.00
21.00	4217.00
22.00	3730.00
6.00	3334.00
23.00	3129.00
24.00	2622.00
25.00	2079.00
5.00	1972.00
26.00	1593.00
27.00	1185.00
4.00	1033.00
28.00	869.00
29.00	559.00
3.00	398.00
30.00	373.00
31.00	235.00
2.00	144.00
32.00	128.00
33.00	71.00
34.00	48.00
35.00	33.00
1.00	23.00
36.00	17.00
37.00	7.00
40.00	4.00
38.00	4.00
39.00	2.00
41.00	1.00

42 rows processed.  
Query Processed in 3.95 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:48 2002

Stream Started at 1018540964.19  
Stream Ended at 1018540968.14  
Stream Processed in 3.95 seconds

SQL statements processed: 1

### mqs00q14

Begin Execution at Thu Apr 11 11:02:48 2002

-- using default substitutions

```

select
100.00 * sum(case
when p_type like 'PROMO%'
then l_extendedprice * (1 - l_discount)
else 0
end) / sum(l_extendedprice * (1 - l_discount)) as promo_revenue
from
lineitem,
part
where
l_partkey = p_partkey
and l_shipdate >= date '1995-09-01'
and l_shipdate < date '1995-09-01' + interval '1' month

```

PROMO\_REVENUE  
16.38

1 row\_ processed.  
Query Processed in 0.32 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:48 2002

Stream Started at 1018540968.30  
Stream Ended at 1018540968.62  
Stream Processed in 0.32 seconds

SQL statements processed: 1

### mqs00q15

Begin Execution at Thu Apr 11 11:02:48 2002

-- using default substitutions

```

create view revenue0 (supplier_no, total_revenue) as
select
l_suppkey,
sum(l_extendedprice * (1 - l_discount))
from
lineitem
where
l_shipdate >= to_date('1996-01-01', 'YYYY-MM-DD')
and l_shipdate < add_months(to_date('1996-01-01', 'YYYY-MM-DD'), 3)
group by
l_suppkey
Query Processed in 0.07 seconds.

```

```

select
s_suppkey,
s_name,
s_address,
s_phone,
total_revenue
from
supplier,
revenue0
where
s_suppkey = supplier_no
and total_revenue = (
select
max(total_revenue)
from
revenue0
)
order by
s_suppkey

```

S\_SUPPKEY S\_NAME  
 S\_ADDRESS S\_PHONE TOTAL\_REVENUE  
 8449.00 Supplier#000008449  
 Wp34zim9qYFbVctdW 20-469-856-8873 1772627.21

1 row processed.  
 Query Processed in 1.94 seconds.

drop view revenue0  
 Query Processed in 0.03 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:50 2002

Stream Started at 1018540968.77  
 Stream Ended at 1018540970.81  
 Stream Processed in 2.04 seconds

SQL statements processed: 3

### mqs00q16

Begin Execution at Thu Apr 11 11:02:50 2002

-- using default substitutions

```
select
  p_brand,
  p_type,
  p_size,
  count(distinct ps_suppkey) as supplier_cnt
from
  partsupp,
  part
where
  p_partkey = ps_partkey
  and p_brand <> 'Brand#45'
  and p_type not like 'MEDIUM POLISHED%'
  and p_size in (49, 14, 23, 45, 19, 3, 36, 9)
  and ps_suppkey not in (
  select
    s_suppkey
  from
    supplier
  where
    s_comment like '%Customer%Complaints%'
  )
group by
  p_brand,
  p_type,
  p_size
order by
  supplier_cnt desc,
  p_brand,
  p_type,
  p_size
```

P_BRAND	P_TYPE	P_SIZE	SUPPLIER_CNT
Brand#41	MEDIUM BRUSHED TIN	3.00	28.00
Brand#54	STANDARD BRUSHED COPPER	14.00	27.00
Brand#11	STANDARD BRUSHED TIN	23.00	24.00
Brand#11	STANDARD BURNISHED BRASS	36.00	24.00
Brand#15	MEDIUM ANODIZED NICKEL	3.00	24.00
Brand#15	SMALL ANODIZED BRASS	45.00	24.00
Brand#15	SMALL BURNISHED NICKEL	19.00	24.00
Brand#21	MEDIUM ANODIZED COPPER	3.00	24.00
Brand#22	SMALL BRUSHED NICKEL	3.00	24.00
Brand#22	SMALL BURNISHED BRASS	19.00	24.00
Brand#25	MEDIUM BURNISHED COPPER	36.00	24.00

Brand#31	PROMO POLISHED COPPER	36.00	24.00
Brand#33	LARGE POLISHED TIN	23.00	24.00
Brand#33	PROMO POLISHED STEEL	14.00	24.00
Brand#35	PROMO BRUSHED NICKEL	14.00	24.00
Brand#41	ECONOMY BRUSHED STEEL	9.00	24.00
Brand#41	ECONOMY POLISHED TIN	19.00	24.00
Brand#41	LARGE PLATED COPPER	36.00	24.00
Brand#42	ECONOMY PLATED BRASS	3.00	24.00
Brand#42	STANDARD POLISHED TIN	49.00	24.00
Brand#43	PROMO BRUSHED TIN	3.00	24.00
Brand#43	SMALL ANODIZED COPPER	36.00	24.00
Brand#44	STANDARD POLISHED NICKEL	3.00	24.00
Brand#52	ECONOMY PLATED TIN	14.00	24.00
Brand#52	STANDARD BURNISHED NICKEL	3.00	24.00
Brand#53	MEDIUM ANODIZED STEEL	14.00	24.00
Brand#14	PROMO ANODIZED NICKEL	45.00	23.00
Brand#32	ECONOMY PLATED BRASS	9.00	23.00
Brand#52	SMALL ANODIZED COPPER	3.00	23.00
Brand#11	ECONOMY BRUSHED COPPER	45.00	20.00
Brand#11	ECONOMY PLATED BRASS	23.00	20.00

\*\*\* Deleted Rows Here \*\*\*

Brand#55	STANDARD BRUSHED STEEL	49.00	4.00
Brand#55	STANDARD BRUSHED TIN	19.00	4.00
Brand#55	STANDARD BRUSHED TIN	49.00	4.00
Brand#55	STANDARD BURNISHED BRASS	9.00	4.00
Brand#55	STANDARD BURNISHED BRASS	19.00	4.00
Brand#55	STANDARD BURNISHED BRASS	23.00	4.00
Brand#55	STANDARD BURNISHED BRASS	36.00	4.00
Brand#55	STANDARD BURNISHED COPPER	3.00	4.00
Brand#55	STANDARD BURNISHED NICKEL	9.00	4.00
Brand#55	STANDARD BURNISHED NICKEL	49.00	4.00
Brand#55	STANDARD BURNISHED STEEL	19.00	4.00
Brand#55	STANDARD BURNISHED STEEL	23.00	4.00
Brand#55	STANDARD BURNISHED STEEL	36.00	4.00
Brand#55	STANDARD BURNISHED STEEL	45.00	4.00
Brand#55	STANDARD BURNISHED TIN	9.00	4.00
Brand#55	STANDARD BURNISHED TIN	19.00	4.00
Brand#55	STANDARD BURNISHED TIN	36.00	4.00
Brand#55	STANDARD BURNISHED TIN	49.00	4.00
Brand#55	STANDARD PLATED BRASS	9.00	4.00
Brand#55	STANDARD PLATED BRASS	45.00	4.00
Brand#55	STANDARD PLATED BRASS	49.00	4.00
Brand#55	STANDARD PLATED COPPER	9.00	4.00
Brand#55	STANDARD PLATED COPPER	45.00	4.00
Brand#55	STANDARD PLATED NICKEL	3.00	4.00
Brand#55	STANDARD PLATED NICKEL	19.00	4.00
Brand#55	STANDARD PLATED NICKEL	45.00	4.00
Brand#55	STANDARD PLATED STEEL	14.00	4.00
Brand#55	STANDARD PLATED STEEL	23.00	4.00
Brand#55	STANDARD PLATED STEEL	49.00	4.00
Brand#55	STANDARD PLATED TIN	9.00	4.00
Brand#55	STANDARD PLATED TIN	14.00	4.00
Brand#55	STANDARD PLATED TIN	36.00	4.00
Brand#55	STANDARD POLISHED BRASS	3.00	4.00
Brand#55	STANDARD POLISHED BRASS	9.00	4.00
Brand#55	STANDARD POLISHED BRASS	23.00	4.00
Brand#55	STANDARD POLISHED COPPER	3.00	4.00
Brand#55	STANDARD POLISHED COPPER	23.00	4.00
Brand#55	STANDARD POLISHED COPPER	45.00	4.00
Brand#55	STANDARD POLISHED NICKEL	3.00	4.00
Brand#55	STANDARD POLISHED NICKEL	23.00	4.00
Brand#55	STANDARD POLISHED NICKEL	36.00	4.00
Brand#55	STANDARD POLISHED NICKEL	45.00	4.00
Brand#55	STANDARD POLISHED NICKEL	49.00	4.00
Brand#55	STANDARD POLISHED STEEL	14.00	4.00
Brand#55	STANDARD POLISHED STEEL	23.00	4.00
Brand#55	STANDARD POLISHED TIN	9.00	4.00
Brand#55	STANDARD POLISHED TIN	19.00	4.00
Brand#55	STANDARD POLISHED TIN	36.00	4.00
Brand#11	SMALL BRUSHED TIN	19.00	3.00
Brand#15	LARGE PLATED NICKEL	45.00	3.00
Brand#15	LARGE POLISHED NICKEL	9.00	3.00
Brand#21	PROMO BURNISHED STEEL	45.00	3.00
Brand#22	STANDARD PLATED STEEL	23.00	3.00
Brand#25	LARGE PLATED STEEL	19.00	3.00
Brand#32	STANDARD ANODIZED COPPER	23.00	3.00
Brand#33	SMALL ANODIZED BRASS	9.00	3.00
Brand#35	MEDIUM ANODIZED TIN	19.00	3.00

```

Brand#51 SMALL PLATED BRASS 23.00 3.00
Brand#52 MEDIUM BRUSHED BRASS 45.00 3.00
Brand#53 MEDIUM BRUSHED TIN 45.00 3.00
Brand#54 ECONOMY POLISHED BRASS 9.00 3.00
Brand#55 PROMO PLATED BRASS 19.00 3.00
Brand#55 STANDARD PLATED TIN 49.00 3.00

```

18314 rows processed.  
Query Processed in 4.69 seconds.

Ended Executing this Stream at Thu Apr 11 11:02:55 2002

Stream Started at 1018540970.96  
Stream Ended at 1018540975.66  
Stream Processed in 4.69 seconds

SQL statements processed: 1

### mqs00q17

Begin Execution at Thu Apr 11 11:02:55 2002

-- using default substitutions

```

select
sum(l_extendedprice) / 7.0 as avg_yearly
from
lineitem,
part
where
p_partkey = l_partkey
and p_brand = 'Brand#23'
and p_container = 'MED BOX'
and l_quantity < (
select
0.2 * avg(l_quantity)
from
lineitem
where
l_partkey = p_partkey
)

```

AVG\_YEARLY  
348406.05

1 row\_ processed.  
Query Processed in 6.54 seconds.

Ended Executing this Stream at Thu Apr 11 11:03:02 2002

Stream Started at 1018540975.82  
Stream Ended at 1018540982.36  
Stream Processed in 6.54 seconds

SQL statements processed: 1

### mqs00q18

Begin Execution at Thu Apr 11 11:03:02 2002

-- using default substitutions

select \* from (

```

select
c_name,
c_custkey,
o_orderkey,
o_orderdate,
o_totalprice,
sum(l_quantity)
from
customer,
orders,
lineitem
where
o_orderkey in (
select
l_orderkey
from
lineitem
group by
l_orderkey having
sum(l_quantity) > 300
)
and c_custkey = o_custkey
and o_orderkey = l_orderkey
group by
c_name,
c_custkey,
o_orderkey,
o_orderdate,
o_totalprice
order by
o_totalprice desc,
o_orderdate
)
where rownum <= 100

```

C_NAME	C_CUSTKEY	O_ORDERKEY	O_ORDERDATE	O_TOTALPRICE	SUM(L_QUANTITY)
Customer#000128120	128120.00	4722021.00	1994-04-07	544089.09	323.00
Customer#000144617	144617.00	3043270.00	1997-02-12	530604.44	317.00
Customer#000013940	13940.00	2232932.00	1997-04-13	522720.61	304.00
Customer#000066790	66790.00	2199712.00	1996-09-30	515531.82	327.00
Customer#000046435	46435.00	4745607.00	1997-07-03	508047.99	309.00
Customer#000015272	15272.00	3883783.00	1993-07-28	500241.33	302.00
Customer#000146608	146608.00	3342468.00	1994-06-12	499794.58	303.00
Customer#000096103	96103.00	5984582.00	1992-03-16	494398.79	312.00
Customer#000024341	24341.00	1474818.00	1992-11-15	491348.26	302.00
Customer#000137446	137446.00	5489475.00	1997-05-23	487763.25	311.00
Customer#000107590	107590.00	4267751.00	1994-11-04	485141.38	301.00
Customer#000050008	50008.00	2366755.00	1996-12-09	483891.26	302.00
Customer#000015619	15619.00	3767271.00	1996-08-07	480083.96	318.00
Customer#000077260	77260.00	1436544.00	1992-09-12	479499.43	307.00
Customer#000109379	109379.00	5746311.00	1996-10-10	478064.11	302.00
Customer#000054602	54602.00	5832321.00	1997-02-09	471220.08	307.00
Customer#000105995	105995.00	2096705.00	1994-07-03	469692.58	307.00
Customer#000148885	148885.00	2942469.00	1992-05-31	469630.44	313.00
Customer#000114586	114586.00	551136.00	1993-05-19	469605.59	308.00
Customer#000105260	105260.00	5296167.00	1996-09-06	469360.57	303.00
Customer#000147197	147197.00	1263015.00	1997-02-02		

467149.67	320.00		
Customer#000064483	64483.00	2745894.00	1996-07-04
466991.35	304.00		
Customer#000136573	136573.00	2761378.00	1996-05-31
461282.73	301.00		
Customer#000016384	16384.00	502886.00	1994-04-12
458378.92	312.00		
Customer#000117919	117919.00	2869152.00	1996-06-20
456815.92	317.00		
Customer#000012251	12251.00	735366.00	1993-11-24
455107.26	309.00		
Customer#000120098	120098.00	1971680.00	1995-06-14
453451.23	308.00		
Customer#000066098	66098.00	5007490.00	1992-08-07
453436.16	304.00		
Customer#000117076	117076.00	4290656.00	1997-02-05
449545.85	301.00		
Customer#000129379	129379.00	4720454.00	1997-06-07
448665.79	303.00		
Customer#000126865	126865.00	4702759.00	1994-11-07
447606.65	320.00		
Customer#000088876	88876.00	983201.00	1993-12-30
446717.46	304.00		
Customer#000036619	36619.00	4806726.00	1995-01-17
446704.09	328.00		
Customer#000141823	141823.00	2806245.00	1996-12-29
446269.12	310.00		
Customer#000053029	53029.00	2662214.00	1993-08-13
446144.49	302.00		
Customer#000018188	18188.00	3037414.00	1995-01-25
443807.22	308.00		
Customer#000066533	66533.00	29158.00	1995-10-21
443576.50	305.00		
Customer#000037729	37729.00	4134341.00	1995-06-29
441082.97	309.00		
Customer#000003566	3566.00	2329187.00	1998-01-04
439803.36	304.00		
Customer#000045538	45538.00	4527553.00	1994-05-22
436275.31	305.00		
Customer#000081581	81581.00	4739650.00	1995-11-04
435405.90	305.00		
Customer#000119989	119989.00	1544643.00	1997-09-20
434568.25	320.00		
Customer#000003680	3680.00	3861123.00	1998-07-03
433525.97	301.00		
Customer#000113131	113131.00	967334.00	1995-12-15
432957.75	301.00		
Customer#000141098	141098.00	565574.00	1995-09-24
430986.69	301.00		
Customer#000093392	93392.00	5200102.00	1997-01-22
425487.51	304.00		
Customer#000015631	15631.00	1845057.00	1994-05-12
419879.59	302.00		
Customer#000112987	112987.00	4439686.00	1996-09-17
418161.49	305.00		
Customer#000012599	12599.00	4259524.00	1998-02-12
415200.61	304.00		
Customer#000105410	105410.00	4478371.00	1996-03-05
412754.51	302.00		
Customer#000149842	149842.00	5156581.00	1994-05-30
411329.35	302.00		
Customer#000010129	10129.00	5849444.00	1994-03-21
409129.85	309.00		
Customer#000069904	69904.00	1742403.00	1996-10-19
408513.00	305.00		
Customer#000017746	17746.00	6882.00	1997-04-09
408446.93	303.00		
Customer#000013072	13072.00	1481925.00	1998-03-15
399195.47	301.00		
Customer#000082441	82441.00	857959.00	1994-02-07
382579.74	305.00		
Customer#000088703	88703.00	2995076.00	1994-01-30
363812.12	302.00		

57 rows processed.  
Query Processed in 5.39 seconds.

Ended Executing this Stream at Thu Apr 11 11:03:07 2002

Stream Started at 1018540982.52  
Stream Ended at 1018540987.91  
Stream Processed in 5.39 seconds

SQL statements processed: 1

## mqs00q19

Begin Execution at Thu Apr 11 11:03:08 2002

-- using default substitutions

```

select
sum(l_extendedprice* (1 - l_discount)) as revenue
from
lineitem,
part
where
(
p_partkey = l_partkey
and p_brand = 'Brand#12'
and p_container in ('SM CASE', 'SM BOX', 'SM PACK', 'SM PKG')
and l_quantity >= 1 and l_quantity <= 1 + 10
and p_size between 1 and 5
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)
or
(
p_partkey = l_partkey
and p_brand = 'Brand#23'
and p_container in ('MED BAG', 'MED BOX', 'MED PKG', 'MED PACK')
and l_quantity >= 10 and l_quantity <= 10 + 10
and p_size between 1 and 10
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)
or
(
p_partkey = l_partkey
and p_brand = 'Brand#34'
and p_container in ('LG CASE', 'LG BOX', 'LG PACK', 'LG PKG')
and l_quantity >= 20 and l_quantity <= 20 + 10
and p_size between 1 and 15
and l_shipmode in ('AIR', 'AIR REG')
and l_shipinstruct = 'DELIVER IN PERSON'
)
)
REVENUE
3083843.06

```

1 row\_ processed.  
Query Processed in 2.43 seconds.

Ended Executing this Stream at Thu Apr 11 11:03:10 2002

Stream Started at 1018540988.07  
Stream Ended at 1018540990.50  
Stream Processed in 2.43 seconds

SQL statements processed: 1

mqs00q20

Begin Execution at Thu Apr 11 11:03:10 2002

-- using default substitutions

```
select
s_name,
s_address
from
supplier,
nation
where
s_suppkey in (
select
ps_suppkey
from
partsupp
where
ps_partkey in (
select
p_partkey
from
part
where
p_name like 'forest%'
)
and ps_availqty > (
select
0.5 * sum(l_quantity)
from
lineitem
where
l_partkey = ps_partkey
and l_suppkey = ps_suppkey
and l_shipdate >= to_date ('1994-01-01', 'YYYY-MM-DD')
and l_shipdate < add_months(to_date ('1994-01-01', 'YYYY-MM-DD'), 12)
)
)
and s_nationkey = n_nationkey
and n_name = 'CANADA'
order by
s_name
```

Table with columns S\_NAME and S\_ADDRESS containing supplier and address information.

Supplier#000001856 jXcRgzYF0ah05iR8p6w5SbJLLcUGyYiURPvFwUWM
Supplier#000001931 FpJbMU2h6ZR2eBv8I9N1xP
Supplier#000001939 Nrk\_JA4bfReUs
\*\*\* Deleted Rows Here \*\*\*

Table with columns Supplier# and address information for various suppliers.

204 rows processed.
Query Processed in 1.44 seconds.

Ended Executing this Stream at Thu Apr 11 11:03:12 2002

Stream Started at 1018540990.65
Stream Ended at 1018540992.09
Stream Processed in 1.44 seconds

SQL statements processed: 1

# mqs00q21

Begin Execution at Thu Apr 11 11:03:12 2002

-- using default substitutions

```
select * from (
select
s_name,
count(*) numwait
from
supplier,
lineitem l1,
orders,
nation
where
s_suppkey = l1.l_suppkey
and o_orderkey = l1.l_orderkey
and o_orderstatus = 'F'
and l1.l_receiptdate > l1.l_commitdate
and exists (
select
*
from
lineitem l2
where
l2.l_orderkey = l1.l_orderkey
and l2.l_suppkey <> l1.l_suppkey
)
and not exists (
select
*
from
lineitem l3
where
l3.l_orderkey = l1.l_orderkey
and l3.l_suppkey <> l1.l_suppkey
and l3.l_receiptdate > l3.l_commitdate
)
and s_nationkey = n_nationkey
and n_name = 'SAUDI ARABIA'
group by
s_name
order by
numwait desc,
s_name)
where rownum <= 100
```

S_NAME	NUMWAIT
Supplier#000002829	20.00
Supplier#000005808	18.00
Supplier#000000262	17.00
Supplier#000000496	17.00
Supplier#000002160	17.00
Supplier#000002301	17.00
Supplier#000002540	17.00
Supplier#000003063	17.00
Supplier#000005178	17.00
Supplier#000008331	17.00
Supplier#000002005	16.00
Supplier#000002095	16.00
Supplier#000005799	16.00
Supplier#000005842	16.00
Supplier#000006450	16.00
Supplier#000006939	16.00
Supplier#000009200	16.00
Supplier#000009727	16.00
Supplier#000000486	15.00
Supplier#000000565	15.00
Supplier#000001046	15.00
Supplier#000001047	15.00
Supplier#000001161	15.00
Supplier#000001336	15.00
Supplier#000001435	15.00
Supplier#000003075	15.00
Supplier#000003335	15.00

Supplier#000005649	15.00
Supplier#000006027	15.00
Supplier#000006795	15.00
Supplier#000006800	15.00
Supplier#000006824	15.00
Supplier#000007131	15.00
Supplier#000007382	15.00
Supplier#000008913	15.00
Supplier#000009787	15.00
Supplier#000000633	14.00
Supplier#000001960	14.00
Supplier#000002323	14.00
Supplier#000002490	14.00
Supplier#000002993	14.00
Supplier#000003101	14.00
Supplier#000004489	14.00
Supplier#000005435	14.00
Supplier#000005583	14.00
Supplier#000005774	14.00
Supplier#000007579	14.00
Supplier#000008180	14.00
Supplier#000008695	14.00
Supplier#000009224	14.00
Supplier#000000357	13.00
Supplier#000000436	13.00
Supplier#000000610	13.00
Supplier#000000788	13.00
Supplier#000000889	13.00
Supplier#000001062	13.00
Supplier#000001498	13.00
Supplier#000002056	13.00
Supplier#000002312	13.00
Supplier#000002344	13.00
Supplier#000002596	13.00
Supplier#000002615	13.00
Supplier#000002978	13.00
Supplier#000003048	13.00
Supplier#000003234	13.00
Supplier#000003727	13.00
Supplier#000003806	13.00
Supplier#000004472	13.00
Supplier#000005236	13.00
Supplier#000005906	13.00
Supplier#000006241	13.00
Supplier#000006326	13.00
Supplier#000006384	13.00
Supplier#000006394	13.00
Supplier#000006624	13.00
Supplier#000006629	13.00
Supplier#000006682	13.00
Supplier#000006737	13.00
Supplier#000006825	13.00
Supplier#000007021	13.00
Supplier#000007417	13.00
Supplier#000007497	13.00
Supplier#000007602	13.00
Supplier#000008134	13.00
Supplier#000008234	13.00
Supplier#000009435	13.00
Supplier#000009436	13.00
Supplier#000009564	13.00
Supplier#000009896	13.00
Supplier#000000379	12.00
Supplier#000000673	12.00
Supplier#000000762	12.00
Supplier#000000811	12.00
Supplier#000000821	12.00
Supplier#000001337	12.00
Supplier#000001916	12.00
Supplier#000001925	12.00
Supplier#000002039	12.00
Supplier#000002357	12.00
Supplier#000002483	12.00

100 rows processed.  
Query Processed in 6.75 seconds.



Ended Executing this Stream at Thu Apr 11 11:03:19 2002

SQL statements processed: 1

Stream Started at 1018540992.30  
Stream Ended at 1018540999.05  
Stream Processed in 6.75 seconds

SQL statements processed: 1

## mqs00q22

Begin Execution at Thu Apr 11 11:03:19 2002

-- using default substitutions

```
select
entrycode,
count(*) as numcust,
sum(c_acctbal) as totacctbal
from
(
select
substr(c_phone, 1, 2) as cntrycode,
c_acctbal
from
customer
where
substr(c_phone, 1, 2) in
('13', '31', '23', '29', '30', '18', '17')
and c_acctbal > (
select
avg(c_acctbal)
from
customer
where
c_acctbal > 0.00
and substr(c_phone, 1, 2) in
('13', '31', '23', '29', '30', '18', '17')
)
and not exists (
select
*
from
orders
where
o_custkey = c_custkey
)
) custsale
group by
cntrycode
order by
cntrycode
```

CNTRYCODE	NUMCUST	TOTACCTBAL
13	888.00	6737713.99
17	861.00	6460573.72
18	964.00	7236687.40
23	892.00	6701457.95
29	948.00	7158866.63
30	909.00	6808436.13
31	922.00	6806670.18

7 rows processed.  
Query Processed in 2.11 seconds.

Ended Executing this Stream at Thu Apr 11 11:03:21 2002

Stream Started at 1018540999.20  
Stream Ended at 1018541001.31  
Stream Processed in 2.11 seconds



# Appendix D: Seed Values and Query Substitution Parameters

## seed\_values

Stream 00: 421025024  
 Stream 01: 421025025  
 Stream 02: 421025026  
 Stream 03: 421025027  
 Stream 04: 421025028  
 Stream 05: 421025029  
 Stream 06: 421025030

## m1param.0

14	1993-12-01						
2	46	TIN	MIDDLE EAST				
9	turquoise						
20	ivory	1996-01-01	EGYPT				
6	1996-01-01	0.07	25				
17	Brand#13	JUMBO BAG					
18	314						
8	KENYA	AFRICA	PROMO POLISHED NICKEL				
21	PERU						
13	unusual	packages					
3	MACHINERY	1995-03-29					
22	26	23	19	10	18	24	
	29						
16	Brand#31	LARGE BURNISHED	18	34	21		
	9	49	19	15	16		
4	1997-07-01						
11	JAPAN	0.0000003333					
15	1996-01-01						
1	85						
10	1993-11-01						
19	Brand#43	Brand#41	Brand#32	3	13	28	
5	EUROPE	1996-01-01					
7	PERU	KENYA					
12	FOB	MAIL	1993-01-01				

## m1param.1

21	INDONESIA						
3	BUILDING	1995-03-14					
18	315						
5	MIDDLE EAST	1996-01-01					
11	ALGERIA	0.0000003333					
7	INDONESIA	FRANCE					
6	1996-01-01	0.05	24				
20	seashell	1994-01-01	ROMANIA				
17	Brand#15	JUMBO PACK					
12	MAIL	AIR	1993-01-01				
16	Brand#21	PROMO POLISHED	31	7	19		
	14	22	11	37	28		
15	1993-10-01						
13	unusual	packages					
10	1994-08-01						
2	34	STEEL	ASIA				
8	FRANCE	EUROPE	PROMO BURNISHED BRASS				
14	1994-03-01						
19	Brand#45	Brand#24	Brand#32	8	14	24	
9	snow						
22	26	12	15	28	20	32	
	24						
1	93						
4	1995-04-01						

## m1param.2

6	1996-01-01	0.02	25				
17	Brand#12	JUMBO DRUM					
14	1994-07-01						
16	Brand#51	SMALL BRUSHED	17	10	3		
	47	19	6	33	26		
19	Brand#42	Brand#12	Brand#21	3	15	21	
10	1993-05-01						
9	sandy						
2	22	BRASS	MIDDLE EAST				
15	1996-04-01						
8	UNITED KINGDOM	EUROPE	ECONOMY BRUSHED BRASS				
5	AFRICA	1996-01-01					
22	31	12	11	17	23	28	
	13						
12	TRUCK	FOB	1994-01-01				
7	ARGENTINA		UNITED KINGDOM				
13	unusual	requests					
18	313						
1	101						
4	1997-11-01						
20	dim	1993-01-01	INDONESIA				
3	HOUSEHOLD		1995-03-31				
11	JORDAN	0.0000003333					
21	ARGENTINA						

## m1param.3

8	MOROCCO	AFRICA	ECONOMY PLATED BRASS				
5	AMERICA	1997-01-01					
4	1995-07-01						
6	1997-01-01	0.07	25				
17	Brand#14	WRAP BAG					
7	CHINA	MOROCCO					
1	109						
18	314						
22	26	17	33	24	16	19	
	10						
14	1994-10-01						
9	red						
10	1994-02-01						
15	1994-01-01						
11	ARGENTINA		0.0000003333				
20	papaya	1996-01-01	UNITED STATES				
2	9	NICKEL	ASIA				
21	ROMANIA						
19	Brand#54	Brand#45	Brand#25	9	16	28	
13	express	requests					
16	Brand#31	ECONOMY BURNISHED					
	38	48	15	46	28	30	
12	AIR	FOB	1994-01-01				
3	AUTOMOBILE		1995-03-17				

## m1param.4

5	ASIA	1997-01-01					
21	IRAQ						
14	1995-01-01						
19	Brand#51	Brand#33	Brand#24	4	17	24	
15	1996-08-01						
17	Brand#11	WRAP PACK					
12	REG AIR	FOB	1994-01-01				
6	1997-01-01	0.05	24				
4	1993-04-01						
9	peru						
8	GERMANY	EUROPE	ECONOMY ANODIZED BRASS				
16	Brand#21	STANDARD PLATED	13	18	22		
	8	12	38	34	11		
11	KENYA	0.0000003333					
2	47	TIN	AFRICA				
10	1994-11-01						
18	312						
1	117						

13	express	requests				
7	IRAN	GERMANY				
22	25	14	29	13	32	21
	10					
3	HOUSEHOLD		1995-03-02			
20	blanched	1995-01-01	JORDAN			

### m1param.5

21	CANADA					
15	1994-05-01					
4	1995-11-01					
6	1997-01-01	0.02	25			
7	BRAZIL	UNITED STATES				
16	Brand#51	MEDIUM BRUSHED	49	25	11	
	12	31	30	46	39	
19	Brand#53	Brand#11	Brand#14	9	18	20
18	313					
14	1995-04-01					
22	13	18	25	31	22	14
	10					
11	BRAZIL	0.0000003333				
13	express	requests				
3	AUTOMOBILE		1995-03-19			
1	64					
2	35	COPPER	ASIA			
5	EUROPE	1997-01-01				
8	UNITED STATES	AMERICA	LARGE POLISHED BRASS			
20	linen	1993-01-01	CANADA			
12	SHIP	FOB	1995-01-01			
17	Brand#13	WRAP DRUM				
10	1993-09-01					
9	olive					

### m1param.6

10	1994-06-01					
3	FURNITURE		1995-03-04			
15	1996-11-01					
13	express	requests				
6	1997-01-01	0.08	25			
8	MOZAMBIQUE	AFRICA	LARGE BURNISHED STEEL			
9	metallic					
7	ROMANIA	MOZAMBIQUE				
4	1993-08-01					
11	MOROCCO	0.0000003333				
22	31	33	21	26	32	10
	15					
18	315					
12	FOB	SHIP	1995-01-01			
1	72					
5	MIDDLE EAST		1997-01-01			
16	Brand#31	PROMO ANODIZED	2	24	22	
	33	5	23	47	30	
2	23	BRASS	AFRICA			
14	1995-07-01					
19	Brand#15	Brand#54	Brand#13	4	19	27
20	tan	1997-01-01	CHINA			
17	Brand#15	SM BAG				
21	SAUDI ARABIA					

# Appendix E: Implementation-Specific Layer/Driver Code

## runTPCHall

```
#!/bin/ksh

ECHO=echo

sqlplus=$ORACLE_HOME/bin/sqlplus
GTIME=${KIT_DIR}/utils/gtime

RUN_ID_FILE=${KIT_DIR}/audit/r_id

if [ ! -f $RUN_ID_FILE ]
then
  echo "0" > $RUN_ID_FILE
fi

RUN_ID=`cat $RUN_ID_FILE`
RUN_ID=`expr $RUN_ID + 1`
echo $RUN_ID > $RUN_ID_FILE

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
if [ ! -d $OUT_DIR ]
then
  mkdir $OUT_DIR
fi

SCRIPT_LOG_FILE=${OUT_DIR}/main.out
RDB_TABLES=${OUT_DIR}/rdbtablest.log
FIRST_TEN=${OUT_DIR}/firstten.log
CHECK_IDX=${OUT_DIR}/checkidx.log

echo Start TPC-H Benchmark SEQUENCE NUMBER: $RUN_ID >
$SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE
echo "Starting a new Oracle log file: $ORACLE_HOME/rdbms/log/alert_TPCH1.log"
>> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE
mv $ORACLE_HOME/rdbms/log/alert_TPCH1.log
$ORACLE_HOME/rdbms/log/alert_TPCH1.log.preAudit.$RUN_ID
touch $ORACLE_HOME/rdbms/log/alert_TPCH1.log

echo >> $SCRIPT_LOG_FILE
echo "Starting a new Oracle log file: $ORACLE_HOME/rdbms/log/alert_TPCH2.log"
>> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE
mv $ORACLE_HOME/rdbms/log/alert_TPCH2.log
$ORACLE_HOME/rdbms/log/alert_TPCH2.log.preAudit.$RUN_ID
touch $ORACLE_HOME/rdbms/log/alert_TPCH2.log

echo >> $SCRIPT_LOG_FILE
echo "Starting a new Oracle log file: $ORACLE_HOME/rdbms/log/alert_TPCH3.log"
>> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE
mv $ORACLE_HOME/rdbms/log/alert_TPCH3.log
$ORACLE_HOME/rdbms/log/alert_TPCH3.log.preAudit.$RUN_ID
touch $ORACLE_HOME/rdbms/log/alert_TPCH3.log

echo >> $SCRIPT_LOG_FILE
echo "Starting a new Oracle log file: $ORACLE_HOME/rdbms/log/alert_TPCH4.log"
>> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE
mv $ORACLE_HOME/rdbms/log/alert_TPCH4.log
$ORACLE_HOME/rdbms/log/alert_TPCH4.log.preAudit.$RUN_ID
touch $ORACLE_HOME/rdbms/log/alert_TPCH4.log

echo "Start: load database `date`" >> $SCRIPT_LOG_FILE
```

```
$$SF/schema_load/create_database_4node.sh >
${OUT_DIR}/create_database_4node.log

$$SF/scripts/shutdown_instance.sh
$$SF/scripts/startup_4_instances.sh

STIME=`GTIME`
echo "Start: timed load portion `date`" >> $SCRIPT_LOG_FILE

$$SF/schema_load/database_load_tables_et.sh >
${OUT_DIR}/database_load_tables_et.log
$$SF/schema_load/create_indexes_all.sh > ${OUT_DIR}/create_indexes_all.log
$$SF/schema_load/analyze_ops.sh > ${OUT_DIR}/analyze_ops.log

echo "End: timed load portion `date`" >> $SCRIPT_LOG_FILE

$KIT_DIR/audit/gen_seed.sh $KIT_DIR/audit/seed
echo Generated seed: `cat $KIT_DIR/audit/seed` >> $SCRIPT_LOG_FILE

echo "Start: dbtables.sql, firstten.sql, checkidx.sql (BEFORE) `date`" >>
$SCRIPT_LOG_FILE
$sqlplus ${DATABASE_USER} @${KIT_DIR}/audit/dbtables >
${RDB_TABLES}.before_run 2>&1
$sqlplus ${DATABASE_USER} @${KIT_DIR}/audit/firstten >
${FIRST_TEN}.before_run 2>&1
$sqlplus ${DATABASE_USER} @${KIT_DIR}/audit/checkidx >
${CHECK_IDX}.before_run 2>&1
echo "End: dbtables.sql, firstten.sql, checkidx.sql (BEFORE) `date`" >>
$SCRIPT_LOG_FILE

runTPCHpt ${SCALE_FACTOR} 1 ${RUN_ID}

runTPCHpt ${SCALE_FACTOR} 2 ${RUN_ID}

echo "Start: dbtables.sql and checkidx.sql (AFTER) `date`" >> $SCRIPT_LOG_FILE
$sqlplus ${DATABASE_USER} @${KIT_DIR}/audit/dbtables >
${RDB_TABLES}.after_run 2>&1
$sqlplus ${DATABASE_USER} @${KIT_DIR}/audit/checkidx >
${CHECK_IDX}.after_run 2>&1
echo "End: dbtables.sql and checkidx.sql (AFTER) `date`" >> $SCRIPT_LOG_FILE

${SF}/scripts/kill.sh sent

cp $ORACLE_HOME/rdbms/log/alert_TPCH1.log $OUT_DIR
cp $ORACLE_HOME/rdbms/log/alert_TPCH2.log $OUT_DIR
cp $ORACLE_HOME/rdbms/log/alert_TPCH3.log $OUT_DIR
cp $ORACLE_HOME/rdbms/log/alert_TPCH4.log $OUT_DIR

echo "End TPC-H Benchmark SEQUENCE NUMBER: $RUN_ID `date`" >>
$SCRIPT_LOG_FILE

runTPCHpt

#!/bin/ksh
#set -x
#ECHO=/bin/echo
SCRIPT_DIR=${KIT_DIR}/scripts
SQL_DIR=${KIT_DIR}/sql
UPD_DIR=${KIT_DIR}/update
SRC_DIR=${KIT_DIR}/utils
QRY_DIR=${KIT_DIR}/queries # this is the location of the query template file
QGEN_DIR=${KIT_DIR}/dbgen
QGEN=${QGEN_DIR}/qgen
QEXEC=${SRC_DIR}

DSS_QUERY=${KIT_DIR}/queries
export DSS_QUERY

UPD_SQL=${UPD_DIR}/sql
UPD_SPT=${UPD_DIR}/scripts
UPD_SRC=${UPD_DIR}/source
UPD_DAT=${UPD_DIR}/data

TPCH_BIN=${KIT_DIR}/audit/bin

GTIME=${SRC_DIR}/gtime
SEED_FILE=${KIT_DIR}/audit/seed
```

```

DF=/dev/null
HID=1
INTERVAL=60
COUNT=1200

# The defaults

QPROG=${QEXEC}/qexec

usage () {
echo ""
echo "Usage: $0 [-p <program for query stream>] [-u1 <program for UF1>]"
echo "      [-u2 <program for UF2>] [-o] [-s] [-h] [-u <user/password>]"
echo "      <scale factor> <run_number>"
echo ""
echo "scale factor    : The scale factor of the run."
echo "update ||ism    : The parallelism to use for the UFs."
echo ""
echo "-p <program>    : Program for Query Stream."
echo "                Default is QPROG."
echo "-u1 <program>   : Program for UF1."
echo "                Default is $U1PROG."
echo "-u2 <program>   : Program for UF2."
echo "                Default is $U2PROG."
echo "-o              : Collect Oracle statistics."
echo "-s              : Collect System statistics."
echo "-u <user/passwd> : User/Password. Default is tpch/tpch."
echo "-h              : Displays this message."
}
set -- `getopt "p:u1:u2:osu:h" "$@"` || usage

while :
do
case "$1" in
-u1) shift; U1PROG=$1;;
-u2) shift; U2PROG=$1;;
-p) shift; QPROG=$1;;
-o) OSTAT=1;;
-s) SSTAT=1;;
-h) usage; exit 0;;
--) shift; break;;
esac
shift;
done

if [ "$#" -ne "3" ]
then
usage
exit 1
fi

SF=$1
PARA=$2
RUN_ID=$3

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
#OUT_DIR=/flatfiles/results/${RUN_ID}
if [ ! -d $OUT_DIR ]
then
mkdir $OUT_DIR
fi

TPCH_LOG=${OUT_DIR}
TPCH_RPT=${OUT_DIR}
OUT=${OUT_DIR}

let UF_SET="(SPARA-1)*($NUM_STREAMS+1)+1"
START_SET=1
let STOP_SET=$NUM_STREAMS
let START_SET_UPDATE="(SPARA-1)*($NUM_STREAMS+1)+2"
let STOP_SET_UPDATE="$START_SET_UPDATE+$NUM_STREAMS-1"

TPCH_LOG_FILE=${TPCH_LOG}/m${PARA}s0
TPCH_RPT_FILE=${TPCH_RPT}/m${PARA}s0inter
QRY_FILE=${TPCH_RPT}/qtemp.${PARA}s0
QUERY_PARAMETER=${TPCH_LOG}/qp${PARA}.0
SCRIPT_LOG_FILE=${TPCH_LOG}/m${PARA}timing

```

```

UF1_LOG=${TPCH_LOG}/m${PARA}s0rf1
UF2_LOG=${TPCH_LOG}/m${PARA}s0rf2
STREAM_COUNT_LOG=${TPCH_LOG}/m${PARA}tstrcnt

echo "TPC-H Test - RUN:${PARA} SEQUENCE:${RUN_ID} `date`" >
$SCRIPT_LOG_FILE
echo "TPC-H Test - RUN:${PARA} SEQUENCE:${RUN_ID} `date`" >
$TPCH_RPT_FILE
echo "Generates query template file with seed: `cat $SEED_FILE` for stream 0" >>
$SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

${QGEN} -c -r `cat $SEED_FILE` -p 0 -s ${SF} -l $QUERY_PARAMETER >
${QRY_FILE}

START=${GTIME}
echo "Start Power Test - RUN:${PARA} SEQUENCE:${RUN_ID} Execution Starts
$START, `date`" >> $SCRIPT_LOG_FILE
echo "" >> $SCRIPT_LOG_FILE

# Execute UF1

SDATE=`date`
UF1_START=${GTIME}
echo "Start UF1 $UF1_START, `date`" >> $SCRIPT_LOG_FILE

${ECHO} ${UPD_SPT}/runuf1.sh ${UF_SET} >> $UF1_LOG 2>&1
# Execute Query Stream

UF1_END=${GTIME}
E1DATE=`date`

UF1_TIME=`echo $UF1_END - $UF1_START | bc`
echo UF1: Execution Time: $UF1_TIME >> ${TPCH_RPT_FILE}
echo Start Time: $UF1_START, $SDATE >> ${TPCH_RPT_FILE}
echo End Time: $UF1_END, $E1DATE >> ${TPCH_RPT_FILE}
echo "" >> ${TPCH_RPT_FILE}

echo "End UF1 $UF1_END, $E1DATE" >> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

echo "Start Query Part `GTIME`, `date`" >> $SCRIPT_LOG_FILE

${QPROG} ${DATABASE_USER} q${QRY_FILE} | ${TPCH_LOG_FILE}
r${TPCH_RPT_FILE} > $DF 2>&1

# Execute UF2

UF2_START=${GTIME}
E2DATE=`date`

echo "End Query Part `GTIME`, $E2DATE" >> $SCRIPT_LOG_FILE
echo "" >> $SCRIPT_LOG_FILE

echo "Start UF2 $UF1_START, `date`" >> $SCRIPT_LOG_FILE
${ECHO} ${UPD_SPT}/runuf2.sh ${UF_SET} >> $UF2_LOG 2>&1
UF2_END=${GTIME}
END=${GTIME}
EDATE=`date`

echo "End UF2 $UF2_END, $EDATE" >> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

echo "End TPC-H Power Test - RUN:${PARA} SEQUENCE:${RUN_ID}, $SEND,
$EDATE" >> $SCRIPT_LOG_FILE
MEA_INT=`echo $END - $START | bc`
echo "Elapsed Time for TPC-H Power Test - RUN:${PARA}
SEQUENCE:${RUN_ID} is $MEA_INT" >> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE

UF2_TIME=`echo $UF2_END - $UF2_START | bc`
echo UF2: Execution Time: $UF2_TIME >> ${TPCH_RPT_FILE}
echo Start Time: $UF2_START, E2DATE >> ${TPCH_RPT_FILE}
echo End Time: $UF2_END, $EDATE >> ${TPCH_RPT_FILE}

${KIT_DIR}/audit/abridge.pl ${TPCH_LOG_FILE}

i=$START_SET
PSEED=`cat $SEED_FILE`

```

```

while [ $i -le $STOP_SET ]; do
  TPCD_LOG_FILE=${TPCH_LOG}/mt${RUN_ID}_${i}.log
  TPCD_RPT_FILE=${TPCH_RPT}/mt${RUN_ID}_${i}.rpt
  QUERY_PARAMETER=${TPCH_LOG}/qp${PARA}.${i}
  QRY_FILE=${TPCH_RPT}/qtemp.${PARA}s${i}

  PSEED=`expr $PSEED + 1`
  ${QGEN} -c -r ${PSEED} -p ${i} -s ${SF} -l $QUERY_PARAMETER >
  ${QRY_FILE}

  i=`expr $i + 1`
done

TH_START_D=`date`
TH_START_T=`$(GTIME)`
echo >> $SCRIPT_LOG_FILE

rm -f /tmp/th_pipe1
mknod /tmp/th_pipe1 p
rm -f /tmp/th_pipe2
mknod /tmp/th_pipe2 p
i=$START_SET

echo "Start Throughput Test - RUN:${PARA} SEQUENCE:${RUN_ID}
$TH_START_T, $TH_START_D" >> $SCRIPT_LOG_FILE

# starts a script to count the streams during the throughput run
(scnt.sh $PARA $RUN_ID > $STREAM_COUNT_LOG &)

while [ $i -le $STOP_SET ]; do
  M_SDATE=`date`
  M_STIME=`$(GTIME)`
  TPCD_LOG_FILE=${TPCH_LOG}/m${PARA}s${i}
  TPCD_RPT_FILE=${TPCH_RPT}/m${PARA}s${i}inter
  echo "Start Query Stream $i $M_STIME, $M_SDATE" >> $SCRIPT_LOG_FILE
  QRY_FILE=${TPCH_RPT}/qtemp.${PARA}s${i}
  ${QPROG} ${DATABASE_USER} q${QRY_FILE} l${TPCH_LOG_FILE}
  r${TPCH_RPT_FILE} | grep -v "Connected to ORACLE" >> $SCRIPT_LOG_FILE
  &
  i=`expr $i + 1`
done

(${KIT_DIR}/audit/runTPCHus $RUN_ID $START_SET_UPDATE
$STOP_SET_UPDATE ${SF} $PARA >> $SCRIPT_LOG_FILE 2>&1 &)

wait
THQ_END_T=`$(GTIME)`
THQ_END_D=`date`
echo End all Query Streams $THQ_END_T, $THQ_END_D >>
$SCRIPT_LOG_FILE
print > /tmp/th_pipe1
read < /tmp/th_pipe2

TH_END_D=`date`
TH_END_T=`$(GTIME)`
echo End Update Stream ${TH_END_T}, ${TH_END_D} >> $SCRIPT_LOG_FILE
echo >> $SCRIPT_LOG_FILE
echo "End Throughput Test ${TH_END_T}, ${TH_END_D}" >>
$SCRIPT_LOG_FILE
echo Execution Time Throughput Test: `echo ${TH_END_T} - ${TH_START_T} |
bc` >> $SCRIPT_LOG_FILE

i=$START_SET
while [ $i -le $STOP_SET ]; do
  TPCD_LOG_FILE=${TPCH_LOG}/m${PARA}s${i}
  ${KIT_DIR}/audit/abridge.pl ${TPCH_LOG_FILE}
  i=`expr $i + 1`
done
#kill -9 `ps -ef | grep scnt.sh | grep -v grep | awk '{print $2}`
#${SF}/scripts/kill.sh scnt.sh
#calculate the metric
#analyze_streams.pl -f p -n $RUN_ID >
${TPCH_RPT}/tpch_metric.${RUN_ID}.${HID}.rpt

```

## runTPCHus

```
#!/bin/ksh
```

```

SCRIPT_DIR=${KIT_DIR}/scripts
SQL_DIR=${KIT_DIR}/sql
UPD_DIR=${KIT_DIR}/update
UPD_SPT=${UPD_DIR}/scripts
SRC_DIR=${KIT_DIR}/utils
QRY_DIR=${KIT_DIR}/queries # this is the location of the query template file
QGEN_DIR=${KIT_DIR}/dbgen
QGEN=${QGEN_DIR}/qgen

DSS_QUERY=${KIT_DIR}/queries
export DSS_QUERY

RUN_ID=$1
START_SET_UPDATE=$2
STOP_SET_UPDATE=$3
SF=$4
PARA=$5

OUT_DIR=${KIT_DIR}/audit/tests/${RUN_ID}
#OUT_DIR=/flatfiles/results/${RUN_ID}
if [ ! -d $OUT_DIR ]
then
  mkdir $OUT_DIR
fi

TPCD_RPT=$OUT_DIR
SCRIPT_LOG_FILE=${OUT_DIR}/m${PARA}timing
OUT=$OUT_DIR

GTIME=${SRC_DIR}/gtime
HID=1

START=`GTIME`
echo "Start Update Stream $START, `date`" >> $SCRIPT_LOG_FILE
echo "" >> $SCRIPT_LOG_FILE

#waiting for all the query streams to finish first
read < /tmp/th_pipe1

i=$START_SET_UPDATE
j=1
while [ $i -le $STOP_SET_UPDATE ]; do

  # Execute UF1

  UF1_LOG=${OUT_DIR}/m${PARA}s${j}rf1
  UF2_LOG=${OUT_DIR}/m${PARA}s${j}rf2
  RPT_FILE=${OUT_DIR}/m${PARA}s${j}inter

  SDATE=`date`
  UF1_START=`$(GTIME)`
  echo "Start UF1-${j} at ${UF1_START}, ${SDATE}" >>
  ${RPT_FILE}

  ${UPD_SPT}/runuf1.sh ${i} >> ${UF1_LOG} 2>&1
  UF1_END=`$(GTIME)`
  EDATE=`date`
  echo "End UF1-${j} at ${UF1_END}, ${EDATE}" >> ${RPT_FILE}
  echo UF1-${j} Execution Time: `echo ${UF1_END} - ${UF1_START}
| bc` >> ${RPT_FILE}

  # Execute UF2

  SDATE=`date`
  UF2_START=`$(GTIME)`
  echo "Start UF2-${j} ${UF2_START}, ${SDATE}" >> ${RPT_FILE}

  ${UPD_SPT}/runuf2.sh ${i} >> ${UF2_LOG} 2>&1
  UF2_END=`$(GTIME)`
  EDATE=`date`
  echo "End UF2-${j} at ${UF2_END}, ${EDATE}" >> ${RPT_FILE}
  echo UF2-${j} Execution Time: `echo ${UF2_END} - ${UF2_START}
| bc` >> ${RPT_FILE}

  i=`expr $i + 1`
  j=`expr $j + 1`

```

done

print > /tmp/th\_pipe2

## runuf1.sh

```
#!/bin/ksh
#
# $Header: runuf1.sh 25-oct-2001.15:56:04 mpoess Exp $
#
# runuf1.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation. All rights reserved.
#
# NAME
#   runuf1.sh - <one-line expansion of the name>
#
# DESCRIPTION
#   runuf1.sh -l [<path name for reports>] -u [<uid/passwd>]
#   -p [<program>] <run_id> <scale factor> <pair number>
#   <parallelism>
#
# USAGE
#   To execute UF1.
#
# NOTES
#   <other useful comments, qualifications, etc.>
#
#
. $KIT_DIR/env
O=${ORACLE_HOME}
UPDATE_DIR=${KIT_DIR}/update
SCRIPT_DIR=${UPDATE_DIR}/scripts
LOG_DIR=${UPDATE_DIR}/log
GTIME=gtime
#SF=${SCALE_FACTOR}
#PAR_HINT=${UPDATE_DOP}
PAR_HINT=16

LOGPATH=.
#PASSWD=${DATABASE_USER}
PASSWD="tpcd/tpcd"

if [ $# -lt 1 ];
then
  echo runuf1.sh setnum
  exit 1
fi
SETNUM=$1
i=1
PID=""

# perform the update function 1

START=`$GTIME`
echo "Update Function 1 Set $SETNUM Begin Time = " `date`

# first create the temp tables

sqlplus /NOLOG << !

connect $PASSWD;
set timing on
set serveroutput on
set echo on
drop directory data_dir;
create directory data_dir as '/flatfiles/update_sets';

drop table temp_l_et;
create table temp_l_et(
  l_shipdate      date ,
  l_orderkey      number ,
  l_discount      number ,
  l_extendedprice number ,
  l_suppkey       number ,
  l_quantity      number ,
  l_returnflag    char(1) ,
  l_partkey       number ,
  l_linestatus    char(1) ,
```

```
  l_tax           number ,
  l_commitdate    date ,
  l_receiptdate   date ,
  l_shipmode      char(10) ,
  l_linenum       number ,
  l_shipinstruct  char(25) ,
  l_comment       varchar(44)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
  records delimited by newline
  badfile 'l_et.${SETNUM}.bad'
  logfile 'l_et.${SETNUM}.log'
  fields terminated by '|'
  missing field values are null
)
location (
  'lineitem.tbl.u${SETNUM}')
reject limit unlimited;

drop table temp_o_et;
create table temp_o_et(
  o_orderdate      date ,
  o_orderkey       number ,
  o_custkey        number ,
  o_orderpriority  char(15) ,
  o_shippriority   number ,
  o_clerk          char(15) ,
  o_orderstatus    char(1) ,
  o_totalprice     number ,
  o_comment        varchar(79)
)
organization external (
type ORACLE_LOADER
default directory data_dir
access parameters
(
  records delimited by newline
  badfile 'o_et.${SETNUM}.bad'
  logfile 'o_et.${SETNUM}.log'
  fields terminated by '|'
  missing field values are null
)
location (
  'orders.tbl.u${SETNUM}')
reject limit unlimited;

alter table temp_l_et parallel ${PAR_HINT};
alter table temp_o_et parallel ${PAR_HINT};

alter session force parallel dml parallel (degree ${PAR_HINT});
alter session set isolation_level = serializable;
alter session set optimizer_index_cost_adj = 25;

commit;

insert into orders (select * from temp_o_et);

insert into lineitem (select * from temp_l_et);

commit;

drop table temp_l_et;
drop table temp_o_et;

exit;
!

END=`$GTIME`

# Done

echo ""
echo "Update Function 1 Set $SETNUM End Time = " `date`
```



```
echo "Elapsed Time is `echo $END - $START | bc`"
echo ""
```

## runuf2.sh

```
#!/bin/ksh
#
# $Header: runuf2.sh 25-oct-2001.15:56:05 mpoess Exp $
#
# runuf2.sh
#
# Copyright (c) 1999, 2001, Oracle Corporation. All rights reserved.
#
# NAME
#   runuf2.sh - <one-line expansion of the name>
#
# DESCRIPTION
#   runuf2.sh [-u <uid/passwd to login>] [-p <program>] <run_id>
#             <scale factor> <pair number> <parallelism>
# USAGE
#   To execute UF2.
#
# NOTES
#   <other useful comments, qualifications, etc.>
#
. $KIT_DIR/env
UPDATE_DIR=${KIT_DIR}/update
SCRIPT_DIR=${UPDATE_DIR}/scripts
GTIME=gtime
LOG_DIR=${UPDATE_DIR}/log
PAR_HINT=16
PASSWD="tpcd/tpcd"

if [ $# -lt 1 ]
then
  usage
  exit 1
fi

SETNUM=$1

i=1
PID=""

START=`$GTIME`
echo "Update Function 2 Set $SETNUM Begin Time = " `date`
# first create the temp tables

sqlplus /NOLOG << !

connect $PASSWD;
set timing on
set serveroutput on
set echo on

drop directory data_dir;
create directory data_dir as '/flatfiles/update_sets';

drop table temp_okey_et;
drop table temp_okey;

create table temp_okey_et(
  t_orderkey      number
)
organization external (
  type ORACLE_LOADER
  default directory data_dir
  access parameters
  (
    records delimited by newline
    badfile 'okey.${SETNUM}.bad'
    logfile 'okey.${SETNUM}.log'
    fields terminated by '|'
    missing field values are null
  )
)
location (
  'delete.${SETNUM}'))
reject limit unlimited;
```

```
alter table temp_okey_et parallel ${PAR_HINT};
```

```
create table temp_okey parallel ${PAR_HINT} nologging as select * from
temp_okey_et;
```

```
create unique index i_temp_okey on temp_okey (t_orderkey) parallel ${PAR_HINT}
nologging compute statistics;
alter index i_temp_okey parallel;
analyze table temp_okey estimate statistics sample 2 percent;
alter session force_parallel_dml parallel ${PAR_HINT};
alter session set isolation_level = serializable;
alter session set optimizer_index_cost_adj = 25;
```

```
delete from (select /*+ ordered index(o) use_nl(o) */ o.rowid from orders o,
temp_okey t where o.o_orderkey = t.t_orderkey order by 1);
```

```
delete from (select /*+ ordered index(l) use_nl(l) */ l.rowid from lineitem l,temp_okey
t where l.l_orderkey = t.t_orderkey order by 1);
```

```
commit;
```

```
drop table temp_okey;
drop table temp_okey_et;
exit;
!
```

```
END=`$GTIME`
```

```
# Done
```

```
echo ""
echo "Update Function 2 Set $SETNUM End Time = " `date`
echo "Elapsed Time is `echo $END - $START | bc`"
echo ""
```

## shutdown\_instance.sh

```
#!/bin/ksh

sqlplus <<EOF
/ as sysdba
shutdown
exit
EOF
```

## startup\_4\_instances.sh

```
#!/bin/ksh

echo "Starting Up Oracle on tpchore1 Now..."

$SF/scripts/startup_tpchore1.sh

echo "...Oracle Startup Complete on tpchore1"

sleep 3

echo "Starting Up Oracle on tpchore2 Now..."

rsh tpchore2 $SF/scripts/startup_tpchore2.sh

echo "...Oracle Startup Complete on tpchore2"

sleep 3

echo "Starting Up Oracle on tpchore3 Now..."

rsh tpchore3 $SF/scripts/startup_tpchore3.sh

echo "...Oracle Startup Complete on tpchore3"

sleep 3

echo "Starting Up Oracle on tpchore4 Now..."

rsh tpchore4 $SF/scripts/startup_tpchore4.sh
```

echo "...Oracle Startup Complete on tpchorc4"

## env

EMPTY - All Oracle Environment Variables set at oracle user login

## gtime.c

/\* Copyright (c) Oracle Corporation 2001. All Rights Reserved. \*/

/\*

NAME

gtime.c - <one-line expansion of the name>

DESCRIPTION

<short description of facility this file declares/defines>

EXPORT FUNCTION(S)

<external functions defined for use outside package - one-line descriptions>

INTERNAL FUNCTION(S)

<other external functions defined - one-line descriptions>

STATIC FUNCTION(S)

<static functions defined - one-line descriptions>

NOTES

<other useful comments, qualifications, etc.>

MODIFIED (MM/DD/YY)

mposs 08/29/01 - Creation

elspeed 01/16/02 - Modify for Compaq Tru64

\*/

#include<stdio.h>

#include<stdlib.h>

# include <sys/time.h>

main ()

{

struct timeval tp;

gettimeofday(&tp, NULL);

printf ("%ld\n", tp.tv\_sec);

/\*

printf ("usec = %ld\n", tp.tv\_usec);

\*/

}

/\* end of file gtime.c \*/

## qexecpl.c

#ifndef RCSID

static char \*RCSid =

"\$Header: qexecpl.c 17-oct-2001.09:29:47 mposs Exp \$";

#endif /\* RCSID \*/

/\* Copyright (c) 1999, 2001, Oracle Corporation. All rights reserved. \*/

/\*

NAME

qexecpl.c - <one-line expansion of the name>

DESCRIPTION

SQL Execution Engine, Oracle v8, OCI version

PRIVATE FUNCTION(S)

<list of static functions defined in .c file - with one-line descriptions>

MODIFIED (MM/DD/YY)

mposs 10/17/01 - add serialization level in SQLinit

mposs 02/22/01 - add linux changes

mposs 08/05/99 - make compile

mposs 11/13/98 - fix pddl statement

pswong 02/19/97 - migrating to version 8

pswong 04/02/96 - more polishing

pswong 03/25/96 - polish up

pswong 03/06/96 - created

\*/

#include <stdio.h>

#include <string.h>

#include <setjmp.h>

#include <sys/param.h>

#include <errno.h>

#include <math.h>

#include <string.h>

#include <sys/types.h>

#include <time.h>

#include <stdlib.h>

#include "qexecpl.h"

/\* Function Prototypes \*/

extern double gettime();

/\* function prototypes from gen.c \*/

int get\_statement();

/\* Declare error handling functions \*/

void sql\_error();

/\* Other prototypes \*/

int define\_output\_variables();

void process\_select\_list();

void usage();

void SQLinit();

void SQLexec();

void SQLexit();

void \*memalloc();

void print\_header();

void print\_rows();

int OFEN();

void remove\_newline();

char logname[UNAME\_LEN]; /\* username/passwd combo \*/

char \*passwd;

double tr\_start = 0.0; /\* query start time \*/

double tr\_end = 0.0; /\* query end time \*/

double s\_tr\_start = 0.0; /\* statement start time \*/

double s\_tr\_end = 0.0; /\* statement end time \*/

/\* For our purpose of timing, we will treat comments as delimiters \*/

/\* for queries. Thus, we will collect query timings whenever we \*/

/\* encounter a comment (of course not for the first comment in a \*/

/\* file). \*/

int end\_flag = 0; /\* flag to indicate that we have reached \*/

/\* the end of a query \*/

int stmt\_cnt = 0; /\* Number of statements processed. \*/

int qry\_cnt = 0; /\* Number of query processed. \*/

double product = 1.0; /\* cumulative product of query times \*/

int rows\_ret = 0; /\* the number of rows fetched \*/

int num\_sel\_list = 0; /\* the number of select list item \*/

long num\_to\_fetch = -1; /\* Number of rows to fetch. -1 means fetch all \*/

```

slist[MAX_SEL_LIST]; /* Array for describing Select List */
dlist[MAX_SEL_LIST]; /* Array of ptrs for Defining Select List */

char stmt[SQL_LEN]; /* The SQL statement or comment line. */
char qn[3]; /* Number of the query being executed */
char qnp[3]; /* Number of the previous query executed */
char cmnt[5000]; /* Buffer to save the comment. */
#ifdef LINUX
FILE *qtemp; /* fd for query template */
FILE *logfile; /* log and report files */
FILE *rep;
#else
FILE *qtemp = stdin; /* fd for query template */
FILE *logfile = stdout; /* log and report files */
FILE *rep = stdout;
#endif
void *defbuf; /* Buffer pointer for ODEFIN */
int deflen = 0; /* Size of data type for ODEFIN */
int deftype = 1; /* Oracle type number for ODEFIN */

int pfmem = PFMEMSIZE; /* Memory to prefetch rows */

time_t tim; /* To get wall clock time */

/* OCI handles */

OCIEnv *tpcenv = NULL;
OCIError *errhp = NULL;
OCIError *errrv = NULL;
OCISvcCtx *tpscvc = NULL;
OCISession *tpcusr = NULL;
OCISmt *curq = NULL;
OCISmt *cur_dml = NULL;
OCISmt *cur_ddl = NULL;
OCIParam *tpcpar = NULL;

sword status = OCI_SUCCESS; /* OCI return value */

/* usage: prints the usage of the program */

void usage() {

    fprintf(stderr, "\nUsage: qexec username/password [q<path name for query template
file>]\n");
    fprintf(stderr, "          [l<path name for log>] [r<path name for reports>]\n");
    fprintf(stderr, "Options:\n");
    fprintf(stderr, "q<path for query>      : full path name for the query template
file.\n");
    fprintf(stderr, "          (default is stdin)\n");
    fprintf(stderr, "l<path name for log>      : full path name for log files\n");
    fprintf(stderr, "          (default is stdout)\n");
    fprintf(stderr, "r<path name for reports> : full path name for reports\n");
    fprintf(stderr, "          (default is stdout)\n");
    exit(-1);
}

/* type: 0 if environment handle is passed, 1 if error handle is passwd */

void sql_error(errhp, status, type)
    OCIError *errhp;
    sword status;
    sword type;
{
    char msg[2048];
    ub4 errcode;
    ub4 msglen;
    int i, j;

    switch(status) {
    case OCI_SUCCESS_WITH_INFO:
        fprintf(stderr, "Error: Statement returned with info.\n");
        if (type)
            (void) OCIErrGet(errhp, 1, NULL, (sb4*)&errcode, (text*)msg,
                2048, OCI_HTYPE_ERROR);
        else
            (void) OCIErrGet(errhp, 1, NULL, (sb4*)&errcode, (text*)msg,
                2048, OCI_HTYPE_ENV);
    }
}

```

```

        fprintf(stderr, "%s\n", msg);
        break;
    case OCI_ERROR:
        fprintf(stderr, "Error: OCI call error.\n");
        if (type)
            (void) OCIErrGet(errhp, 1, NULL, (sb4*)&errcode, (text*)msg,
                2048, OCI_HTYPE_ERROR);
        else
            (void) OCIErrGet(errhp, 1, NULL, (sb4*)&errcode, (text*)msg,
                2048, OCI_HTYPE_ENV);
        fprintf(stderr, "%s\n", msg);
        break;
    case OCI_INVALID_HANDLE:
        fprintf(stderr, "Error: Invalid Handle.\n");
        if (type)
            (void) OCIErrGet(errhp, 1, NULL, (sb4*)&errcode, (text*)msg,
                2048, OCI_HTYPE_ERROR);
        else
            (void) OCIErrGet(errhp, 1, NULL, (sb4*)&errcode, (text*)msg,
                2048, OCI_HTYPE_ENV);
        fprintf(stderr, "%s\n", msg);
        break;
    }

    /* Rollback just in case */

    (void) OCITransRollback(tpscvc, errhp, OCI_DEFAULT);

    fprintf(stderr, "Exiting Oracle...\n");
    fflush(stderr);

    SQLexit();

    exit(1);
}

#ifdef LINUX
int main(argc, argv)
#else
void main(argc, argv)
#endif
{
    int i, pos, pos2;
    int retcode; /* Return code for get_statement */
#ifdef LINUX
    logfile = fopen("/dev/stdout", "w");
    qtemp = fopen("/dev/stdin", "rw");
    rep = fopen("/dev/stdout", "w");
#endif
    /* Initialize some variables */

    if ((argc > 5) || (argc < 2)) {
        usage();
    }

    /* argv[1] -- User and Password for Database */

    strcpy(logname, argv[1]);

    /* Process optional parameters */

    argc -= 1;
    argv += 1;

    while(--argc) {
        ++argv;
        switch(argv[0][0]) {
        case 'q':
            if ((qtemp = fopen(++(argv[0]), "r")) == NULL) {
                fprintf(stderr, "Unable to open file '%s'\n", argv[0]);
                fprintf(stderr, "%s: %s\n", argv[0], strerror(errno));
                exit(-1);
            }
            break;
        case 'r':
            if ((rep = fopen(++(argv[0]), "a")) == NULL) {

```

```

        fprintf(stderr,"Unable to open file '%s'\n", argv[0]);
        fprintf(stderr,"%s: %s\n", argv[0], strerror(errno));
        exit(-1);
    }
    break;
case 'l':
    if ((logfile = fopen(++argv[0],"a")) == NULL) {
        fprintf(stderr,"Unable to open file '%s'\n", argv[0]);
        fprintf(stderr,"%s: %s\n", argv[0], strerror(errno));
        exit(-1);
    }
    break;
default:
    fprintf(stderr,"Invalid Option: %c\n", argv[0][0]);
    usage();
    break;
}
}

/* Do some initialization and establish connection with the database */

SQLinit();

/* May want to add some triggering mechanism here */

time(&tim);
fprintf(logfile, "Begin Execution at %s\n", ctime(&tim));
fprintf(rep, "Begin Executing this Stream at %s\n", ctime(&tim));
/* Get the next statement and start processing it */

while ((retcode = get_statement()) > 0) {

    switch (retcode) {

        /* If this is a comment, skips it */
        case COMMENT:
            /*if (end_flag) {
                end_flag = 0; /* reset query end flag */
                /* save the comment so that we can print it out later on */
                /* strcpy(cmnt, stmt);
                break;
            } */
            if (stmt[3]== '@') {
                pos=4;
                strcpy(qnp,qn);
                while (stmt[pos] != ')') {
                    pos++;
                }
                pos2=0;
                pos++;
                while (stmt[pos] != '.') {
                    /*printf ("qn %d %c \n",pos2,stmt[pos]);*/
                    qn[pos2]=stmt[pos];
                    pos2++;
                    pos++;
                }
                qn[pos2] = 0;
                /* printf("found a new query: %s\n",qn); */
            }
            /* save the comment so that we can print it out later on */
            strcat(cmnt, stmt);
            break;

            /* if this is a set_row_fetch command */
            case SET_FETCHROW:
                fprintf(logfile,"Setting the number of rows to fetch to: %ld\n",
                    num_to_fetch);
                break;

            /* if this is a SQL statement */
            case SQL_STMT:

                /* Executes the query */
                SQLexec();

                stmt_cnt++;
                qry_cnt++;
                fflush(rep);
                fflush(logfile);
    }
}

```

```

/*
fprintf(logfile,"\nStatement Started at %.2f\n", s_tr_start);
fprintf(logfile,"Statement Ended at %.2f\n", s_tr_end);

fprintf(logfile,"Statement Processed in %.2f seconds.\n",
    (s_tr_end - s_tr_start));
fprintf(rep, "Query %s: Execution Time: %.2f started %.2f ended %.2f\n",
    qn,(s_tr_end - s_tr_start)s_tr_start,s_tr_end);
fflush(rep);
fflush(logfile);*/
break;

/* Should never reach here */
default:
    fprintf(stderr, "Invalid statement type!!\n");
    SQLexit();
    break;
}
}

/* Get Timing for the last query */

tr_end = gettimeofday();

fprintf(logfile,"Query Processed in %.2f seconds.\n",(tr_end - s_tr_start));

/* print comments for this query that we have saved */

/* fprintf(logfile, "%s\n", cmnt); */

/* fprintf(rep, "Query %s : Execution time %.2f\n", qn,(tr_end - s_tr_start));*/
fprintf(rep, "Query %s: Execution Time: %.2f started %.2f ended %.2f\n",
    qn,(tr_end - s_tr_start),s_tr_start,tr_end);

time(&tim);
fprintf(logfile,"\nEnded Executing this Stream at %s\n", ctime(&tim));
fprintf(logfile,"\nStream Started at %.2f\n", tr_start);
fprintf(logfile,"Stream Ended at %.2f\n", tr_end);
fprintf(logfile,"Stream Processed in %.2f seconds\n", (tr_end - tr_start));

fprintf(rep,"\nEnded Executing this Stream at %s\n", ctime(&tim));
fprintf(rep,"\nStream Started at %.2f\n", tr_start);
fprintf(rep,"Stream Ended at %.2f\n", tr_end);
fprintf(rep,"Stream Processed in %.2f seconds\n",
    (tr_end - tr_start));

fprintf(logfile, "\nSQL statements processed: %d\n", stmt_cnt);
/*fprintf(logfile, "Queries processed: %d\n", qry_cnt);*/

fflush(rep);
fflush(logfile);

/* Close the query template file */

fclose(qtemp);

/* Disconnect from ORACLE. */

SQLexit();
exit(0);
}

/* SQLinit(): Perform initialization tasks. */
/* Logs on to Oracle, opens some files and open a cursor for */
/* later use. */

void SQLinit() {

    int i;

    /* preallocate MAX_PREALLOC members of the dlist array */
    /* initializes others to NULL so that we can determine who to free later */

    for (i=0; i<MAX_SEL_LIST; i++) {
        if (i < MAX_PREALLOC) {
            dlist[i] = (dltyp *) memalloc (sizeof(dltyp));
            dlist[i]->defhdl = NULL;
            /* OCIhalloc(curq,&(dlist[i]->defhdl),OCI_HTYPE_DEFINE); */
        }
    }
}

```

```

}
else
    dlist[i] = NULL;
}

/* Connect to ORACLE. Program will call sql_error() */
/* if an error occurs in connecting to the default database. */

(void) OCIInitialize(OCI_DEFAULT,(dvoid *)0,0,0,0);

if((status=OCIEnvInit((OCIEnv **) &tpcenv,OCI_DEFAULT,0,(dvoid **)0)) !=
OCI_SUCCESS)
    sql_error(tpcenv, status, 0);

OCIHalloc(tpcenv,&errhp,OCI_HTYPE_ERROR);
OCIHalloc(tpcenv,&curq,OCI_HTYPE_STMT);
OCIHalloc(tpcenv,&cur_dml,OCI_HTYPE_STMT);
OCIHalloc(tpcenv,&cur_ddl,OCI_HTYPE_STMT);
OCIHalloc(tpcenv,&tpcsvc,OCI_HTYPE_SVCCTX);
OCIHalloc(tpcenv,&tpcsrv,OCI_HTYPE_SERVER);
OCIHalloc(tpcenv,&tpcusr,OCI_HTYPE_SESSION);

/* get username and password */

passwd = strchr(logname, '/');
*passwd = '\0';
passwd++;

if ((status = OCIServerAttach(tpcsrv,errhp,(text *)0,0,OCI_DEFAULT)) !=
OCI_SUCCESS)
    sql_error(errhp,status,1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcsrv,0,OCI_ATTR_SERVER,errhp);

OCIaset(tpcusr,OCI_HTYPE_SESSION,logname,strlen(logname),OCI_ATTR_USE
RNAME,
        errhp);

OCIaset(tpcusr,OCI_HTYPE_SESSION,passwd,strlen(passwd),OCI_ATTR_PASSW
ORD,
        errhp);

if ((status = OCISessionBegin(tpcsvc, errhp, tpcusr, OCI_CRED_RDBMS,
OCI_DEFAULT)) !=
OCI_SUCCESS)
    sql_error(errhp,status,1);

OCIaset(tpcsvc,OCI_HTYPE_SVCCTX,tpcusr,0,OCI_ATTR_SESSION,errhp);

/*
if ((status=OCILogon((OCIEnv *)tpcenv,(OCIError *)errhp,(OCISvcCtx *)tpcsvc,
(text *)logname, strlen(logname), (text *)passwd,
strlen(passwd), (text *)0, 0)) != OCI_SUCCESS)
    sql_error(errhp, status, 1);
*/
printf("\nConnected to ORACLE as user: %s\n", logname);
}

/* SQLexec() Executes the SQL statement. */
/* Parse the SQL statement. */
/* If DDL or DML statements, execute right away. */
/* Else describe and define select list outputs, */
/* execute and fetch results. */

void SQLexec()
{
    int i;
    ub2 stmttyp = OCI_STMT_SELECT; /* default is a SELECT statement */

    /* Clause 5.3.6.2: QI(i,s) is the time between the first character */
    /* of this query text is submitted and the first */
    /* character of the next query text is submitted. */

    if (qry_cnt) {
        time(&tim);
        s_tr_end = gettimeofday();
        fprintf(logfile,"Query Processed in %.2f seconds.\n",
(s_tr_end - s_tr_start));

        /* print comments for this query that we have saved */

        /* fprintf(logfile, "%s\n", cmnt); */

        /*fprintf(rep, "Query %s : Execution time %.2f\n", qnp,(s_tr_end - s_tr_start));*/
        fprintf(rep, "Query %s: Execution Time: %.2f started %.2f ended %.2f\n",
            qnp,(s_tr_end - s_tr_start),s_tr_start,s_tr_end);

        /* Let's fflush stuff so that we can see what's going on */

        fflush(logfile);
        fflush(rep);
    }
    else
        tr_start = gettimeofday();

    s_tr_start = gettimeofday();

    /* prepare the statement */

    if ((status = OCISstmtPrepare(curq, errhp, (text*) stmt, (ub4) strlen(stmt),
OCI_NTV_SYNTAX, OCI_DEFAULT))
!= OCI_SUCCESS)
        sql_error(errhp,status,1);

    /* Prints the query text and comment to the logfile */

    fprintf(logfile, "\n%s\n", cmnt);
    cmnt[0]=0;
    fprintf(logfile, "\n%s\n", stmt);

    /* if this is a DDL or DML statement, execute it right away */
    /* only worries about SELECT statements right now, cannot */
    /* execute a stored PL/SQL procedure in this version */

    OCIaset(curq,OCI_HTYPE_STMT,&stmttyp,NULL,OCI_ATTR_STMT_TYPE,errh
p);

    if (stmttyp != OCI_STMT_SELECT) {
        OCIsexec(tpcsvc,curq,errhp,1);
        return;
    }

    /* otherwise, this is a select statement */
    /* Describe and define output variables */

    /* first let's execute it to get the select-list definition */

    OCIaset(curq, OCI_HTYPE_STMT, &pfmem, 0,
OCI_ATTR_PREFETCH_MEMORY, errhp);

    OCIsexec(tpcsvc,curq,errhp,0);

    num_sel_list = define_output_variables();

    /* Executes the query and fetches the rows */

    (void) process_select_list(num_sel_list);

    /* Need to get the number of rows fetched first */
    /* since the following statements will screw it up */

    OCIaget(curq,OCI_HTYPE_STMT,&rows_ret,NULL,OCI_ATTR_ROW_COUNT,errh
p);

    /* To control memory usage, let's free up the extra dlist entries */
    /* that we have allocated. */

    i=MAX_PREALLOC;
    while(dlist[i] != NULL) {
        free(dlist[i]);
        dlist[i++] = NULL;
    }
}

```

```

/* reset set_fetchrows */

num_to_fetch = -1;
}

void SQLexit() {

int i;

OCILogoff(tpcsvc, errhp);
OCIhfree(tpcenv, OCI_HTYPE_STMT);
OCIhfree(tpcsvc, OCI_HTYPE_SVCCTX);
OCIhfree(tpcsrv, OCI_HTYPE_SERVER);
OCIhfree(tpcusr, OCI_HTYPE_SESSION);

/* free all memory */

for (i=0; i<MAX_SEL_LIST; i++) {
if (dlist[i] != NULL) {
free(dlist[i]);
}
}

/* Flush all output */

fflush(rep);
fflush(logfile);
}

/* define_output_variables(): Describe and define select-list items for */
/* a query statement. */
/* Returns the number of select-list items */
/* for this query. */

int define_output_variables()
{

int i;
int retflag = 0;

for (i=0; i<MAX_SEL_LIST; i++) {

slist[i].buflen = MAX_COLNAME_SIZE;

if (OCIParamGet(curq, OCI_HTYPE_STMT, errhp, (dvoid **) &tpcpar,
POS(i)) != OCI_SUCCESS)

break;

/* dsize and nullok fields of dlist not used */

OCIaget(tpcpar, OCI_DTYPE_PARAM, &(slist[i].dsize),
NULL, OCI_ATTR_DATA_SIZE, errhp);
OCIaget(tpcpar, OCI_DTYPE_PARAM, &(slist[i].dbtype),
NULL, OCI_ATTR_DATA_TYPE, errhp);
OCIaget(tpcpar, OCI_DTYPE_PARAM, &(slist[i].buf),
&(slist[i].buflen), OCI_ATTR_NAME, errhp);
OCIaget(tpcpar, OCI_DTYPE_PARAM, &(slist[i].precision),
NULL, OCI_ATTR_PRECISION, errhp);
OCIaget(tpcpar, OCI_DTYPE_PARAM, &(slist[i].scale),
NULL, OCI_ATTR_SCALE, errhp);

/* For formatting purpose, remove trailing blanks in select-list name. */

/*
if (slist[i].buflen < MAX_COLNAME_SIZE)
(slist[i].buf)[slist[i].buflen] = '\0';
*/
/* Well, we need to allocate for entries for dlist */

if (i >= MAX_PREALLOC) {
dlist[i] = (dtype *) memalloc(sizeof(dtype));
dlist[i]->defhdl = NULL;
}
}

```

```

/* Let's check the sizes and types for this select list item */

switch (slist[i].dbtype) {

case OCI_TYPECODE_NUMBER:

/* The odescr will not give a good estimate to the scale if */
/* no scale was given in the Oracle table definition. */

#ifdef HAVE_SCALE
if (slist[i].scale != 0) {
defbuf = (double *) dlist[i]->fbuf;
deflen = FLT;
deftype = OCI_TYPECODE_DOUBLE;
slist[i].dbtype = OCI_TYPECODE_DOUBLE;
} else {
defbuf = (int *) dlist[i]->ibuf;
deflen = INT;
deftype = OCI_TYPECODE_INTEGER;
slist[i].dbtype = OCI_TYPECODE_INTEGER;
}
#else
defbuf = (double *) dlist[i]->fbuf;
deflen = FLT;
deftype = OCI_TYPECODE_FLOAT;
slist[i].dbtype = OCI_TYPECODE_FLOAT;
#endif /* HAVE_SCALE */

break;

default:

/* default is character string */

defbuf = (char **) dlist[i]->sbuf;
deflen = MAX_STR_LEN;
deftype = SQLT_STR;
/* deftype = OCI_TYPECODE_CHAR; */
break;
}

/* Define the column */

if ((status=OCIDefineByPos(curq, &(dlist[i]->defhdl), errhp, POS(i),
defbuf, deflen, deftype, NULL,
dlist[i]-
>rlen, NULL, OCI_DEFAULT)) != OCI_SUCCESS)
sql_error(errhp, status, 1);
}
return i;
}

/* process_select_list(): Fetch rows from a query. */

void process_select_list(num)
int num; /* number of select list items */
{

int i, j;
int ntf;
int num_so_far;
sword stats = OCI_SUCCESS;

/* Print the headers for the query execution result */

print_header(num);

/* See if we need to limit the rows to fetch */

ntf = (num_to_fetch >= 0) ? num_to_fetch : MAX_ARRAY;

/* Fetch the rows and print them out */

if ((ntf > MAX_ARRAY) || (num_to_fetch == -1)) {

stats = OCISmtFetch(curq, errhp, MAX_ARRAY, OCI_FETCH_NEXT,
OCI_DEFAULT);
}
}

```

```

OCIaget(curq,OCI_HTYPE_STMT,&rows_ret,NULL,OCI_ATTR_ROW_COUNT,er
rhp);

    print_rows(num,rows_ret);

    /* To avoid 1022 from OFEN */
    /* More rows to fetch... */

    if (stats != OCI_NO_DATA) {
        if (num_to_fetch == -1) {
            while ((stats =
OCIStmtFetch(curq,errhp,MAX_ARRAY,OCI_FETCH_NEXT,
OCI_DEFAULT)) ==
OCI_SUCCESS) {
                OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,NULL,
                    OCI_ATTR_ROW_COUNT,errhp);
                print_rows(num,(num_so_far-rows_ret));
                rows_ret = num_so_far;
            }
            /* Print the final rows */
            OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,NULL,
                OCI_ATTR_ROW_COUNT,errhp);
            print_rows(num,(num_so_far-rows_ret));
            rows_ret = num_so_far;
        } else {
            ntf -= MAX_ARRAY;

            while ((stats = OCIStmtFetch(curq,errhp,
                ((ntf>MAX_ARRAY) ?
MAX_ARRAY:ntf),
                OCI_FETCH_NEXT,
OCI_DEFAULT)) ==
OCI_SUCCESS) {
                ntf -= MAX_ARRAY;
                OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,NULL,
                    OCI_ATTR_ROW_COUNT,errhp);
                print_rows(num,(num_so_far-rows_ret));
                rows_ret = num_so_far;
                if (ntf <= 0) break;
            }
            OCIaget(curq,OCI_HTYPE_STMT,&num_so_far,NULL,
                OCI_ATTR_ROW_COUNT,errhp);
            print_rows(num,(num_so_far-rows_ret));
            rows_ret = num_so_far;
        }
    } else {
        OCIStmtFetch(curq, errhp, ntf, OCI_FETCH_NEXT, OCI_DEFAULT);
    }

OCIaget(curq,OCI_HTYPE_STMT,&rows_ret,NULL,OCI_ATTR_ROW_COUNT,er
rhp);
    print_rows(num,rows_ret);
}

fprintf(logfile, "\n\n%d row%c processed.\n", rows_ret,
        rows_ret == 1 ? '\0' : 's');
}

int get_statement()
{
    char line[128];
    char *pos, *str;

    /* Reset statement buffer */

    stmt[0] = '\0';

    while (fgets(line, 127, qtemp) != NULL) {

        /* skip blank lines */
        if (line[0] == '\n')
            continue;

        /* remove blanks */

```

```

str = line;

while (*str == ' ') str++;

/* Let's get the line together first */

strcat(stmt, str);

/* if this is a comment line */
if ((str[0] == '-') && (str[1] == '-'))
    return COMMENT;

/* see if this is a set_fetchrows line */
if (strcmp(str, "set_fetchrows", 13) == 0) {
    pos = strchr(str, ';');
    *pos = '\0';
    pos = strchr(str, '=');
    num_to_fetch = atoi(++pos);
    return SET_FETCHROW;
}

/* if this is the end of the current statement */
if ((pos = strchr(stmt, ';')) != NULL) {
    *pos = '\0';
    return SQL_STMT;
}
}
return END_OF_FILE;
}

/* memalloc(): Allocates memory, exit program if we have a problem. */

void *memalloc(size)
    int size;
{
    void *tmp;

    if ((tmp = (void *) malloc(size)) == NULL) {
        fprintf(stderr, "Error in malloc\n");
        SQLexit();
        return NULL; /* should never reach here */
    } else {
        return tmp;
    }
}

void print_header(nsel)
    int nsel; /* Number of select list items */
{
    int i, diff;
    char colname[MAX_COLNAME_SIZE];
    int len = 0; /* Running column length */
    int cwid = 0;

    fprintf(logfile, "\n");

    for (i=0; i<nsel; i++) {

        /* extract the column name */

        strncpy((char *)colname, (char *)slist[i].buf, slist[i].buflen);
        colname[slist[i].buflen] = '\0';

        /* format the output a little */

        cwid = MAX(slist[i].dbsize, slist[i].buflen);

        /* do a little bit of formatting */

        if (cwid > 80) {
            fprintf(logfile, "\n");
            len = 0;
        } else if ((len += cwid) > 80) {

```

```

    fprintf(logfile, "\n");
    len = cwid;
}
#endif FORMAT1
if ((slist[i].dbtype == INT_TYPE) || (slist[i].dbtype == FLT_TYPE))
    fprintf(logfile, "%*s", cwid, slist[i].buf);
else /* string type */
    fprintf(logfile, "%*s", -cwid, slist[i].buf);
#else
    fprintf(logfile, "%*s", -cwid, colname);
#endif /* FORMAT1 */
}

fprintf(logfile, "\n");
}

void print_rows(ncol, nrow)
    int ncol;
    int nrow;
{
    int i, j;
    int len;
    int diff;
    int cwid;

    for (i=0; i<nrow; i++) {
        len = 0;

        for (j=0; j<ncol; j++) {

            cwid = MAX(slist[j].dbsize, slist[j].buflen);

            /* do a little bit of formatting */

            if (cwid > 80) {
                fprintf(logfile, "\n");
                len = 0;
            } else if ((len += cwid) > 80) {
                fprintf(logfile, "\n");
                len = cwid;
            }

            switch(slist[j].dbtype) {
            case INT_TYPE:
#ifdef HAVE_SCALE
                fprintf(logfile, "%*ld", cwid, (dlist[j]->ibuf)[i]);
                break;
#endif /* HAVE_SCALE */
            case FLT_TYPE:
#ifdef FORMAT1
                fprintf(logfile, "%*.2f", cwid, (dlist[j]->fbuf)[i]);
            #else
                fprintf(logfile, "%*.2f", -cwid, (dlist[j]->fbuf)[i]);
            #endif /* FORMAT1 */
                break;
            default:
                fprintf(logfile, "%*s", -cwid, (dlist[j]->sbuf)[i]);
                break;
            }
        }
        fprintf(logfile, "\n");
    }
}

/* remove_newline(): Remove newline character from str. */

void remove_newline(str)
    char *str;
{
    char *p;

    while ((p = strchr(str, '\n')) != NULL)
        *p = '\0';
}

```

## qxecpl.h

```

/*
 * $Header: qxecpl.h 13-nov-2001.17:52:35 mpoess Exp $
 */

/* Copyright (c) 1999, 2001, Oracle Corporation. All rights reserved. */

/* NOTE: See 'header_template.doc' in the 'doc' dve under the 'forms'
 * directory for the header file template that includes instructions.
 */

/*
 * NAME
 *    qxecpl.h

 * DESCRIPTION
 *    SQL statement execution front-end header file.

 * PUBLIC FUNCTION(S)
 *    <list of external functions declared/defined - with one-line descriptions>

 * PRIVATE FUNCTION(S)
 *    <list of static functions defined in .c file - with one-line descriptions>

 * EXAMPLES

 * NOTES
 *    <other useful comments, qualifications, etc.>

 * MODIFIED (MM/DD/YY)
 *    mpoess 11/13/01 - change DOP to 84 for DML and DDL
 *    mpoess 02/22/01 - add linux changes
 *    mpoess 08/05/99 - make compile
 *    mpoess 07/15/99 - Creation
 *    mpoess 07/15/99 - Creation
 */

/*
 * #ifndef S_ORACLE
 * #include <s.h>
 * #endif
 */
#ifdef QSTREAMPL_H
#define QSTREAMPL_H

#include <stdio.h>
#include <string.h>
#include <sys/param.h>
#include <sys/types.h>
#include <time.h>
#include <errno.h>
#include <math.h>

#include <oratypes.h>

#include <oratypes.h>

#ifdef OCIDFN
#include <ocidfn.h>
#endif /* OCIDFN */

#ifdef OCI_ORACLE
#include <oci.h>
#endif /* OCI_ORACLE */
/*
 * #ifdef __STDC__
 * #include <ociapr.h>
 * #else
 * #include <ocikpr.h>
 * #endif /* __STDC__ */
 */

/* some basic definitions */

#define UNAME_LEN 64
#define MAX_FILE_PATH_LEN 128

```



```

#ifndef TRUE
#define TRUE 1
#endif /* TRUE */

#ifndef FALSE
#define FALSE 1
#endif /* FALSE */
#ifndef LINUX
#define MAX(x,y) ((x >= y) ? x : y)
#define MIN(x,y) ((x <= y) ? x : y)
#endif
/* defines and typedefs for parsing */

#define CRT_TBL 1
#define INS_STMT 3
#define SEL_STMT 4
#define UPD_STMT 5
#define DRP_VIEW 7
#define DRP_TBL 8
#define DEL_STMT 9
#define CRT_VIEW 10

/* defines and typedefs for query description */

#define MAX_COLNAME_SIZE 32 /* Maximum length of Column name */
#define MAX_SEL_LIST 16 /* Maximum items on a select list */

#define END_OF_LIST 1007 /* Error code when we reach the end of the */
/* select list. */

/* types for describe */

#define CHAR_TYPE 1
#define NUM_TYPE 2
#define INT_TYPE 3
#define FLT_TYPE 4
#define STR_TYPE 5
#define DATE_TYPE 12

#define NUMWIDTH 16 /* Width of the numeric fields */

#define POS(i) (i+1) /* The position is 1..n instead */
#define IND(i) (i-1) /* of 0..n-1 as in an array. */

typedef struct des
{
    ub2 dbsize;
    ub4 buflen;
    /* sb2 dsize; */
    sb4 scale;
    /* sb2 nullok; */
    OCITextCode dbtype;
    /* text buf[MAX_COLNAME_SIZE]; */
    text *buf;
    ub1 precision;
} sltype;

/* defines and typedefs for query select list definition */

#define MAX_ARRAY 50 /* Maximum array size for array fetch */
#define PFMEMSIZE 65536 /* Memory size of prefetch buffer */

#define MAX_STR_LEN 256 /* Maximum size for string variables */
#define MAX_PREALLOC 8 /* Maximum number of preallocated select list */
/* definitions. */

#define INT sizeof(long)
#define STR sizeof(char)
#define FLT sizeof(double)

#define FLTP (double *)
#define INTP (long *)
#define STRP (char **)

typedef struct def
{
    long ibuf[MAX_ARRAY];
    double fbuf[MAX_ARRAY];

```

```

char sbuf[MAX_ARRAY][MAX_STR_LEN];
ub2 rlen[MAX_ARRAY]; /* return length */
OCIDefine *defhdl;
} dltype;

extern int errno;

#define SQL_LEN 2048

#ifndef NULL
#define NULL 0
#endif

#ifndef NULLP
#define NULLP (void *)NULL
#endif /* NULLP */

#ifndef DISCARD
#define DISCARD (void)
#endif

#ifndef sword
#define sword int
#endif

#ifndef ub1
#define ub1 unsigned char
#endif

#define NA -1 /* ANSI SQL NULL */
#define VER7 2
#define NOT_SERIALIZABLE 8177 /* ORA-08177: transaction not serializable */

#define ADR(object) ((ub1 *)&(object))
#define SIZ(object) ((sword)sizeof(object))
#define SID(sid) ((sid == -1) ? 0 : sid)

/* For get_statement */

#define END_OF_FILE -1
#define COMMENT 1
#define SQL_STMT 2
#define SET_FETCHROW 3

#define OCIhalloc(envh,hndl,htyp) \
    if((status=OCIHandleAlloc((dvoid *)envh,(dvoid **)hndl,htyp,0,(dvoid *)0))!=OCI_SUCCESS) \
        sql_error(envh,status,0); \
    else \
        DISCARD 0

#define OCIhfree(hndl,htyp) \
    if((status=OCIHandleFree((dvoid *)hndl,htyp))==OCI_SUCCESS) \
        fprintf(stderr, "Error freeing handle of type %d\n", htyp)

#define OCIsget(hndl,htyp,attp,size,atyp,errh) \
    if((status=OCIAttrGet((dvoid *)hndl,htyp,(dvoid *)attp,(dvoid *)size,atyp,errh)) !=OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define OCIsaset(hndl,htyp,attp,size,atyp,errh) \
    if((status=OCIAttrSet((dvoid *)hndl,htyp,(dvoid *)attp,size,atyp,errh)) !=OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define OCIsexec(svch,stmh,errh,iter) \
    if((status=OCIStmtExecute(svch,stmh,errh,iter,0,NULL,NULL,OCI_DEFAULT)) !=OCI_SUCCESS) \
        sql_error(errh,status,1); \
    else \
        DISCARD 0

#define ISOTXT "alter session set isolation_level = serializable"

```

```
#define PDMLTXT "alter session force parallel dml parallel (degree 84)"
#define PDDLTXt "alter session force parallel ddl parallel (degree 84)"

#endif /* QSTREAMPL_H */
```

## Appendix F

Activity occurring between the Database Load and the commencement of Run1...consists of SQL scripts executed primarily for the auditor.

### checkidx.sql

```
set echo on
spool checkidx.out
select index_name from user_indexes;
spool off
exit;
```

### dbtables.sql

```
set echo on
set numwidth 25
spool rdbtablest
SELECT COUNT(*) FROM LINEITEM;

SELECT * FROM LINEITEM
WHERE L_ORDERKEY IN
( 4, 26598, 148577, 387431, 56704, 517442, 600000)
AND L_LINENUMBER = 1
ORDER BY L_ORDERKEY;

SELECT * FROM REGION;

SELECT COUNT(*) FROM NATION;

SELECT * FROM NATION
WHERE N_NATIONKEY IN ( 3,10,14,20)
ORDER BY N_NATIONKEY;

SELECT COUNT(*) FROM ORDERS;

SELECT * FROM ORDERS
WHERE O_ORDERKEY IN ( 7, 44065, 287590, 411111, 483876, 599942 )
ORDER BY O_ORDERKEY;

SELECT COUNT(*) FROM PART;

SELECT * FROM PART
WHERE P_PARTKEY IN (1,984,8743,9028,13876,17899,20000)
ORDER BY P_PARTKEY;

SELECT COUNT(*) FROM PARTSUPP;

SELECT* FROM PARTSUPP
WHERE PS_PARTKEY = 3398
AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY = 3398);

SELECT* FROM PARTSUPP
WHERE PS_PARTKEY =15873
AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY = 15873);

SELECT* FROM PARTSUPP
```

```
WHERE PS_PARTKEY = 11394
AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY = 11394);

SELECT* FROM PARTSUPP
WHERE PS_PARTKEY = 6743
AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY = 6743);

SELECT* FROM PARTSUPP
WHERE PS_PARTKEY = 19763
AND PS_SUPPKEY = (SELECT MIN(PS_SUPPKEY)
FROM PARTSUPP WHERE PS_PARTKEY =19763);
```

```
SELECT COUNT(*) FROM SUPPLIER;
```

```
SELECT * FROM SUPPLIER
WHERE S_SUPPKEY IN (83,265,492,784,901,1000)
ORDER BY S_SUPPKEY;
```

```
DROP TABLE MINMAX;
```

```
CREATE TABLE MINMAX
(TNAME CHAR(15),
KEYMIN INTEGER,
KEYMAX INTEGER);
```

```
INSERT INTO MINMAX
SELECT 'LINEITEM_ORD',MIN(L_ORDERKEY),MAX(L_ORDERKEY)
FROM LINEITEM ;
```

```
INSERT INTO MINMAX
SELECT 'LINEITEM_NBR',MIN(L_LINENUMBER),MAX(L_LINENUMBER)
FROM LINEITEM;
```

```
INSERT INTO MINMAX
SELECT 'ORDERTBL',MIN(O_ORDERKEY),MAX(O_ORDERKEY)
FROM ORDERS;
```

```
INSERT INTO MINMAX
SELECT 'CUSTOMER',MIN(C_CUSTKEY),MAX(C_CUSTKEY)
FROM CUSTOMER;
```

```
INSERT INTO MINMAX
SELECT 'PART',MIN(P_PARTKEY),MAX(P_PARTKEY)
FROM PART;
```

```
INSERT INTO MINMAX
SELECT 'SUPPLIER',MIN(S_SUPPKEY),MAX(S_SUPPKEY)
FROM SUPPLIER;
```

```
INSERT INTO MINMAX
SELECT 'PARTSUPP_PART',MIN(PS_PARTKEY),MAX(PS_PARTKEY)
FROM PARTSUPP;
```

```
INSERT INTO MINMAX
SELECT 'PARTSUPP_SUPP',MIN(PS_SUPPKEY),MAX(PS_SUPPKEY)
FROM PARTSUPP ;
```

```
INSERT INTO MINMAX
SELECT 'NATION',MIN(N_NATIONKEY),MAX(N_NATIONKEY)
FROM NATION;
```

```
INSERT INTO MINMAX
SELECT 'REGION',MIN(R_REGIONKEY),MAX(R_REGIONKEY)
FROM REGION;
```

```
SELECT * FROM MINMAX;
spool off
exit;
```

## firstten.sql

```
set echo on
set numwidth 25
spool count.out
select * from lineitem where rownum < 11;
select * from orders where rownum < 11;
select * from part where rownum < 11;
select * from partsupp where rownum < 11;
select * from supplier where rownum < 11;
select * from customer where rownum < 11;
select * from nation where rownum < 11;
select * from region where rownum < 11;
spool off
exit;
```

# Appendix G - Pricing



**No: 04232/ ES45**

Description	Part Number	Qty	Unit Cost	Ext. HW Cost	Ext. SW Cost
<b>Server Hardware</b>					
Compaq AS ES45 68/1000 M2 4GB Unix	DA-68DAA-DA	4	\$42,992	171968	
3YR 24x7/4HR ES45 M2	FM-4V724-36	4	\$17,896		\$71,584
ES45 Tower Enclosure	BA61M-CT	4	\$275	1100	
ES45 68/1000 SMP CPU Unix	KN610-DB	12	\$8,800	105600	
ES45 4GB Memory Option	MS620-DA	28	\$14,643	410004	
Optional Power Supply, Self Sensing	H7906-A9	4	\$688	2752	
18.2GB 10K RPM Ultra3 SCSI	3R-A0585-AA	13	\$341	4433	
Power Cord	BN18J-1K	8	\$7	56	
SCSI Drive Cage, 6 Slot	BA610-6D	4	\$413	1652	
1 CH Wide Ultra-2 (LVD) Adapter	3X-KZPCA-AA	4	\$175	700	
PCI to Dual-Port FE TX NIC	3X-DE602-AA	4	\$208	832	
Memory Channel Hub (w/4 line cards)	CCMHB-AA	1	\$5,386	5386	
PCI MC2 Controller	CCMAB-AA	4	\$1,645	6580	
10 Meter Cable for MC2	BN39B-10	4	\$231	924	
64 Bit FC HBA T64/VMS	DS-KGPSA-CA	16	\$1,869	29904	
D Shelf 180W 1Doc BLW Metric Blue	DS-BA356-JD	2	\$778	1556	
PCI to UltraSCSI Adapter UWSE	KZPBA-CA	2	\$253	506	
Ultra 68VHD 3M Cable Assembly	BN37A-03	2	\$77	154	
VT510;White; North Amer; No key	VT510-AA	4	\$336	1344	
US/CANADA W95 KYBD WHIT	PCXLA-NA	4	\$14	56	
<b>Subtotal</b>				<b>\$745,507</b>	<b>\$71,584</b>
<b>STORAGE:</b>					
USA Model 914 Storage Shelf	DS-SWXEB-AA	8	\$39,267	314136	
Controller w/o ECB Cable Kit	DS-HSG80-BK	48	\$7,440	357120	
16-Port SAN Switch	DS-DSGGB-AB	2	\$15,675	31350	
Short-Wave Optical GBICs	DS-DXGGA-SA	32	\$204	6528	
Model 2200 ECB	DS-SE2CS-CB	48	\$312	14976	
3YR 7X24/4HR EMPTY 4214 NO DRIVES	FM-4E724-36	72	\$126		\$9,072
3YR 7X24/4HR M2 CNTRLR SHELF W/CACHE	FM-CK724-36	24	\$407		\$9,768
3YR 7X24/4HR, HSG80 W/CACHE	FM-C9724-36	48	\$2,255		\$108,240
Fibre Channel Cables	BNGBX-30	64	\$208	13312	
12/24gb 4MM Dat 5.25 Tape Drive	TLZ10-LB	4	\$376	1504	
3YR 7X24/4HR, 4MM DAT TAPE DRV	FM-4M724-36	4	\$862		\$3,448
9.1GB 7200RPM Disk**	DS-RZ1DA-VW	6	\$358	2148	
18.2GB 10K RPM Ultra3 SCSI	3R-A0585-AA	634	\$341	216194	
<b>Subtotal</b>				<b>\$957,268</b>	<b>\$130,528</b>
<b>Software</b>					
3YR, AS ES40/45 UNIX BRNZ24X7	FM-E4WUS-36	4	\$1,896		\$7,584
3YR Digital Unix O/S & LP	FM-CDDST-36	4	\$6,765		\$27,060
TRU64 UNIX AlphaCDROM	QA-MT4AA-H8	4	\$248	992	
3YR AS ES45 UNIX SMP	FM-62USM-36	12	\$214		\$2,568
3YR 7X24 HS*80 Platform SW	FM-PLAT2-36	48	\$414		\$19,872
HSG80 ACSsf All Lic/PCRM Pkg	QB-6BUAA-SB	48	\$3,850	184800	
<b>Subtotal</b>				<b>\$185,792</b>	<b>\$57,084</b>
<b>GRAND TOTAL:</b>				<b>\$1,888,567</b>	<b>\$259,196</b>

The Compaq AlphaServer ES45 carries a three (3) year, 7x24HR response warranty. The storage products have a three (3) year on-site, 4-hour, 7-day per week response with a three (3) year return to manufacture warranty. All other products carry a standard warranty of three (3) years on-site: 4-hour x 7-days per week.

Valid: This quote is valid for 60days from date

Terms: TBD

Delivery: 15 Days ARO

Shipping: FOB Origin

Warranty: Manufactures New Equipment

Installation: Included

Sincerely,

Philip K. Nolan





-----Original Message-----

**From:** MaryBeth Pierantoni [mailto:mary.beth.pierantoni@oracle.com]

**Sent:** Monday, August 19, 2002 8:25 PM

**To:** Speed, Eric; lucille.boushey@hp.com

-----  
**HP/Oracle TPC-H 100 GB & 300 GB Oracle product and price description:**

Oracle9i Database Enterprise Edition Release 2, v9.2.0.1. for Tru64 UNIX v5.1A/IPK, Processor

5 year term for 16 processors, Named Users: \$89,600

Real Application Clusters, Processor 5 year term for 16 processors, Named Users: \$44,800

Partitioning, Processor 5 year term for 16 processors, Named Users: \$22,400

Oracle Database Server Support Package for 5 years: \$40,000

Oracle Mandatory E-Business Discount: <\$29,520>\*

Total Oracle price: \$167,280

\* Oracle E-Business Discount applies to license and support.

Oracle pricing contact: MaryBeth Pierantoni, mary.beth.pierantoni@oracle.com, 650-506-2118