



Telecommunications Technology Association

TPC Express Benchmark™ IoT Full Disclosure Report

Machbase 5.7.13

running on

Supermicro A+ Server 2014TP-HTR
(TwinPro™ with 4x H12SST-PS Nodes)

with

Red Hat Enterprise Linux Server Release 7.7

TPCx-IoT Version
Report Edition
Report Submitted

1.0.5
First
April 14, 2020

First Edition – March 2020

Telecommunications Technology Association (TTA), the Sponsor of this benchmark test, believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. The Sponsor assumes no responsibility for any errors that may appear in this document.

The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, the Sponsor provides no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary because of these and other factors. Therefore, the TPC Express Benchmark™ V should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report was obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. No warranty of system performance or price/performance is expressed or implied in this report.

TTA and the TTA Logo are trademarks of Telecommunications Technology Association and/or its affiliates in the U.S. and other countries. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between TTA and any other company

TPC Express Benchmark™ IoT, TPCx-IoT, and IoTps, are registered certification marks of the Transaction Processing Performance Council.

The TTA products, services or features identified in this document may not yet be available or may not be available in all areas and may be subject to change without notice. Consult your local TTA business contact for information on the products or services available in your area. You can find additional information via TTA's web site at <http://www.tta.or.kr/eng>. Actual performance and environmental costs of TTA products will vary depending on individual customer configurations and conditions.

Copyright© 2020 Telecommunications Technology Association

All rights reserved. Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text or on the title page of each item reproduced

Abstract

TTA conducted the TPC Express Benchmark™ IoT (TPCx-IoT) on the Supermicro A+ Server 2014TP-HTR with 4x H12SST-PS Nodes. The software used included Machbase 5.7.13. This report provides full disclosure of the methodology and results. All testing was conducted in conformance with the requirements of the TPCx-IoT Standard Specification, Revision 1.0.5.

The benchmark results are summarized below.

Configuration Summary





Sponsor	Cluster Nodes	Storage Software	Operating System
TTA	Supermicro A+ Server 2014TP-HTR	Machbase 5.7.13	Red Hat Enterprise Linux Release 7.7


TPC Express Benchmark™ IoT Metrics


Total System Cost (USD)	IoTps	USD/IoTps	Availability Date
\$429,659	2,480,917.60	\$0.18	April 14, 2020

Executive Summary

The [Executive Summary](#) follows on the next several pages.

	<h1>Machbase 5.7.13</h1>		TPCx-IoT	1.0.5		
			TPC Pricing	2.5.0		
			Report Date	Apr. 14, 2020		
Total System Cost		TPCx-IoT Performance Metric	Price/Performance			
\$429,659 USD		2,480,917.60 IoTps	\$0.18 USD/IoTps			
Servers	Operating System	Other Software	Availability Date			
Supermicro A+ Server 2014TP-HTR	Red Hat Enterprise Linux Server Release 7.7	None	April 14, 2020			
System Under Test Configuration Overview						
<p>Mellanox SN2700 100Gb Ethernet Switch (32 x QSFP28 Ports)</p>    <p>1 x Supermicro A+ Server 2014TP-HTR TwinPro™ with 4x H12SST-PS Nodes, each with:</p> <table border="0" style="width: 100%;"> <tr> <td style="width: 50%; vertical-align: top;"> <p>1 x Master Node</p> <ul style="list-style-type: none"> 1 x AMD EPYC 7702P 64-Core Processor 8 x 64GB (512GB) Memory 1 x 100GbE 2-Port Adaptor 1 x 25GbE 2-Port and 10GbE 2-Port Adaptor 1 x 960GB SATA SSD 1 x 1TB M.2 PCIe SSD </td> <td style="width: 50%; vertical-align: top;"> <p>3 x Data Nodes</p> <ul style="list-style-type: none"> 1 x AMD EPYC 7F72 24-Core Processor 8 x 32GB (256GB) Memory 1 x 100GbE 2-Port Adaptor 1 x 25GbE 2-Port and 10GbE 2-Port Adaptor 1 x 960GB SATA SSD 4 x 3.84TB M.2 PCIe SSD </td> </tr> </table>					<p>1 x Master Node</p> <ul style="list-style-type: none"> 1 x AMD EPYC 7702P 64-Core Processor 8 x 64GB (512GB) Memory 1 x 100GbE 2-Port Adaptor 1 x 25GbE 2-Port and 10GbE 2-Port Adaptor 1 x 960GB SATA SSD 1 x 1TB M.2 PCIe SSD 	<p>3 x Data Nodes</p> <ul style="list-style-type: none"> 1 x AMD EPYC 7F72 24-Core Processor 8 x 32GB (256GB) Memory 1 x 100GbE 2-Port Adaptor 1 x 25GbE 2-Port and 10GbE 2-Port Adaptor 1 x 960GB SATA SSD 4 x 3.84TB M.2 PCIe SSD
<p>1 x Master Node</p> <ul style="list-style-type: none"> 1 x AMD EPYC 7702P 64-Core Processor 8 x 64GB (512GB) Memory 1 x 100GbE 2-Port Adaptor 1 x 25GbE 2-Port and 10GbE 2-Port Adaptor 1 x 960GB SATA SSD 1 x 1TB M.2 PCIe SSD 	<p>3 x Data Nodes</p> <ul style="list-style-type: none"> 1 x AMD EPYC 7F72 24-Core Processor 8 x 32GB (256GB) Memory 1 x 100GbE 2-Port Adaptor 1 x 25GbE 2-Port and 10GbE 2-Port Adaptor 1 x 960GB SATA SSD 4 x 3.84TB M.2 PCIe SSD 					
Total Servers:		1x Supermicro A+ Server 2014TP-HTR (TwinPro™ with 4x H12SST-PS Nodes)				
Total Processors/Cores/Threads:		4/136/272				
Server Configuration:	1x Master Node	3x Data Nodes				
Processor	1x AMD EPYC 7702P (2.00GHz, 64-core, 256 MB L3)	1x AMD EPYC 7F72 (3.20GHz, 24-core, 192 MB L3)				
Memory	512 GiB	256 GiB				
Storage Device	1x 960GB SATA SSD 1x 1TB M.2 PCIe SSD Gen3	1x 960GB SATA SSD 4x 3.84TB M.2 PCIe SSD Gen3				
Network Controller	1x Mellanox MCX516A-CCAT 100GbE 1x Supermicro AOC-MH25G-m2S2TM 10GbE and 25GbE	1x Mellanox MCX516A-CCAT 100GbE 1x Supermicro AOC-MH25G-m2S2TM 10GbE and 25GbE				
Connectivity	Mellanox SN2700 100GbE Switch					
Total Rack Units:	(2x 2014TP-HTR) + (1x SN2700) = (2x1) + (1x1) = 3 RU					

		<h1>Machbase 5.7.13</h1>			TPCx-IoT	1.0.5
					TPC Pricing	2.5.0
					Report Date	Apr. 14, 2020
Description	Part Number	Source	List Price (USD)	Qty	Extended Price (USD)	3 yr. Maint. Price (USD)
Server Hardware						
Supermicro A+ Server 2014TP-HTR	AS -2014TP-HTR	1	4,500.00	1	4,500.00	
AMD EPYC 7702P 64-Core Processor	PSE-ROM7702P-0047	1	4,229.00	1	4,229.00	
AMD EPYC 7F72 24-Core Processor	PSE-ROM7F72-0141	1	4,117.00	3	12,351.00	
SK hynix 64GB PC4-3200	MEM-DR464L-HL02-ER32	1	320.74	8	2,565.92	
SK hynix 32GB PC4-3200	MEM-DR432L-HL01-ER32	1	159.51	24	3,828.24	
Mellanox 100GbE Dual-Port NIC	AOC-MCX516A-CCAT	1	976.35	4	3,905.40	
2-port 25GbE SFP28 Mellanox CX-4 Lx EN and 2-port 10GbE RJ45 Intel X550	AOC-MH25G-m2S2TM	1	287.39	4	1,149.56	
1 TB NVMe SSD Toshiba KXG50ZNV1T02	HDS-TMN0-KXG50ZNV1T02	1	175.00	1	175.00	
3.84TB NVMe SSD Samsung PM983	HDS-SMN1-MZ1LB3T8HMLA07	1	677.35	12	8,128.20	
Samsung PM883 960GB SATA 6Gb/s V4 TLC 2.5" 7mm (1.3 DWPD)	HDS-S2T1-MZ7LH960HAJR05	1	169.63	4	678.52	
ASSEMBLY FEE	MC0037	1	250.00	1	250.00	
Maintenance - 7x24x4 Care Pack (3-yrs)	OS4HR3	1	3,500.00	1		3,500.00
Sub-Total					41,760.84	3,500.00
Network						
Mellanox MSN2700-CS2F Spectrum 100GbE 1U Open Ethernet Switch	MSN2700-CS2F	2	33,003.00	1	33,003.00	
Mellanox SUP-SN2000-CL-S-3S-4H Technical Support and Warranty - Silver 3 Year with 4 Hours On-Site Support for SN2700 Cumulus Series Switch	SUP-SN2000-CL-S-3S-4H	2	3,345.00	1		3,345.00
Mellanox MCP1600-E002E30 Passive Copper Cable IB EDR up to 100Gb/s QSFP28 2m Black 30AWG	MCP1600-E002E30	2	145.00	4	580.00	
Sub-Total					33,583.00	3,345.00
Software						
Red Hat Enterprise Linux Server7.7 with Premium Support 1 Year	RH00003	3	1,299.00	12		15,588.00
Machbase v5.7.13 Cluster Edition (includes 1y 7x24x4 Technical Support)	-	4	98,000.00	4	392,000.00	
Machbase v5.7.13 Cluster Edition 7x24x4 Technical Support	-	4	58,800.00	2		117,600.00
Sub-Total					392,000.00	133,188.00
Infrastructure						
HP EliteDisplay E243 23.8-inch Monitor (w/ spares)	1FH47A8#ABA	5	179.00	3	537.00	
HP Slim USB Keyboard and Mouse (w/ spares)	T6T83UT#ABA	5	35.00	3	105.00	
Sub-Total					642.00	-
Discounts*						
Machbase v5.7.13 Cluster Edition (includes 1y 7x24x4 Technical Support)					(137,200.00)	
Machbase v5.7.13 Cluster Edition 7x24x4 Technical Support						(41,160.00)
Sub-Total					(137,200.00)	(41,160.00)
Total					\$330,785.84 USD	\$98,873.00 USD
Price Source 1) Super Micro Computer Inc. 2) Mellanox Technologies, Ltd. 3) Red Hat Inc. 4) Machbase Inc. 5) Hewlett Packard Inc. Audited by Pre-Publication Board *All discounts are based on US list prices and for similar quantities and configurations. Discounts for similarly sized configurations will be similar to those quoted here, but may vary based on the components in the configuration.					Three-Year Cost of Ownership: \$429,659 USD IoTps: 2,480,917.60 USD/IoTps: \$0.18 USD	
<p><i>Prices used in TPC benchmarks must reflect the actual prices a customer would pay for purchase of the components in all regions specified in the result. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing conventions for the listed components. For complete details, see the pricing section of the TPC benchmark specification. If you find that stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.</i></p>						

	<h1>Machbase 5.7.13</h1>	<table border="0"> <tr> <td>TPCx-IoT</td> <td style="text-align: right;">1.0.5</td> </tr> <tr> <td>TPC Pricing</td> <td style="text-align: right;">2.5.0</td> </tr> <tr> <td>Report Date</td> <td style="text-align: right;">Apr. 14, 2020</td> </tr> </table>	TPCx-IoT	1.0.5	TPC Pricing	2.5.0	Report Date	Apr. 14, 2020
TPCx-IoT	1.0.5							
TPC Pricing	2.5.0							
Report Date	Apr. 14, 2020							
<h2>Numerical Quantities</h2>								
<p>Scale Factor 4500000000</p>								
<p>Performance Run (Run2)</p>								
<table border="0" style="width: 100%;"> <tr> <td>Warmup Run Start Time</td> <td style="text-align: right;">2020-03-01 22:46:43.000</td> </tr> <tr> <td>Warmup Run End Time</td> <td style="text-align: right;">2020-03-01 23:17:05.000</td> </tr> <tr> <td>Warmup Run Elapsed Time</td> <td style="text-align: right;">1,821.296</td> </tr> </table>			Warmup Run Start Time	2020-03-01 22:46:43.000	Warmup Run End Time	2020-03-01 23:17:05.000	Warmup Run Elapsed Time	1,821.296
Warmup Run Start Time	2020-03-01 22:46:43.000							
Warmup Run End Time	2020-03-01 23:17:05.000							
Warmup Run Elapsed Time	1,821.296							
<table border="0" style="width: 100%;"> <tr> <td>Measured Run Start Time</td> <td style="text-align: right;">2020-03-01 23:17:05.000</td> </tr> <tr> <td>Measured Run End Time</td> <td style="text-align: right;">2020-03-01 23:47:20.000</td> </tr> <tr> <td>Measured Run Elapsed Time</td> <td style="text-align: right;">1,813.845</td> </tr> </table>			Measured Run Start Time	2020-03-01 23:17:05.000	Measured Run End Time	2020-03-01 23:47:20.000	Measured Run Elapsed Time	1,813.845
Measured Run Start Time	2020-03-01 23:17:05.000							
Measured Run End Time	2020-03-01 23:47:20.000							
Measured Run Elapsed Time	1,813.845							
<p>Performance Metric (IoTps) 2,480,917.60</p>								
<p>Repeatability Run (Run1)</p>								
<table border="0" style="width: 100%;"> <tr> <td>Warmup Run Start Time</td> <td style="text-align: right;">2020-03-01 21:43:09.000</td> </tr> <tr> <td>Warmup Run End Time</td> <td style="text-align: right;">2020-03-01 22:13:16.000</td> </tr> <tr> <td>Warmup Run Elapsed Time</td> <td style="text-align: right;">1,806.022</td> </tr> </table>			Warmup Run Start Time	2020-03-01 21:43:09.000	Warmup Run End Time	2020-03-01 22:13:16.000	Warmup Run Elapsed Time	1,806.022
Warmup Run Start Time	2020-03-01 21:43:09.000							
Warmup Run End Time	2020-03-01 22:13:16.000							
Warmup Run Elapsed Time	1,806.022							
<table border="0" style="width: 100%;"> <tr> <td>Measured Run Start Time</td> <td style="text-align: right;">2020-03-01 22:13:16.000</td> </tr> <tr> <td>Measured Run End Time</td> <td style="text-align: right;">2020-03-01 22:43:29.000</td> </tr> <tr> <td>Measured Run Elapsed Time</td> <td style="text-align: right;">1,812.287</td> </tr> </table>			Measured Run Start Time	2020-03-01 22:13:16.000	Measured Run End Time	2020-03-01 22:43:29.000	Measured Run Elapsed Time	1,812.287
Measured Run Start Time	2020-03-01 22:13:16.000							
Measured Run End Time	2020-03-01 22:43:29.000							
Measured Run Elapsed Time	1,812.287							
<p>Performance Metric (IoTps) 2,483,050.42</p>								

	<h1>Machbase 5.7.13</h1>	<table> <tr> <td>TPCx-IoT</td> <td>1.0.5</td> </tr> <tr> <td>TPC Pricing</td> <td>2.5.0</td> </tr> <tr> <td>Report Date</td> <td>Apr. 14, 2020</td> </tr> </table>	TPCx-IoT	1.0.5	TPC Pricing	2.5.0	Report Date	Apr. 14, 2020
TPCx-IoT	1.0.5							
TPC Pricing	2.5.0							
Report Date	Apr. 14, 2020							

Performance Run Report (Run2)

=====
 TPCx-IoT Performance Metric (IoTps) Report
 Test Run2 details : Total Time For Warmup Run In Seconds = 1,821.296
 Test Run2 details : Total Time In Seconds = 1,813.845
 Total Number of Records = 4500000000

TPCx-IoT Performance Metric (IoTps): 2480917.6087

Repeatability Run Report (Run1)

=====
 TPCx-IoT Performance Metric (IoTps) Report
 Test Run1 details : Total Time For Warmup Run In Seconds = 1,806.022
 Test Run1 details : Total Time In Seconds = 1,812.287
 Total Number of Records = 4500000000

TPCx-IoT Performance Metric (IoTps): 2483050.4219

Summary details of the run reports are show above. For the complete run reports, see the [Supporting Files Archive](#).

	<h1>Machbase 5.7.13</h1>	TPCx-IoT 1.0.5 TPC Pricing 2.5.0 Report Date Apr. 14, 2020
---	--------------------------	--

Revision History

Date	Edition	Description
April 14, 2020	First	Initial Publication

Table of Contents

Abstract..... 3

Executive Summary..... 3

Table of Contents..... 9

Clause 0 Preamble..... 10

 0.1 TPC Express Benchmark™ IoT Overview..... 10

Clause 1 General Items..... 11

 1.1 Test Sponsor..... 11

 1.2 Parameter Settings..... 11

 1.3 Configuration Diagrams..... 11

 1.3.1 Measured Configuration..... 12

 1.3.2 Priced Configuration..... 13

 1.4 Dataset Distribution..... 13

 1.5 Software Component Distribution..... 13

Clause 2 Workload Related Items..... 14

 2.1 Hardware and Software Tunable Parameters..... 14

 2.2 Run Report..... 14

 2.3 Benchmark Kit Identification..... 15

 2.4 Benchmark Kit Changes..... 15

Clause 3 Scale Factor and Metrics..... 16

 3.1 Scale Factor, Performance, Price-Performance..... 16

Third-Party Price Quotes..... 17

 Super Micro Computer Inc..... 17

 Mellanox Technologies, Ltd..... 18

 Red Hat Inc..... 21

 Machbase Inc..... 22

 Hewlett Packard Inc..... 23

Supporting File Index..... 24

Clause 0 Preamble

0.1 TPC Express Benchmark™ IoT Overview

TPC Express Benchmark™ IoT (TPCx-IoT) was developed to provide an objective measure of hardware, operating system and commercial NoSQL database software distributions, and to provide the industry with verifiable performance, price-performance and availability metrics. The benchmark models a continuous system availability of 24 hours a day, 7 days a week.

Even though the modeled application is simple, the results are highly relevant to hardware and software dealing with IoT gateway systems in general. TPCx-IoT stresses both hardware and software including database APIs and network connections to the database. This workload can be used to assess a broad range of NoSQL databases. TPCx-IoT can be used to assess a range of NoSQL implementations in a technically rigorous and directly comparable and vendor-neutral manner. The metric effectively represents the total number of records that can be inserted into a NoSQL database per second while running queries against the database.

The TPCx-IoT kit is available from the TPC (See www.tpc.org/tpcx-iot for more information). Users must sign up and agree to the TPCx-IoT User Licensing Agreement (ULA) to download the kit. Redistribution of the kit is prohibited. All related work (such as collaterals, papers, derivatives) must acknowledge the TPC and include TPCx-IoT copyright. The TPCx-IoT Kit includes: the TPCx-IoT Specification document, the TPCx-IoT Users Guide document, shell scripts to set up the benchmark environment and Java code to execute the benchmark load.

The purpose of TPC benchmarks is to provide relevant, objective performance data to industry users. To achieve that purpose, TPC benchmark specifications require that benchmark tests be implemented with systems, products, technologies and pricing that:

- Are generally available to users;
- Are relevant to the market segment that the individual TPC benchmark models or represents (e.g., TPCx- IoT models and represents a NoSQL database mimicking an IoT gateway system)
- Would plausibly be implemented by a significant number of users in the market segment the benchmark models or represents.

The use of new systems, products, technologies (hardware or software) and pricing is encouraged so long as they meet the requirements above. Specifically prohibited are benchmark systems, products, technologies or pricing (hereafter referred to as "implementations") whose primary purpose is performance optimization of TPC benchmark results without any corresponding applicability to real-world applications and environments. In other words, all "benchmark special" implementations that improve benchmark results but not real-world performance or pricing, are prohibited.

The rules for pricing are included in the TPC Pricing Specification. Further information is available at www.tpc.org.

Clause 1 General Items

1.1 Test Sponsor

A statement identifying the benchmark sponsor(s) and other participating companies must be provided.

This benchmark was sponsored by Telecommunications Technology Association.

1.2 Parameter Settings

Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including by not limited to:

- *Configuration parameters and options for server, storage, network and other hardware component incorporated into the pricing structure;*
- *Configuration parameters and options for operating system and file system component incorporated into the pricing structure;*
- *Configuration parameters and options for any other software component incorporated into the pricing structure;*
- *Compiler optimization options.*

Comment 1: In the event that some parameters and options are set multiple times, it must be easily discernible by an interested reader when the parameter or option was modified and what new value it received each time.

Comment 2: This requirement can be satisfied by providing a full list of all parameters and options, as long as all those that have been modified from their default values have been clearly identified and these parameters and options are only set once.

The [Supporting Files Archive](#) contains the parameters and options used to configure the components involved in this benchmark.

1.3 Configuration Diagrams

Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.

This includes, but is not limited to:

- *Total number of nodes used*
- *Total number and type of processors used/total number of cores used/total number of threads used (including sizes of L2 and L3 caches)*
- *Size of allocated memory, and any specific mapping/partitioning of memory unique to the test*
- *Number and type of disk units (and controllers, if applicable)*
- *Number of channels or bus connections to disk units, including their protocol type*
- *Number of LAN (for example, Ethernet) connections and speed for switches and other hardware components physically used in the test or are incorporated into the pricing structure*
- *Type and the run-time execution location of software components*

1.3.1 Measured Configuration

Figure 1-1 shows the measured configuration.



Figure 1-1 Measured Configuration

The measured configuration consisted of:

Total Nodes:	4
Total Processors/Cores/Threads:	4/136/272
Total Memory:	1.28TB
Total Number of Storage Devices:	17
Total Storage Capacity	50.92TB

Connectivity: Mellanox SN2700 100GbE Switch

Servers	1x Master Node:	3x Data Nodes:
Processors/Cores/Threads:	1/64/128	1/24/48
Processor Model:	1x AMD EPYC 7702P (2.00GHz, 64-core, 256MB L3)	1x AMD EPYC 7F72 (3.20GHz, 24-core, 192MB L3)
Memory:	512 GiB	256 GiB
Storage Devices:	1x 960GB SATA SSD 1x 1TB M.2 PCIe SSD Gen3	1x 960GB SATA SSD 4x 3.84TB M.2 PCIe SSD Gen3
Network Controller:	1x Mellanox MCX516A-CCAT 100GbE 1x Supermicro AOC-MH25G-m2s2TM 10GbE and 25GbE	1x Mellanox MCX516A-CCAT 100GbE 1x Supermicro AOC-MH25G-m2s2TM 10GbE and 25GbE

The distribution of software components over server nodes is detailed in section 1.5.

1.3.2 Priced Configuration

All nodes in the measured configuration used 1x Samsung PM863 Series 960GB SATA SSD as a system disk. All nodes in the priced configuration use 1x Samsung PM883 Series 960GB SATA SSD as a substitute. The substitution was allowed under TPC Pricing rules based on the following data.

Characteristic	Priced 960GB SATA SSD	Measured 960GB SATA SSD
Model (Part Number)	PM883 (MZ7LH960HAJR)	PM863 (MZLM960N)
Interface	SATA3 6Gb/s	SATA3 6Gb/s
NAND type	Samsung V-NAND	Samsung V-NAND
Sequential Read/Write (up to)	550/520 MB/s	520/480 MB/s
Random Read/Write (up to)	98K/28K IOPS	97K/24K IOPS
Form Factor	2.5 inch	2.5 inch
Launch Date	2018/04	2015/07

1.4 Dataset Distribution

The distribution of dataset across all media must be explicitly described.

Table 1-1 describes the distribution of the dataset across all storage media in the system.

Server	Storage	Disk Drive	Description of Content
1	2.5 SATA 6Gb/s M.2 PCIe Gen3	1 x 960GB SATA SSD 1 x 1TB NVMe SSD	Operating System, Root, Swap Machbase Broker
2-4	2.5 SATA 6Gb/s M.2 PCIe Gen3	1 x 960GB SATA SSD 4 x 3.84TB NVMe SSD	Operating System, Root, Swap Machbase Data, coordinator

Table 1-1 Dataset Distribution Across Storage Media

1.5 Software Component Distribution

The distribution of various software components across the system must be explicitly described.

Table describes the distribution of the software components across the system.

Server	Broker	Coordinator	Warehouse
1	X		
2		X	X
3			X
4			X

Table 1-2 Software Component Distribution Across Nodes

The storage system software used was Machbase 5.7.13.

Clause 2 Workload Related Items

2.1 Hardware and Software Tunable Parameters

Script or text used to set all hardware and software tunable parameters must be reported.

The [Supporting Files Archive](#) contains all configuration scripts.

2.2 Run Report

The run report generated by the TPCx-IoT Kit for Performance Run and Repeatability Run must be reported.

The [Supporting Files Archive](#) contains the full run report. The following excerpts from the run report summarize the Performance Run and the Repeatability Run.

Run Report for Run 1 (Repeatability Run)

```

=====
TPCx-IoT Performance Metric (IoTps) Report
Test Run 1 details :   Total Time For Warmup Run In Seconds = 1,806.022
Test Run 1 details :   Total Time In Seconds = 1,812.287
                        Total Number of Records = 4500000000

```

TPCx-IoT Performance Metric (IoTps): 2483050.4219

Run Report for Run 2 (Performance Run)

```

=====
TPCx-IoT Performance Metric (IoTps) Report
Test Run 2 details :   Total Time For Warmup Run In Seconds = 1,821.296
Test Run 2 details :   Total Time In Seconds = 1,813.845
                        Total Number of Records = 4500000000

```

TPCx-IoT Performance Metric (IoTps): 2480917.6087

2.3 Benchmark Kit Identification

The version of the TPCx-IoT kit and checksums for key files are listed below.

TPCx-IoT Kit Version	1.0.5
----------------------	-------

File	MD5
TPC-IoT-master.sh	aabeca02709f778295fcd1891ce3f74e
tpcx-iot/machbase-binding/lib/core-0.13.0-SNAPSHOT.jar	18b59e748a7026036e85e2e70ba45af5
IoT_cluster_validate_suite.sh	1d85705dc67fb3c767d7a1fe8775275f

2.4 Benchmark Kit Changes

No modifications were made to TPC-provided kit.

Clause 3 Scale Factor and Metrics

3.1 Scale Factor, Performance, Price-Performance

The metrics for Run 1 and Run 2 are summarized below.

	Run 1	Run 2
Scale Factor	4500000000	4500000000
Measured Run Time (seconds)	1,812.287	1,813.845
IoTps	2,483,050.42	2,480,917.60

Run2 Price-Performance: 0.18 \$/IoTps

Third-Party Price Quotes

Super Micro Computer Inc.



980 Rock Ave.
 San Jose, CA 95131
 US
 Phone: (408) 503-8000 Fax: (408) 503-8008
 Please email PO to Supermicro Order Desk: ep@supermicro.com and
 cc Supermicro Sales Representative.

Quotation

Date	Page
03/04/2020	1
Quotation Number	
8600387579	
Expiration Date	
04/17/2020	

Sold To:

ADVANCED MICRO DEVICES, INC (CA)
 DEBBIE CHRISTOPHER
 2485 AUGUSTINE DRIVE
 SANTA CLARA CA 95054-3002
 USA

Ship To:

ADVANCED MICRO DEVICES, INC (CA)
 DEBBIE CHRISTOPHER
 2485 AUGUSTINE DRIVE
 SANTA CLARA CA 95054-3002
 USA


Reference	Customer No.	Salesperson	Incoterms	Ship Via	Payment Terms
	AM00360U00	VIVIAN HUYEN	Ex Works	FED GROUND CUST	NET 45 DAYS

Qty. Ord.	Item Number	Description	Unit Price	UoM	Extended Price
1	AS -2014TP-HTR	H12SST-PS, CSE-827HQ+ -R2K04BP2, UP,SATA 2U 4 Nodes 3.5"	4,500.00	EA	4,500.00
1	PSE-ROM7702P-0047	Rome 7702P UP 64C/128T 2.0G 256M 200W 4094, HF, RoHS	4,229.00	EA	4,229.00
8	MEM-DR464L-HL02-ER32	64GB DDR4-3200 2Rx4 (16Gb) ECC RDIMM	320.74	EA	2,565.92
24	MEM-DR432L-HL01-ER32	32GB DDR4-3200 2Rx4 ECC REG DIMM	159.51	EA	3,828.24
4	AOC-MCX516A-CCAT	MCX516A-CCAT ConnectX-5 EN,100GbE 2-p QSFP28,PCIe3x1	976.35	EA	3,905.40
4	AOC-MH25G-M2S2TM-O	SIOM 2+ 2-port 25G & 10G, SFP28 & RJ45, Mellanox (Retail)	287.39	EA	1,149.56
1	HDS-TMN0-KXG50ZNV1T02	(EOL)Toshiba XG5 1TB NVMe M.2 22x80mm < 1DWPDP	175.00	EA	175.00
12	HDS-SMN1-MZ1LB3T8HMLA07	Samsung PM983 3.84TB NVMe PCIe3x4 V4 M.2 22x110mm (1.3 DWPD)	677.35	EA	8,128.20
1	MC0037	ASSEMBLY FEE	250.00	EA	250.00
1	OS4HR3	3 YR ONSITE 24X7X4 SERVICE	3,500.00	EA	3,500.00
3	PSE-ROM7F72-0141	Rome 7F72 DR/UP 24C/48T 3.2G 192M 240W 4094(CQ219195)	4,117.00	EA	12,351.00
4	HDS-S2T1-MZ7LH980HAJR05	Samsung PM883 960GB SATA 6Gb/s V4 TLC 2.5" 7mm (1.3 DWPD)	169.63	EA	678.52

Comments: Quote is valid for 120 days from quotation date of March 18th, 2020	Less	
	Order Discount	
	Subtotal	45,260.84
	Total sales tax	0.00
	Total order	45,260.84

• SUPERMICRO WILL NOT BE HELD RESPONSIBLE FOR ANY PRICING, COMPONENT AVAILABILITY, TYPOGRAPHICAL, OR OTHER ERRORS IN ANY FORMAT OF COMMUNICATIONS INCLUDING QUOTATIONS. QUOTATIONS, IN ANY FORMAT, FURNISHED BY SUPERMICRO SHALL NOT CONSTITUTE A FIRM OFFER AND MAY BE CHANGED OR REVOKED AT ANY TIME. IT WILL BE SOLELY IN SUPERMICRO'S DISCRETION TO ACCEPT OR REJECT THE ORDER YOU PLACE.
 • INFORMATION ENCLOSED IN THE QUOTATION, INCLUDING PRICING, COMPONENTS DESCRIPTION, ETC., MADE OR SUPPLIED BY SUPERMICRO SHALL REMAIN SUPERMICRO'S PROPERTY AND YOU HEREBY AGREE THAT SUCH INFORMATION IS CONFIDENTIAL AND SHALL NOT BE DISCLOSED OR OTHERWISE USED WITHOUT SUPERMICRO'S EXPRESS PRIOR WRITTEN CONSENT.
 • UNLESS OTHERWISE, YOU AS THE CUSTOMER, DULY EXECUTE ANOTHER VALID AGREEMENT APPLICABLE TO THIS PURCHASE WITH SUPERMICRO, OR UNLESS THE AUTHORIZED SUPERMICRO REPRESENTATIVE SPECIFIES, IN WRITING, DIFFERENT OR ADDITIONAL TERMS FOR SPECIFIC PRODUCT OR SERVICE, THE TERMS AND CONDITIONS AVAILABLE AT [HTTP://WWW.SUPERMICRO.COM/ABOUT/POLICIES#PRO](http://www.supermicro.com/about/policies#pro) SHALL GOVERN PURCHASES MADE HEREBUNDER.

Mellanox Technologies, Ltd


Call toll-free: (855) 897-1098
International +01-512-220-1515
Currency ▾
Sign In Or Register Return to Mellanox.com

ADAPTERS ▾ INTERCONNECT ▾ SWITCHES ▾ CERTIFIED REFURBISHED ▾ SUPPORT AND SERVICES ▾ CUSTOMER SERVICE ▾

Home | Switches | Ethernet Switches | SN2000 | SN2700 | 100GbE | Mellanox MSN2700-CS2F Spectrum 100GbE 1U Open Ethernet Switch with Mella...

Mellanox MSN2700-CS2F Spectrum 100GbE 1U Open Ethernet Switch with Mellanox Onyx 32 QSFP28 Ports 2 Power Supplies AC x86 CPU Standard Depth P2C Airflow Rail Kit RoHS6

MPN: MSN2700-CS2F Condition: **New**



Availability:	Limited ⓘ
MSRP:	\$33,003.00
Switch Family:	SN2000
Condition:	New
Max Ports:	32x100GbE
Connector Type:	QSFP28
Max Speed:	100GbE
ECCN:	5A991
Operating System:	Mellanox Onyx
Technology:	Ethernet
Product Brief:	Download MSN2700-CS2F


Recommended Support: ⓘ

None ▾

Quantity: ▾ 1 ▴

 <p>One-Year Hardware Warranty</p>	 <p>Services & Support Call (855) 897-1098</p>	 <p>Mellanox Specialists Send us an Email</p>
---	---	--

The screenshot shows the Mellanox website interface. At the top, there is a blue navigation bar with the Mellanox logo on the left, contact information (Call toll-free: (855) 897-1098, International +01-512-220-1515) and a 'Currency' dropdown in the center, and 'Sign In Or Register' and 'Return to Mellanox.com' on the right. Below the navigation bar is a search bar with the text 'Search the store' and a magnifying glass icon. To the right of the search bar are two buttons: 'Get a Quote' and 'CART 1'. Below the search bar is a horizontal menu with categories: ADAPTERS, INTERCONNECT, SWITCHES, CERTIFIED REFURBISHED, SUPPORT AND SERVICES, and CUSTOMER SERVICE. Below the menu is a breadcrumb trail: Home | Support and Services | Hardware Support | Ethernet Hardware Support | Ethernet Switch Support | SN2000 Switch Support | SN2700 Switch Support. Below the breadcrumb trail is the product title: Mellanox SUP-SN2000-CL-S-3S-4H Technical Support and Warranty - Silver 3 Yea... The main content area features a product card for 'Mellanox SUP-SN2000-CL-S-3S-4H Technical Support and Warranty - Silver 3 Year with 4 Hours On-Site Support for SN2700 Cumulus Series Switch'. The card includes an 'In stock' badge, the Mellanox logo with the tagline 'Connect. Accelerate. Outperform.', and a table of specifications: Availability: In stock, Price: \$3,345.00, Technology: Ethernet, Contract Length: 3 Years, Program Level: Silver. To the right of the specifications is a 'Quantity' dropdown set to 1, and two buttons: 'Add to Cart' (green) and 'Get a Quote' (grey). Below the product card is a row of three service icons: 'One-Year Hardware Warranty', 'Services & Support Call (855) 897-1098', and 'Mellanox Specialists Send us an Email'.



Call toll-free: (855) 897-1098
International +01-512-220-1515

Currency ▾

Sign In Or Register Return to Mellanox.com

Search the store

Get a Quote


ADAPTERS ▾ INTERCONNECT ▾ SWITCHES ▾ CERTIFIED REFURBISHED ▾ SUPPORT AND SERVICES ▾ CUSTOMER SERVICE ▾

Home | Interconnect | InfiniBand Cables | Direct Attach Copper Cables | EDR | Mellanox MCP1600-E002E30 Passive Copper Cable IB EDR up to 100Gb/s QSFP...


Ships same day


Mellanox MCP1600-E002E30 Passive Copper Cable IB EDR up to 100Gb/s QSFP28 2m Black 30AWG


MPN: MCP1600-E002E30 Condition: **New**



Availability:	Ships same day 📦	Quantity:	<input type="text" value="1"/>
Price:	\$145.00	<input type="button" value="Add to Cart"/>	
Condition:	New	<input type="button" value="Get a Quote"/>	
Technology:	InfiniBand		
Max Speed:	EDR		
Material:	Copper		
Connector Type:	QSFP28		
Passive/Active:	Passive		
Length:	2.0m and under		
ECCN:	EAR99		
Product Brief:	Download MCP1600-E002E30		

 One-Year Hardware Warranty

 Services & Support
Call (855) 897-1098

 Mellanox Specialists
Send us an Email

Red Hat Inc.

RED HAT **STORE**

Shopping Cart


Order summary			
Item	Quantity	Price	Line total
New Subscription Contract			
<i>Red Hat Enterprise Linux Server, Premium (Physical or Virtual Nodes) (RH00003)</i> Feb 25, 2020 - Feb 24, 2021	12 Remove	US\$1,299.00	US\$15,588.00
Subtotal:			US\$15,588.00

[Continue shopping](#)

[Continue to checkout](#)



Machbase Inc.

Quotation						
Doc. No. :	MACH-SALES-20200310-01		Business License	120-87-96403		
Date :	2020-03-30		Company	Machbase Inc.	CEO	Andrew Kim
To :	TTA		BusinessTerritory	Service, Business Service	ProductType	Software
CC :	Mr. Ki Han Choi		Address	Rn. 904, 273 Digital-ro, Guro-gu		
Charge :	Peter Lee (+82-10-7128-6127)			Seoul, Korea		
Here we quote as belows			Tel.	T : 02-2109-5607	F : 02-2038-4607	
Quote	364,364		USD (VAT Incl.)			
No.	Content	List Price (USD/Node)	Proposed Price (USD/Node)	Quantity (Node)	Supply Price (USD)	Tax. Incl. (USD)
1	Machbase Cluster Edition V5.7.13	98,000	63,700	4	254,800	280,280
	<u>Machbase Run-Time License</u>					
	Machbase Time Series DBMS					
	Machbase Client Developmet Kit					
	Machbase Coordinator					
	Machbase Broker					
	Machbase Warehouse					
	Machbase Web Admin					
	Machbase Tag Analyzer					
No.	Content	Ref. Price (USD)	Maintenance Rate (%)	Total Period (Year)	Supply Price (USD)	Tax. Incl. (USD)
2	Maintenance	254,800	15%	2.00	76,440	84,084
	<u>Support & On-site Guide</u>					
	Fault Handling					
	API Connection					
	Guide for Server & Node Configuration					
Total					331,240	364,364
<< REMARK >>						
.- Here is a quote for applying a Machbase time series database for TTA.						
.- Quotation : Machbase Cluster Edition Run-Time License 4 nodes and 3 years Maintenance (1 Year for free)						
.- Maintenance: Free maintenance for one year after the contract, 15% of maintenance rate applied afterwards.						
.- Payment terms: Cash payment terms. (Within 30 days of issue of tax invoice)						
.- Server installation condition: It is recommended to separate DB server and Storage server.						
.- Installation : Cluster Edition - 7 Days, DB Table Guide is seperately guided with DB Professional Service.						
.- Quotation validity period: 120 days from the date of quotation						
						

Hewlett Packard Inc.

HP Store Sales: 1-866-625-3906 | [Order Status](#) | [Live Help](#) | [Customer Service](#) | [Sign in/Register](#)

 [Laptops & 2-in-1s](#) [Desktops](#) [Printers](#) [3D Print](#) [Ink & toner](#) [Displays & accessories](#) [Business solutions](#) [Support](#)  

PC STORE / COMPUTER ACCESSORIES / COMPUTER DISPLAYS / COMPUTER MONITORS / HP ELITEDISPLAY E243 23.8-INCH MONITOR



HP EliteDisplay E243 23.8-inch Monitor

★★★★★ 4.5 (25) [Write a review](#)

Special offers: Free shipping! | Get 10% off select Monitors with PC purchase (limit 2)




- FHD (1920 x 1080 @ 60 Hz)
- 1000:1 static; 10000000:1 dynamic
- 5 ms on/off
- IPS w/LED backlight

[See all Specs](#)


\$179.00 [Add to cart](#) Ships within 14 business days

Product # 1FH47A8#ABA

HP Store Sales: 1-866-625-3906 | [Order Status](#) | [Live Help](#) | [Customer Service](#) | [Sign in/Register](#)

 [Laptops & 2-in-1s](#) [Desktops](#) [Printers](#) [3D Print](#) [Ink & toner](#) [Displays & accessories](#) [Business solutions](#) [Support](#)  

HOME / BUSINESS / MONITORS & ACCESSORIES / MICE & KEYBOARDS / HP SLIM USB KEYBOARD AND MOUSE



HP Slim USB Keyboard and Mouse

★★★★★ 4.4 (7) [Write a review](#)

Special offers: Free shipping! | Save 20% on select accessories with PC Purchase | Buy one accessory, get one 20% off

- Extend your input capabilities with keyboards and mice from HP.

[See all Specs](#)

\$35.00 [Add to cart](#) Ships within 14 business days

Product # T6T83UT#ABA

Supporting File Index

Clause	Description	Archive Pathname
Clause 1	Parameters and options used to configure and tune the SUT	/Clause1
Clause 2	Configuration scripts and Run Report	/Clause2
Clause 3	System configuration details	/Clause3