



Telecommunications Technology Association

TPC Express Benchmark™ IoT Full Disclosure Report

Machbase 6.5.1

running on

Supermicro A+ Server 1114S-WN10RT
(with 4x H12SSW-NTR Nodes)

with

Red Hat Enterprise Linux Server Release 8.3

TPCx-IoT Version
Report Edition
Report Submitted

1.0.5
First
March 15, 2021

First Edition – March 2021

Telecommunications Technology Association (TTA), the Sponsor of this benchmark test, believes that the information in this document is accurate as of the publication date. The information in this document is subject to change without notice. The Sponsor assumes no responsibility for any errors that may appear in this document.

The pricing information in this document is believed to accurately reflect the current prices as of the publication date. However, the Sponsor provides no warranty of the pricing information in this document.

Benchmark results are highly dependent upon workload, specific application requirements, and system design and implementation. Relative system performance will vary because of these and other factors. Therefore, the TPC Express Benchmark™ V should not be used as a substitute for a specific customer application benchmark when critical capacity planning and/or product evaluation decisions are contemplated.

All performance data contained in this report was obtained in a rigorously controlled environment. Results obtained in other operating environments may vary significantly. No warranty of system performance or price/performance is expressed or implied in this report.

TTA and the TTA Logo are trademarks of Telecommunications Technology Association and/or its affiliates in the U.S. and other countries. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between TTA and any other company

TPC Express Benchmark™ IoT, TPCx-IoT, and IoTps, are registered certification marks of the Transaction Processing Performance Council.

The TTA products, services or features identified in this document may not yet be available or may not be available in all areas and may be subject to change without notice. Consult your local TTA business contact for information on the products or services available in your area. You can find additional information via TTA's web site at <http://www.tta.or.kr/eng>. Actual performance and environmental costs of TTA products will vary depending on individual customer configurations and conditions.

Copyright© 2020 Telecommunications Technology Association

All rights reserved. Permission is hereby granted to reproduce this document in whole or in part provided the copyright notice printed above is set forth in full text or on the title page of each item reproduced

Abstract

TTA conducted the TPC Express Benchmark™ IoT (TPCx-IoT) on the Supermicro A+ Server 1114S-WN10RT with 4x H12SSW-NTR Nodes. The software used included Machbase 6.5.1. This report provides full disclosure of the methodology and results. All testing was conducted in conformance with the requirements of the TPCx-IoT Standard Specification, Revision 1.0.5.

The benchmark results are summarized below.

Configuration Summary




Sponsor	Cluster Nodes	Storage Software	Operating System
TTA	Supermicro A+ Server 1114S-WN10RT	Machbase 6.5.1	Red Hat Enterprise Linux Release 8.3


TPC Express Benchmark™ IoT Metrics


Total System Cost (USD)	IoTps	USD/IoTps	Availability Date
\$302,788	3,410,800.16	\$0.09	Mar 16, 2021


Executive Summary

The [Executive Summary](#) follows on the next several pages.

	<h1 style="text-align: center;">Machbase 6.5.1</h1>		TPCx-IoT	1.0.5
			TPC Pricing	2.6.0
			Report Date	Mar. 15, 2021
Total System Cost \$302,788 USD		TPCx-IoT Performance Metric 3,410,800.16 IoTps		Price/Performance \$0.09 USD/IoTps
Servers	Operating System	Other Software	Availability Date	
Supermicro A+ Server 1114S-WN10RT	Red Hat Enterprise Linux Server Release 8.3	None	Mar 16, 2021	
System Under Test Configuration Overview				
<p>4 x Supermicro A+ Server 1114S-WN10RT with 4x H12SSW-NTR Nodes, each with:</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  <p>NVIDIA MSN2700 100GbE Ethernet Switch (32 x QSFP28 Ports)</p> </div> <div style="text-align: center;">  </div> <div style="width: 30%;"> <p>1 x Master Node</p> <ul style="list-style-type: none"> 1 x AMD EPYC 7713 64-Core Processor 16 x 64GB (1,024GB) Memory 1 x 100GbE 2-Port Adaptor 10GbE 2-Port Adaptor 1 x 7.68TB NVMe PCIe 4x4 SSD 1 x 960GB NVMe M.2 PCIe SSD <p>3 x Data Nodes</p> <ul style="list-style-type: none"> 1 x AMD EPYC 75F3 32-Core Processor 8 x 64GB (512GB) Memory 1 x 100GbE 2-Port Adaptor 10GbE 2-Port Adaptor 4 x 7.68TB NVMe PCIe 4x4 SSD 1 x 960GB NVMe M.2 PCIe SSD </div> </div>				
Total Servers:		4x Supermicro A+ Server 1114S-WN10RT (with 4x H12SSW-NTR Nodes)		
Total Processors/Cores/Threads:		4/160/320		
Server Configuration:	1x Master Node		3x Data Nodes	
Processor	1x AMD EPYC 7713 (2.00GHz, 64-core, 256 MB L3)		1x AMD EPYC 75F3 (2.95GHz, 32-core, 256 MB L3)	
Memory	1,024 GB		512 GB	
Storage Device	1x 960GB NVMe M.2 PCIe SSD Gen3 1x 7.68TB NVMe PCIe SSD Gen4		1x 960GB NVMe M.2 PCIe SSD Gen3 4x 7.68TB NVMe PCIe SSD Gen4	
Network Controller	1x Mellanox MT27800 Family 100GbE 1x Broadcom BCM57416 NetXtreme-E Dual-Media 10GbE		1x Mellanox MT27800 Family 100GbE 1x Broadcom BCM57416 NetXtreme-E Dual-Media 10GbE	
Connectivity	NVIDIA MSN2700 100GbE Switch			
Total Rack Units:	(4x 1114S-WN10RT) + (1x MSN2700) = (4x1) + (1x1) = 5 RU			

		<h1>Machbase 6.5.1</h1>			TPCx-IoT	1.0.5
					TPC Pricing	2.6.0
					Report Date	Mar. 15, 2021
Description	Part Number	Source	List Price (USD)	Qty	Extended Price (USD)	3 yr. Maint. Price (USD)
Server Hardware						
Supermicro A+ Server 1114S-WN10RT	MBD-H12SSW-NTR	1	1,506.00	4	6,024.00	
AMD EPYC 7713 64-Core Processor	-	1	5,070.00	1	5,070.00	
AMD EPYC 75F3 32-Core Processor	-	1	4,920.00	3	14,760.00	
Supermicro 64GB DDR4-3200(PC4-25600)	MEM-DR464L-HL02-BR32	1	277.00	40	11,080.00	
Kioxia CD6 7.68TB NVMe PCIe 4x4	HDS-TUN0-KCD6XLUL7T68	1	990.00	13	12,870.00	
Mellanox Technologies MT27800 Family [ConnectX-5] Dual-port 100GbE card	-	1	1,060.00	4	4,240.00	
Micron 7300 PRO 960GB PCIe NVMe M.2	HDS-MMN-MTFDHBA960TDF1AW	1	130.00	4	520.00	
ASSEMBLY FEE	MC0037	1	-	1	-	
Maintenance - 7x24x4 Care Pack (3-yr)	OS4HR3	1	2,000.00	4	-	8,000.00
Sub-Total					54,564.00	8,000.00
Network						
NVIDIA MSN2700-CS2F Spectrum 100GbE 1U Open Ethernet Switch	MSN2700-CS2F	2	33,003.00	1	33,003.00	
Mellanox MCP1600-E002E30 Passive NVIDIA MCP1600-C001E30N Direct Attach Copper Cable Ethernet 100GbE QSFP28 1m Black 30AWG CA-N	MCP1600-C001E30N	2	85.00	6	510.00	
Mellanox Technical Support and Warranty - Silver 3 Year with 4 Hours On-Site Support for SN2000 Series Switch	SUP-SN2000-3S-4H	3	1,981.00	1		1,981.00
Sub-Total					33,513.00	1,981.00
Software						
Red Hat Enterprise Linux Server8.3 with Premium Support 1 Year	RH00003	4	1,299.00	12		15,588.00
Machbase v6.5.1 Cluster Edition (includes 1y 7x24x4 Technical Support) (1Set = 4Node)	-	5	170,000.00	1	170,000.00	
Machbase v6.5.1 Cluster Edition 7x24x4 Technical Support	-	5	25,500.00	2		51,000.00
Sub-Total					170,000.00	66,588.00
Infrastructure						
HP EliteDisplay E190i 18.9-inch LED Backlit IPS Monitor (w/ spares)	E4U30A8#ABA	6	179.00	3	537.00	
HP C2500 Desktop(Keyboard and Mouse) (w/ spares)	H3C53AA#ABA	6	35.00	3	105.00	
Sub-Total					642.00	-
Discounts*						
Machbase v6.5.1 Cluster Edition (includes 1y 7x24x4 Technical Support)	-				(25,000.00)	
Machbase v6.5.1 Cluster Edition 7x24x4 Technical Support	-					(7,500.00)
Sub-Total					(25,500.00)	(7,500.00)
Total					\$233,719.00 USD	\$69,069.00 USD
Price Source						
1) Super Micro Computer Inc. 2) NVIDIA Inc. 3) Mellanox Technologies Inc. 4) Red Hat Inc. 5) Machbase Inc. 6) Hewlett Packard Inc.						
Audited by Pre-Publication Board						
*All discounts are based on US list prices and for similar quantities and configurations. Discounts for similarly sized configurations will be similar to those quoted here, but may vary based on the components in the configuration.						
					Three-Year Cost of Ownership: \$302,788 USD	
					IoTps: 3,410,800.16	
					USD/IoTps: \$0.09 USD	
<p>Prices used in TPC benchmarks must reflect the actual prices a customer would pay for purchase of the components in all regions specified in the result. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing conventions for the listed components. For complete details, see the pricing section of the TPC benchmark specification. If you find that stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.</p>						

	Machbase 6.5.1	TPCx-IoT	1.0.5
		TPC Pricing	2.6.0
		Report Date	Mar. 15, 2021
Numerical Quantities			
Scale Factor	6440000000		
Performance Run (Run2)			
Warmup Run Start Time	2021-03-03 02:02:07.000		
Warmup Run End Time	2021-03-03 02:32:50.000		
Warmup Run Elapsed Time	1,841.657		
Measured Run Start Time	2021-03-03 02:32:50.000		
Measured Run End Time	2021-03-03 03:04:19.000		
Measured Run Elapsed Time	1,888.120		
Performance Metric (IoTps)	3,410,800.16		
Repeatability Run (Run1)			
Warmup Run Start Time	2021-03-03 00:54:58.000		
Warmup Run End Time	2021-03-03 01:25:02.000		
Warmup Run Elapsed Time	1,802.580		
Measured Run Start Time	2021-03-03 01:25:02.000		
Measured Run End Time	2021-03-03 01:56:09.000		
Measured Run Elapsed Time	1,866.829		
Performance Metric (IoTps)	3,449,699.99		

	<h2>Machbase 6.5.1</h2>	<table> <tr> <td>TPCx-IoT</td> <td>1.0.5</td> </tr> <tr> <td>TPC Pricing</td> <td>2.6.0</td> </tr> <tr> <td>Report Date</td> <td>Mar. 15, 2021</td> </tr> </table>	TPCx-IoT	1.0.5	TPC Pricing	2.6.0	Report Date	Mar. 15, 2021
TPCx-IoT	1.0.5							
TPC Pricing	2.6.0							
Report Date	Mar. 15, 2021							
<h3>Performance Run Report (Run2)</h3> <hr/> <p>TPCx-IoT Performance Metric (IoTps) Report</p> <p>Test Run2 details : Total Time For Warmup Run In Seconds = 1,841.657</p> <p>Test Run2 details : Total Time In Seconds = 1,888.120</p> <p style="padding-left: 150px;">Total Number of Records = 6440000000</p> <p>TPCx-IoT Performance Metric (IoTps): 3410800.1610</p> <hr/> <h3>Repeatability Run Report (Run1)</h3> <hr/> <p>TPCx-IoT Performance Metric (IoTps) Report</p> <p>Test Run1 details : Total Time For Warmup Run In Seconds = 1,802.580</p> <p>Test Run1 details : Total Time In Seconds = 1,866.829</p> <p style="padding-left: 150px;">Total Number of Records = 6440000000</p> <p>TPCx-IoT Performance Metric (IoTps): 3449699.9993</p> <hr/> <p>Summary details of the run reports are show above. For the complete run reports, see the Supporting Files Archive.</p>								


	<h2>Machbase 6.5.1</h2>	<table> <tr> <td>TPCx-IoT</td> <td>1.0.5</td> </tr> <tr> <td>TPC Pricing</td> <td>2.6.0</td> </tr> <tr> <td>Report Date</td> <td>Mar. 15, 2021</td> </tr> </table>	TPCx-IoT	1.0.5	TPC Pricing	2.6.0	Report Date	Mar. 15, 2021
TPCx-IoT	1.0.5							
TPC Pricing	2.6.0							
Report Date	Mar. 15, 2021							
<h3>Revision History</h3> <table> <thead> <tr> <th data-bbox="359 616 422 645">Date</th> <th data-bbox="619 616 705 645">Edition</th> <th data-bbox="783 616 927 645">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="359 674 539 703">March 15, 2021</td> <td data-bbox="619 674 671 703">First</td> <td data-bbox="783 674 986 703">Initial Publication</td> </tr> </tbody> </table>			Date	Edition	Description	March 15, 2021	First	Initial Publication
Date	Edition	Description						
March 15, 2021	First	Initial Publication						

Table of Contents

Abstract.....	3
Executive Summary	3
Table of Contents	9
Clause 0 Preamble.....	10
0.1 TPC Express Benchmark™ IoT Overview	10
Clause 1 General Items.....	11
1.1 Test Sponsor	11
1.2 Parameter Settings.....	11
1.3 Configuration Diagrams	11
1.3.1 Measured Configuration	12
1.3.2 Priced Configuration	13
1.4 Dataset Distribution	13
1.5 Software Component Distribution	13
Clause 2 Workload Related Items	14
2.1 Hardware and Software Tunable Parameters.....	14
2.2 Run Report.....	14
2.3 Benchmark Kit Identification	15
2.4 Benchmark Kit Changes.....	15
Clause 3 Scale Factor and Metrics	16
3.1 Scale Factor, Performance, Price-Performance	16
Third-Party Price Quotes	17
Super Micro Computer Inc.	17
Mellanox Technologies, Ltd	18
Red Hat Inc.	20
Machbase Inc.	21
Hewlett Packard Inc.....	22
Supporting File Index	23

Clause 0 Preamble

0.1 TPC Express Benchmark™ IoT Overview

TPC Express Benchmark™ IoT (TPCx-IoT) was developed to provide an objective measure of hardware, operating system and commercial NoSQL database software distributions, and to provide the industry with verifiable performance, price-performance and availability metrics. The benchmark models a continuous system availability of 24 hours a day, 7 days a week.

Even though the modeled application is simple, the results are highly relevant to hardware and software dealing with IoT gateway systems in general. TPCx-IoT stresses both hardware and software including database APIs and network connections to the database. This workload can be used to assess a broad range of NoSQL databases. TPCx-IoT can be used to assess a range of NoSQL implementations in a technically rigorous and directly comparable and vendor-neutral manner. The metric effectively represents the total number of records that can be inserted into a NoSQL database per second while running queries against the database.

The TPCx-IoT kit is available from the TPC (See www.tpc.org/tpcx-iot for more information). Users must sign up and agree to the TPCx-IoT User Licensing Agreement (ULA) to download the kit. Redistribution of the kit is prohibited. All related work (such as collaterals, papers, derivatives) must acknowledge the TPC and include TPCx-IoT copyright. The TPCx-IoT Kit includes: the TPCx-IoT Specification document, the TPCx-IoT Users Guide document, shell scripts to set up the benchmark environment and Java code to execute the benchmark load.

The purpose of TPC benchmarks is to provide relevant, objective performance data to industry users. To achieve that purpose, TPC benchmark specifications require that benchmark tests be implemented with systems, products, technologies and pricing that:

- Are generally available to users;
- Are relevant to the market segment that the individual TPC benchmark models or represents (e.g., TPCx- IoT models and represents a NoSQL database mimicking an IoT gateway system)
- Would plausibly be implemented by a significant number of users in the market segment the benchmark models or represents.

The use of new systems, products, technologies (hardware or software) and pricing is encouraged so long as they meet the requirements above. Specifically prohibited are benchmark systems, products, technologies or pricing (hereafter referred to as "implementations") whose primary purpose is performance optimization of TPC benchmark results without any corresponding applicability to real-world applications and environments. In other words, all "benchmark special" implementations that improve benchmark results but not real-world performance or pricing, are prohibited.

The rules for pricing are included in the TPC Pricing Specification. Further information is available at www.tpc.org.

Clause 1 General Items

1.1 Test Sponsor

A statement identifying the benchmark sponsor(s) and other participating companies must be provided.

This benchmark was sponsored by Telecommunications Technology Association.

1.2 Parameter Settings

Settings must be provided for all customer-tunable parameters and options which have been changed from the defaults found in actual products, including by not limited to:

- *Configuration parameters and options for server, storage, network and other hardware component incorporated into the pricing structure;*
- *Configuration parameters and options for operating system and file system component incorporated into the pricing structure;*
- *Configuration parameters and options for any other software component incorporated into the pricing structure;*
- *Compiler optimization options.*

Comment 1: In the event that some parameters and options are set multiple times, it must be easily discernible by an interested reader when the parameter or option was modified and what new value it received each time.

Comment 2: This requirement can be satisfied by providing a full list of all parameters and options, as long as all those that have been modified from their default values have been clearly identified and these parameters and options are only set once.

The [Supporting Files Archive](#) contains the parameters and options used to configure the components involved in this benchmark.

1.3 Configuration Diagrams

Diagrams of both measured and priced configurations must be provided, accompanied by a description of the differences.

This includes, but is not limited to:

- *Total number of nodes used*
- *Total number and type of processors used/total number of cores used/total number of threads used (including sizes of L2 and L3 caches)*
- *Size of allocated memory, and any specific mapping/partitioning of memory unique to the test*
- *Number and type of disk units (and controllers, if applicable)*
- *Number of channels or bus connections to disk units, including their protocol type*
- *Number of LAN (for example, Ethernet) connections and speed for switches and other hardware components physically used in the test or are incorporated into the pricing structure*
- *Type and the run-time execution location of software components*

1.3.1 Measured Configuration

Figure 1-1 shows the measured configuration.




Figure 1-1 Measured Configuration

The measured configuration consisted of:

Total Nodes:	4
Total Processors/Cores/Threads:	4/160/320
Total Memory:	1.53TB
Total Number of Storage Devices:	17
Total Storage Capacity	103.68TB

Connectivity: NVIDIA MSN2700 100GbE Switch

Servers	1x Master Node:	3x Data Nodes:
Processors/Cores/Threads:	1/64/128	1/32/64
Processor Model:	1x AMD EPYC 7713 (2.00GHz, 64-core, 256MB L3)	1x AMD EPYC 75F3 (2.95GHz, 32-core, 256MB L3)
Memory:	1,024GB	512GB
Storage Devices:	1x 960GB NVMe M.2 PCIe SSD Gen3 1x 7.68TB NVMe PCIe SSD Gen4	1x 960GB NVMe M.2 PCIe SSD Gen3 4x 7.68TB NVMe PCIe SSD Gen4
Network Controller:	1x Mellanox MT27800 Family 100GbE 1x Broadcom BCM57416 NetXtreme-E Dual-Media 10GbE	1x Mellanox MT27800 Family 100GbE 1x Broadcom BCM57416 NetXtreme-E Dual-Media 10GbE

The distribution of software components over server nodes is detailed in section 1.5.

1.3.2 Priced Configuration

There are no differences between the priced configuration and the measured configuration.

1.4 Dataset Distribution

The distribution of dataset across all media must be explicitly described.

Table 1-1 describes the distribution of the dataset across all storage media in the system.

Server	Storage	Disk Drive	Description of Content
1	M.2 PCIe Gen3 PCIe Gen4	1 x 960GB NVMe SSD 1 x 7.68TB NVMe SSD	Machbase Broker, Operating System, Root, Swap
2-4	M.2 PCIe Gen3 PCIe Gen4	1 x 960GB NVMe SSD 4 x 7.68TB NVMe SSD	Operating System, Root, Swap Machbase Data, coordinator

Table 1-1 Dataset Distribution Across Storage Media

1.5 Software Component Distribution

The distribution of various software components across the system must be explicitly described.

Table describes the distribution of the software components across the system.

Server	Broker	Coordinator	Warehouse
1	X		
2		X	X
3			X
4			X

Table 1-2 Software Component Distribution Across Nodes

The storage system software used was Machbase 6.5.1.

Clause 2 Workload Related Items

2.1 Hardware and Software Tunable Parameters

Script or text used to set all hardware and software tunable parameters must be reported.

The [Supporting Files Archive](#) contains all configuration scripts.

2.2 Run Report

The run report generated by the TPCx-IoT Kit for Performance Run and Repeatability Run must be reported.

The [Supporting Files Archive](#) contains the full run report. The following excerpts from the run report summarize the Performance Run and the Repeatability Run.

Run Report for Run 1 (Repeatability Run)

=====
TPCx-IoT Performance Metric (IoTps) Report

Test Run 1 details : Total Time For Warmup Run In Seconds = 1,802.580

Test Run 1 details : Total Time In Seconds = 1,866.829

Total Number of Records = 6440000000

TPCx-IoT Performance Metric (IoTps): 3449699.9993

Run Report for Run 2 (Performance Run)

=====
TPCx-IoT Performance Metric (IoTps) Report

Test Run 2 details : Total Time For Warmup Run In Seconds = 1,841.657

Test Run 2 details : Total Time In Seconds = 1,888.120

Total Number of Records = 6440000000

TPCx-IoT Performance Metric (IoTps): 3410800.1610

2.3 Benchmark Kit Identification

The version of the TPCx-IoT kit and checksums for key files are listed below.

TPCx-IoT Kit Version	1.0.5
----------------------	-------

File	MD5
TPC-IoT-master.sh	aabeca02709f778295fcd1891ce3f74e
tpcx-iot/machbase-binding/lib/core-0.13.o-SNAPSHOT.jar	18b59e748a7026036e85e2e70ba45af5
IoT_cluster_validate_suite.sh	1d85705dc67fb3c767d7a1fe8775275f

2.4 Benchmark Kit Changes

No modifications were made to TPC-provided kit.

Clause 3 Scale Factor and Metrics

3.1 Scale Factor, Performance, Price-Performance

The metrics for Run 1 and Run 2 are summarized below.

	Run 1	Run 2
Scale Factor	6440000000	6440000000
Measured Run Time (seconds)	1,866.829	1,888.120
IoTps	3,449,699.99	3,410,800.16

Run2 Price-Performance: 0.09 \$/IoTps

Third-Party Price Quotes

Super Micro Computer Inc.



Quotation

990 Rock Ave.
 San Jose, CA 95131 US
 Phone: (408) 503-8000 Fax: (408) 503-8808
 Please email PO to Supermicro Order Desk: spo@supermicro.com
 and cc Supermicro Sales Representative.

Date 02/18/2021	Page 1
Quotation Number 860050274	
Expiration Date 07/15/2021	

Sold To: ADVANCED MICRO DEVICES, INC (CA) DEBBIE CHRISTOPHER 2485 AUGUSTINE DRIVE SANTA CLARA CA 95054-3002 USA	Ship To: ADVANCED MICRO DEVICES, INC (CA) DEBBIE CHRISTOPHER 2485 AUGUSTINE DRIVE SANTA CLARA CA 95054-3002 USA
--	--

Reference	Customer No. AM0030200	Salesperson VIVIAN HUYNH	Incoterms Ex Works	Ship Via FED GROUND CUST	Payment Terms NET 45 DAYS
-----------	---------------------------	-----------------------------	-----------------------	-----------------------------	------------------------------

Qty. Ord.	Item Number	Description	Unit Price	UoM	Extended Price
4	AS-1114S-WN10RT	H12SSW-NTR, CSE-116TS-R706WBP5-N10, RoHS 8471.49.0000 / 5A992C	1,506.00	EA	6,024.00
1		Milan 7713 64C/128T	5,070.00	EA	5,070.00
3		Milan 75F3 32C/64T	4,920.00	EA	14,760.00
40	MEM-DR464L-HL02-BR32	64GB DDR4-3200 2Rx4 (16Gb) ECC RDIMM	277.00	EA	11,080.00
13	HDS-TUNG-KCDEXLUL7T68	Kioxia CD6 7.68TB NVMe PCIe 4x4 2.5" 15mm SIE 1DWPD 8523.B1.000 / BA992C	980.00	EA	12,870.00
4		Mellanox Technologies MT27800 Family [ConnectX-5] Dual-port 100GbE card	1060.00	EA	4,240.00
4	HDS-MMN-MTFDHBAG0TDF1AW	Micron 7300 PRO 960GB PCIe NVMe M.2 22x80mm, 3D TLC, 1DWPD	130.00	EA	520.00
1	MC0037	ASSEMBLY FEE	0.00	EA	0.00
4	OS4HR3	3 YR ONSITE 24X7X4 SERVICE	2,000.00	EA	8,000.00

Comments:	Less Order Discount	
	Subtotal	62,564.00
	Total sales tax	0.00
	Total order	62,564.00

SUPERMICRO WILL NOT BE HELD RESPONSIBLE FOR ANY PRICING, COMPONENT AVAILABILITY, TYPOGRAPHICAL, OR OTHER ERRORS IN ANY FORMAT OF COMMUNICATIONS INCLUDING QUOTATIONS. QUOTATIONS, IN ANY FORMAT, FURNISHED BY SUPERMICRO SHALL NOT CONSTITUTE A FIRM OFFER AND MAY BE CHANGED OR REVOKED AT ANY TIME. IT WILL BE SOLELY IN SUPERMICRO'S DISCRETION TO ACCEPT OR REJECT THE ORDER YOU PLACE.
 INFORMATION ENCLOSED IN THE QUOTATION, INCLUDING PRICING, COMPONENTS DESCRIPTION, ETC., MADE OR SUPPLIED BY SUPERMICRO SHALL REMAIN SUPERMICRO'S PROPERTY AND YOU HEREBY AGREE THAT SUCH INFORMATION IS CONFIDENTIAL AND SHALL NOT BE DISCLOSED OR OTHERWISE USED WITHOUT SUPERMICRO'S EXPRESS PRIOR WRITTEN CONSENT.
 UNLESS OTHERWISE, YOU AS THE CUSTOMER, DULY EXECUTE ANOTHER VALID AGREEMENT APPLICABLE TO THIS PURCHASE WITH SUPERMICRO, OR UNLESS THE AUTHORIZED SUPERMICRO REPRESENTATIVE SPECIFIES, IN WRITING, DIFFERENT OR ADDITIONAL TERMS FOR SPECIFIC PRODUCT OR SERVICE, THE TERMS AND CONDITIONS AVAILABLE AT [HTTP://WWW.SUPERMICRO.COM/ABOUT/POLICIES/#PRO](http://www.supermicro.com/about/policies/#pro) SHALL GOVERN PURCHASES MADE HEREUNDER.

NVIDIA Inc

The screenshot shows the NVIDIA product page for the MSN2700-CS2F Ethernet Switch. The page features a navigation bar with categories like NETWORKING, ETHERNET, and INFINIBAND. The product title is "NVIDIA MSN2700-CS2F Spectrum Based 100GbE 1U Open Ethernet Switch with Onyx 32 QSFP28 Ports 2 Power Supplies AC x86 CPU Standard Depth P2C Airflow Rail Kit RoHS6". The price is listed as \$33,003.00. A green badge indicates "Availability: In stock". Technical specifications include: Availability: In stock, Technology: Ethernet, Operating System: Onyx, Max Speed: 100GbE, Connector Type: QSFP28, Ports: 32x100GbE, ECCN: 5A991. There are also dropdown menus for "Recommended Support", "Add 100GbE Adapter Card?", and "Add 100GbE Cable?". A "Have a question?" chat bubble is visible in the bottom right corner.

The screenshot shows the NVIDIA product page for the MCP1600-C001E30N Direct Attach Copper Cable. The page features a navigation bar with categories like NETWORKING, ETHERNET, and INFINIBAND. The product title is "NVIDIA MCP1600-C001E30N Direct Attach Copper Cable Ethernet 100GbE QSFP28 1m Black 30AWG CA-N". The price is listed as \$85.00. A green badge indicates "Availability: Ships same day". Technical specifications include: Availability: Ships same day, Technology: Ethernet, Max Speed: 100GbE, Material: Copper, Connector Type: QSFP28, Length: 1.0m, ECCN: EAR99. There is a "Quantity" selector set to 1, and buttons for "ADD TO CART" and "GET A QUOTE". A "Have a question?" chat bubble is visible in the bottom right corner.

Mellanox Technologies Inc.



Quote Number: Q00169900v1
 Quote Date: 3-10-2021
 Quote Expiration Date: 6 -8-2021

Prepared For:
 Distributor:
 System Integrator:

Customer: ADVANCED MICRO DEVICES INC

Ordering Part Number - Description	Quantity	Sales Price	Total Price
Mellanox Products			
Total Products Amount			\$.00
Services and Support			
<i>*Support or maintenance renewals for the same part number, service level and service period are available at the prices shown in this quotation</i>			
SUP-SN2000-3S-4H <i>Mellanox Technical Support and Warranty - Silver 3 Year with 4 Hours On-Site Support for SN2000 Series Switch</i>	1	\$1,981.00	\$1,981.00
Total Services and Support			\$1,981.00
Grand Total			\$1,981.00
Optional Products			
<i>Optional Products are Not Included in this Quotation</i>			

Red Hat Inc.

RED HAT **STORE**

Shopping Cart


Order summary			
Item	Quantity	Price	Line total
New Subscription Contract			
<i>Red Hat Enterprise Linux Server, Premium (Physical or Virtual Nodes) (RH00003)</i> Feb 27, 2021 - Feb 26, 2022	12 Remove	US\$1,299.00	US\$15,588.00
Subtotal:			US\$15,588.00

[Continue shopping](#)

[Continue to checkout](#)






Machbase Inc.


Quotation							
Doc. No.	: MACH-SALES-20210302-05		Business License	120-87-96403			
Date	: 2021-03-02		Company	Machbase Inc.	CEO	Andrew Kim	
To	: TTA		BusinessTerritory	Service, Business Service	ProductType	Software	
CC	: Mr. Seo Byoung Joon		Address	10, Teheran-ro 20-gil, Gangnam-gu			
Charge	: Stefan Song (+82-10-5440-1734)			Seoul, Korea			
Here we quote as follows			Tel.	T : 02-2109-5607	F : 02-2038-4607		
Quote	207,350		USD (VAT Incl.)				
No.	Content		List Price (USD/Set)	Proposed Price (USD/Set)	Quantity (1Set=4Node)	Supply Price (USD)	Tax. Incl. (USD)
1	Machbase Cluster Edition V6.5.1		170,000	145,000	1	145,000	159,500
	<u>Machbase Run-Time License</u>						
	Machbase Time Series DBMS						
	Machbase Client Developmet Kit						
	Machbase Coordinator						
	Machbase Broker						
	Machbase Warehouse						
	Machbase Web Admin						
	Machbase Tag Analyzer						
No.	Content		Ref. Price (USD)	Maintenance Rate (%)	Total Period (Year)	Supply Price (USD)	Tax. Incl. (USD)
2	Maintenance		145,000	15%	2.00	43,500	47,850
	<u>Support & On-site Guide</u>						
	Fault Handling						
	API Connection						
	Guide for Server & Node Configuration						
Total						188,500	207,350
<< REMARK >>							
.- Here is a quote for applying a Machbase time series database for TTA.							
.- Quotation : Machbase Cluster Edition Run-Time License 4 nodes(1set) and 3 years Maintenance (1 Year for free)							
.- Maintenance: Free maintenance for one year after the contract, 15% of maintenance rate applied afterwards.							
.- Payment terms: Cash payment terms. (Within 30 days of issue of tax invoice)							
.- Server installation condition: It is recommended to separate DB server and Storage server.							
.- Installation : Cluster Edition - 7 Days, DB Table Guide is seperately guided with DB Professional Service.							
.- Quotation validity period: 120 days from the date of quotation							
							

Hewlett Packard Inc.

HP Store Sales: 1-866-625-3906 | [Need help?](#) | [Customer Service](#) | [My HP Rewards](#) | [Sign in/Register](#)

 [Explore](#) [Shop](#) [Support](#)  

HOME / BUSINESS / MONITORS & ACCESSORIES / E-SERIES / HP ELITEDISPLAY E190I 18.9-INCH LED BACKLIT IPS MONITOR




HP EliteDisplay E190i 18.9-inch LED Backlit IPS Monitor
★★★★☆ 4.3 (6) [Write a review](#) | ENERGY STAR

Extra 5% off select monitors with purchase of a PC

[See similar products](#)

- SXGA (1280 x 1024 @ 60 Hz)
- 1000:1 static; 3000000:1 dynamic
- 8 ms gray to gray




[See all Specs](#)

 Earn 1X HP Rewards Points


\$179.00 [ADD TO CART](#)

Product # E4U30A8#ABA

HP Store Sales: 1-866-625-3906 | [Need help?](#) | [Customer Service](#) | [My HP Rewards](#) | [Sign in/Register](#)

 [Explore](#) [Shop](#) [Support](#)  

HOME / ACCESSORIES / HP C2500 DESKTOP




HP C2500 Desktop
★★★★☆ 4.5 (146) [Write a review](#)

Save \$5 instantly

- The HP Desktop C2500 combo combines the elements you need into one package. Increase your productivity with the industrious keyboard and 3-button mouse. Rely on improved and updated features with spill-resistant construction & adjustable legs.

[See all Specs](#)

 Earn 1X HP Rewards Points

~~\$19.99~~
\$14.99 [ADD TO CART](#)

Product # H3C53AA#ABA

Supporting File Index

Clause	Description	Archive Pathname
Clause 1	Parameters and options used to configure and tune the SUT	/Clause1
Clause 2	Configuration scripts and Run Report	/Clause2
Clause 3	System configuration details	/Clause3