


Servidor Itautec ZX400 4P C/S with Servidor Itautec LX210 1P

TPC-C Rev. 5.5

Report Date: 12/01/2005

Total System Cost		TPC-C Throughput		Pri	ce/Performance	Availability Date	
R\$ 1,350,250.01 BRL		85,858		R\$ 15.34 BRL / tpmC:		11/30/2005	
		Database Manager	Operating System		Other Software	Number of Users	
4 Intel Xeon EM64T @ 3GHz 2+2M - Server 1 Intel Xeon EM64T 3.06 GHz - Client	Se	crosoft SQL erver 2005 Enterprise Edition	Windows 2003 Ent Editi	terprise	Microsoft Visual C++ Microsoft COM+	68,000	



Storage 18 Storage S320 238 36.4GB 15 Krpm drives 14 73 GB 15 Krpm drives



Servidor Itautec ZX400, 32GB RAM, 4 x Dual Core Intel Xeon EM64T @ 3GHz 2+2M, LSI 53C1030 SCSI 3 Ultra320

controllers w/ 1 36.4GB 15Krpm drives in

Target Server

internal bays

8-port 3COM 3C16477 Gigabit Switch



Client Servidor Itautec LX210 Intel Xeon EM64T 3.06GHz/1MB 1GB RAM

System Components		Server	Each Client		
Cystem components	Quantity	Description	Quantity	Description	
Processor	4	3.0 GHz Intel Xeon EM64T 2+2M w/ 2 MB cache / 800 MHz FSB	1	3.06 GHz Intel Xeon EM64T w/1MB cache	
Memory	16	2GB Register DDR2 @ 400MHz	2	512 MB Register ECC DDR DIMM @ 266 MHz	
Disk Controllers	4 2 1	LSI Logic MegaRAID SCSI 320-2E LSI Logic MegaRAID SCSI 320-4X LSI Logic MegaRAID SCSI 320-2X	1	Intel® 82801EB I/O Controller Hub 5	
Disk Drives	238 14	36.4 GB SCSI Drive 15 Krpm 73 GB SCSI Drive 15 Krpm	1	80 GB 7200 SATA Drive	
Total Storage		8845.2 GB		80 GB	

Numerical Quantities Summary

MQTh, Computed Maximum Qualified Throughput

Response Times (in seconds)

	Average	90 th	Max
New Order	0.20	0.33	5.15
Payment	0.14	0.22	1.21
Order Status	0.18	0.29	4.40
Delivery (interactive)	0.10	0.11	0.82
Delivery (deferred)	0.16	0.33	4.30
Stock Level	0.23	0.41	2.09
Menu	0.10	0.11	1.09

85,858 tpmC

Response time delay added for emulated components

Menu 0.1

Resp. 0.1

Transaction Mix, in percent of total transactions

New Order	44.91%
Payment	43.04%
Order-Status	4.01%
Delivery	4.02%
Stock-Level	4.02%

Keying/Think Times (in seconds)

	Min	Average	Max	
New Order	18.02 0.00	18.03 12.06	18.15 120.53	
Payment	3.02 0.00	3.03 12.06	3.15 120.53	
Delivery	2.02 0.00	2.03 5.08	2.15 50.52	
Stock Level	2.02 0.00	2.03 5.07	2.15 50.53	
Order Status	2.02 0.00	2.03 10.06	2.15 100.53	

Test Duration

Ramp-up time	34 minutes
Measurement interval	120 minutes
Number of checkpoints	4
Checkpoint interval	30 minutes
Number of transactions (all types) completed in measurement interval	23.862.034

				TPC-C Rev. 5.5			
ltautec	Servidor Itautec ZX400 4P				Report Date: Dec 01, 2005		
Description	Part Number	Third	Party	Unit Price	Quantity	Extended Price	3 yr. Maint. Pric
	_	Brand	Pricing	R\$		1 1100	
Server Hardware							
Servidor Itautec ZX400 4P							
Base System with 4 x Xeon MP 3.0 GHz/2x2MB 667	16950	Itautec	1	104.355	1	104.355	-
2 GB DDR2-400 SDRAM	12393	Itautec	1	5.132	16	82.112	
36 GB Ultra320 15Krpm HDD	Included Included	Itautec	1	•	2 2	-	
On-Board LAN Broadcom NetXtreme 1000Gbps CD-ROM, Internal SCSI Adapter	included	Itautec Itautec	1	•	1	-	-
Upgrade to 3-year / 4-hour response / 7days - 24hrs	2106 05	Itautec	1	4.500	1	•	4.5
Monitor 15" Sync Master 591S	11555	Itautec	1	390	1	390	7.5
UPS SMART APC 1	F2643	Itautec	i	1.800	i	1.800	
			•		Subtotal	188.657	4.5
Disk Subsystem	_						
SCSI RAID Controller U320 2-channel PCI-E	11710	Itautec	1	4.849	4	19.396	
SCSI RAID Controller U320 2-channel PCI-X	G7622	Itautec	1	4.038	1	4.038	
SCSI RAID Controller U320 4-channel PCI-X	G7624	Itautec	1	7.918	2	15.836	-
36 GB Ultra320 15K rpm	F6853	Itautec	1	2.728	238	649.264	-
73 GB Ultra320 15K rpm	F4641	Itautec	1	3.583	14	50.162	-
36 GB Ultra320 15K rpm (10% spare)	F6853	Itautec	1	2.728	24		65.4
73 GB Ultra320 15K rpm (10% spare)	F4641	Itautec	1	3.583	2		7.1
Storage Itautec S320	F1781	Itautec	1	20.321	18	365.783	-
Kit Rack for Storage Rack Itautec F2400	F1390 F2400	Itautec Itautec	1	345 5.281	18 3	6.210 15.843	-
mack (tautec r 2400	F2400	Itautec	'	5.281	Subtotal –	1.126.532	72.6
Server Software	_						
Microsoft Windows 2003 Server Enterprise Edition x64	P72-00981	Microsoft	1	10.434	1	10.434	-
SQL Server 2005 Standard Edition 32 bits	81852	Microsoft	1	16.460	1 _	16.460	-
	_				Subtotal	26.894	-
Client Hardware							
Servidor Itautec LX-210 Base System with 1 x Xeon EM64T 3.06GHz/1MB	C0V4F	Itautec	1	6.123	6	36.741	
1x XEON EM64T 3.06GHz/IMB BTO Option	G9230	Itautec	1	1.123	6	6.741	
2 x 512MB Memory	Included	Itautec	1	1.123	6	0.141	
1x 80GB SATA 7200rpm	Included	Itautec	1		6		
2 x Intel Pro/1000 Server Adapter	Included	Itautec	1		6	-	
CD-ROM, On-Board LAN	Included	Itautec	1		6		
Upgrade to 3-year / 4-hour response / 7days - 24hrs	001839	Itautec	1	357	6	_	2.1
Monitor 15" SYNC MASTER 551S	E9801	Itautec	1	410	6	2.460	
	_				Subtotal	45.941	2.1
Client Software							
Microsoft Windows 2003 Server Standard Edition 32 bits	H0085	Microsoft	1	3.000	1	3.000	-
Visual C++ .NET Standard	254-00257	Microsoft	1	336	Subtotal -	336 3,336	
Network components	_				Justicial	3.330	•
Switch 16P Baseline 10/100/1000	G9949	Itautec	1	2.100	2	4.200	-
Switch 16P Baseline 10/100/1000 (spares)	G9949	Itautec	1	2.100	2	4.200	-
					Subtotal	4.200	-
					TOTAL	1.395.561	79.2
Large volume purchase with cash in advance Discount on Itau	tec Hardware (11.58%	1			IUIAL	158,105	19.2
				:	TOTAL	1.237.455	79.2
					3-Yr. Cos	t of Ownership:	R\$ 1.316.735,23 BF
Pricing: 1 - Itautec						tpmC Rating:	: 858
					-	D# I tour C	15
Audited By Lorna Livingtree of Performance Metri						R\$ / tpmC:	15

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find that the stated prices are not available according to these items, please inform the TPC at pricing@tpc.org.