




Bull Novascale 5160

TPC-H Rev. 2.1.0

Report Date
June 6, 2005

Total System Cost		Composite Query per Hour Rating		Price Performance	
\$564,843		12,865.4 QphH @ 1000GB		\$43.91 / QphH @ 1000GB	
Database size	Database Manager	Operating System	Other Software	Availability Date	
1000 GB*	Microsoft SQL Server 2005 Enterprise Edition 64-bit	Microsoft Windows Server 2003, Datacenter Edition for 64-bit	Microsoft Visual C++ MS Visual Studio Pro.	November 8, 2005	



Database Load Time = 17:16:34		Load included backup: Y		Total Data Storage / Database Size = 9.27	
RAID (Base tables): N		RAID (Base tables and Auxiliary Data Structures): N		RAID (All): N	
System Configuration					
Processors	16 x 1.6 GHz Intel® Itanium2™ with 9MB Level 3 Cache				
Memory	64 GB Main Memory				
Disk Controllers	15 PCI-X SCSI 320 Dual Channel				
Disk Drives	217	36GB SCSI (34.18 GB useable)			
	19	73GB SCSI (68.36 GB useable)			
	2	300GB SCSI (279.39 GB useable)			
Total Disk Storage	9274.68 GB				

* Database size includes only raw data (eg, no temp, index, redundant storage space, etc.)



Bull NovaScale 5160

TPC-H Rev. 2.1.0

Report Date: June 6, 2005

Description	Part Number	Brand	Pricing	Unit Price	Quantity	Extended Price	3-year Maint. Price
Server Hardware							
French system localisation	LOCU200-00FF	Bull	1	0	1	0	0
Power Supply Type (Voltage, Plug) - Europe	PSKU004-0002	Bull	1	0	1	0	0
Indicator System NovaScale 6160 Package	PKHU208-0000	Bull	1	0	1	0	0
NovaScale 5160 System Quad Itanium 2 1.6GHz/9MB	CPXU404-1609	Bull	1	115 500	1	115 500	40 009
CPU Kit: 4x Itanium 2 1.6GHz/9MB L3, 1 CPU/M Box	CPKU308-1609	Bull	1	57 308	3	171 925	59 502
16GB (16x1024MB DIMMS, SDRAM DDR) kit for one CPU/Memory box	CMMU303-0000	Bull	1	18 767	4	75 068	0
PCI Ultra320 SCSI Dual Channel Host connection kit	CKTU217-0000	Bull	1	473	1	473	0
SR-1422 - 14-slot redundant SCSI RAID disk rack drawer, RnR	DSSH007-RR00	Bull	1	8 862	1	8 862	4 163
36GB Ultra 320 SCSI 15Krpm HDD (1") *	MSUH041-2S30	Bull	1	355	16	5 685	0
One additional I/O Box including 11 add'l PCI slots	DRWU300-0000	Bull	1	15 400	1	15 400	3 603
NovaScale H/W & S/W conf. for up to 1 partition	PKHU401-001P	Bull	1	0	1	0	0
NovaScale - One partition initially configured	PKHU402-I01P	Bull	1	0	1	0	0
Subtotal						392 913	107 277
Storage Hardware							
Rack 36U/19" (with one PDU)	RCKU204-0000	Bull	1	4 885	2	9 770	3 868
Additional Power Distribution Unit	PSSU200-0000	Bull	1	924	3	2 772	0
HBA SCSI U320 ADAPTEC 39320	DCCH007-0000	Bull	1	464	15	6 960	0
PCI Ultra320 SCSI Dual Channel Host connection kit	CKTU217-0000	Bull	1	473	3	1 418	0
SJ-0812 RAID extention 8 *1" slots, rackmountable in RnR, 1PS, 2SCSI w/ cable	DSSH001-ER0C	Bull	1	2 277	3	6 831	6 656
73GB Ultra 320 SCSI 15Krpm HDD (1") *	MSUH042-2S30	Bull	1	668	21	14 022	0
300GB Ultra 320 SCSI 10Krpm HDD (1") *	MSUH040-1S30	Bull	1	1 507	4	6 028	0
Data cable 68pin VHD TO VHD SCSI U320, 1m for SJ-0812 and SR-1422	CBLH011-0100	Bull	1	128	8	1 021	0
SJ-1422- 14 slots SCSI multi initiator JBOD - rack drawer - RnR w/ 2 cables VHD-VHD 1m	DSSH019-RR0C	Bull	1	3 219	15	48 279	24 435
36GB Ultra 320 SCSI 15Krpm HDD (1") *	MSUH041-2S30	Bull	1	355	224	79 587	0
Data cable 68pin VHD TO VHD SCSI U320, 3m for SJ-0812 and SR-1422	CBLH011-0300	Bull	1	156	30	4 686	0
Subtotal						181 374	34 959
Server Software							
Windows Server 2003 DTC Ed. (up to 16-CPU) & 5CAL	EXSU264-NA0H	Microsoft	1	29 543	1	29 543	3 434
SQL Server 2005 Enterprise Edition	810-00652	Microsoft	2	8 509	1	8 509	0
SQL Server 2005 Client License	359-00532	Microsoft	2	163	70	11 410	0
Visual C++ Standard Edition	254-00170	Microsoft	2	109	1	109	0
Microsoft Problem Resolution Services (1 incident)		Microsoft	2	0	1	0	245
Subtotal						49 571	3 679
Large Volume HW, SW & Maintenance Discount						Discounts	-50 985
						TOTAL	94 931

Notes:

Pricing: 1-Bull 2-Microsoft

* = 10% spare disks added in place of onsite service, rounded up for bundled pricing.

Used (14+203)x36GB disks + 19x73GB disks + 3x300Gb disks

Spares are (2+21)x36GB disks + 2x73GB disks + 1x300GB disk

Audited by Francois Raab of InfoSizing

Three-Year Cost of Ownership: \$564 843

QphH @ 1000GB: 12 865.4

\$ / QphH@1000GB: 43.91

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflects standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find that the stated prices are not available according to these terms, please inform the TPC at pricing@tpc.org. Thank you.



Numerical Quantities Summary

Measurement Results

Scale Factor	1000 GB
Total Data Storage / Database Size	9.27
Start of Database Load	05/29/2005 17:28:48
End of Database Load	05/30/2005 10:45:22
Database Load Time	17:16:34
Query Streams for Throughput Test	7
TPC-H Power	18185.4
TPC-H Throughput	9101.7
Composite Query per Hour Rating (QphH@1000GB)	12865.4
Total System Price Over 3 Years	\$564,843
TPC-H Price Performance Metric	\$43.91

Measurement Intervals

Measurement Interval in Throughput Test (Ts) 60907 seconds

Duration of Stream Execution

		Query Start Date/Time	RF1 Start Date/Time	RF2 Start Date/Time	
	Seed	Query End Date/Time	RF1 End Date/Time	RF2 End Date/Time	Duration
Stream 0	530104522	2005-05-31 09:03:01 2005-05-31 11:17:24	2005-05-31 08:54:43 2005-05-31 09:03:01	2005-05-31 11:17:24 2005-05-31 11:23:41	2:28:58
Stream 1	530104523	2005-05-31 11:23:44 2005-06-01 01:43:01	2005-05-31 11:23:43 2005-06-01 01:58:17	2005-06-01 01:58:17 2005-06-01 02:07:36	14:19:17
Stream 2	530104524	2005-05-31 11:23:44 2005-06-01 01:02:02	2005-06-01 02:07:38 2005-06-01 02:17:51	2005-06-01 02:17:51 2005-06-01 02:27:54	13:38:17
Stream 3	530104525	2005-05-31 11:23:45 2005-06-01 00:22:38	2005-06-01 02:27:57 2005-06-01 02:39:10	2005-06-01 02:39:10 2005-06-01 02:47:15	12:58:53
Stream 4	530104526	2005-05-31 11:23:46 2005-06-01 01:49:41	2005-06-01 02:47:19 2005-06-01 02:58:27	2005-06-01 02:58:27 2005-06-01 03:09:11	14:25:55
Stream 5	530104527	2005-05-31 11:23:46 2005-06-01 01:42:41	2005-06-01 03:09:15 2005-06-01 03:21:13	2005-06-01 03:21:13 2005-06-01 03:32:14	14:18:55
Stream 6	530104528	2005-05-31 11:23:47 2005-06-01 01:31:09	2005-06-01 03:32:18 2005-06-01 03:43:05	2005-06-01 03:43:05 2005-06-01 03:54:32	14:07:22
Stream 7	530104529	2005-05-31 11:23:48 2005-06-01 01:47:28	2005-06-01 03:54:37 2005-06-01 04:06:58	2005-06-01 04:06:58 2005-06-01 04:18:55	14:23:40



Bull Novascale 5160

TPC-H Rev. 2.1.0

TPC-H Timing Intervals (in seconds):

Query	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8
Stream 0	994.9	36.8	64.9	82.0	203.1	43.1	251.8	169.4
Stream 1	4457.6	171.4	1275.8	3444.1	1356.9	146.4	1625.0	4235.6
Stream 2	5703.4	412.8	1392.5	1715.7	2656.5	269.6	1698.5	1117.0
Stream 3	4500.7	307.2	1718.5	1348.6	5038.6	168.2	2349.1	786.7
Stream 4	5541.9	167.9	82.4	3248.4	894.6	175.3	4793.3	3115.1
Stream 5	4881.1	366.6	1465.7	1167.0	1244.1	179.1	4169.8	3928.2
Stream 6	4622.1	229.7	1177.1	2321.1	1990.7	192.0	1415.3	2047.9
Stream 7	4915.6	407.3	3423.8	1152.2	2008.6	146.6	1426.7	1290.8
Min Qi	4457.6	167.9	82.4	1152.2	894.6	146.4	1415.3	786.7
Max Qi	5703.4	412.8	3423.8	3444.1	5038.6	269.6	4793.3	4235.6
Avg Qi	4946.1	294.7	1505.1	2056.7	2170.0	182.5	2496.8	2360.2
Query	Q9	Q10	Q11	Q12	Q13	Q14	Q15	Q16
Stream 0	1137.1	112.3	104.0	276.9	489.0	69.5	44.9	253.9
Stream 1	7502.1	2065.6	1352.3	1482.6	2057.8	1038.6	290.9	1632.3
Stream 2	4569.2	1742.9	1580.8	1299.2	2833.2	722.4	516.3	902.3
Stream 3	4401.2	1526.1	2837.7	1476.5	1810.0	1069.8	379.0	1376.8
Stream 4	4284.4	1443.8	3615.2	4037.8	2078.7	437.8	294.3	648.1
Stream 5	6204.1	1461.8	2254.9	3069.9	2715.3	556.6	228.6	774.9
Stream 6	7408.6	5334.7	1228.8	2196.8	3886.4	506.6	245.5	1254.2
Stream 7	5618.9	1358.3	2007.9	3114.3	3036.3	917.3	435.6	1624.2
Min Qi	4284.4	1358.3	1228.8	1299.2	1810.0	437.8	228.6	648.1
Max Qi	7502.1	5334.7	3615.2	4037.8	3886.4	1069.8	516.3	1632.3
Avg Qi	5712.6	2133.3	2125.4	2382.4	2631.1	749.9	341.5	1173.3
Query	Q17	Q18	Q19	Q20	Q21	Q22	RF1	RF2
Stream 0	89.2	1355.6	190.0	78.5	1809.4	206.8	497.5	377.0
Stream 1	3125.7	3215.7	1204.6	2999.3	5475.9	1396.7	52474.1	558.4
Stream 2	4986.4	4389.0	3091.1	331.4	6484.1	679.3	613.2	602.7
Stream 3	3053.0	4107.0	1212.7	903.0	5665.1	694.4	673.5	485.1
Stream 4	984.9	4998.9	1787.9	102.2	8766.8	452.1	668.0	643.6
Stream 5	438.7	7078.7	1138.5	1716.2	5791.7	699.8	717.7	661.2
Stream 6	1432.0	5549.7	1187.3	359.5	5538.8	713.3	646.3	687.0
Stream 7	2450.4	4978.7	946.2	819.9	9054.9	681.9	741.2	716.9
Min Qi	438.7	3215.7	946.2	102.2	5475.9	452.1	613.2	485.1
Max Qi	4986.4	7078.7	3091.1	2999.3	9054.9	1396.7	52474.1	716.9
Avg Qi	2353.0	4902.5	1509.8	1033.1	6682.5	759.6	8076.3	622.1