
 Hewlett Packard Enterprise	HPE ProLiant DL325 Gen10 using Exasol 6.2		TPC-H Rev. 3.0.0 TPC-Pricing Rev. 2.14.0	
			Report Date August 7, 2019	
Total System Cost	Composite Query per Hour Metric		Price / Performance	
\$309,706	6,145,628.3 QphH@1000GB		\$ 50.40 \$/kQphH@1000GB	
Database Size	Database Manager	Operating System	Other Software	Availability Date
1,000GB	Exasol 6.2	CentOS 7.6	None	August 26, 2019



Database Load Time = 00d 00h 24m 49s Load Includes Backup: N Total Data Storage / Database Size = 11.92 Memory to Database Size Percentage = 204.8%	Storage Redundancy Levels: Base Tables Level Zero Auxiliary Data Structures Level Zero DBMS Temporary Space Level Zero OS and DBMS Software Level Zero
--	---

System Configuration:

8 x HPE ProLiant DL325 Gen10 Server, each with:
 256 GB RAM
 1 x AMD EPYC™ 7702 64-Core Processor (128 threads)
 1 x 1600 GB NVMe internal drive

Total Storage: 11,921 GiB



**Hewlett Packard
Enterprise**

**HPE ProLiant DL325
Gen10
using Exasol 6.2**

TPC-H Rev. 3.0.0
TPC-Pricing Rev. 2.14.0

Report Date
August 7, 2019

Description	Part Number	Key	Unit Price \$	Qty	Ext. Price \$	3 Yr. Maint. Price \$
SERVER COMPONENTS						
HPE DL325 Gen10 8SFF CTO Server	P04654-B21	1	1,350.00	8	10,800.00	
HPE DL325 Gen10 8SFF CTO Server, EPYC 1x7702, data nodes		1	11,839.00	8	94,712.00	
HPE 32GB 2Rx4 PC4-2933-R , data nodes	P00924-B21	1	1,170.00	32	74,880.00	
HPE 800W CS Platinum Plus AC Power Supply	865414-B21	1	379.00	8	3,032.00	
HPE DL325 Gen10 8SFF (NVMe backplane) CTO Server	P04662-B21	1	1,699.00	8	13,592.00	
HPE 1.6 TB NVMe, MO001600KWWNB	P10222-B21	1	3,120.00	8	24,960.00	
HPE Ethernet 10/25G Network Adapter 631FLR-SFP28	817709-B21	1	749.00	8	5,992.00	
HPE 3Y FC 24x7 DL325 Gen10 SVC	HB4G8E	1	1,355.00	8		10,840.00
HPE iLO Adv incl 3yr TS U E-LTU	E6U64ABE	1	469.00	8		3,752.00
HP V194 18.5" HD 1366x768 LED Monitor (1 + 2 spare)	V5E94A6#ABA	3	80.95	3	243.00	
HP PS/2 Keyboard And Mouse Bundle (1 + 2 spare)	H3C53AA#ABA	3	24.95	3	75.00	
OTHER HARDWARE COMPONENTS						
HPE 1620-24G Switch + 2 spares	JG913A	1	299.00	3	897.00	
5ft (1.5m) Cat6 Snagless Unshielded (UTP) PVC CM 8+2 spares	C6-UTPSGPVCBE	2	2.00	10	20.00	
HPE 5945 48SFP28 8QSFP28 Switch	JQ074A	1	30,970.00	1	30,970.00	
HPE 25Gb SFP28 to SFP28 3m DAC 8+2 spares	844477-B21	1	221.99	10	2,219.90	
HPE 3Y FC 24x7 FF 5945 Switch SVC	HB4S3E	1	8,003.00	1		8,003.00
HPE 42U 600x1075mm Adv G2 Kit Pllt Rack	P9K07A	1	1,179.00	1	1,179.00	
HPE 24A High Voltage Core Only Corded PDU + 2 spares	252663-D74	1	259.00	3	777.00	
Hardware Subtotal					264,348.90	22,595.00
SOFTWARE						
Exasol 6.2 - Exasol 1TB Subscription ¹⁾		4	2,099.00	36	75,564.00	
Software Subtotal					75,564.00	
Total					339,912.90	22,595.00
Large Purchase Hardware Discount (20%) ²⁾					- 52,802.18	

Three-Year Cost of Ownership: \$309,706
QphH@1000GB: 6,145,628.3
\$/kQphH@1000GB: \$ 50.40

Price Key: 1 HPE
 2 fs.com
 3 hp.factoryoutletstore.com
 4 Exasol

sales@exasol.com

¹⁾ Includes software (DB & OS) support 24x7

²⁾ All discounts are based on US list prices and for similar quantities and configurations. A 20% discount was based on the overall specific components pricing from vendor 1 in this single quotation. Discounts for similarly sized configurations will be similar to those quoted here, but may vary based on the components in the configuration.

Audited by Francois Raab of InfoSizing (www.sizing.com)

Prices used in TPC benchmarks reflect the actual prices a customer would pay for a one-time purchase of the stated components. Individually negotiated discounts are not permitted. Special prices based on assumptions about past or future purchases are not permitted. All discounts reflect standard pricing policies for the listed components. For complete details, see the pricing sections of the TPC benchmark specifications. If you find that the stated prices are not available according to these terms please inform the TPC at pricing@tpc.org. Thank you.



**Hewlett Packard
Enterprise**

**HPE ProLiant DL325
Gen10
using Exasol 6.2**

TPC-H Rev. 3.0.0
TPC-Pricing Rev. 2.14.0

Report Date
August 7, 2019

Numerical Quantities

Measurement Results

Database Scale Factor	1,000 GB
Total Data Storage / Database Size	11.92
Percentage Memory / Database Size	204.8%
Start of Database Load	2019-07-22 09:36:01
End of Database Load	2019-07-22 10:00:50
Database Load Time	00d 00h 24m 49s
Query Streams for Throughput Test	12
TPC-H Power	4,657,907.1
TPC-H Throughput	8,108,523.2
TPC-H Composite Query-per-Hour Metric (QphH@1000GB)	6,145,628.3
Total System Price Over 3 Years	\$309,706
TPC-H Price/ Performance Metric (\$/kQphH@1000GB)	\$ 50.40

Measurement Interval

Measurement Interval in Throughput Test (Ts)	117.21 seconds
--	----------------

Duration of Stream Execution

Power Run	Seed	Query Start Time	Total Time (hh:mm:ss)	RF1 Start Time	RF2 Start Time
		Query End Time		RF1 End Time	RF2 End Time
722100050	722100050	2019-07-22 10:00:53.59	00:00:24	2019-07-22 10:00:51.92	2019-07-22 10:01:18.06
		2019-07-22 10:01:18.05		2019-07-22 10:00:53.52	2019-07-22 10:01:18.26
Throughput Stream	Seed	Query Start Time	Total Time (hh:mm:ss)	RF1 Start Time	RF2 Start Time
		Query End Time		RF1 End Time	RF2 End Time
1	722100051	2019-07-22 10:01:18.34	00:01:49	2019-07-22 10:01:18.27	2019-07-22 10:01:23.87
		2019-07-22 10:03:07.83		2019-07-22 10:01:23.86	2019-07-22 10:01:24.46
2	722100052	2019-07-22 10:01:18.34	00:01:57	2019-07-22 10:01:24.47	2019-07-22 10:01:28.50
		2019-07-22 10:03:15.48		2019-07-22 10:01:28.49	2019-07-22 10:01:29.12
3	722100053	2019-07-22 10:01:19.47	00:01:49	2019-07-22 10:01:29.12	2019-07-22 10:01:33.70
		2019-07-22 10:03:07.98		2019-07-22 10:01:33.69	2019-07-22 10:01:34.27
4	722100054	2019-07-22 10:01:18.35	00:01:47	2019-07-22 10:01:34.27	2019-07-22 10:01:38.38
		2019-07-22 10:03:05.59		2019-07-22 10:01:38.38	2019-07-22 10:01:39.15
5	722100055	2019-07-22 10:01:20.49	00:01:49	2019-07-22 10:01:39.16	2019-07-22 10:01:43.94
		2019-07-22 10:03:09.63		2019-07-22 10:01:43.94	2019-07-22 10:01:44.61
6	722100056	2019-07-22 10:01:20.55	00:01:49	2019-07-22 10:01:44.61	2019-07-22 10:01:49.87
		2019-07-22 10:03:09.22		2019-07-22 10:01:49.86	2019-07-22 10:01:50.95
7	722100057	2019-07-22 10:01:19.39	00:01:49	2019-07-22 10:01:50.96	2019-07-22 10:01:58.96
		2019-07-22 10:03:08.42		2019-07-22 10:01:58.95	2019-07-22 10:02:00.14
8	722100058	2019-07-22 10:01:19.46	00:01:51	2019-07-22 10:02:00.15	2019-07-22 10:02:07.83
		2019-07-22 10:03:10.49		2019-07-22 10:02:07.82	2019-07-22 10:02:08.62
9	722100059	2019-07-22 10:01:19.36	00:01:50	2019-07-22 10:02:08.62	2019-07-22 10:02:15.75
		2019-07-22 10:03:09.38		2019-07-22 10:02:15.75	2019-07-22 10:02:17.32
10	722100060	2019-07-22 10:01:20.58	00:01:49	2019-07-22 10:02:17.32	2019-07-22 10:02:23.02
		2019-07-22 10:03:09.57		2019-07-22 10:02:23.01	2019-07-22 10:02:24.95
11	722100061	2019-07-22 10:01:20.50	00:01:49	2019-07-22 10:02:24.96	2019-07-22 10:02:29.62
		2019-07-22 10:03:09.51		2019-07-22 10:02:29.62	2019-07-22 10:02:30.43
12	722100062	2019-07-22 10:01:20.54	00:01:49	2019-07-22 10:02:30.43	2019-07-22 10:02:41.40
		2019-07-22 10:03:09.64		2019-07-22 10:02:41.39	2019-07-22 10:02:42.05



**Hewlett Packard
Enterprise**

**HPE ProLiant DL325
Gen10
using Exasol 6.2**

TPC-H Rev. 3.0.0
TPC-Pricing Rev. 2.14.0

Report Date
August 7, 2019

TPC-H Timing Intervals (in seconds)

Stream ID	Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9	Q10	Q11	Q12
0	1.13	0.31	1.58	0.42	1.16	0.28	1.68	0.78	5.92	1.54	1.48	0.69
1	11.31	1.07	6.36	1.88	5.00	2.56	8.99	2.36	15.65	6.04	3.24	7.98
2	1.90	1.69	1.55	0.42	6.65	0.70	12.69	3.73	20.56	9.11	1.50	10.75
3	11.53	1.15	6.12	1.77	4.62	2.50	7.90	2.45	14.24	5.90	2.92	6.91
4	11.70	1.14	5.96	2.01	1.61	2.38	8.45	2.32	14.75	6.78	3.20	7.37
5	11.09	1.14	6.67	1.94	4.98	2.40	8.28	2.50	12.65	6.00	2.99	7.24
6	11.91	0.94	6.42	2.34	4.90	2.53	9.08	2.62	14.23	6.20	3.18	7.44
7	11.89	1.04	6.69	1.96	4.49	2.25	9.25	2.51	14.16	6.47	3.19	7.10
8	11.58	1.03	5.96	1.92	4.77	2.56	9.00	2.10	14.86	6.91	2.59	7.89
9	11.15	1.09	6.95	2.10	4.63	2.35	8.89	2.41	13.76	6.84	3.09	7.69
10	11.99	1.09	6.59	1.95	3.15	2.60	8.40	2.21	14.81	5.72	3.00	7.51
11	11.77	0.97	6.02	2.08	5.03	2.36	7.28	2.64	14.79	6.19	3.17	7.54
12	11.29	0.99	5.87	1.94	4.30	2.52	8.04	2.45	14.83	6.05	3.09	8.11
Qi Min	1.13	0.31	1.55	0.42	1.16	0.28	1.68	0.78	5.92	1.54	1.48	0.69
Qi Avg	10.02	1.05	5.60	1.75	4.25	2.15	8.30	2.39	14.25	6.13	2.82	7.25
Qi Max	11.99	1.69	6.95	2.34	6.65	2.60	12.69	3.73	20.56	9.11	3.24	10.75

Stream ID	Q13	Q14	Q15	Q16	Q17	Q18	Q19	Q20	Q21	Q22	RF1	RF2
0	1.21	0.56	1.19	0.81	0.20	1.59	0.35	0.71	0.68	0.19	1.60	0.21
1	8.58	2.99	4.81	3.72	0.82	7.57	1.28	3.44	2.87	0.97	5.58	0.59
2	11.09	3.08	7.58	4.80	0.57	13.35	2.32	0.67	0.75	1.68	4.01	0.62
3	8.94	2.58	3.89	3.41	0.55	8.36	1.34	3.21	7.00	1.25	4.57	0.57
4	8.67	2.53	4.01	3.82	0.78	7.76	1.19	3.23	6.49	1.12	4.10	0.77
5	8.98	2.83	3.99	3.64	0.56	8.20	1.58	3.31	6.90	1.25	4.78	0.67
6	7.94	2.59	4.01	3.20	0.69	7.47	1.09	3.08	5.66	1.15	5.25	1.08
7	7.71	2.28	4.24	3.67	0.69	7.28	1.79	3.32	6.03	1.01	7.99	1.19
8	9.10	2.78	4.08	3.55	0.78	7.53	1.37	3.06	6.39	1.23	7.67	0.78
9	8.16	2.37	4.69	2.49	0.70	8.25	1.25	3.28	6.72	1.15	7.12	1.56
10	8.99	2.40	3.96	3.60	1.16	7.85	1.20	2.98	6.54	1.28	5.69	1.93
11	7.68	2.38	4.33	3.54	1.14	7.72	1.14	3.43	6.65	1.16	4.66	0.81
12	8.79	2.66	3.13	3.23	0.66	8.22	1.29	3.37	6.98	1.27	10.96	0.65
Qi Min	1.21	0.56	1.19	0.81	0.20	1.59	0.35	0.67	0.68	0.19	1.60	0.21
Qi Avg	8.14	2.46	4.15	3.34	0.72	7.78	1.32	2.85	5.36	1.13	5.69	0.88
Qi Max	11.09	3.08	7.58	4.80	1.16	13.35	2.32	3.44	7.00	1.68	10.96	1.93